





Appendix D

RF Test Data for 5.2G WIFI (Conducted Measurement)

Product Name: Projector

Test Model: Pro V8

Environmental Conditions

Temperature:	23.5℃
Relative Humidity:	52.2%
ATM Pressure:	100.0 kPa
Test Engineer:	 Wunder Wu
Supervised by:	 Li Huan





D.1 Emission Bandwidth

Test Result

TestMode	Antenna	Channel	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	18.400	5170.760	5189.160	---	---
		5220	18.440	5210.720	5229.160	---	---
		5240	18.440	5230.720	5249.160	---	---
11N20SISO	Ant1	5180	19.400	5170.280	5189.680	---	---
		5220	19.440	5210.280	5229.720	---	---
		5240	19.440	5230.280	5249.720	---	---
11N40SISO	Ant1	5190	41.120	5169.520	5210.640	---	---
		5230	41.120	5209.440	5250.560	---	---
11AC20SISO	Ant1	5180	19.360	5170.320	5189.680	---	---
		5220	19.360	5210.320	5229.680	---	---
		5240	19.360	5230.320	5249.680	---	---
11AC40SISO	Ant1	5190	40.720	5169.840	5210.560	---	---
		5230	40.720	5209.840	5250.560	---	---
11AC80SISO	Ant1	5210	80.640	5169.680	5250.320	---	---




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

11A_Ant1_5180




11A_Ant1_5220




11A_Ant1_5240






11N20SISO_Ant1_5180




11N20SISO_Ant1_5220






11N20SISO_Ant1_5240




11N40SISO_Ant1_5190






11N40SISO_Ant1_5230




11AC20SISO_Ant1_5180






11AC20SISO_Ant1_5220




11AC20SISO_Ant1_5240






11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230





11AC80SISO_Ant1_5210





D.2 Occupied channel bandwidth

Test Result

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	16.460	5171.767	5188.227	---	---
		5220	16.447	5211.777	5228.224	---	---
		5240	16.451	5231.762	5248.213	---	---
11N20SISO	Ant1	5180	17.606	5171.197	5188.803	---	---
		5220	17.600	5211.199	5228.799	---	---
		5240	17.609	5231.188	5248.797	---	---
11N40SISO	Ant1	5190	36.197	5171.961	5208.158	---	---
		5230	36.153	5211.936	5248.089	---	---
11AC20SISO	Ant1	5180	17.700	5171.147	5188.847	---	---
		5220	17.717	5211.138	5228.855	---	---
		5240	17.712	5231.132	5248.844	---	---
11AC40SISO	Ant1	5190	36.155	5171.961	5208.116	---	---
		5230	36.117	5211.970	5248.087	---	---
11AC80SISO	Ant1	5210	74.460	5172.846	5247.306	---	---




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

11A_Ant1_5180




11A_Ant1_5220




11A_Ant1_5240






11N20SISO_Ant1_5180




11N20SISO_Ant1_5220






11N20SISO_Ant1_5240




11N40SISO_Ant1_5190






11N40SISO_Ant1_5230




11AC20SISO_Ant1_5180






11AC20SISO_Ant1_5220




11AC20SISO_Ant1_5240






11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230





11AC80SISO_Ant1_5210





D.3 Maximum conducted output power

Test Result

TestMode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	5180	13.25	≤23.98	PASS
		5220	12.21	≤23.98	PASS
		5240	11.95	≤23.98	PASS
11N20SISO	Ant1	5180	11.71	≤23.98	PASS
		5220	11.06	≤23.98	PASS
		5240	10.79	≤23.98	PASS
11N40SISO	Ant1	5190	11.52	≤23.98	PASS
		5230	10.78	≤23.98	PASS
11AC20SISO	Ant1	5180	11.98	≤23.98	PASS
		5220	11.14	≤23.98	PASS
		5240	10.91	≤23.98	PASS
11AC40SISO	Ant1	5190	11.45	≤23.98	PASS
		5230	10.85	≤23.98	PASS
11AC80SISO	Ant1	5210	9.74	≤23.98	PASS

Note: The Duty Cycle Factor is compensated in the graph.



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



D.4 Maximum power spectral density

Test Result

TestMode	Antenna	Channel	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	1.79	≤ 11.00	PASS
		5220	0.8	≤ 11.00	PASS
		5240	0.49	≤ 11.00	PASS
11N20SISO	Ant1	5180	-0.02	≤ 11.00	PASS
		5220	-0.68	≤ 11.00	PASS
		5240	-1	≤ 11.00	PASS
11N40SISO	Ant1	5190	-2.87	≤ 11.00	PASS
		5230	-3.66	≤ 11.00	PASS
11AC20SISO	Ant1	5180	0.24	≤ 11.00	PASS
		5220	-0.6	≤ 11.00	PASS
		5240	-0.78	≤ 11.00	PASS
11AC40SISO	Ant1	5190	-2.93	≤ 11.00	PASS
		5230	-3.59	≤ 11.00	PASS
11AC80SISO	Ant1	5210	-7.86	≤ 11.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

11A_Ant1_5180




11A_Ant1_5220




11A_Ant1_5240






11N20SISO_Ant1_5180




11N20SISO_Ant1_5220






11N20SISO_Ant1_5240




11N40SISO_Ant1_5190






11N40SISO_Ant1_5230




11AC20SISO_Ant1_5180






11AC20SISO_Ant1_5220




11AC20SISO_Ant1_5240






11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230





11AC80SISO_Ant1_5210





D.5 Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11A	Ant1	Low	5180	AV	4500.000	-49.29	≤-41.20	45.91	≤54	PASS
				AV	5149.600	-47.31	≤-41.20	47.89	≤54	PASS
				AV	5150.000	-47.24	≤-41.20	47.96	≤54	PASS
				Peak	4500.000	-40.49	≤-21.20	54.71	≤74	PASS
				Peak	4970.400	-36.15	≤-21.20	59.05	≤74	PASS
				Peak	5150.000	-36.64	≤-21.20	58.56	≤74	PASS
		High	5240	AV	5350.000	-48.13	≤-41.20	47.07	≤54	PASS
				AV	5394.000	-48.06	≤-41.20	47.14	≤54	PASS
				AV	5460.000	-48.18	≤-41.20	47.02	≤54	PASS
				Peak	5350.000	-39.15	≤-21.20	56.05	≤74	PASS
				Peak	5370.960	-37.23	≤-21.20	57.97	≤74	PASS
				Peak	5460.000	-38.68	≤-21.20	56.52	≤74	PASS
11N20SI SO	Ant1	Low	5180	AV	4500.000	-49.32	≤-41.20	45.88	≤54	PASS
				AV	4841.600	-47.41	≤-41.20	47.79	≤54	PASS
				AV	5150.000	-47.45	≤-41.20	47.75	≤54	PASS
				Peak	4500.000	-40.71	≤-21.20	54.49	≤74	PASS
				Peak	4850.000	-36.49	≤-21.20	58.71	≤74	PASS
				Peak	5150.000	-38.22	≤-21.20	56.98	≤74	PASS
		High	5240	AV	5350.000	-48.15	≤-41.20	47.05	≤54	PASS
				AV	5383.680	-48.09	≤-41.20	47.11	≤54	PASS
				AV	5460.000	-48.18	≤-41.20	47.02	≤54	PASS
				Peak	5350.000	-38.62	≤-21.20	56.58	≤74	PASS
				Peak	5435.760	-37.24	≤-21.20	57.96	≤74	PASS
				Peak	5460.000	-39.58	≤-21.20	55.62	≤74	PASS
11N40SI SO	Ant1	Low	5190	AV	4500.000	-49.31	≤-41.20	45.89	≤54	PASS
				AV	5149.600	-46.23	≤-41.20	48.97	≤54	PASS
				AV	5150.000	-46.07	≤-41.20	49.13	≤54	PASS
				Peak	4500.000	-39.53	≤-21.20	55.67	≤74	PASS
				Peak	4831.800	-36.39	≤-21.20	58.81	≤74	PASS
				Peak	5150.000	-36.46	≤-21.20	58.74	≤74	PASS
		High	5230	AV	5350.000	-47.92	≤-41.20	47.28	≤54	PASS
				AV	5386.680	-47.91	≤-41.20	47.29	≤54	PASS
				AV	5460.000	-48	≤-41.20	47.20	≤54	PASS
				Peak	5350.000	-39.15	≤-21.20	56.05	≤74	PASS
				Peak	5434.260	-36.61	≤-21.20	58.59	≤74	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AC20S ISO	Ant1	Low	5180	Peak	5460.000	-38.61	≤ -21.20	56.59	≤ 74	PASS
				AV	4500.000	-49.3	≤ -41.20	45.90	≤ 54	PASS
				AV	5149.600	-47.41	≤ -41.20	47.79	≤ 54	PASS
				AV	5150.000	-47.34	≤ -41.20	47.86	≤ 54	PASS
				Peak	4500.000	-41.29	≤ -21.20	53.91	≤ 74	PASS
				Peak	5013.100	-35.76	≤ -21.20	59.44	≤ 74	PASS
		High	5240	Peak	5150.000	-37.66	≤ -21.20	57.54	≤ 74	PASS
				AV	5350.000	-48.14	≤ -41.20	47.06	≤ 54	PASS
				AV	5397.600	-48.09	≤ -41.20	47.11	≤ 54	PASS
				AV	5460.000	-48.17	≤ -41.20	47.03	≤ 54	PASS
				Peak	5350.000	-38.66	≤ -21.20	56.54	≤ 74	PASS
				Peak	5398.320	-36.82	≤ -21.20	58.38	≤ 74	PASS
11AC40S ISO	Ant1	Low	5190	Peak	5460.000	-39.14	≤ -21.20	56.06	≤ 74	PASS
				AV	4500.000	-49.3	≤ -41.20	45.90	≤ 54	PASS
				AV	5149.600	-46.34	≤ -41.20	48.86	≤ 54	PASS
				AV	5150.000	-46.14	≤ -41.20	49.06	≤ 54	PASS
				Peak	4500.000	-40.35	≤ -21.20	54.85	≤ 74	PASS
				Peak	5148.200	-35.48	≤ -21.20	59.72	≤ 74	PASS
		High	5230	Peak	5150.000	-36.17	≤ -21.20	59.03	≤ 74	PASS
				AV	5350.000	-47.97	≤ -41.20	47.23	≤ 54	PASS
				AV	5379.660	-47.91	≤ -41.20	47.29	≤ 54	PASS
				AV	5460.000	-48	≤ -41.20	47.20	≤ 54	PASS
				Peak	5350.000	-39.01	≤ -21.20	56.19	≤ 74	PASS
				Peak	5442.580	-36.95	≤ -21.20	58.25	≤ 74	PASS
11AC80S ISO	Ant1	Low	5210	Peak	5460.000	-38.96	≤ -21.20	56.24	≤ 74	PASS
				AV	4500.000	-49.31	≤ -41.20	45.89	≤ 54	PASS
				AV	5148.000	-46.73	≤ -41.20	48.47	≤ 54	PASS
				AV	5150.000	-46.67	≤ -41.20	48.53	≤ 54	PASS
				Peak	4500.000	-39.36	≤ -21.20	55.84	≤ 74	PASS
				Peak	4864.500	-36.27	≤ -21.20	58.93	≤ 74	PASS
		High	5210	Peak	5150.000	-36.58	≤ -21.20	58.62	≤ 74	PASS
				AV	5350.000	-47.96	≤ -41.20	47.24	≤ 54	PASS
				AV	5365.080	-47.94	≤ -41.20	47.26	≤ 54	PASS
				AV	5460.000	-48.03	≤ -41.20	47.17	≤ 54	PASS
				Peak	5350.000	-39.5	≤ -21.20	55.70	≤ 74	PASS
				Peak	5393.920	-37.17	≤ -21.20	58.03	≤ 74	PASS
				Peak	5460.000	-38.53	≤ -21.20	56.67	≤ 74	PASS

Note:

1. The Antenna Gain is compensated in the graph.



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




2. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.






Test Graphs

11A_Ant1_Low_5180_AV




11A_Ant1_Low_5180_Peak




11A_Ant1_High_5240_AV






11A_Ant1_High_5240_Peak




11N20SISO_Ant1_Low_5180_AV






11N20SISO_Ant1_Low_5180_Peak




11N20SISO_Ant1_High_5240_AV






11N20SISO_Ant1_High_5240_Peak




11N40SISO_Ant1_Low_5190_AV






11N40SISO_Ant1_Low_5190_Peak




11N40SISO_Ant1_High_5230_AV






11N40SISO_Ant1_High_5230_Peak




11AC20SISO_Ant1_Low_5180_AV






11AC20SISO_Ant1_Low_5180_Peak




11AC20SISO_Ant1_High_5240_AV






11AC20SISO_Ant1_High_5240_Peak




11AC40SISO_Ant1_Low_5190_AV






11AC40SISO_Ant1_Low_5190_Peak




11AC40SISO_Ant1_High_5230_AV






11AC40ISO_Ant1_High_5230_Peak




11AC80ISO_Ant1_Low_5210_AV






11AC80SISO_Ant1_Low_5210_Peak




11AC80SISO_Ant1_High_5210_AV





11AC80SISO_Ant1_High_5210_Peak





D.6 Frequency Stability

Test Result

Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11AC20SIS O	Ant1	5180	NV	NT	-40000	-7.722008	20	PASS
			LV	NT	-40000	-7.722008	20	PASS
			HV	NT	-40000	-7.722008	20	PASS
		5220	NV	NT	-40000	-7.662835	20	PASS
			LV	NT	-40000	-7.662835	20	PASS
			HV	NT	-40000	-7.662835	20	PASS
		5240	NV	NT	-40000	-7.633588	20	PASS
			LV	NT	-40000	-7.633588	20	PASS
			HV	NT	-40000	-7.633588	20	PASS
11AC40SIS O	Ant1	5190	NV	NT	-40000	-7.707129	20	PASS
			LV	NT	-40000	-7.707129	20	PASS
			HV	NT	0	0	20	PASS
		5230	NV	NT	-40000	-7.648184	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	-40000	-7.648184	20	PASS
11AC80SIS O	Ant1	5210	NV	NT	0	0	20	PASS
			LV	NT	-80000	-15.355086	20	PASS
			HV	NT	0	0	20	PASS

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11AC20SIS O	Ant1	5180	NV	-30	0	0	20	PASS
			NV	-20	-40000	-7.722008	20	PASS
			NV	-10	-20000	-3.861004	20	PASS
			NV	0	-40000	-7.722008	20	PASS
			NV	10	-40000	-7.722008	20	PASS
			NV	20	-40000	-7.722008	20	PASS
			NV	30	-20000	-3.861004	20	PASS
			NV	40	-40000	-7.722008	20	PASS
			NV	50	-40000	-7.722008	20	PASS
		5220	NV	-30	-40000	-7.662835	20	PASS
			NV	-20	-40000	-7.662835	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



			NV	-10	-40000	-7.662835	20	PASS
			NV	0	-40000	-7.662835	20	PASS
			NV	10	-40000	-7.662835	20	PASS
			NV	20	-40000	-7.662835	20	PASS
			NV	30	-40000	-7.662835	20	PASS
			NV	40	-40000	-7.662835	20	PASS
			NV	50	-40000	-7.662835	20	PASS
			NV	-30	-40000	-7.633588	20	PASS
		5240	NV	-20	-40000	-7.633588	20	PASS
			NV	-10	-40000	-7.633588	20	PASS
			NV	0	-40000	-7.633588	20	PASS
			NV	10	-40000	-7.633588	20	PASS
			NV	20	-40000	-7.633588	20	PASS
			NV	30	-40000	-7.633588	20	PASS
			NV	40	-40000	-7.633588	20	PASS
			NV	50	-40000	-7.633588	20	PASS
11AC40SIS O	Ant1	5190	NV	-30	-40000	-7.707129	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
		5230	NV	50	-40000	-7.707129	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
11AC80SIS O	Ant1	5210	NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	80000	15.355086	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	80000	15.355086	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



		NV	30	0	0	20	PASS
		NV	40	0	0	20	PASS
		NV	50	0	0	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



D.7 Duty Cycle

Test Result


TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
11A	Ant1	5180	27.00	27.00	100.00	---	---
		5220	27.00	27.00	100.00	---	---
		5240	27.00	27.00	100.00	---	---
11N20SISO	Ant1	5180	27.00	27.00	100.00	---	---
		5220	27.00	27.00	100.00	---	---
		5240	27.00	27.00	100.00	---	---
11N40SISO	Ant1	5190	27.00	27.00	100.00	---	---
		5230	27.00	27.00	100.00	---	---
11AC20SISO	Ant1	5180	27.00	27.00	100.00	---	---
		5220	27.00	27.00	100.00	---	---
		5240	27.00	27.00	100.00	---	---
11AC40SISO	Ant1	5190	27.00	27.00	100.00	---	---
		5230	27.00	27.00	100.00	---	---
11AC80SISO	Ant1	5210	27.00	27.00	100.00	---	---






Test Graphs

11A_Ant1_5180






11A_Ant1_5220




11A_Ant1_5240








11N20SISO_Ant1_5240




11N40SISO_Ant1_5190






11N40SISO_Ant1_5230




11AC20SISO_Ant1_5180






11AC20SISO_Ant1_5220




11AC20SISO_Ant1_5240






11AC40SISO_Ant1_5190



11AC40SISO_Ant1_5230





11AC80SISO_Ant1_5210

