



Report No.: SEWM2305000178RG01

Rev.:

1 of 57 Page:

Appendix B.1

GSM850&1900



South of No. 6 Plant, No. 1, Runsheng Rosal, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pikot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州上区苏州工业园区河胜路1号的6号厂房南部 鄉第: 215000

t (86-512) 62992980

Member of the SGS Group (SGS SA)



Report No.: SEWM2305000178RG01

Rev.: 01 Page: 2 of 57

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Channel	Power(dBm)	ERP(dBm)	Limit(dBm)	Verdict
GSM850	128	31.49	31.06	38.45	PASS
GSM850	190	31.47	31.04	38.45	PASS
GSM850	251	31.44	31.01	38.45	PASS
Band	Channel	Power(dBm)	EIRP(dBm)	Limit(dBm)	Verdict
GSM1900	512	27.03	30.57	33.00	PASS
GSM1900	661	27.11	30.65	33.00	PASS
GSM1900	810	26.92	30.46	33.00	PASS





Report No.: SEWM2305000178RG01

Rev.: 01 Page: 3 of 57

Band	Channel	Slot	Power(dBm)	EIRP(dBm)	Limit(dBm)	Verdict
EGPRS850	128	1	31.22	30.79	38.45	PASS
EGPRS850	128	2	30.75	30.32	38.45	PASS
EGPRS850	128	3	28.74	28.31	38.45	PASS
EGPRS850	128	4	27.08	26.65	38.45	PASS
EGPRS850	190	1	31.24	30.81	38.45	PASS
EGPRS850	190	2	30.65	30.22	38.45	PASS
EGPRS850	190	3	28.77	28.34	38.45	PASS
EGPRS850	190	4	27.18	26.75	38.45	PASS
EGPRS850	251	1	31.23	30.80	38.45	PASS
EGPRS850	251	2	30.68	30.25	38.45	PASS
EGPRS850	251	3	28.66	28.23	38.45	PASS
EGPRS850	251	4	27.08	26.65	38.45	PASS
EGPRS1900	512	1	26.72	30.26	33.00	PASS
EGPRS1900	512	2	26.10	29.64	33.00	PASS
EGPRS1900	512	3	24.22	27.76	33.00	PASS
EGPRS1900	512	4	22.91	26.45	33.00	PASS
EGPRS1900	661	1	26.81	30.35	33.00	PASS
EGPRS1900	661	2	26.06	29.60	33.00	PASS
EGPRS1900	661	3	24.24	27.78	33.00	PASS
EGPRS1900	661	4	22.72	26.26	33.00	PASS
EGPRS1900	810	1	26.75	30.29	33.00	PASS
EGPRS1900	810	2	26.11	29.65	33.00	PASS
EGPRS1900	810	3	24.38	27.92	33.00	PASS
EGPRS1900	810	4	22.84	26.38	33.00	PASS



or email: CN.Doccheck@sgs.com South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏) 自由贸易试验区苏州上区苏州工业园区湖胜第1号か6号厂房南部 郷第: 215000

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

Page: 4 of 57

Peak-to-Average Ratio(CCDF)

Test Result

Band	Channel	Result(dB)	Limit(dB)	Verdict
GSM850	128	6.32	13	PASS
GSM850	190	5.84	13	PASS
GSM850	251	6.32	13	PASS
EGPRS850	128	11.02	13	PASS
EGPRS850	190	10.92	13	PASS
EGPRS850	251	10.74	13	PASS
GSM1900	512	9.64	13	PASS
GSM1900	661	9.62	13	PASS
GSM1900	810	9.62	13	PASS
EGPRS1900	512	12.64	13	PASS
EGPRS1900	661	12.58	13	PASS
EGPRS1900	810	12.58	13	PASS






Report No.: SEWM2305000178RG01

Rev.: 01

5 of 57 Page:

Test Graphs








Report No.: SEWM2305000178RG01

Rev.: 01

Page: 6 of 57





South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fixed Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州 | 上级区满胜路 | 号的6号 / 房斋部 鄭編: 215000


t (86-512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2305000178RG01

Rev.: 01

7 of 57 Page:





South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fixed Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州 | 上级区满胜路 | 号的6号 / 房斋部 鄭編: 215000


t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

Page: 8 of 57





South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fixed Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州 | 上级区满胜路 | 号的6号 / 房斋部 鄭編: 215000


t (86-512) 62992980 www.sasgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2305000178RG01

Rev.: 01

Page: 9 of 57





South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fixed Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州 | 上级区满胜路 | 号的6号 / 房斋部 鄭編: 215000


t (86-512) 62992980 www.sasgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2305000178RG01

Rev.: 01

10 of 57 Page:





South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fixed Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州 | 上级区满胜路 | 号的6号 / 房斋部 鄭編: 215000

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

Page: 11 of 57

Modulation Characteristics

Test Result

Band	Channel	Result	Verdict
GSM850	190	PASS	PASS
EGPRS850	190	PASS	PASS
GSM1900	661	PASS	PASS
EGPRS1900	661	PASS	PASS






Report No.: SEWM2305000178RG01

Rev.: 01

Page: 12 of 57

Test Graphs








Report No.: SEWM2305000178RG01

Rev.: 01

Page: 13 of 57







Report No.: SEWM2305000178RG01

Rev.: 01

Page: 14 of 57

26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Channel	Occupied	26dB Bandwidth	Limit	Verdict
	Charmer	Bandwidth (MHz)	(MHz)	(MHz)	
GSM850	128	0.247	0.32		PASS
GSM850	190	0.245	0.31		PASS
GSM850	251	0.246	0.32		PASS
EGPRS850	128	0.251	0.32		PASS
EGPRS850	190	0.253	0.33		PASS
EGPRS850	251	0.251	0.32		PASS
GSM1900	512	0.246	0.32		PASS
GSM1900	661	0.245	0.31		PASS
GSM1900	810	0.247	0.31		PASS
EGPRS1900	512	0.251	0.32		PASS
EGPRS1900	661	0.249	0.32		PASS
EGPRS1900	810	0.251	0.32		PASS





Report No.: SEWM2305000178RG01

Rev.: 01

Page: 15 of 57

Test Graphs







Report No.: SEWM2305000178RG01

Rev.: 01

16 of 57 Page:





otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed of, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. of the translation contained hereon reflects the Company's single the translation to the time of the Intervention only and within the limits of a instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a cition from exercising all their rights and obligations under the transaction documents. This document come to reproduce in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or ance of this document sunday and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the ance of this document is unless the terminal translation of the content or ance of this document sunday in an employ in the law of the law. Unless otherwise stated the sunday of the law of

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chima (Jiangsu) Plint Fine Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜商1号的6号厂房商部 鄭編: 215000


t (86-512) 62992980 www.sasgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2305000178RG01

Rev.: 01

Page: 17 of 57





otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed if, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions/Terms-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chima (Jiangsu) Plint Fine Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜商1号的6号厂房商部 鄭編: 215000

t (86-512) 62992980 www.sasgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

Page: 18 of 57





to otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed of, available on request or accessible at http://www.aga.com/en/Terms-and-Conditions for electronic format documents, to Terms and Conditions for Electronic Documents at http://www.aga.com/en/Terms-and-Conditions/Terms-e-Document.aspx. on is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is sinstructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a citon from exercising all their rights and obligations under the transaction documents. This document come to the reproduced in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

1001: To check the authenticity of testing /imapection report & certificate, please contact us at telephone (86-755) 83071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chima (Jiangsu) Plint Fine Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜商1号的6号厂房商部 鄭編: 215000

t (86-512) 62992980 www.sasgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2305000178RG01

Rev.: 01

19 of 57 Page:





South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chima (Jiangsu) Plint Fine Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜商1号的6号厂房商部 鄭編: 215000

t (86-512) 62992980 www.sasgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

Page: 20 of 57





otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed of, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. of the translation contained hereon reflects the Company's single the translation to the time of the Intervention only and within the limits of a instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a cition from exercising all their rights and obligations under the transaction documents. This document come to reproduce in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or ance of this document sunday and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the ance of this document is unless the terminal translation of the content or ance of this document sunday in an employ in the law of the law. Unless otherwise stated the sunday of the law of

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chima (Jiangsu) Plint Fine Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜商1号的6号厂房商部 鄭編: 215000

t (86-512) 62992980 www.sasgroup.com.cn




Report No.: SEWM2305000178RG01

Rev.: 01

Page: 21 of 57

Band Edge

Test Graphs








Report No.: SEWM2305000178RG01

Rev.: 01

22 of 57 Page:





South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fixed Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州 | 上级区满胜路 | 号的6号 / 房斋部 鄭編: 215000


t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

23 of 57 Page:





South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fixed Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州 | 上级区满胜路 | 号的6号 / 房斋部 鄭編: 215000


t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

Page: 24 of 57





South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fixed Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州 | 上级区满胜路 | 号的6号 / 房斋部 鄭編: 215000

t (86-512) 62992980 www.sgsgroup.com.cn




Report No.: SEWM2305000178RG01

Rev.: 01

Page: 25 of 57

Conducted Spurious Emission

Test Graphs








Report No.: SEWM2305000178RG01

Rev.: 01

26 of 57 Page:





South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chima (Jiangsu) Plint Fine Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜商1号的6号厂房商部 鄭編: 215000

t (86-512) 62992980 www.sasgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2305000178RG01

Rev.: 01

Page: 27 of 57





South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chima (Jiangsu) Plint Fine Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜商1号的6号厂房商部 鄭編: 215000


t (86-512) 62992980 www.sasgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

Page: 28 of 57





South of No. F Part, No. 1, Purphering Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 自由。 多州 - 中国(五苏)自由贸易试验区苏州片区苏州工业园区测量路1号约6号厂房南部 鄉鄉: 215000


t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2305000178RG01

Rev.: 01

29 of 57 Page:





South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chima (Jiangsu) Plint Fine Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜商1号的6号厂房商部 鄭編: 215000


t (86-512) 62992980 www.sasgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

30 of 57 Page:





South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chima (Jiangsu) Plint Fine Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜商1号的6号厂房商部 鄭編: 215000


t (86-512) 62992980 www.sasgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

Page: 31 of 57





South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fixed Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州 | 上级区满胜路 | 号的6号 / 房斋部 鄭編: 215000


t (86-512) 62992980 www.sasgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2305000178RG01

Rev.: 01

32 of 57 Page:





South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chima (Jiangsu) Plint Fine Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜商1号的6号厂房商部 鄭編: 215000


t (86-512) 62992980 www.sasgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

Page: 33 of 57





South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chima (Jiangsu) Plint Fine Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜商1号的6号厂房商部 鄭編: 215000


t (86-512) 62992980 www.sasgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

34 of 57 Page:





South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chima (Jiangsu) Plint Fine Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜商1号的6号厂房商部 鄭編: 215000


t (86-512) 62992980 www.sasgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

Page: 35 of 57





South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fixed Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州 | 上级区满胜路 | 号的6号 / 房斋部 鄭編: 215000


t (86-512) 62992980 www.sasgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

36 of 57 Page:





South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chima (Jiangsu) Plint Fine Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜商1号的6号厂房商部 鄭編: 215000


t (86-512) 62992980 www.sasgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

Page: 37 of 57





South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chima (Jiangsu) Plint Fine Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜商1号的6号(房商部 鄭編: 215000


t (86-512) 62992980 www.sasgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

38 of 57 Page:





South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chima (Jiangsu) Plint Fine Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜商1号的6号(房商部 鄭編: 215000


t (86-512) 62992980 www.sasgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

Page: 39 of 57





South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chima (Jiangsu) Plint Fine Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜商1号的6号(房商部 鄭編: 215000


t (86-512) 62992980 www.sasgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

40 of 57 Page:





South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chima (Jiangsu) Plint Fine Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜商1号的6号(房商部 鄭編: 215000


t (86-512) 62992980 www.sasgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

Page: 41 of 57





South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chima (Jiangsu) Plint Fine Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜商1号的6号(房商部 鄭編: 215000


t (86-512) 62992980 www.sasgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

42 of 57 Page:





South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chima (Jiangsu) Plint Fine Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜商1号的6号(房商部 鄭編: 215000


t (86-512) 62992980 www.sasgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

Page: 43 of 57





South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chima (Jiangsu) Plint Fine Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜商1号的6号(房商部 鄭編: 215000


t (86-512) 62992980 www.sasgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

44 of 57 Page:





South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chima (Jiangsu) Plint Fine Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜商1号的6号(房商部 鄭編: 215000


t (86-512) 62992980 www.sasgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

Page: 45 of 57





South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chima (Jiangsu) Plint Fine Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜商1号的6号(房商部 鄭編: 215000


t (86-512) 62992980 www.sasgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

46 of 57 Page:





South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chima (Jiangsu) Plint Fine Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜商1号的6号(房商部 鄭編: 215000


t (86-512) 62992980 www.sasgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

Page: 47 of 57





South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chima (Jiangsu) Plint Fine Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜商1号的6号(房商部 鄭編: 215000


t (86-512) 62992980 www.sasgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

48 of 57 Page:





South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chima (Jiangsu) Plint Fine Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜商1号的6号(房商部 鄭編: 215000

t (86-512) 62992980 www.sasgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

Page: 49 of 57

Field Strength of Spurious Radiation

Test Band = GSM850 Test Channel = Low

Fina	l Data List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1648.4000	89.70	-48.22	25.27	-28.51	-13.00	15.51	187	234	Horizontal
2	2472.5714	83.26	-47.32	27.22	-32.10	-13.00	19.10	132	264	Horizontal
3	3296.8000	78.27	-46.67	28.48	-35.18	-13.00	22.18	155	3	Horizontal
4	4121.0000	71.52	-45.91	29.39	-40.26	-13.00	27.26	132	224	Horizontal
5	4945.1429	55.67	-45.68	31.28	-53.99	-13.00	40.99	231	92	Horizontal
6	5758.8571	80.30	-44.62	32.65	-26.93	-13.00	13.93	159	185	Horizontal

Fina	l Data List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polatily
1	1648.4000	87.82	-48.22	25.27	-30.39	-13.00	17.39	254	135	Vertical
2	2472.5714	76.57	-47.32	27.22	-38.79	-13.00	25.79	155	135	Vertical
3	3296.8000	82.00	-46.67	28.48	-31.45	-13.00	18.45	112	76	Vertical
4	4121.0000	71.35	-45.91	29.39	-40.43	-13.00	27.43	187	276	Vertical
5	4945.2000	52.73	-45.69	31.28	-56.93	-13.00	43.93	169	267	Vertical
6	5769.1429	60.38	-44.63	32.65	-46.86	-13.00	33.86	221	267	Vertical





Report No.: SEWM2305000178RG01

Rev.: 01

Page: 50 of 57

Test Band = GSM850 Test Channel = Mid

Fina	l Data List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1672.5714	85.94	-48.19	25.31	-32.20	-13.00	19.20	155	348	Horizontal
2	2509.1429	76.81	-47.24	27.32	-38.37	-13.00	25.37	132	162	Horizontal
3	3345.6000	75.25	-46.62	28.51	-38.12	-13.00	25.12	231	132	Horizontal
4	4182.0000	62.18	-45.95	29.54	-49.49	-13.00	36.49	144	63	Horizontal
5	5018.4000	48.85	-45.73	31.45	-60.69	-13.00	47.69	259	112	Horizontal
6	5854.8000	54.78	-44.83	32.67	-52.64	-13.00	39.64	132	122	Horizontal

Fina	l Data List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1672.5714	78.46	-48.19	25.31	-39.68	-13.00	26.68	122	1	Vertical
2	2509.2000	68.69	-47.24	27.32	-46.49	-13.00	33.49	158	0	Vertical
3	3345.6000	78.27	-46.62	28.51	-35.10	-13.00	22.10	169	99	Vertical
4	4182.0000	62.20	-45.95	29.54	-49.47	-13.00	36.47	253	218	Vertical
5	5018.4000	50.82	-45.73	31.45	-58.72	-13.00	45.72	145	288	Vertical
6	5854.8000	53.30	-44.83	32.67	-54.12	-13.00	41.12	227	21	Vertical





Report No.: SEWM2305000178RG01

Rev.: 01

Page: 51 of 57

Test Band = GSM850 Test Channel = High

Fina	Final Data List													
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	1697.6000	83.24	-48.16	25.35	-34.84	-13.00	21.84	144	262	Horizontal				
2	2546.4000	74.16	-47.11	27.39	-40.82	-13.00	27.82	169	302	Horizontal				
3	3395.2000	67.97	-46.55	28.54	-45.30	-13.00	32.30	231	262	Horizontal				
4	4244.0000	56.15	-45.88	29.69	-55.31	-13.00	42.31	158	121	Horizontal				
5	5092.5714	47.94	-45.41	31.62	-61.11	-13.00	48.11	224	232	Horizontal				
6	5941.6000	52.18	-44.74	32.69	-55.14	-13.00	42.14	105	92	Horizontal				

Fina	l Data List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1697.6000	80.76	-48.16	25.35	-37.32	-13.00	24.32	154	119	Vertical
2	2546.4000	72.39	-47.11	27.39	-42.59	-13.00	29.59	269	108	Vertical
3	3395.2000	71.53	-46.55	28.54	-41.74	-13.00	28.74	141	88	Vertical
4	4244.0000	59.23	-45.88	29.69	-52.23	-13.00	39.23	132	69	Vertical
5	5092.8000	46.15	-45.41	31.62	-62.90	-13.00	49.90	144	239	Vertical
6	5941.6000	51.97	-44.74	32.69	-55.35	-13.00	42.35	258	229	Vertical





Report No.: SEWM2305000178RG01

Rev.: 01

Page: 52 of 57

Test Band = GSM1900 **Test Channel = Low**

Fina	l Data List									
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Polority
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3700.4000	79.43	-45.50	28.80	-32.53	-13.00	19.53	144	126	Horizontal
2	5550.6000	61.94	-45.15	32.61	-45.86	-13.00	32.86	258	58	Horizontal
3	7400.8000	47.01	-43.41	36.32	-55.33	-13.00	42.33	137	81	Horizontal
4	9251.0000	35.80	-40.23	36.78	-62.92	-13.00	49.92	102	359	Horizontal
5	11101.2000	31.56	-37.96	38.71	-62.95	-13.00	49.95	112	13	Horizontal
6	17787	33.12	-34.55	45.84	-50.85	-13.00	37.85	266	136	Horizontal

Fina	l Data List									
NO	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Delevity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3700.4000	77.54	-45.50	28.80	-34.42	-13.00	21.42	155	257	Vertical
2	5550.6000	59.60	-45.15	32.61	-48.20	-13.00	35.20	277	53	Vertical
3	7400.8000	46.01	-43.41	36.32	-56.33	-13.00	43.33	132	53	Vertical
4	9251.0000	35.36	-40.23	36.78	-63.36	-13.00	50.36	159	165	Vertical
5	11101.2000	31.79	-37.96	38.71	-62.72	-13.00	49.72	231	87	Vertical
6	17918.25	32.40	-34.52	46.43	-50.95	-13.00	37.95	172	53	Vertical





Report No.: SEWM2305000178RG01

Rev.: 01

Page: 53 of 57

Test Band = GSM1900 **Test Channel = Mid**

Fina	Final Data List													
NO	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Delevity				
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3759.75	71.76	-45.75	28.86	-40.39	-13.00	27.39	112	204	Horizontal				
2	5640.0000	62.98	-44.98	32.63	-44.63	-13.00	31.63	187	194	Horizontal				
3	7520.0000	44.72	-43.10	36.61	-57.03	-13.00	44.03	256	358	Horizontal				
4	9400.0000	34.12	-39.83	37.06	-63.91	-13.00	50.91	142	348	Horizontal				
5	11280.0000	31.61	-37.41	38.73	-62.34	-13.00	49.34	139	149	Horizontal				
6	14501.25	30.91	-34.85	41.10	-58.10	-13.00	45.10	121	171	Horizontal				

Fina	I Data List									
NO	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Delevity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3759.75	72.33	-45.75	28.86	-39.82	-13.00	26.82	221	292	Vertical
2	5640.0000	60.83	-44.98	32.63	-46.78	-13.00	33.78	145	89	Vertical
3	7520.0000	54.94	-43.10	36.61	-46.81	-13.00	33.81	103	2	Vertical
4	9400.0000	34.69	-39.83	37.06	-63.34	-13.00	50.34	254	315	Vertical
5	11280.0000	31.39	-37.41	38.73	-62.56	-13.00	49.56	149	78	Vertical
6	13641.75	31.85	-36.11	40.26	-59.27	-13.00	46.27	121	336	Vertical





Report No.: SEWM2305000178RG01

Rev.: 01

Page: 54 of 57

Test Band = GSM1900 Test Channel = High

Final Data List													
NO	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Delevity			
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	3819.6000	65.42	-45.99	28.92	-46.91	-13.00	33.91	231	131	Horizontal			
2	7639.2000	48.79	-43.01	36.66	-52.82	-13.00	39.82	144	176	Horizontal			
3	9549.0000	32.85	-39.96	37.34	-65.02	-13.00	52.02	158	267	Horizontal			
4	11458.8000	31.74	-37.33	38.75	-62.11	-13.00	49.11	224	11	Horizontal			
5	13924.5	30.84	-35.52	40.76	-59.17	-13.00	46.17	130	41	Horizontal			
6	17185.5	33.71	-34.91	43.13	-53.33	-13.00	40.33	188	176	Horizontal			

Fina	l Data List									
NO	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Delevity
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3819.6000	67.89	-45.99	28.92	-44.44	-13.00	31.44	154	259	Vertical
2	7639.2000	53.84	-43.01	36.66	-47.77	-13.00	34.77	287	157	Vertical
3	9549.0000	43.17	-39.96	37.34	-54.70	-13.00	41.70	113	146	Vertical
4	11458.8000	31.43	-37.33	38.75	-62.42	-13.00	49.42	102	146	Vertical
5	13962	30.95	-35.62	40.83	-59.10	-13.00	46.10	158	102	Vertical
6	17913	32.41	-34.52	46.41	-50.96	-13.00	37.96	169	259	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit – Level



South of No. 6 Plant, No. 1, Runsheng Rosal, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pikot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州上区苏州工业园区河胜路1号的6号厂房南部 鄉第: 215000 t (86-512) 62992980

sgs.china@sgs.com



Report No.: SEWM2305000178RG01

Rev.: 01

Page: 55 of 57

Frequency Stability

Test Result

Voltage								
Band	Channel	Voltage [Vdc]	Temperature (°ℂ)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict	
GSM850	190	VL	NT	0.29	0.000347	±2.5	PASS	
GSM850	190	VN	NT	-1.74	-0.002080	±2.5	PASS	
GSM850	190	VH	NT	-3.42	-0.004088	±2.5	PASS	
EGPRS850	190	VL	NT	-8.78	-0.010495	±2.5	PASS	
EGPRS850	190	VN	NT	-6.68	-0.007985	±2.5	PASS	
EGPRS850	190	VH	NT	-11.72	-0.014009	±2.5	PASS	

Voltage							
Band	Channel	Voltage [Vdc]	Temperature (°ℂ)	Deviation (Hz)	Deviation (ppm)	Verdict	
GSM1900	661	VL	NT	15.50	0.008245	PASS	
GSM1900	661	VN	NT	14.72	0.007830	PASS	
GSM1900	661	VH	NT	13.46	0.007160	PASS	
EGPRS1900	661	VL	NT	7.91	0.004207	PASS	
EGPRS1900	661	VN	NT	7.20	0.003830	PASS	
EGPRS1900	661	VH	NT	6.07	0.003229	PASS	





Report No.: SEWM2305000178RG01

Rev.: 01

Page: 56 of 57

Temperature							
Band	Channel	Voltage [Vdc]	Temperature (°ℂ)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM850	190	NV	-30	0.61	0.000729	±2.5	PASS
GSM850	190	NV	-20	1.49	0.001781	±2.5	PASS
GSM850	190	NV	-10	-0.68	-0.000813	±2.5	PASS
GSM850	190	NV	0	-1.00	-0.001195	±2.5	PASS
GSM850	190	NV	10	-3.36	-0.004016	±2.5	PASS
GSM850	190	NV	20	-1.23	-0.001470	±2.5	PASS
GSM850	190	NV	30	-1.87	-0.002235	±2.5	PASS
GSM850	190	NV	40	-0.87	-0.001040	±2.5	PASS
GSM850	190	NV	50	-0.16	-0.000191	±2.5	PASS
EGPRS850	190	NV	-30	-7.30	-0.008726	±2.5	PASS
EGPRS850	190	NV	-20	-8.88	-0.010614	±2.5	PASS
EGPRS850	190	NV	-10	-9.59	-0.011463	±2.5	PASS
EGPRS850	190	NV	0	-6.20	-0.007411	±2.5	PASS
EGPRS850	190	NV	10	-6.33	-0.007566	±2.5	PASS
EGPRS850	190	NV	20	-6.81	-0.008140	±2.5	PASS
EGPRS850	190	NV	30	-6.84	-0.008176	±2.5	PASS
EGPRS850	190	NV	40	-10.78	-0.012885	±2.5	PASS
EGPRS850	190	NV	50	-7.46	-0.008917	±2.5	PASS



or email: CN.Doccheck@sgs.com South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏) 自由贸易试验区苏州上区苏州工业园区湖胜第1号か6号厂房南部 郷第: 215000

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2305000178RG01

Rev.: 01

Page: 57 of 57

Temperature							
Band	Channel	Voltage [Vdc]	Temperature $(^{\circ}\mathbb{C})$	Deviation (Hz)	Deviation (ppm)	Verdict	
GSM1900	661	NV	-30	14.53	0.007729	PASS	
GSM1900	661	NV	-20	13.98	0.007436	PASS	
GSM1900	661	NV	-10	10.04	0.005340	PASS	
GSM1900	661	NV	0	12.98	0.006904	PASS	
GSM1900	661	NV	10	14.37	0.007644	PASS	
GSM1900	661	NV	20	14.01	0.007452	PASS	
GSM1900	661	NV	30	11.11	0.005910	PASS	
GSM1900	661	NV	40	13.62	0.007245	PASS	
GSM1900	661	NV	50	11.27	0.005995	PASS	
EGPRS1900	661	NV	-30	8.49	0.004516	PASS	
EGPRS1900	661	NV	-20	6.30	0.003351	PASS	
EGPRS1900	661	NV	-10	7.85	0.004176	PASS	
EGPRS1900	661	NV	0	5.29	0.002814	PASS	
EGPRS1900	661	NV	10	5.65	0.003005	PASS	
EGPRS1900	661	NV	20	5.62	0.002989	PASS	
EGPRS1900	661	NV	30	4.00	0.002128	PASS	
EGPRS1900	661	NV	40	8.43	0.004484	PASS	
EGPRS1900	661	NV	50	8.68	0.004617	PASS	

---End of Attachment---



or email: CN.Doccheck@sgs.com South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏) 自由贸易试验区苏州上区苏州工业园区湖胜第1号か6号厂房南部 郷第: 215000

t (86-512) 62992980 www.sgsgroup.com.cn