

Dongguan Pan Asia electronics Co., LTD

Shijie Town, Dongguan City, lumbar junction tetracarboxylic tetracarboxylic sand behind the post office

SPECIFICATION FOR APPROVAL

客 戶:

CUSTOMER:

客 戶 料 号:

CUST P/N:

产 品 料 号:

FINE P/N:

产 品 型 号:

DESC:

日 期:

2023/07/26

DATE:

版 本:

Version:

制作 PREPARED BY	审核 CHECKED BY	批准 APPROVED BY	客户承认 CUSTOMER APPROVE

版本變更履歷

Version Change History

SPECIFICATION

产品型号:

DESC **Φ 43.5x20.5-10Ts-0.08x48P-30mm**

版本

客户 CUST:

331

料号 Fine P/N:

FYD331003

Rev: A.0

客户料号 CUST P/N:

A11

一、尺寸 DIMENSION:(mm)

A 40 ± 0.5 B 20 ± 0.5


C 1厚

D1 $22mm \pm 2$ D2 $20mm \pm 2$

二、原理图 SCHEMATIC DIAGRAM:



三、绕线参数 Winding Specification:

F 43.6 ± 0.2

G 8.0 ref

H 1.6 ± 1

I 5.3 ref

E 3 ± 0.2

序号 NO.	端子 TERMINAL	线径 WIRE	圈数 Turns	绕线方向 Winding Direction
1	S F	0.08*48P	11Ts	CCW

We statement that All measurements were performed radiated and therefore additional antenna gain documentation is not required.

Dongguan Pan Asia electronics Co., LTD

Shijie Town, Dongguan City, lumbar junction tetracarboxylic tetracarboxylic sand behind the post office

SPECIFICATION FOR APPROVAL

客 戶:

CUSTOMER:

客 戶 料 号:

CUST P/N:

产品 料 号:

FINE P/N:

DZ-RC25-K7.7-L7MM

產 品 型 号:

DESC:

日 期:

2023/07/26

DATE:


版 本:

Version:

制作 PREPARED BY	审核 CHECKED BY	批准 APPROVED BY	客户承认 CUSTOMER APPROVE

SPECIFICATION

◆ 外形尺寸



(单位: mm)	
A	7.6 ±1.0
B	14.5 ±1.0
C	21.5 ±1.0
D	25.0 ±1.0
E	9.7 ±1.0
K	7.0 ±2.0
H	2.7 ±0.3

We statement that All measurements were performed radiated and therefore additional antenna gain documentation is not required.