



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: EV Detection Tool

Test Model: E10

Environmental Conditions

Temperature:	23.8°C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Andre Tan
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.986	N/A	Pass
NVNT	1-DH5	2441	Ant1	0.999	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.99	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.284	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.332	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.279	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.293	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.316	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.308	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1







A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-0.83	21	Pass
NVNT	1-DH5	2441	Ant1	-0.66	21	Pass
NVNT	1-DH5	2480	Ant1	-1.86	21	Pass
NVNT	2-DH5	2402	Ant1	1.07	21	Pass
NVNT	2-DH5	2441	Ant1	1.17	21	Pass
NVNT	2-DH5	2480	Ant1	0.03	21	Pass
NVNT	3-DH5	2402	Ant1	1.53	21	Pass
NVNT	3-DH5	2441	Ant1	1.66	21	Pass
NVNT	3-DH5	2480	Ant1	0.46	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1







Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2401.826	2402.844	1.018	0.666	Pass
NVNT	2-DH5	Ant1	2401.996	2403.024	1.028	0.888	Pass
NVNT	3-DH5	Ant1	2402.024	2403.014	0.99	0.877	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1







A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.91	302.64	104	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.898	312.984	108	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.897	312.876	108	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1




Hopping No. NVNT 2-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Hopping No. NVNT 3-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-55.25	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-55.08	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-51.27	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-54.16	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-51.12	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-55.01	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission



**(Hopping)**

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-52.41	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-53.83	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-52.14	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-53.72	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-52.3	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-53.33	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-54.55	-20	Pass
NVNT	1-DH5	2441	Ant1	-54.46	-20	Pass
NVNT	1-DH5	2480	Ant1	-51.49	-20	Pass
NVNT	2-DH5	2402	Ant1	-53.89	-20	Pass
NVNT	2-DH5	2441	Ant1	-54.38	-20	Pass
NVNT	2-DH5	2480	Ant1	-53.55	-20	Pass
NVNT	3-DH5	2402	Ant1	-53.91	-20	Pass
NVNT	3-DH5	2441	Ant1	-54.34	-20	Pass
NVNT	3-DH5	2480	Ant1	-53.4	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2441	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2480	Ant1	77.6	1.1	0.34
NVNT	2-DH5	2402	Ant1	77.33	1.12	0.34
NVNT	2-DH5	2441	Ant1	77.33	1.12	0.34
NVNT	2-DH5	2480	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2402	Ant1	77.33	1.12	0.34
NVNT	3-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2480	Ant1	77.28	1.12	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1







Duty Cycle NVNT 3-DH5 2402MHz Ant1



Duty Cycle NVNT 3-DH5 2441MHz Ant1









A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-51.1	2.32	-	46.48	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-59.31	2.32	1.1	39.37	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2361.744	-47.85	2.32	-	49.73	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2361.744	-57.96	2.32	1.1	40.72	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-49.47	2.32	-	48.11	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-58.62	2.32	1.1	40.06	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-49.72	2.32	-	47.86	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-58.27	2.32	1.1	40.41	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2484.04	-45.92	2.32	-	51.66	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.68	-57.02	2.32	1.1	41.66	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-49.42	2.32	-	48.16	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-58.49	2.32	1.1	40.19	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-49.67	2.32	-	47.91	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-58.98	2.32	1.12	39.72	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2317.392	-47.4	2.32	-	50.18	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2369.136	-57.9	2.32	1.12	40.80	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-50.19	2.32	-	47.39	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-58.51	2.32	1.12	40.19	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-48.28	2.32	-	49.30	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-57.64	2.32	1.12	41.06	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2498.08	-47.29	2.32	-	50.29	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.56	-57.11	2.32	1.12	41.59	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-48.08	2.32	-	49.50	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-58.78	2.32	1.12	39.92	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-50.52	2.32	-	47.06	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-59.25	2.32	1.12	39.45	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2337.84	-47.14	2.32	-	50.44	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2386.224	-57.99	2.32	1.12	40.71	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-48.24	2.32	-	49.34	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-59.09	2.32	1.12	39.61	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-48.37	2.32	-	49.21	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-57.53	2.32	1.12	41.17	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2499.28	-46.59	2.32	-	50.99	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.536	-57	2.32	1.12	41.70	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-49.94	2.32	-	47.64	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-58.2	2.32	1.12	40.50	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

