



Appendix D

RF Test Data for 5.2GWIFI (Conducted Measurement)

Product Name: EV Detection Tool

Test Model: E10

Environmental Conditions

Temperature:	23.8°C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Andre Tan
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



D.1 -26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	27.775	---	Pass
NVNT	a	5200	Ant1	28.228	---	Pass
NVNT	a	5240	Ant1	24.515	---	Pass
NVNT	n20	5180	Ant1	29.207	---	Pass
NVNT	n20	5200	Ant1	28.217	---	Pass
NVNT	n20	5240	Ant1	26.988	---	Pass
NVNT	n40	5190	Ant1	48.686	---	Pass
NVNT	n40	5230	Ant1	43.567	---	Pass
NVNT	ac20	5180	Ant1	26.944	---	Pass
NVNT	ac20	5200	Ant1	28.594	---	Pass
NVNT	ac20	5240	Ant1	28.118	---	Pass
NVNT	ac40	5190	Ant1	48.332	---	Pass
NVNT	ac40	5230	Ant1	45.851	---	Pass
NVNT	ac80	5210	Ant1	85.54	---	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant1




-26dB Bandwidth NVNT a 5200MHz Ant1






-26dB Bandwidth NVNT a 5240MHz Ant1




-26dB Bandwidth NVNT n20 5180MHz Ant1






-26dB Bandwidth NVNT n20 5200MHz Ant1




-26dB Bandwidth NVNT n20 5240MHz Ant1






-26dB Bandwidth NVNT n40 5190MHz Ant1




-26dB Bandwidth NVNT n40 5230MHz Ant1






-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1






-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant1






-26dB Bandwidth NVNT ac40 5230MHz Ant1



-26dB Bandwidth NVNT ac80 5210MHz Ant1





Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant2	26.362	---	Pass
NVNT	a	5200	Ant2	26.873	---	Pass
NVNT	a	5240	Ant2	27.353	---	Pass
NVNT	n20	5180	Ant2	27.969	---	Pass
NVNT	n20	5200	Ant2	29.292	---	Pass
NVNT	n20	5240	Ant2	29.528	---	Pass
NVNT	n40	5190	Ant2	49.665	---	Pass
NVNT	n40	5230	Ant2	50.013	---	Pass
NVNT	ac20	5180	Ant2	27.94	---	Pass
NVNT	ac20	5200	Ant2	26.571	---	Pass
NVNT	ac20	5240	Ant2	28.665	---	Pass
NVNT	ac40	5190	Ant2	53.172	---	Pass
NVNT	ac40	5230	Ant2	50.769	---	Pass
NVNT	ac80	5210	Ant2	86.48	---	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant2




-26dB Bandwidth NVNT a 5200MHz Ant2






-26dB Bandwidth NVNT a 5240MHz Ant2




-26dB Bandwidth NVNT n20 5180MHz Ant2






-26dB Bandwidth NVNT n20 5200MHz Ant2




-26dB Bandwidth NVNT n20 5240MHz Ant2






-26dB Bandwidth NVNT n40 5190MHz Ant2




-26dB Bandwidth NVNT n40 5230MHz Ant2






-26dB Bandwidth NVNT ac20 5180MHz Ant2




-26dB Bandwidth NVNT ac20 5200MHz Ant2






-26dB Bandwidth NVNT ac20 5240MHz Ant2




-26dB Bandwidth NVNT ac40 5190MHz Ant2






-26dB Bandwidth NVNT ac40 5230MHz Ant2



-26dB Bandwidth NVNT ac80 5210MHz Ant2





Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant3	28.288	---	Pass
NVNT	a	5200	Ant3	25.85	---	Pass
NVNT	a	5240	Ant3	27.549	---	Pass
NVNT	n20	5180	Ant3	29.153	---	Pass
NVNT	n20	5200	Ant3	28.849	---	Pass
NVNT	n20	5240	Ant3	29.035	---	Pass
NVNT	n40	5190	Ant3	46.978	---	Pass
NVNT	n40	5230	Ant3	45.835	---	Pass
NVNT	ac20	5180	Ant3	29.19	---	Pass
NVNT	ac20	5200	Ant3	27.855	---	Pass
NVNT	ac20	5240	Ant3	29	---	Pass
NVNT	ac40	5190	Ant3	51.414	---	Pass
NVNT	ac40	5230	Ant3	47.212	---	Pass
NVNT	ac80	5210	Ant3	86.485	---	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant3




-26dB Bandwidth NVNT a 5200MHz Ant3






-26dB Bandwidth NVNT a 5240MHz Ant3




-26dB Bandwidth NVNT n20 5180MHz Ant3






-26dB Bandwidth NVNT n20 5200MHz Ant3




-26dB Bandwidth NVNT n20 5240MHz Ant3






-26dB Bandwidth NVNT n40 5190MHz Ant3




-26dB Bandwidth NVNT n40 5230MHz Ant3






-26dB Bandwidth NVNT ac20 5180MHz Ant3




-26dB Bandwidth NVNT ac20 5200MHz Ant3






-26dB Bandwidth NVNT ac20 5240MHz Ant3




-26dB Bandwidth NVNT ac40 5190MHz Ant3






-26dB Bandwidth NVNT ac40 5230MHz Ant3



-26dB Bandwidth NVNT ac80 5210MHz Ant3





D.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	13.12	0.24	13.36	24	Pass
NVNT	a	5200	Ant1	13.4	0.24	13.64	24	Pass
NVNT	a	5240	Ant1	11.75	0.24	11.99	24	Pass
NVNT	n20	5180	Ant1	10.89	0.12	11.01	24	Pass
NVNT	n20	5200	Ant1	11.95	0.12	12.07	24	Pass
NVNT	n20	5240	Ant1	11.54	0.12	11.66	24	Pass
NVNT	n40	5190	Ant1	11.77	0.23	12	24	Pass
NVNT	n40	5230	Ant1	10.52	0.24	10.76	24	Pass
NVNT	ac20	5180	Ant1	11.97	0.12	12.09	24	Pass
NVNT	ac20	5200	Ant1	11.89	0.12	12.01	24	Pass
NVNT	ac20	5240	Ant1	11.43	0.12	11.55	24	Pass
NVNT	ac40	5190	Ant1	11.73	0.24	11.97	24	Pass
NVNT	ac40	5230	Ant1	10.51	0.23	10.74	24	Pass
NVNT	ac80	5210	Ant1	10.81	0.47	11.28	24	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant2	12.44	0.24	12.68	24	Pass
NVNT	a	5200	Ant2	12.39	0.24	12.63	24	Pass
NVNT	a	5240	Ant2	11.03	0.24	11.27	24	Pass
NVNT	n20	5180	Ant2	11.9	0.12	12.02	24	Pass
NVNT	n20	5200	Ant2	11.7	0.12	11.82	24	Pass
NVNT	n20	5240	Ant2	10.61	0.12	10.73	24	Pass
NVNT	n40	5190	Ant2	11.58	0.24	11.82	24	Pass
NVNT	n40	5230	Ant2	10.04	0.24	10.28	24	Pass
NVNT	ac20	5180	Ant2	11.95	0.12	12.07	24	Pass
NVNT	ac20	5200	Ant2	11.83	0.12	11.95	24	Pass
NVNT	ac20	5240	Ant2	11.18	0.12	11.3	24	Pass
NVNT	ac40	5190	Ant2	11.55	0.24	11.79	24	Pass
NVNT	ac40	5230	Ant2	10.04	0.24	10.28	24	Pass
NVNT	ac80	5210	Ant2	10.91	0.47	11.38	24	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant3	12.67	0.24	12.91	24	Pass
NVNT	a	5200	Ant3	12.48	0.24	12.72	24	Pass
NVNT	a	5240	Ant3	11.8	0.24	12.04	24	Pass
NVNT	n20	5180	Ant3	12.02	0.12	12.14	24	Pass
NVNT	n20	5200	Ant3	11.87	0.12	11.99	24	Pass
NVNT	n20	5240	Ant3	11.41	0.12	11.53	24	Pass
NVNT	n40	5190	Ant3	11.64	0.24	11.88	24	Pass
NVNT	n40	5230	Ant3	10.18	0.24	10.42	24	Pass
NVNT	ac20	5180	Ant3	12.04	0.12	12.16	24	Pass
NVNT	ac20	5200	Ant3	11.86	0.12	11.98	24	Pass
NVNT	ac20	5240	Ant3	11.27	0.12	11.39	24	Pass
NVNT	ac40	5190	Ant3	11.66	0.24	11.9	24	Pass
NVNT	ac40	5230	Ant3	10.17	0.24	10.41	24	Pass
NVNT	ac80	5210	Ant3	10.92	0.47	11.39	24	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)			Limit (dBm)	Verdict
			Ant2	Ant3	Ant2+Ant3		
NVNT	n20	5180	12.02	12.14	15.09	23.92	Pass
NVNT	n20	5200	11.82	11.99	14.92	23.92	Pass
NVNT	n20	5240	10.73	11.53	14.16	23.92	Pass
NVNT	n40	5190	11.82	11.88	14.86	23.92	Pass
NVNT	n40	5230	10.28	10.42	13.36	23.92	Pass
NVNT	ac20	5180	12.07	12.16	15.13	23.92	Pass
NVNT	ac20	5200	11.95	11.98	14.98	23.92	Pass
NVNT	ac20	5240	11.3	11.39	14.36	23.92	Pass
NVNT	ac40	5190	11.79	11.9	14.86	23.92	Pass
NVNT	ac40	5230	10.28	10.41	13.36	23.92	Pass
NVNT	ac80	5210	11.38	11.39	14.40	23.92	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



D.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	2.91	0.24	3.15	11	Pass
NVNT	a	5200	Ant1	2.77	0.24	3.01	11	Pass
NVNT	a	5240	Ant1	1.32	0.24	1.56	11	Pass
NVNT	n20	5180	Ant1	0.08	0.12	0.2	11	Pass
NVNT	n20	5200	Ant1	1.16	0.12	1.28	11	Pass
NVNT	n20	5240	Ant1	0.71	0.12	0.83	11	Pass
NVNT	n40	5190	Ant1	-2.32	0.23	-2.09	11	Pass
NVNT	n40	5230	Ant1	-3.3	0.24	-3.06	11	Pass
NVNT	ac20	5180	Ant1	1.4	0.12	1.52	11	Pass
NVNT	ac20	5200	Ant1	0.97	0.12	1.09	11	Pass
NVNT	ac20	5240	Ant1	0.55	0.12	0.67	11	Pass
NVNT	ac40	5190	Ant1	-1.9	0.24	-1.66	11	Pass
NVNT	ac40	5230	Ant1	-3.09	0.23	-2.86	11	Pass
NVNT	ac80	5210	Ant1	-5.4	0.47	-4.93	11	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant2	1.8	0.24	2.04	11	Pass
NVNT	a	5200	Ant2	2.62	0.24	2.86	11	Pass
NVNT	a	5240	Ant2	0.35	0.24	0.59	11	Pass
NVNT	n20	5180	Ant2	0.98	0.12	1.1	11	Pass
NVNT	n20	5200	Ant2	1	0.12	1.12	11	Pass
NVNT	n20	5240	Ant2	0.05	0.12	0.17	11	Pass
NVNT	n40	5190	Ant2	-2.3	0.24	-2.06	11	Pass
NVNT	n40	5230	Ant2	-3.38	0.24	-3.14	11	Pass
NVNT	ac20	5180	Ant2	1.02	0.12	1.14	11	Pass
NVNT	ac20	5200	Ant2	0.89	0.12	1.01	11	Pass
NVNT	ac20	5240	Ant2	0.44	0.12	0.56	11	Pass
NVNT	ac40	5190	Ant2	-2.11	0.24	-1.87	11	Pass
NVNT	ac40	5230	Ant2	-3.4	0.24	-3.16	11	Pass
NVNT	ac80	5210	Ant2	-5.7	0.47	-5.23	11	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant3	2.27	0.24	2.51	10.92	Pass
NVNT	a	5200	Ant3	1.77	0.24	2.01	10.92	Pass
NVNT	a	5240	Ant3	1.29	0.24	1.53	10.92	Pass
NVNT	n20	5180	Ant3	1.16	0.12	1.28	10.92	Pass
NVNT	n20	5200	Ant3	0.96	0.12	1.08	10.92	Pass
NVNT	n20	5240	Ant3	0.75	0.12	0.87	10.92	Pass
NVNT	n40	5190	Ant3	-2.22	0.24	-1.98	10.92	Pass
NVNT	n40	5230	Ant3	-3.12	0.24	-2.88	10.92	Pass
NVNT	ac20	5180	Ant3	1.07	0.12	1.19	10.92	Pass
NVNT	ac20	5200	Ant3	0.93	0.12	1.05	10.92	Pass
NVNT	ac20	5240	Ant3	0.41	0.12	0.53	10.92	Pass
NVNT	ac40	5190	Ant3	-2.22	0.24	-1.98	10.92	Pass
NVNT	ac40	5230	Ant3	-3.46	0.24	-3.22	10.92	Pass
NVNT	ac80	5210	Ant3	-5.75	0.47	-5.28	10.92	Pass

MIMO

Condition	Mode	Frequency (MHz)	Total PSD (dBm/MHz)			Limit (dBm/MHz)	Verdict
			Ant2	Ant3	Ant2+Ant3		
NVNT	n20	5180	1.1	1.28	4.20	7.91	Pass
NVNT	n20	5200	1.12	1.08	4.11	7.91	Pass
NVNT	n20	5240	0.17	0.87	3.54	7.91	Pass
NVNT	n40	5190	-2.06	-1.98	0.99	7.91	Pass
NVNT	n40	5230	-3.14	-2.88	0.00	7.91	Pass
NVNT	ac20	5180	1.14	1.19	4.18	7.91	Pass
NVNT	ac20	5200	1.01	1.05	4.04	7.91	Pass
NVNT	ac20	5240	0.56	0.53	3.56	7.91	Pass
NVNT	ac40	5190	-1.87	-1.98	1.09	7.91	Pass
NVNT	ac40	5230	-3.16	-3.22	-0.18	7.91	Pass
NVNT	ac80	5210	-5.23	-5.28	-2.24	7.91	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1










PSD NVNT a 5240MHz Ant1







PSD NVNT n20 5180MHz Ant1















PSD NVNT ac40 5230MHz Ant1



PSD NVNT ac80 5210MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

PSD NVNT a 5180MHz Ant2




PSD NVNT a 5200MHz Ant2










PSD NVNT a 5240MHz Ant2







PSD NVNT n20 5180MHz Ant2















PSD NVNT ac40 5230MHz Ant2




PSD NVNT ac80 5210MHz Ant2






Test Graphs

PSD NVNT a 5180MHz Ant3




PSD NVNT a 5200MHz Ant3










PSD NVNT a 5240MHz Ant3







PSD NVNT n20 5180MHz Ant3















PSD NVNT ac40 5230MHz Ant3




PSD NVNT ac80 5210MHz Ant3






Test Graphs

PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1









PSD NVNT a 5240MHz Ant1



PSD NVNT n20 5180MHz Ant1













PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1








PSD NVNT ac40 5230MHz Ant1



PSD NVNT ac80 5210MHz Ant1




Test Graphs


PSD NVNT a 5180MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




PSD NVNT a 5200MHz Ant2






PSD NVNT a 5240MHz Ant2



PSD NVNT n20 5180MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity