

Test Report

Verified code: 505014

Report No.: E202409271682-2EN

Customer: Kostal (shanghai) Management Co.Ltd

Address: No.189 Xingting Road, Jiading District, Shanghai, P.R.China

Sample Name: PEPS

Sample Model: SCW-433MHz

Receive Sample Date: Feb.18,2025

Test Date: Mar.17,2025 ~ Mar.21,2025

Reference Document: 47 CFR 2.1091 Radio frequency radiation exposure evaluation:mobile devices.

Test Result: Pass

Prepared by: Huang Lifang
Huang Lifang

Reviewed by: Wu Haoting
Wu Haoting

Approved by: Xiao Liang
Xiao Liang

GRG METROLOGY & TEST GROUP CO., LTD.

Issued Date: 2025-04-15

GRG METROLOGY & TEST GROUP CO., LTD.

Address: No.8, Chuangyun Road, Panyu District, Guangzhou, Guangdong, China

Tel: (+86) 400-602-0999 FAX: (+86) 020-38698685 Web: <http://www.grgtest.com>



Statement

1. The report is invalid without "special seal for inspection and testing"; some copies are invalid; The report is invalid if it is altered or missing; The report is invalid without the signature of the person who prepared, reviewed and approved it.
2. The sample information is provided by the client and responsible for its authenticity; The content of the report is only valid for the samples sent this time.
3. When there are reports in both Chinese and English, the Chinese version will prevail when the language problems are inconsistent.
4. If there is any objection concerning the report, please inform us within 15 days from the date of receiving the report.
5. This testing report is only for scientific research, teaching, internal quality control, etc.

——Blank space below this page——

TABLE OF CONTENTS

1. GENERAL DESCRIPTION OF EUT 5

1.1 APPLICANT 5

1.2 MANUFACTURER 5

1.3 FACTORY 5

1.4 BASIC DESCRIPTION OF EQUIPMENT UNDER TEST..... 5

2. LABORATORY AND MEASUREMENT UNCERTAINTY 7

2.1 LABORATORY 7

2.2 ACCREDITATIONS 7

3. TECHNICAL REQUIREMENTS SPECIFICATION..... 8

3.1 TEST LIMIT 8

3.2 TEST RESULT 9

——Blank space below this page——

REPORT ISSUED HISTORY

Report Version	Report No.	Description	Compile Date
1.0	E202409271682-2EN	Original Issue	2025-03-27

——Blank space below this page——

1. GENERAL DESCRIPTION OF EUT**1.1 APPLICANT**

Name: Kostal (shanghai) Management Co.Ltd
Address: No.189 Xingting Road, Jiading District, Shanghai, P.R.China

1.2 MANUFACTURER

Name: Kostal (shanghai) Management Co.Ltd
Address: No.189 Xingting Road, Jiading District, Shanghai, P.R.China

1.3 FACTORY

Name : Kostal (shanghai) Management Co.Ltd
Address : No.189 Xingting Road, Jiading District, Shanghai, P.R.China

1.4 BASIC DESCRIPTION OF EQUIPMENT UNDER TEST

Product Name: PEPS
Product Model: SCW-433MHz
Adding Model: /
Model Difference: /
Trade Name: KOSTAL
Power Supply: DC 9-16V
Frequency Band: 125kHz
FCC ID: 2AYARZWFA1020NCE
Antenna Type: External Antenna
Antenna 1: LF Antenna with high performance(in the driver door)
Antenna 2: LF Antenna with high performance(in the passenger door)
Antenna 3: LF Antenna with IMMO(under the cup holder)
Antenna 4: LF antenna(on the rear bumper)
Modulation type: ASK for 125kHz
Sample submitting way: ☒ Provided by customer ☐ Sampling
Sample No: E202409271682-0007
Temperature Range: -40℃ ~ +80℃

Hardware version: 002

Software version: C01

Note:

1. The basic description of the EUT is provided by the applicant. This report is made Solely on the basis of such data and/or information. We accept no responsibility for the authenticity and completeness of the above data and information and the validity of the results and/or conclusions.

2. The smart antenna of EUT can not transmit simultaneously, it can switch four antennas intelligently and only one antenna transmits.

——Blank space below this page——

2. LABORATORY AND MEASUREMENT UNCERTAINTY

2.1 LABORATORY

The tests & measurements refer to this report were performed by Shenzhen EMC Laboratory of GRG METROLOGY & TEST group CO., LTD.

Add : No.1301 Guangang Road Xinlan Community, Guanlan Street, Longhua District
Shenzhen, 518110, People's Republic of China

P.C. : 518110

Tel : 0755-61180008

Fax : 0755-61180008

2.2 ACCREDITATIONS

Our laboratories are accredited and approved by the following approval agencies according to GB/T 27025(ISO/IEC 17025:2017)

USA A2LA(Certificate #2861.01)

The measuring facility of laboratories has been authorized or registered by the following approval agencies.

Canada ISED (Company Number: 24897, CAB identifier:CN0069)

USA FCC (Registration Number: 759402, Designation Number:CN1198)

Copies of granted accreditation certificates are available for downloading from our web site,
<http://www.grgtest.com>

—Blank space below this page—

3. TECHNICAL REQUIREMENTS SPECIFICATION

3.1 TEST LIMIT

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm ²)	Averaging time (minutes)
(i) Limits for Occupational/Controlled Exposure				
0.3-3.0	614	1.63	*(100)	≤6
3.0-30	1842/f	4.89/f	*(900/f ²)	<6
30-300	61.4	0.163	1.0	<6
300-1,500			f/300	<6
1,500-100,000			5	<6
(ii) Limits for General Population/Uncontrolled Exposure				
0.3-1.34	614	1.63	*(100)	<30
1.34-30	824/f	2.19/f	*(180/f ²)	<30
30-300	27.5	0.073	0.2	<30
300-1,500			f/1500	<30
1,500-100,000			1.0	<30

f = frequency in MHz. * = Plane-wave equivalent power density.

—Blank space below this page—

3.2 TEST RESULT

Frequency Band	Antenna	Antenna type
125kHz	Antenna 1	External Antenna
	Antenna 2	External Antenna
	Antenna 3	External Antenna
	Antenna 4	External Antenna

Antenna	Maximum E-Field at 3m (dB μ V/m)	Maximum E-Field at 3m (V/m)	Maximum E-Field at 0.2m (dB μ V/m)	Maximum E-Field at 0.2m (V/m)	Limit (V/m)
Antenna 1	86.44	0.02	133.48	4.72	614
Antenna 2	100.34	0.10	147.38	23.39	614
Antenna 3	95.99	0.06	143.03	14.17	614
Antenna 4	95.64	0.06	142.68	13.61	614

Note:

1. Antenna 1: Maximum E-Field@ 0.2m=E(dB μ V/m)@3m+40log(3/0.2) = 133.48 dB μ V/m;
 2. Antenna 2: Maximum E-Field@ 0.2m=E(dB μ V/m)@3m+40log(3/0.2) = 147.38 dB μ V/m;
 3. Antenna 3: Maximum E-Field@ 0.2m=E(dB μ V/m)@3m+40log(3/0.2) = 143.03 dB μ V/m;
 4. Antenna 4: Maximum E-Field@ 0.2m=E(dB μ V/m)@3m+40log(3/0.2) = 142.68 dB μ V/m;
 5. E-Field(dB μ V/m)=20log[E-Field(μ V/m)];
 6. The Maximum E-Field please refer to the report E202409271682-1EN.
 7. The four antennas of the EUT can't transmitting simultaneously.
- The output power is less than 1mW, the measurement results comply with the FCC Limit per 47 CFR 2.1091 for the uncontrolled RF Exposure of mobile device.

—Blank space below this page—

PHOTOGRAPHS OF THE EUT

Please refer to the attached document E202409271682- EUT photo.

----- End of Report -----