

Case No. : <u>GTS20250313007-2-01</u>	
Ambient Condition: <u>22</u> °C, <u>49</u> %RH	
According Standard: ■Part15C	
Test Date: <u>2025.3.27</u>	Test Engineer: <u>Evan ouyang</u>


Appendix A.1: 20dB Emission Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	20dB EBW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH1	Ant1	2402	0.783	2401.595	2402.378	---	---
		2441	0.864	2440.556	2441.420	---	---
		2480	0.780	2479.607	2480.387	---	---
2DH1	Ant1	2402	1.236	2401.367	2402.603	---	---
		2441	1.248	2440.376	2441.624	---	---
		2480	1.200	2479.394	2480.594	---	---
3DH1	Ant1	2402	1.224	2401.400	2402.624	---	---
		2441	1.227	2440.397	2441.624	---	---
		2480	1.221	2479.403	2480.624	---	---

Test Graphs






2DH1_Ant1_2480



3DH1_Ant1_2402



3DH1_Ant1_2441



Appendix A.2: Occupied Channel Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH1	Ant1	2402	0.70805	2401.6346	2402.3426	---	---
		2441	0.70684	2440.6354	2441.3422	---	---
		2480	0.70954	2479.6329	2480.3424	---	---
2DH1	Ant1	2402	1.1360	2401.4270	2402.5630	---	---
		2441	1.1325	2440.4332	2441.5657	---	---
		2480	1.1322	2479.4320	2480.5642	---	---
3DH1	Ant1	2402	1.1308	2401.4401	2402.5709	---	---
		2441	1.1301	2440.4403	2441.5704	---	---
		2480	1.1299	2479.4412	2480.5711	---	---

Test Graphs

DH1_Ant1_2402



DH1_Ant1_2441



DH1_Ant1_2480



2DH1_Ant1_2402



2DH1_Ant1_2441




2DH1_Ant1_2480



3DH1_Ant1_2402



3DH1_Ant1_2441



Appendix A.3: Maximum conducted output power

Test Result Peak

Test Mode	Antenna	Freq(MHz)	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
DH1	Ant1	2402	3.28	≤ 20.97	PASS
		2441	4.03	≤ 20.97	PASS
		2480	3.94	≤ 20.97	PASS
2DH1	Ant1	2402	2.40	≤ 20.97	PASS
		2441	4.16	≤ 20.97	PASS
		2480	3.03	≤ 20.97	PASS
3DH1	Ant1	2402	2.47	≤ 20.97	PASS
		2441	4.20	≤ 20.97	PASS
		2480	3.02	≤ 20.97	PASS

Appendix A.4: Carrier frequency separation

Test Result

TestMode	Antenna	Freq(MHz)	Result[MHz]	Limit[MHz]	Verdict
DH1	Ant1	Hop_2402	1.168	≥ 0.576	PASS
		Hop_2441	0.7	≥ 0.576	PASS
		Hop_2480	1.154	≥ 0.576	PASS
2DH1	Ant1	Hop_2402	0.994	≥ 0.832	PASS
		Hop_2441	1	≥ 0.832	PASS
		Hop_2480	0.998	≥ 0.832	PASS
3DH1	Ant1	Hop_2402	1.162	≥ 0.818	PASS
		Hop_2441	0.834	≥ 0.818	PASS
		Hop_2480	0.852	≥ 0.818	PASS

Test Graphs


DH1_Ant1_Hop_2402



DH1_Ant1_Hop_2441



DH1_Ant1_Hop_2480




2DH1_Ant1_Hop_2480



3DH1_Ant1_Hop_2402



3DH1_Ant1_Hop_2441





Appendix A.5: Time of occupancy


Test Result


TestMode	Antenna	Freq(MHz)	BurstWidth [ms]	TotalHops [Num]	Result[s]	Limit[s]	Verdict
DH1	Ant1	Hop	0.370	330	0.122	≤0.4	PASS
DH3	Ant1	Hop	1.621	160	0.259	≤0.4	PASS
DH5	Ant1	Hop	2.873	120	0.345	≤0.4	PASS
2DH1	Ant1	Hop	0.375	320	0.12	≤0.4	PASS
2DH3	Ant1	Hop	1.626	180	0.293	≤0.4	PASS
2DH5	Ant1	Hop	2.873	80	0.23	≤0.4	PASS
3DH1	Ant1	Hop	0.375	330	0.124	≤0.4	PASS
3DH3	Ant1	Hop	1.626	150	0.244	≤0.4	PASS
3DH5	Ant1	Hop	2.878	80	0.23	≤0.4	PASS


Test Graphs



















Appendix A.6: Number of hopping channels

Test Result

TestMode	Antenna	Freq(MHz)	Result[Num]	Limit[Num]	Verdict
DH1	Ant1	Hop	79	≥ 15	PASS
2DH1	Ant1	Hop	79	≥ 15	PASS
3DH1	Ant1	Hop	79	≥ 15	PASS

Test Graphs






Appendix A.7: Band edge measurements

Test Result


TestMode	Antenna	ChName	Freq(MHz)	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH1	Ant1	Low	2402	1.93	-43.89	≤ -18.07	PASS
		High	2480	2.49	-48.96	≤ -17.51	PASS
		Low	Hop_2402	1.50	-48.58	≤ -18.5	PASS
		High	Hop_2480	2.62	-48.87	≤ -17.38	PASS
2DH1	Ant1	Low	2402	1.03	-48.87	≤ -18.97	PASS
		High	2480	1.71	-48.83	≤ -18.29	PASS
		Low	Hop_2402	0.94	-49.54	≤ -19.06	PASS
		High	Hop_2480	1.91	-45.35	≤ -18.1	PASS
3DH1	Ant1	Low	2402	1.02	-48.92	≤ -18.98	PASS
		High	2480	1.71	-48.75	≤ -18.29	PASS
		Low	Hop_2402	0.75	-49.47	≤ -19.26	PASS
		High	Hop_2480	1.12	-48.4	≤ -18.88	PASS

Test Graphs


DH1_Ant1_Low_2402




DH1_Ant1_High_2480




DH1_Ant1_Low_Hop_2402




2DH1_Ant1_High_2480




2DH1_Ant1_Low_Hop_2402




2DH1_Ant1_High_Hop_2480



3DH1_Ant1_Low_Hop_2402



3DH1_Ant1_High_Hop_2480




Appendix A.8: Conducted Spurious Emission

Test Result

TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH1	Ant1	2402	Reference	1.35	1.35	---	PASS
			30~1000	1.35	-61.01	≤-18.65	PASS
			1000~26500	1.35	-48.03	≤-18.65	PASS
		2441	Reference	3.13	3.13	---	PASS
			30~1000	3.13	-59.98	≤-16.87	PASS
			1000~26500	3.13	-47.69	≤-16.87	PASS
		2480	Reference	2.05	2.05	---	PASS
			30~1000	2.05	-60.45	≤-17.95	PASS
			1000~26500	2.05	-47.16	≤-17.95	PASS
2DH1	Ant1	2402	Reference	0.23	0.23	---	PASS
			30~1000	0.23	-60.98	≤-19.77	PASS
			1000~26500	0.23	-47.51	≤-19.77	PASS
		2441	Reference	2.50	2.50	---	PASS
			30~1000	2.50	-60.25	≤-17.5	PASS
			1000~26500	2.50	-47.73	≤-17.5	PASS
		2480	Reference	1.58	1.58	---	PASS
			30~1000	1.58	-60.85	≤-18.42	PASS
			1000~26500	1.58	-47.34	≤-18.42	PASS
3DH1	Ant1	2402	Reference	0.52	0.52	---	PASS
			30~1000	0.52	-59.77	≤-19.48	PASS
			1000~26500	0.52	-47.66	≤-19.48	PASS
		2441	Reference	2.16	2.16	---	PASS
			30~1000	2.16	-60.43	≤-17.84	PASS
			1000~26500	2.16	-47.43	≤-17.84	PASS
		2480	Reference	1.32	1.32	---	PASS
			30~1000	1.32	-60.21	≤-18.68	PASS
			1000~26500	1.32	-47.19	≤-18.68	PASS

Test Graphs






DH1_Ant1_2441_0~Reference



DH1_Ant1_2441_30~1000




DH1_Ant1_2441_1000~26500



DH1_Ant1_2480_0~Reference



DH1_Ant1_2480_30~1000




DH1_Ant1_2480_1000~26500




2DH1_Ant1_2402_0~Reference







2DH1_Ant1_2441_30~1000




2DH1_Ant1_2441_1000~26500




2DH1_Ant1_2480_0~Reference



2DH1_Ant1_2480_30~1000




2DH1_Ant1_2480_1000~26500



3DH1_Ant1_2402_0~Reference



3DH1_Ant1_2402_30~1000




3DH1_Ant1_2402_1000~26500



3DH1_Ant1_2441_0~Reference



3DH1_Ant1_2441_30~1000




3DH1_Ant1_2441_1000~26500



3DH1_Ant1_2480_0~Reference





Appendix A.9: Emissions in Restricted Bands


Test Result


TestMode	Antenna	ChName	Freq(MHz)	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH1	Ant1	Low	2402	AV	2310.000	-49.28	≤-41.20	45.92	≤54	PASS
				AV	2387.150	-48.88	≤-41.20	46.32	≤54	PASS
				AV	2390.000	-49.1	≤-41.20	46.10	≤54	PASS
				Peak	2310.000	-42.11	≤-21.20	53.09	≤74	PASS
				Peak	2360.270	-38.77	≤-21.20	56.43	≤74	PASS
				Peak	2390.000	-41.51	≤-21.20	53.69	≤74	PASS
		High	2480	AV	2483.500	-48.69	≤-41.20	46.51	≤54	PASS
				AV	2499.760	-48.57	≤-41.20	46.63	≤54	PASS
				AV	2500.000	-48.78	≤-41.20	46.42	≤54	PASS
				Peak	2483.500	-41.33	≤-21.20	53.87	≤74	PASS
				Peak	2484.240	-39.02	≤-21.20	56.18	≤74	PASS
				Peak	2500.000	-40.38	≤-21.20	54.82	≤74	PASS
2DH1	Ant1	Low	2402	AV	2310.000	-49.43	≤-41.20	45.77	≤54	PASS
				AV	2380.220	-48.92	≤-41.20	46.28	≤54	PASS
				AV	2390.000	-49.11	≤-41.20	46.09	≤54	PASS
				Peak	2310.000	-41.87	≤-21.20	53.33	≤74	PASS
				Peak	2385.470	-38.18	≤-21.20	57.02	≤74	PASS
				Peak	2390.000	-40.82	≤-21.20	54.38	≤74	PASS
		High	2480	AV	2483.500	-48.68	≤-41.20	46.52	≤54	PASS
				AV	2498.720	-48.61	≤-41.20	46.59	≤54	PASS
				AV	2500.000	-48.8	≤-41.20	46.40	≤54	PASS
				Peak	2483.500	-40.4	≤-21.20	54.80	≤74	PASS
				Peak	2497.520	-38.54	≤-21.20	56.66	≤74	PASS
				Peak	2500.000	-40.41	≤-21.20	54.79	≤74	PASS
3DH1	Ant1	Low	2402	AV	2310.000	-49.34	≤-41.20	45.86	≤54	PASS
				AV	2387.675	-48.87	≤-41.20	46.33	≤54	PASS
				AV	2390.000	-49.09	≤-41.20	46.11	≤54	PASS
				Peak	2310.000	-41.53	≤-21.20	53.67	≤74	PASS
				Peak	2360.480	-39.14	≤-21.20	56.06	≤74	PASS
				Peak	2390.000	-41.19	≤-21.20	54.01	≤74	PASS
		High	2480	AV	2483.500	-48.79	≤-41.20	46.41	≤54	PASS
				AV	2499.040	-48.64	≤-41.20	46.56	≤54	PASS
				AV	2500.000	-48.7	≤-41.20	46.50	≤54	PASS
				Peak	2483.500	-41.66	≤-21.20	53.54	≤74	PASS
				Peak	2494.480	-39.02	≤-21.20	56.18	≤74	PASS
				Peak	2500.000	-39.18	≤-21.20	56.02	≤74	PASS

Note:


1. The Antenna Gain is compensated in the graph.
2. The Duty Cycle Factor and RBW Factor is compensated in the graph.
3. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs







DH1_Ant1_High_2480_Peak




2DH1_Ant1_Low_2402_AV



2DH1_Ant1_Low_2402_Peak



2DH1_Ant1_High_2480_AV



2DH1_Ant1_High_2480_Peak

