












































Occupied Channel Bandwidth




Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.514
NVNT	a	5200	Ant1	16.522
NVNT	a	5240	Ant1	16.494
NVNT	a	5260	Ant1	16.479
NVNT	a	5300	Ant1	16.502
NVNT	a	5320	Ant1	16.524
NVNT	a	5745	Ant1	16.547
NVNT	a	5785	Ant1	16.482
NVNT	a	5825	Ant1	16.508
NVNT	n20	5180	Ant1	17.618
NVNT	n20	5200	Ant1	17.583
NVNT	n20	5240	Ant1	17.589
NVNT	n20	5260	Ant1	17.585
NVNT	n20	5300	Ant1	17.587
NVNT	n20	5320	Ant1	17.586
NVNT	n20	5745	Ant1	17.595
NVNT	n20	5785	Ant1	17.608
NVNT	n20	5825	Ant1	17.591
NVNT	n40	5190	Ant1	36.017
NVNT	n40	5230	Ant1	35.949
NVNT	n40	5270	Ant1	35.981
NVNT	n40	5310	Ant1	35.989
NVNT	n40	5755	Ant1	36.036
NVNT	n40	5795	Ant1	35.955
NVNT	ac20	5180	Ant1	16.414
NVNT	ac20	5200	Ant1	16.43
NVNT	ac20	5240	Ant1	16.38
NVNT	ac20	5260	Ant1	16.372
NVNT	ac20	5300	Ant1	16.416
NVNT	ac20	5320	Ant1	16.411
NVNT	ac20	5745	Ant1	16.405
NVNT	ac20	5785	Ant1	16.416
NVNT	ac20	5825	Ant1	16.406
NVNT	ac40	5190	Ant1	36.047
NVNT	ac40	5230	Ant1	36.018
NVNT	ac40	5270	Ant1	36.03
NVNT	ac40	5310	Ant1	36.038
NVNT	ac40	5755	Ant1	35.979
NVNT	ac40	5795	Ant1	36.05



















































Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	1.22	0.11	1.33	11	Pass
NVNT	a	5200	Ant1	1.35	0.11	1.46	11	Pass
NVNT	a	5240	Ant1	-0.1	0.11	0.01	11	Pass
NVNT	a	5260	Ant1	0.07	0.11	0.18	11	Pass
NVNT	a	5300	Ant1	0.42	0.11	0.53	11	Pass
NVNT	a	5320	Ant1	-0.66	0.11	-0.55	11	Pass
NVNT	a	5745	Ant1	-9.18	0.11	-9.07	30	Pass
NVNT	a	5785	Ant1	-9.95	0.11	-9.84	30	Pass
NVNT	a	5825	Ant1	-9.92	0.11	-9.81	30	Pass
NVNT	n20	5180	Ant1	0.56	0.12	0.68	11	Pass
NVNT	n20	5200	Ant1	0.03	0.12	0.15	11	Pass
NVNT	n20	5240	Ant1	0.37	0.12	0.49	11	Pass
NVNT	n20	5260	Ant1	-1.24	0.12	-1.12	11	Pass
NVNT	n20	5300	Ant1	-1.03	0.12	-0.91	11	Pass
NVNT	n20	5320	Ant1	-0.58	0.12	-0.46	11	Pass
NVNT	n20	5745	Ant1	-10.21	0.12	-10.09	30	Pass
NVNT	n20	5785	Ant1	-10.61	0.12	-10.49	30	Pass
NVNT	n20	5825	Ant1	-11.03	0.12	-10.91	30	Pass
NVNT	n40	5190	Ant1	-3.6	0.21	-3.39	11	Pass
NVNT	n40	5230	Ant1	-4.05	0.22	-3.83	11	Pass
NVNT	n40	5270	Ant1	-4.08	0.21	-3.87	11	Pass
NVNT	n40	5310	Ant1	-4.47	0.21	-4.26	11	Pass
NVNT	n40	5755	Ant1	-13.25	0.21	-13.04	30	Pass
NVNT	n40	5795	Ant1	-13.62	0.22	-13.4	30	Pass
NVNT	ac20	5180	Ant1	-1.22	0.31	-0.91	11	Pass
NVNT	ac20	5200	Ant1	-1.07	0.31	-0.76	11	Pass
NVNT	ac20	5240	Ant1	-2.9	0.31	-2.59	11	Pass
NVNT	ac20	5260	Ant1	-3.26	0.31	-2.95	11	Pass
NVNT	ac20	5300	Ant1	-3.55	0.31	-3.24	11	Pass
NVNT	ac20	5320	Ant1	-2.98	0.31	-2.67	11	Pass
NVNT	ac20	5745	Ant1	-10.02	0.31	-9.71	30	Pass
NVNT	ac20	5785	Ant1	-8.84	0.31	-8.53	30	Pass
NVNT	ac20	5825	Ant1	-11.02	0.31	-10.71	30	Pass
NVNT	ac40	5190	Ant1	-3.61	0.21	-3.4	11	Pass
NVNT	ac40	5230	Ant1	-4.47	0.21	-4.26	11	Pass
NVNT	ac40	5270	Ant1	-5.6	0.21	-5.39	11	Pass
NVNT	ac40	5310	Ant1	-6.31	0.21	-6.1	11	Pass
NVNT	ac40	5755	Ant1	-12.02	0.22	-11.8	30	Pass
NVNT	ac40	5795	Ant1	-12.83	0.21	-12.62	30	Pass

