Zello **USER'S MANUAL**

14CM

Operating instruction
The USER'S MANUAL

10.5CM

Thank you very much fee choosing this device. In order to make you fully understand the performance of the machine, please read this manual carefully before use.

Walkie-talkie maintenance work can only be carried out by professional and technical personnel, please do not cleausemble and install the interphone by warrant

yourset. To zvoid problems crassed by EM or EMC please hars off the radio in places where the "Freed term off the radio" sign is posted, such as hospitals and other health care lacidities. When thying, some off the radio when requested to do so by the flight crew. It is a vehicle with an arbing, do are place the instruction in the areas where the airbing.

may arquery. Do not expose the intercom to direct sunlight for a long time or place it near the heating device. Milen the portable radio is transmitting, keep the radio in the vertical po-speak close to the phone.

Safety warnings and precusations
Defere using and operating the equipment, please read and observe the fedowing notes to avoid dangerous or illegal situations and to ensure the best performance of the equipment.

10.5CM

Note: The operating system only supports official updates. If the user swips the unefficial system by himself, the user is responsible for the security risks and leases reason.

Medical equipment
In medical and health facilities where the use of wireless devices is expressly problems, turn of the accordance with the regulations of that facility.

presence, own steers or is accertance weat the regulations of that stories; The radio waves generated by the device can interfers with the proper functioning of implantable or personal medical devices, such as pacessalers, outshort implants, hearing AUS, etc. If you use any of these medical devices, please consult with their manufacture about the restrictions on their tow.

When you use broughbones to listen in music or talk. It is recommended to use the minimum volume setting required by the music or talk, so as not to damage the bearing.

Tip: the use of data services will generate data traffic and the corresponding the specific data traffic, please be subject to the statistics of the operator.

Medical exponent:

When might you'de-hick sent to some medical equipment, outh as a heart pormanier, thrould be noted that a distance of a finant blom should be begin between the open miles. I wholl the noted that a distance of a finant blom should be begin between the open miles between the open miles and the medical regions. Both curry should be between the note that the note of the noted that particular should be between the noted that there is not the noted that the noted that the noted that particular should be between the noted that the noted that the noted that the noted that particular should be the noted that the noted that the noted that particular should be noted that particular should be noted that the noted that the noted that the noted that the noted that particular should be noted that the noted that the

When cleaning the intercore, plone turn it off first, and use a dump and clean anti-static cloth. When cleaning the surface of the intercore, be careful not to use cleaning agent and other chemical agents.

Your intercum will generate electromagnetic fields. Please do not place them in magnetic storage media such as computer fishs.

elemage.

De set dans the intercent sear or tradie where housers, sicroverse cents, but cooking explained for high pressor containers to useful disease; but cooking explained for high pressor containers to useful disease; but high an extensive set intemployee in a high experience environment or it as a final sea excessor with cuter enranched devices.

De set classes with the intervent of the containers of

Before entering areas that may cause explosions due to potential factors (such as oil wavebouses, chemical plants and other explosive preduction processes), if the intercom is not specifically designed for use in such areas, please turn it off first.

intercoun is not specifically designed for use in such areas, posse for it it of the such areas, do not remove, install batteries, or charge walkie-salkies, as in the emircoments, sparks may cause explosions or fires, causing personal injury.

In order to avoid interfering with the blasting operation, close the disconator in the explosion area and the place with similar signs indicating that down the walkie-talkic, please elsey the relevant regulations.

Safety matters

Some people may be prone to seizures or distriness when exposed to flashing lights, such as watching television. If you have a history of similar problems, consult your doctor before using the walkie-tailed or flash function. Please keep the radio out of reach of chil and couring personal interv.

Points to note when using a walfee-talke while driving a webide When driving, please obey the relevant traffic laws and regulations and pay attention to traffic safety.

Noting Instructions

These read dis a motion and lay we distill how the instruction before using the contract of the property of the contract of the contract

Please than of the adverse which coloring is an information with the central Turn of the internot to be invited by this period including elegation of Education. The real of the internot is the coloring elegation of Education and Coloring elegation of Education (Education elegation elegation) and coloring elegation elegation

years as mere gas seasons, Please heep the walkie takke and its accessories out of reach of children. Do not allow children to use the walkie talkie without supervision. Please use the battery and charger specified by our company, otherwise, it may

When using this intercore, please abide by the relevant laws and regulations, and respect the privacy and legal rights of others.

Please strictly follow the relevant instructions in this manual when using USB data cable, otherwise it may damage your walkin-called or personal computer.

The operating environment Do not charge are see the device in dusty, wer, dirty or near the magnetic field, so as entitle count of the internal creat field in the device. Do not use the equipment in the indexination was then a weld lightning strike or start raispoint. Please turn off the wireless device where it is forbidden to son.

wend.

Do not connect the metal conductor with the history poles or contact the history ends, so are to avoid short circuit of the battery and body injuries each as barra cased by history overheading.

If the hattery discoloration, deformation, heating and other abnormal phenomena occur during use, charging or storage, please stop using and replace with a new hattery.

nonzer,

If the power cord of the charger has been damaged, do not continue to use it to avoid electric shock or fire.

Do not throw the buttery into the fire, or it will cause the buttery to catch fire and

4

Do not place the divice above the airhag or in an area where the airhag can be reached when deployed. Otherwise, when the airhag expands, the device will be packed by a strong external force and cause serious injury to the occupants of the

Wireless devices may interfere with the flight system of the aircraft. Please comply with the released regulations of the airline. In places where wireless devices are

cased by hattery work-sizing.

By any place hatteries or devices over healing devices such as informewers, owen or relations. Overhealing of the hattery may cause in explosion.

By any classicated hat he hattery, may cause in explosion in the hattery looking extended by the hattery in the size of the hattery looking extended by the hattery looking of the hattery looking the hatter look

Intercem status indicator: red and green intercem light, which is red for active emission and green for listening (intercem status is prior to equipment status display)

Press the power button, the green light is always on for 5 seconds and then goes out. Exter the boot screen, and then start the animation. At this time, the red light is always on for 15-20 seconds, and then center the standby interface.

George (See 15-20) inside, and the nature to mineay assessment.

The red light fields in other,

The special case regimer (See 150) field as and actional or reverbus,

The special field in other parts are red all translate cornects and one
stackly reduce.

The special field is other, parts be recommissibly registered for reduced and or
stackly reduce.

Long news light call light of colliging on all hypergerry group cally intone.

Shellower questry in plantant

(Illus prove field to the special field in other years)

Illustry to the call of the colliging of collings of collings of the collings of the

The proparatory work
Charge the lithium ion battery
The battery has not been charge: Charging a battery for the first time after purchase or long term starage (more than two months) does not bring the battery up to its usual using capacity. After repeated charging/discharging for two or three times, the service capacity will be increased to the normal state.

After rechanging the battery, remove it from the battery charger. Changing a battery for more than 5 days will aborten the life of the battery due to overcharging.

Note: Note:

The archivest temperature for charging should be between S T and 40 T. When charged outside this range, the battery is not fully charged.

Figure turn off the lithium-ion battery on the interphone before charging, thing the instroom while charging the battery in the machine prevents the battery from being recorely charged.

12

Batteries and charging methods

1. The insceptore is charged under the power-on state, and the battery status iom is shown as a charging has started.

shown as MCD anging has started.

When the battery icon is displayed as Madicates that the charging has been completed, and disconnects the charger from the power socket.

Does note: If the buttery is not used for a long time or the hattery in depleted, it may not start up properly while charging. This is a normal phenomence. Please charge the battery for a period of time, and then turn it co. The battery can be repeatedly charged, but because the battery is easy to wear goods, if the normal charging the standay time of the interphone greatly reduced, please replace a new battery. When the intercent is low on power, the intercent will remone. When the battery certain low, the intercent solar days are accounted to the control of the contro

Note: If belt clamps are not installed, the installation position will become hot thirting continuous communication or when placed in a hot convicement.

If the battery is damaged, avoid contact with the material inside. If it is contaminated with the skin, rims with plenty of water and seek the help of a doctor if necessary.

Description on training of unknown as a basis to the major of trainings, journal and 2020 ACE.

Do not shart the charger, otherwise it will cause electric shock, smoke and damage to the charger.

Please for not use the charger with damaged power cerd, or it may cause fine and electric shock.

Please clean the dust on the power socket in time.

Please diese the date is the power such in time. These die net pit from the container and in the changer, so as to avoid variety righting and contain convenienting, leadings and findere of the changer. Descende for all foundations or resulty the changer in the changer of the changer in Please die net container in resulty the changer in the changer. Please die net noch changer in the changer in the changer in the changer. Please die net trauch changers, where and power outlets with we't hands, otherwise in root once effectively despert in their and power outlets with we't hands, otherwise in root once effectively despert in their and power outlets with we't hands, otherwise in root once effectively despert in the same of the change in the change

Do not place heavy objects on the power cord or attempt to modify the power cord as this may cause electric shock or fire. Please unplug the power plug from the socket before cleaning and maintenance. Hold on to the charger when pulling the plug. Hard pulling on the power cord can damage the cord and may cause an electric shock or fire.

Please do not charge in the following places: the ran is too strong and the temperature is too high/blood, dusty areas or areas with high vibration (prose to failure).

responsibility scape, our creatparty does not assurate any responsibility. In any case, it is conceptually to see for first product and any loss (chadrage loss) that resoluted in accordance with the instructions meaned, such as it less of profits, loss of reportations, bestions interreption, on the othered discharges, the another loss are predicted, as the production of the other discharges and content and the less than the content of the other discharges of the other discharges that the little feet any loss caused by improper one of commenciations are relativent or resolvent or confirmed and the other discharges of the Company.

Rattery

Flaces do not short-circuit the belivery in avoid-demage to the belivery, heat and fit
Do not up to the belivery in kigh integerates or fire, so an act to cause enginesis.
Do not prick the belivery seafar with kight piletts.
Flaces about cone the letters for a prival of letters for changes; all changes; all circuits in a kigh,
dark, cod glace. When the featurey and charger have been damaged or cobmouty
and, places to require.

20

communications hardware or offenies on Conjugated by the Company,

For the Information sumerisks, document on their products as destroyed and
through the use of this product, the company does not provide any from of sources
and tracknois opport, and else not insource any responsibility for the use of such
information, malaritals, document or other products and elevites by sums
to the product does not reconstant sures to build any third party subsoure is use,
for the use of Utale Journal of the products, the company does not
assume any form of pursuited and first-body appears on the company does not
assume any form of pursuited and first-body appears on products.

Maintenance and maintenance
Keep occipement and accessaries day. Do not use external heating equipment such as external own to day it. Do not make the equipment and its accessories subjected to strong impact or whention, so as to avoid damage to the equipment and its accessories, or cause battery combustion or explosion. Do not place the device and its accessories in an area where the temperature is too high or too low, otherwise the device, battery and charger may full, catch fire or exclode. Battery performance is limited at temperatures below O'C.

Do not place sharp metal objects such as pins near the device handset. The magnetic properties of the device handset will attract these objects, which may cause injury

fore cleaning and maintenance. o not disassemble the equipment and accessories without authorization, otherwise o equipment and accessories will not be covered by the warranty of our company.

se of emergency, if the device is on and in service area, the device can be used also an emergency call. In case of emergency, please do not use this device as the way to centied you, since you cannot guarantee that the network can be

renote Errot check the packing box of this product for any signs of damage;
Flour expent the packing hot corefully and confirm whether there are any litera-lated in the following table. If you find any loss or damage of this product and its accessories civring baseling, please contact the dealer is randularity.

In shutdown state, press and hold the Kneb key for 3 seconds until the best screen appears. The interphone can be turned on. In the power-on state, press the "Knob" key for 3 seconds, and a possept box will pop-up. Select "Shutdown" to shut down the interview.

Home page. After the decise starts up, if the SIM card has been authoritizated or the current interiors account has been urthan, the decise will autenstically eater the homespage interior, hower \$1500 high in a printed for to go be the bower page interiors, greats the "Total" key or the "Op and Down" flay to choose to estate the board-how of great, mercage account and single call.

15

The status bur
The status bur will show new SMS, battery, time, SIM card, registered network status information, etc.

instream watering group. Simple shows:

In the home puge interface, select "single cold" to enter the single call MINUI, selectthe persons to be called in the single call mode interface, and press MINUI to initiate
the call.

Comp call

Proes the home interface, select MEMI is enter the account MEXII, you can view your current account name, account number; ECIB, network, user permissions, werekn number information. on op?

From the homepage interface, select the side batton to enter the setting mens. You can view or set the network Settings, Bluetoeth, factory Settings, and the state of the phone.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- —Reorient or relocate the receiving antenna.
- —Increase the separation between the equipment and receiver.
- —Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- —Consult the dealer or an experienced radio/TV technician for help.

SAR tests are conducted using standard operating positions accepted by the FCC with the walkie talkie transmitting at its highest certified power level in all tested frequency bands, although the SAR is determined at the highest certified power level, the actual SAR level of the walkie talkie while operating can be well below the maximum value. Before a new model is a available for sale to the public, it must be tested and certified to the FCC that it does not exceed the exposure limit established by the FCC, tests for each product are performed in positions and locations as required by the FCC.

For body worn operation, this device has been tested and meets the FCC RF exposure when used with an accessory designated for this product or when used with an accessory that Contains no metal.

To maintaion compliance with the FCC RF exposure guideline, hold the transimitter and antenna at least 10mm from your face and speak in a normal voice, with the antenna pointed up and away from the face. This equipment comply with FCC radiation exposure limits set forth for an

uncontrolled environmenr.