


Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3736.88	40.37	---	74.00	33.63	500.00	100.0	H	65.00	-5
3965.63	---	29.15	54.00	24.85	500.00	200.0	H	92.00	-4
5439.38	43.83	---	74.00	30.17	500.00	200.0	H	262.00	0
5445.00	---	32.46	54.00	21.54	500.00	200.0	V	35.00	0
7271.25	48.53	---	74.00	25.47	500.00	200.0	H	41.00	5
7273.13	---	37.58	54.00	16.42	500.00	200.0	H	0.00	5
8653.13	---	38.18	54.00	15.82	500.00	200.0	H	3.00	7
8696.25	50.37	---	74.00	23.63	500.00	100.0	V	0.00	7
11340.00	51.75	---	74.00	22.25	500.00	100.0	H	0.00	9
11343.75	---	40.81	54.00	13.19	500.00	100.0	H	36.00	9
13869.38	55.55	---	74.00	18.45	500.00	100.0	V	1.00	12
13942.50	---	44.04	54.00	9.96	500.00	200.0	V	324.00	12

Radiates Emission from 3GHz to 18GHz

802.11n (HT40) CH9




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1181.50	43.50	---	74.00	30.50	500.00	200.0	H	216.00	-4
1184.50	---	31.79	54.00	22.21	500.00	100.0	V	0.00	-4
1405.25	---	32.66	54.00	21.34	500.00	200.0	V	316.00	-3
1435.75	45.01	---	74.00	28.99	500.00	100.0	H	339.00	-3
1560.25	---	33.43	54.00	20.57	500.00	100.0	V	302.00	-2
1681.25	44.70	---	74.00	29.30	500.00	100.0	V	144.00	-2
2008.75	---	34.96	54.00	19.04	500.00	200.0	H	22.00	0
2042.75	46.35	---	74.00	27.65	500.00	200.0	H	3.00	1
2357.25	46.95	---	74.00	27.05	500.00	100.0	V	47.00	2
2360.00	---	35.53	54.00	18.47	500.00	200.0	V	344.00	2
2614.50	48.70	---	74.00	25.30	500.00	200.0	H	12.00	2
2995.75	---	37.60	54.00	16.40	500.00	100.0	V	56.00	4

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3819.38	---	29.35	54.00	24.65	500.00	200.0	H	77.00	-5
3853.13	40.99	---	74.00	33.01	500.00	200.0	V	22.00	-4
5443.13	---	32.20	54.00	21.80	500.00	200.0	H	139.00	0
5446.88	43.37	---	74.00	30.63	500.00	200.0	H	310.00	0
7299.38	49.09	---	74.00	24.91	500.00	100.0	V	279.00	6
7320.00	---	37.54	54.00	16.46	500.00	200.0	H	9.00	5
9601.88	50.30	---	74.00	23.70	500.00	200.0	H	232.00	7
9894.38	---	38.52	54.00	15.48	500.00	200.0	V	333.00	7
12646.88	---	40.94	54.00	13.06	500.00	200.0	V	304.00	10
12661.88	52.40	---	74.00	21.60	500.00	200.0	V	292.00	10
13931.25	---	43.60	54.00	10.40	500.00	100.0	V	217.00	12
14023.13	55.37	---	74.00	18.63	500.00	100.0	V	13.00	12

Radiates Emission from 3GHz to 18GHz


802.11ax HE20 CH 1



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1190.00	---	32.48	54.00	21.52	500.00	100.0	V	353.00	-4
1198.75	43.82	---	74.00	30.18	500.00	100.0	V	314.00	-4
1361.00	---	33.47	54.00	20.53	500.00	100.0	V	351.00	-3
1410.75	44.71	---	74.00	29.29	500.00	200.0	V	56.00	-3
1667.50	45.29	---	74.00	28.71	500.00	100.0	V	122.00	-2
1688.75	---	34.09	54.00	19.91	500.00	100.0	V	330.00	-2
2005.25	---	35.86	54.00	18.14	500.00	100.0	V	208.00	1
2067.25	47.37	---	74.00	26.63	500.00	100.0	V	280.00	1
2316.75	---	37.02	54.00	16.98	500.00	200.0	V	3.00	2
2337.50	48.04	---	74.00	25.96	500.00	100.0	V	351.00	2
2900.25	51.49	---	74.00	22.51	500.00	200.0	V	9.00	3
2995.25	---	39.22	54.00	14.78	500.00	100.0	V	359.00	4

Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3969.38	---	29.21	54.00	24.79	500.00	200.0	H	293.00	-4
3980.63	40.92	---	74.00	33.08	500.00	100.0	V	193.00	-5
5137.50	43.12	---	74.00	30.88	500.00	200.0	V	178.00	0
5445.00	---	32.36	54.00	21.64	500.00	200.0	V	0.00	0
7243.13	48.30	---	74.00	25.70	500.00	200.0	H	0.00	5
7323.75	---	37.63	54.00	16.37	500.00	200.0	V	321.00	5
9571.88	49.88	---	74.00	24.12	500.00	200.0	V	298.00	7
9886.88	---	38.90	54.00	15.10	500.00	100.0	H	334.00	7
11283.75	---	40.32	54.00	13.68	500.00	100.0	H	326.00	9
11326.88	51.98	---	74.00	22.02	500.00	100.0	H	358.00	9
13869.38	---	44.02	54.00	9.98	500.00	100.0	V	55.00	12
13921.88	55.16	---	74.00	18.84	500.00	200.0	H	260.00	12

Radiates Emission from 3GHz to 18GHz


802.11ax HE20 CH 2



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1177.00	44.01	---	74.00	29.99	500.00	200.0	V	93.00	-4
1188.00	---	32.52	54.00	21.48	500.00	200.0	V	2.00	-4
1388.75	44.95	---	74.00	29.05	500.00	100.0	V	356.00	-3
1406.75	---	33.59	54.00	20.41	500.00	100.0	V	348.00	-3
1653.00	45.46	---	74.00	28.54	500.00	200.0	V	9.00	-2
1702.25	---	34.12	54.00	19.88	500.00	100.0	V	0.00	-2
2005.00	47.39	---	74.00	26.61	500.00	100.0	V	165.00	1
2074.25	---	35.96	54.00	18.04	500.00	100.0	V	0.00	0
2323.00	---	36.73	54.00	17.27	500.00	100.0	V	238.00	2
2324.25	47.97	---	74.00	26.03	500.00	100.0	V	238.00	2
2824.50	50.70	---	74.00	23.30	500.00	100.0	V	0.00	3
2973.75	---	39.21	54.00	14.79	500.00	100.0	V	251.00	4

Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3819.38	---	29.42	54.00	24.58	500.00	200.0	H	4.00	-5
3841.88	40.87	---	74.00	33.13	500.00	100.0	H	357.00	-4
5040.00	43.44	---	74.00	30.56	500.00	100.0	H	352.00	0
5446.88	---	32.44	54.00	21.56	500.00	100.0	H	225.00	0
7299.38	48.27	---	74.00	25.73	500.00	200.0	V	316.00	6
7318.13	---	37.35	54.00	16.65	500.00	100.0	V	18.00	5
9783.75	50.19	---	74.00	23.81	500.00	200.0	H	31.00	7
9928.13	---	39.15	54.00	14.85	500.00	200.0	H	347.00	7
12691.88	51.65	---	74.00	22.35	500.00	200.0	H	165.00	10
12691.88	---	41.08	54.00	12.92	500.00	200.0	H	165.00	10
13948.13	---	43.95	54.00	10.05	500.00	100.0	V	105.00	12
14062.50	55.19	---	74.00	18.81	500.00	100.0	V	32.00	12

Radiates Emission from 3GHz to 18GHz


802.11ax HE20 CH 3



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1092.00	43.73	---	74.00	30.27	500.00	100.0	V	354.00	-5
1160.75	---	32.42	54.00	21.58	500.00	100.0	V	359.00	-4
1335.25	45.24	---	74.00	28.76	500.00	100.0	V	255.00	-3
1392.50	---	33.66	54.00	20.34	500.00	200.0	V	17.00	-3
1692.25	---	34.18	54.00	19.82	500.00	200.0	V	36.00	-2
1695.50	45.51	---	74.00	28.49	500.00	200.0	V	2.00	-2
1911.75	47.42	---	74.00	26.58	500.00	200.0	V	239.00	0
2042.50	---	35.93	54.00	18.07	500.00	100.0	V	352.00	0
2262.75	48.85	---	74.00	25.15	500.00	100.0	V	352.00	2
2299.50	---	36.76	54.00	17.24	500.00	100.0	V	356.00	2
2970.50	50.68	---	74.00	23.32	500.00	100.0	V	338.00	4
2988.75	---	39.34	54.00	14.66	500.00	200.0	V	151.00	4

Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3845.63	---	29.48	54.00	24.52	500.00	100.0	V	17.00	-4
3913.13	40.07	---	74.00	33.93	500.00	100.0	H	146.00	-4
5178.75	43.51	---	74.00	30.49	500.00	100.0	V	149.00	0
5443.13	---	32.29	54.00	21.71	500.00	200.0	V	0.00	0
7338.75	48.46	---	74.00	25.54	500.00	200.0	V	348.00	5
7340.63	---	37.50	54.00	16.50	500.00	200.0	V	150.00	5
8178.75	49.86	---	74.00	24.14	500.00	100.0	V	6.00	7
9901.88	---	38.78	54.00	15.22	500.00	200.0	V	0.00	7
11349.38	52.35	---	74.00	21.65	500.00	200.0	V	287.00	9
11377.50	---	40.35	54.00	13.65	500.00	200.0	V	0.00	9
13918.13	---	44.24	54.00	9.76	500.00	100.0	V	17.00	12
14064.38	54.99	---	74.00	19.01	500.00	200.0	V	0.00	12

Radiates Emission from 3GHz to 18GHz

802.11ax HE20 CH 4




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1186.50	---	32.71	54.00	21.29	500.00	200.0	V	0.00	-4
1186.75	44.31	---	74.00	29.69	500.00	100.0	V	328.00	-4
1395.50	---	33.41	54.00	20.59	500.00	200.0	V	23.00	-3
1403.75	44.90	---	74.00	29.10	500.00	200.0	V	3.00	-3
1543.25	45.84	---	74.00	28.16	500.00	200.0	V	0.00	-2
1697.00	---	34.24	54.00	19.76	500.00	200.0	V	182.00	-2
1992.50	47.81	---	74.00	26.19	500.00	200.0	V	48.00	1
2044.50	---	36.29	54.00	17.71	500.00	200.0	V	31.00	1
2371.25	48.90	---	74.00	25.10	500.00	200.0	V	31.00	2
2378.25	---	36.85	54.00	17.15	500.00	100.0	V	310.00	2
2860.00	50.81	---	74.00	23.19	500.00	100.0	V	359.00	3
2971.00	---	39.10	54.00	14.90	500.00	200.0	V	5.00	4

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3905.63	41.16	---	74.00	32.84	500.00	100.0	V	4.00	-4
3967.50	---	29.47	54.00	24.53	500.00	100.0	H	223.00	-4
5413.13	---	32.20	54.00	21.80	500.00	100.0	H	208.00	0
5443.13	44.20	---	74.00	29.80	500.00	100.0	V	52.00	0
7314.38	48.38	---	74.00	25.62	500.00	200.0	V	86.00	5
7336.88	---	37.58	54.00	16.42	500.00	100.0	V	137.00	5
9285.00	---	38.34	54.00	15.66	500.00	100.0	V	31.00	7
9676.88	49.73	---	74.00	24.27	500.00	100.0	H	0.00	7
11319.38	---	40.59	54.00	13.41	500.00	100.0	V	1.00	9
11355.00	51.84	---	74.00	22.16	500.00	200.0	H	4.00	9
13903.13	55.30	---	74.00	18.70	500.00	200.0	V	0.00	12
13929.38	---	43.79	54.00	10.21	500.00	200.0	H	109.00	12

Radiates Emission from 3GHz to 18GHz


802.11ax HE20 CH6



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1126.50	---	32.39	54.00	21.61	500.00	200.0	V	1.00	-4
1157.50	44.30	---	74.00	29.70	500.00	100.0	V	357.00	-4
1294.00	44.97	---	74.00	29.03	500.00	200.0	V	336.00	-4
1418.00	---	33.42	54.00	20.58	500.00	200.0	V	126.00	-3
1515.75	45.36	---	74.00	28.64	500.00	200.0	V	9.00	-3
1697.50	---	34.11	54.00	19.89	500.00	200.0	V	181.00	-2
1989.50	---	35.82	54.00	18.18	500.00	200.0	V	4.00	0
2061.00	47.98	---	74.00	26.02	500.00	200.0	V	181.00	1
2343.75	48.91	---	74.00	25.09	500.00	200.0	V	1.00	2
2349.75	---	37.38	54.00	16.62	500.00	100.0	V	328.00	2
2973.00	---	39.20	54.00	14.80	500.00	200.0	V	96.00	4
2994.75	50.88	---	74.00	23.12	500.00	200.0	V	2.00	4

Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3845.63	---	29.27	54.00	24.73	500.00	200.0	H	7.00	-4
3905.63	40.60	---	74.00	33.40	500.00	200.0	V	358.00	-4
5021.25	43.53	---	74.00	30.47	500.00	200.0	V	326.00	0
5445.00	---	32.34	54.00	21.66	500.00	200.0	V	334.00	0
7250.63	48.51	---	74.00	25.49	500.00	200.0	H	26.00	5
7331.25	---	37.31	54.00	16.69	500.00	200.0	V	0.00	5
9277.50	50.05	---	74.00	23.95	500.00	200.0	H	35.00	7
9905.63	---	38.67	54.00	15.33	500.00	100.0	V	141.00	7
11313.75	---	40.56	54.00	13.44	500.00	100.0	H	348.00	9
11347.50	52.31	---	74.00	21.69	500.00	100.0	H	160.00	9
13815.00	55.41	---	74.00	18.59	500.00	200.0	V	317.00	12
13955.63	---	43.65	54.00	10.35	500.00	100.0	H	341.00	12

Radiates Emission from 3GHz to 18GHz

802.11ax HE20 CH10




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1170.00	43.91	---	74.00	30.09	500.00	100.0	V	308.00	-4
1179.00	---	32.57	54.00	21.43	500.00	200.0	V	1.00	-4
1386.75	---	33.48	54.00	20.52	500.00	100.0	V	358.00	-3
1413.75	45.35	---	74.00	28.65	500.00	200.0	V	5.00	-3
1702.50	---	33.93	54.00	20.07	500.00	200.0	V	0.00	-2
1718.25	45.87	---	74.00	28.13	500.00	100.0	V	308.00	-2
1949.50	47.76	---	74.00	26.24	500.00	100.0	V	338.00	0
2063.00	---	36.12	54.00	17.88	500.00	200.0	V	1.00	1
2272.25	48.69	---	74.00	25.31	500.00	100.0	V	0.00	2
2338.00	---	37.23	54.00	16.77	500.00	100.0	V	174.00	2
2841.00	50.57	---	74.00	23.43	500.00	100.0	V	359.00	3
2999.50	---	39.18	54.00	14.82	500.00	200.0	V	0.00	4

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3791.25	40.26	---	74.00	33.74	500.00	100.0	H	0.00	-5
3971.25	---	29.39	54.00	24.61	500.00	200.0	V	359.00	-4
4383.75	43.31	---	74.00	30.69	500.00	100.0	H	160.00	-2
5040.00	---	32.56	54.00	21.44	500.00	100.0	V	16.00	0
7271.25	48.60	---	74.00	25.40	500.00	200.0	V	66.00	5
7321.88	---	37.34	54.00	16.66	500.00	100.0	H	336.00	5
9268.13	---	38.62	54.00	15.38	500.00	200.0	H	7.00	7
9346.88	49.78	---	74.00	24.22	500.00	100.0	V	12.00	7
11343.75	---	40.59	54.00	13.41	500.00	100.0	H	359.00	9
11386.88	51.23	---	74.00	22.78	500.00	100.0	H	354.00	9
13908.75	55.16	---	74.00	18.84	500.00	200.0	V	343.00	12
13914.38	---	43.85	54.00	10.15	500.00	200.0	H	5.00	12

Radiates Emission from 3GHz to 18GHz


802.11ax HE20 CH11



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1182.50	---	32.67	54.00	21.33	500.00	200.0	V	152.00	-4
1193.50	44.31	---	74.00	29.69	500.00	200.0	V	152.00	-4
1396.25	45.33	---	74.00	28.67	500.00	200.0	V	2.00	-3
1416.75	---	33.55	54.00	20.45	500.00	100.0	V	262.00	-3
1617.25	---	34.03	54.00	19.97	500.00	200.0	V	122.00	-2
1689.75	45.72	---	74.00	28.28	500.00	200.0	V	167.00	-2
2044.25	---	35.99	54.00	18.01	500.00	100.0	V	338.00	1
2065.00	47.49	---	74.00	26.51	500.00	200.0	V	88.00	1
2369.75	48.13	---	74.00	25.87	500.00	100.0	V	358.00	2
2383.00	---	37.19	54.00	16.81	500.00	100.0	V	354.00	2
2974.00	51.11	---	74.00	22.89	500.00	200.0	V	122.00	4
2995.50	---	39.04	54.00	14.96	500.00	100.0	V	289.00	4

Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3853.13	---	29.30	54.00	24.70	500.00	100.0	H	0.00	-4
3898.13	40.91	---	74.00	33.09	500.00	200.0	H	180.00	-4
5364.38	43.14	---	74.00	30.86	500.00	100.0	V	110.00	0
5441.25	---	32.64	54.00	21.36	500.00	100.0	H	0.00	0
7297.50	---	37.34	54.00	16.66	500.00	200.0	V	355.00	6
7301.25	49.15	---	74.00	24.85	500.00	200.0	V	118.00	6
9855.00	50.97	---	74.00	23.03	500.00	100.0	V	140.00	7
9999.38	---	39.34	54.00	14.66	500.00	200.0	V	6.00	7
11340.00	---	40.63	54.00	13.37	500.00	200.0	V	228.00	9
11349.38	51.39	---	74.00	22.61	500.00	200.0	H	60.00	9
13899.38	55.26	---	74.00	18.74	500.00	100.0	V	24.00	12
13955.63	---	43.99	54.00	10.01	500.00	200.0	H	0.00	12

Radiates Emission from 3GHz to 18GHz

802.11ax HE40 CH3




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1021.25	43.18	---	74.00	30.82	500.00	200.0	V	6.00	-5
1190.00	---	31.91	54.00	22.09	500.00	100.0	V	355.00	-4
1354.00	---	32.79	54.00	21.21	500.00	200.0	H	30.00	-3
1386.75	44.43	---	74.00	29.57	500.00	100.0	H	2.00	-3
1575.25	45.56	---	74.00	28.44	500.00	200.0	V	192.00	-2
1697.00	---	33.29	54.00	20.71	500.00	200.0	H	0.00	-2
1990.25	46.74	---	74.00	27.26	500.00	100.0	V	336.00	0
2019.75	---	34.93	54.00	19.07	500.00	200.0	V	93.00	0
2349.25	---	35.95	54.00	18.05	500.00	100.0	V	358.00	2
2357.50	47.12	---	74.00	26.88	500.00	100.0	V	336.00	2
2651.00	49.24	---	74.00	24.76	500.00	100.0	V	167.00	3
2989.50	---	37.54	54.00	16.46	500.00	100.0	V	195.00	4

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3699.38	40.93	---	74.00	33.07	500.00	200.0	H	0.00	-5
3841.88	---	29.33	54.00	24.67	500.00	100.0	V	39.00	-4
5334.38	43.43	---	74.00	30.57	500.00	100.0	V	39.00	0
5439.38	---	32.39	54.00	21.61	500.00	200.0	H	153.00	0
7295.63	48.75	---	74.00	25.25	500.00	100.0	H	339.00	6
7346.25	---	37.59	54.00	16.41	500.00	200.0	H	210.00	5
9898.13	50.34	---	74.00	23.66	500.00	100.0	H	239.00	7
9903.75	---	38.82	54.00	15.18	500.00	100.0	H	349.00	7
11341.88	---	40.84	54.00	13.16	500.00	200.0	V	98.00	9
11349.38	52.50	---	74.00	21.50	500.00	100.0	V	57.00	9
13798.13	55.29	---	74.00	18.71	500.00	100.0	V	178.00	12
13948.13	---	43.98	54.00	10.02	500.00	200.0	H	108.00	12

Radiates Emission from 3GHz to 18GHz


802.11ax HE40 CH6



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1184.75	---	32.52	54.00	21.48	500.00	100.0	V	325.00	-4
1192.75	43.67	---	74.00	30.33	500.00	100.0	V	141.00	-4
1395.50	---	33.41	54.00	20.59	500.00	100.0	V	332.00	-3
1431.25	45.93	---	74.00	28.07	500.00	200.0	V	34.00	-3
1680.50	45.58	---	74.00	28.42	500.00	100.0	V	267.00	-2
1707.00	---	34.55	54.00	19.45	500.00	100.0	V	0.00	-2
2024.75	47.91	---	74.00	26.09	500.00	200.0	V	91.00	0
2070.50	---	36.20	54.00	17.80	500.00	100.0	V	224.00	1
2358.50	48.10	---	74.00	25.90	500.00	100.0	V	348.00	2
2362.50	---	36.43	54.00	17.57	500.00	200.0	V	16.00	2
2971.25	---	39.19	54.00	14.81	500.00	100.0	V	357.00	4
2977.25	50.37	---	74.00	23.63	500.00	100.0	V	0.00	4

Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3862.50	41.07	---	74.00	32.93	500.00	200.0	V	37.00	-4
3965.63	---	29.34	54.00	24.66	500.00	100.0	H	0.00	-4
5191.88	43.48	---	74.00	30.52	500.00	100.0	H	204.00	0
5450.63	---	32.40	54.00	21.60	500.00	100.0	V	0.00	0
7233.75	47.98	---	74.00	26.02	500.00	200.0	V	353.00	5
7327.50	---	37.40	54.00	16.60	500.00	100.0	H	326.00	5
8636.25	50.31	---	74.00	23.69	500.00	200.0	H	0.00	7
9901.88	---	38.86	54.00	15.14	500.00	100.0	V	359.00	7
12384.38	---	40.72	54.00	13.28	500.00	100.0	V	30.00	10
12427.50	51.66	---	74.00	22.34	500.00	100.0	H	335.00	10
13770.00	---	43.93	54.00	10.07	500.00	200.0	V	13.00	12
13790.63	54.74	---	74.00	19.26	500.00	100.0	V	243.00	12

Radiates Emission from 3GHz to 18GHz


802.11ax HE40 CH9



Final Result

Frequency (MHz)	Max Peak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1157.50	43.39	---	74.00	30.61	500.00	200.0	V	311.00	-4
1185.00	---	32.07	54.00	21.93	500.00	100.0	H	348.00	-4
1353.00	44.60	---	74.00	29.40	500.00	200.0	V	353.00	-3
1406.25	---	32.81	54.00	21.19	500.00	100.0	V	318.00	-3
1706.25	---	33.44	54.00	20.56	500.00	100.0	H	315.00	-2
1715.00	44.75	---	74.00	29.25	500.00	200.0	H	0.00	-2
2000.00	---	35.03	54.00	18.97	500.00	100.0	H	254.00	1
2002.75	46.59	---	74.00	27.41	500.00	200.0	V	0.00	1
2350.25	47.11	---	74.00	26.89	500.00	200.0	V	336.00	2
2370.50	---	35.78	54.00	18.22	500.00	200.0	V	355.00	2
2995.50	49.52	---	74.00	24.48	500.00	100.0	V	13.00	4
2996.50	---	37.47	54.00	16.53	500.00	100.0	H	240.00	4

Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3444.38	40.60	---	74.00	33.40	500.00	200.0	V	82.00	-5
3648.75	---	29.23	54.00	24.77	500.00	100.0	V	177.00	-5
5443.13	---	32.46	54.00	21.54	500.00	100.0	H	0.00	0
5448.75	44.32	---	74.00	29.68	500.00	200.0	V	358.00	0
7278.75	48.68	---	74.00	25.32	500.00	200.0	V	245.00	5
7333.13	---	37.63	54.00	16.37	500.00	200.0	V	0.00	5
8733.75	51.04	---	74.00	22.96	500.00	200.0	H	32.00	7
9898.13	---	39.01	54.00	14.99	500.00	200.0	V	359.00	7
11341.88	52.04	---	74.00	21.96	500.00	200.0	H	9.00	9
11343.75	---	40.98	54.00	13.02	500.00	100.0	V	1.00	9
13914.38	---	44.37	54.00	9.63	500.00	200.0	H	200.00	12
13950.00	55.36	---	74.00	18.64	500.00	100.0	H	358.00	12

Radiates Emission from 3GHz to 18GHz

ERSU Mode

802.11ax HE20 242TONE CH 1




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1178.75	43.75	---	74.00	30.25	500.00	200.0	H	218.00	-4
1181.75	---	32.42	54.00	21.58	500.00	200.0	V	87.00	-4
1407.75	---	32.97	54.00	21.03	500.00	200.0	H	328.00	-3
1419.50	44.87	---	74.00	29.13	500.00	200.0	V	359.00	-3
1694.25	---	33.51	54.00	20.49	500.00	100.0	V	20.00	-2
1721.00	44.97	---	74.00	29.03	500.00	100.0	V	52.00	-2
1971.25	46.79	---	74.00	27.21	500.00	100.0	H	12.00	0
2036.50	---	34.91	54.00	19.09	500.00	200.0	V	73.00	0
2693.75	47.62	---	74.00	26.38	500.00	200.0	V	242.00	3
2709.00	---	36.43	54.00	17.57	500.00	200.0	H	32.00	3
2963.75	49.40	---	74.00	24.60	500.00	100.0	V	0.00	3
2971.75	---	37.82	54.00	16.18	500.00	100.0	H	214.00	4

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3843.75	40.98	---	74.00	33.02	500.00	100.0	V	58.00	-4
3881.25	---	29.39	54.00	24.61	500.00	200.0	H	0.00	-4
5030.63	44.15	---	74.00	29.85	500.00	100.0	H	49.00	0
5032.50	---	32.15	54.00	21.85	500.00	200.0	V	221.00	0
7297.50	---	36.61	54.00	17.39	500.00	100.0	H	0.00	6
7323.75	47.56	---	74.00	26.44	500.00	100.0	V	7.00	5
8163.75	49.20	---	74.00	24.80	500.00	100.0	V	225.00	7
9905.63	---	38.20	54.00	15.80	500.00	200.0	H	246.00	7
13312.50	53.38	---	74.00	20.62	500.00	100.0	V	100.00	11
13336.88	---	41.68	54.00	12.32	500.00	200.0	V	207.00	11
14366.25	---	42.21	54.00	11.79	500.00	200.0	H	32.00	11
14505.00	52.02	---	74.00	21.98	500.00	200.0	V	354.00	11

Radiates Emission from 3GHz to 18GHz

802.11ax HE40 484TONE CH3




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1126.75	44.36	---	74.00	29.64	500.00	100.0	V	259.00	-4
1188.75	---	32.34	54.00	21.66	500.00	100.0	V	301.00	-4
1373.00	44.32	---	74.00	29.68	500.00	200.0	H	30.00	-3
1380.75	---	32.99	54.00	21.01	500.00	200.0	V	73.00	-3
1571.75	46.02	---	74.00	27.98	500.00	100.0	H	295.00	-2
1708.50	---	33.61	54.00	20.39	500.00	200.0	H	57.00	-2
1920.00	---	34.92	54.00	19.08	500.00	100.0	V	189.00	0
2061.75	46.56	---	74.00	27.44	500.00	200.0	H	38.00	1
2258.25	46.54	---	74.00	27.46	500.00	100.0	H	349.00	2
2258.25	---	35.31	54.00	18.69	500.00	100.0	H	349.00	2
2720.50	48.83	---	74.00	25.17	500.00	100.0	H	349.00	3
2732.75	---	36.50	54.00	17.50	500.00	100.0	H	256.00	3

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3907.50	---	29.47	54.00	24.53	500.00	200.0	V	83.00	-4
3961.88	40.93	---	74.00	33.07	500.00	200.0	H	1.00	-4
5032.50	---	32.06	54.00	21.94	500.00	200.0	H	24.00	0
5358.75	43.77	---	74.00	30.23	500.00	100.0	V	0.00	0
7306.88	---	36.77	54.00	17.23	500.00	200.0	V	116.00	5
7325.63	47.91	---	74.00	26.09	500.00	100.0	H	231.00	5
9888.75	---	37.83	54.00	16.17	500.00	100.0	V	5.00	7
9901.88	49.35	---	74.00	24.65	500.00	100.0	V	90.00	7
13323.75	52.70	---	74.00	21.30	500.00	100.0	V	2.00	11
13335.00	---	41.86	54.00	12.14	500.00	200.0	V	351.00	11
14578.13	---	42.25	54.00	11.75	500.00	200.0	V	209.00	11
14625.00	53.03	---	74.00	20.97	500.00	100.0	V	182.00	10

Radiates Emission from 3GHz to 18GHz

TB Mode

802.11ax HE20 242TONE CH 1




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1180.00	---	31.10	54.00	22.90	500.00	100.0	V	0.00	-4
1186.75	42.55	---	74.00	31.45	500.00	200.0	V	11.00	-4
1209.25	43.57	---	74.00	30.43	500.00	200.0	H	354.00	-4
1388.25	---	31.98	54.00	22.02	500.00	100.0	V	0.00	-3
1460.25	44.74	---	74.00	29.26	500.00	200.0	H	295.00	-3
1694.25	---	32.91	54.00	21.09	500.00	100.0	H	0.00	-2
2035.75	46.07	---	74.00	27.93	500.00	100.0	H	270.00	0
2054.50	---	34.72	54.00	19.28	500.00	200.0	H	356.00	1
2357.25	46.87	---	74.00	27.13	500.00	100.0	H	0.00	2
2364.25	---	35.56	54.00	18.44	500.00	200.0	V	60.00	2
2976.00	48.17	---	74.00	25.83	500.00	100.0	V	2.00	4
2999.00	---	37.28	54.00	16.72	500.00	100.0	V	11.00	4

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3843.75	---	29.24	54.00	24.76	500.00	200.0	V	8.00	-4
3851.25	41.08	---	74.00	32.92	500.00	200.0	H	296.00	-4
5418.75	43.10	---	74.00	30.90	500.00	100.0	H	359.00	0
5446.88	---	32.45	54.00	21.55	500.00	100.0	V	16.00	0
7318.13	48.15	---	74.00	25.85	500.00	200.0	V	73.00	5
7329.38	---	37.38	54.00	16.62	500.00	100.0	H	176.00	5
9121.88	49.60	---	74.00	24.40	500.00	100.0	H	0.00	7
9905.63	---	38.71	54.00	15.29	500.00	200.0	V	16.00	7
12410.63	---	41.05	54.00	12.95	500.00	100.0	V	73.00	10
12418.13	52.24	---	74.00	21.76	500.00	200.0	H	336.00	10
13921.88	---	44.20	54.00	9.80	500.00	100.0	V	2.00	12
14293.13	54.95	---	74.00	19.05	500.00	100.0	V	293.00	11

Radiates Emission from 3GHz to 18GHz

802.11ax HE40 484TONE CH3




Final Result

Frequency (MHz)	Max Peak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1178.75	42.52	---	74.00	31.48	500.00	100.0	H	154.00	-4
1186.25	---	30.91	54.00	23.09	500.00	100.0	H	253.00	-4
1290.50	43.62	---	74.00	30.38	500.00	200.0	V	1.00	-4
1394.75	---	32.15	54.00	21.85	500.00	100.0	H	238.00	-3
1697.00	---	32.96	54.00	21.04	500.00	100.0	H	182.00	-2
1713.00	45.08	---	74.00	28.92	500.00	200.0	V	132.00	-2
2056.50	46.49	---	74.00	27.51	500.00	100.0	H	210.00	1
2064.50	---	35.06	54.00	18.94	500.00	200.0	V	359.00	1
2385.50	---	41.79	54.00	12.21	500.00	200.0	H	30.00	2
2385.50	56.73	---	74.00	17.27	500.00	100.0	H	30.00	2
2940.00	48.93	---	74.00	25.07	500.00	100.0	H	359.00	3
2973.25	---	37.16	54.00	16.84	500.00	100.0	V	15.00	4

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3851.25	40.71	---	74.00	33.29	500.00	100.0	V	21.00	-4
3886.88	---	29.28	54.00	24.72	500.00	100.0	H	170.00	-4
5443.13	---	32.39	54.00	21.61	500.00	200.0	H	216.00	0
5443.13	43.51	---	74.00	30.49	500.00	100.0	H	216.00	0
7303.13	48.05	---	74.00	25.95	500.00	200.0	H	344.00	6
7335.00	---	37.75	54.00	16.25	500.00	100.0	H	323.00	5
9896.25	50.68	---	74.00	23.32	500.00	100.0	H	302.00	7
9905.63	---	38.69	54.00	15.31	500.00	200.0	V	85.00	7
12375.00	53.25	---	74.00	20.75	500.00	200.0	V	2.00	10
12485.63	---	40.18	54.00	13.82	500.00	100.0	H	323.00	10
13923.75	55.29	---	74.00	18.71	500.00	100.0	H	185.00	12
13938.75	---	44.00	54.00	10.00	500.00	200.0	H	200.00	12

Radiates Emission from 3GHz to 18GHz

TAS Antenna
802.11n (HT40) CH9




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1193.75	---	31.97	54.00	22.03	500.00	100.0	H	353.00	-4
1195.25	43.60	---	74.00	30.40	500.00	200.0	H	186.00	-4
1403.75	---	32.99	54.00	21.01	500.00	100.0	H	0.00	-3
1405.25	44.08	---	74.00	29.92	500.00	200.0	H	358.00	-3
1668.75	44.69	---	74.00	29.31	500.00	20.0	H	357.00	-2
1700.50	---	33.62	54.00	20.38	500.00	100.0	H	0.00	-2
2006.00	46.70	---	74.00	27.30	500.00	100.0	H	357.00	1
2063.00	---	35.29	54.00	18.71	500.00	100.0	H	336.00	1
2371.25	46.94	---	74.00	27.06	500.00	200.0	H	357.00	2
2374.25	---	36.61	54.00	17.39	500.00	200.0	H	342.00	2
2775.75	49.99	---	74.00	24.01	500.00	100.0	H	350.00	3
2998.00	---	38.69	54.00	15.31	500.00	100.0	H	247.00	4

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3828.75	---	29.15	54.00	24.85	500.00	100.0	V	359.00	-4
3971.25	40.11	---	74.00	33.89	500.00	200.0	H	149.00	-4
5047.50	---	32.09	54.00	21.91	500.00	200.0	V	280.00	0
5426.25	42.91	---	74.00	31.09	500.00	100.0	V	234.00	0
7269.38	---	36.98	54.00	17.02	500.00	100.0	V	293.00	5
7280.63	48.64	---	74.00	25.36	500.00	200.0	H	22.00	5
9896.25	49.49	---	74.00	24.51	500.00	100.0	V	0.00	7
9898.13	---	38.27	54.00	15.73	500.00	100.0	H	16.00	7
11313.75	52.25	---	74.00	21.75	500.00	200.0	V	342.00	9
11313.75	---	40.72	54.00	13.28	500.00	100.0	V	342.00	9
13897.50	54.72	---	74.00	19.28	500.00	100.0	V	220.00	12
13899.38	---	43.37	54.00	10.63	500.00	100.0	V	204.00	12

Radiates Emission from 3GHz to 18GHz

ERSU Mode

802.11ax HE20 242TONE CH 1




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1018.00	44.23	---	74.00	29.77	500.00	100.0	V	0.00	-5
1187.25	---	32.75	54.00	21.25	500.00	100.0	V	2.00	-4
1325.75	44.95	---	74.00	29.05	500.00	200.0	V	56.00	-3
1410.00	---	33.12	54.00	20.88	500.00	100.0	V	4.00	-3
1695.25	---	33.29	54.00	20.71	500.00	100.0	V	45.00	-2
1701.75	44.98	---	74.00	29.02	500.00	100.0	V	36.00	-2
1920.00	---	35.34	54.00	18.66	500.00	100.0	V	175.00	0
2058.00	47.21	---	74.00	26.79	500.00	200.0	V	352.00	1
2571.50	49.22	---	74.00	24.78	500.00	200.0	H	359.00	3
2608.50	---	36.46	54.00	17.54	500.00	100.0	H	30.00	2
2876.25	49.20	---	74.00	24.80	500.00	100.0	V	0.00	3
2974.00	---	37.59	54.00	16.41	500.00	100.0	H	273.00	4

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3796.88	---	29.43	54.00	24.57	500.00	100.0	H	235.00	-5
3967.50	40.59	---	74.00	33.41	500.00	100.0	H	304.00	-4
5248.13	43.36	---	74.00	30.64	500.00	200.0	V	351.00	-1
5441.25	---	32.34	54.00	21.66	500.00	200.0	H	0.00	0
7263.75	47.69	---	74.00	26.31	500.00	100.0	V	108.00	5
7301.25	---	36.59	54.00	17.41	500.00	200.0	H	32.00	6
9901.88	49.48	---	74.00	24.52	500.00	100.0	H	350.00	7
9903.75	---	38.34	54.00	15.66	500.00	200.0	H	0.00	7
13282.50	---	42.17	54.00	11.83	500.00	200.0	H	106.00	11
13297.50	53.82	---	74.00	20.18	500.00	200.0	H	8.00	11
14471.25	---	42.81	54.00	11.19	500.00	200.0	H	294.00	11
14619.38	53.40	---	74.00	20.60	500.00	100.0	V	359.00	10

Radiates Emission from 3GHz to 18GHz

TB Mode

802.11ax HE20 242TONE CH 1




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1184.00	43.27	---	74.00	30.73	500.00	100.0	V	45.00	-4
1185.25	---	32.29	54.00	21.71	500.00	200.0	H	2.00	-4
1386.75	44.31	---	74.00	29.69	500.00	100.0	H	46.00	-3
1392.50	---	33.27	54.00	20.73	500.00	100.0	H	57.00	-3
1605.75	46.01	---	74.00	27.99	500.00	200.0	H	3.00	-2
1684.25	---	33.49	54.00	20.51	500.00	200.0	H	9.00	-2
2050.25	46.48	---	74.00	27.52	500.00	100.0	H	208.00	1
2060.50	---	35.45	54.00	18.55	500.00	100.0	H	68.00	1
2369.50	47.86	---	74.00	26.14	500.00	100.0	H	9.00	2
2373.00	---	36.55	54.00	17.45	500.00	200.0	H	68.00	2
2971.75	50.71	---	74.00	23.29	500.00	100.0	H	0.00	4
2972.00	---	38.94	54.00	15.06	500.00	200.0	H	13.00	4

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3826.88	---	29.27	54.00	24.73	500.00	100.0	H	11.00	-5
3843.75	40.22	---	74.00	33.78	500.00	100.0	V	348.00	-4
5441.25	43.23	---	74.00	30.77	500.00	100.0	H	0.00	0
5450.63	---	32.11	54.00	21.89	500.00	200.0	H	8.00	0
7301.25	47.99	---	74.00	26.01	500.00	100.0	V	330.00	6
7303.13	---	37.01	54.00	16.99	500.00	100.0	H	109.00	6
9881.25	49.38	---	74.00	24.62	500.00	200.0	V	272.00	7
9888.75	---	38.34	54.00	15.66	500.00	100.0	V	0.00	7
11295.00	51.06	---	74.00	22.94	500.00	200.0	V	239.00	9
11336.25	---	39.91	54.00	14.09	500.00	100.0	H	0.00	9
13854.38	55.10	---	74.00	18.90	500.00	200.0	V	354.00	12
13905.00	---	43.73	54.00	10.27	500.00	100.0	V	356.00	12

Radiates Emission from 3GHz to 18GHz