





Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8183.75	---	37.67	54.00	16.33	500.00	100.0	H	201.00	7
8616.25	50.20	---	68.20	18.00	500.00	100.0	V	0.00	7
9307.50	---	37.90	54.00	16.10	500.00	200.0	V	247.00	7
10378.75	50.84	---	68.20	17.36	500.00	100.0	V	64.00	8
10586.25	50.61	---	68.20	17.59	500.00	200.0	V	359.00	8
11345.00	---	40.51	54.00	13.49	500.00	200.0	V	355.00	9
13347.50	---	41.11	54.00	12.89	500.00	100.0	V	358.00	11
13656.25	52.67	---	68.20	15.53	500.00	100.0	H	9.00	12
13950.00	53.75	---	68.20	14.45	500.00	200.0	H	6.00	12
14490.00	---	40.53	54.00	13.47	500.00	100.0	V	350.00	11
15717.50	---	39.02	54.00	14.98	500.00	100.0	V	324.00	8
17136.25	51.50	---	68.20	16.70	500.00	100.0	V	355.00	12

Radiates Emission from 8GHz to 18GHz

802.11ax (HE40) -484TONE CH151




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1251.13	42.48	---	68.20	25.72	500.00	100.0	H	41.00	-4
1393.75	---	32.17	54.00	21.83	500.00	100.0	H	300.00	-3
1688.63	---	32.47	54.00	21.53	500.00	200.0	V	59.00	-2
1902.13	45.16	---	68.20	23.04	500.00	200.0	V	134.00	0
2575.00	47.70	---	68.20	20.50	500.00	100.0	V	357.00	3
2770.13	---	36.65	54.00	17.35	500.00	200.0	H	0.00	3
3526.13	49.35	---	68.20	18.85	500.00	100.0	V	177.00	5
3798.25	---	39.18	54.00	14.82	500.00	200.0	V	304.00	5
5189.50	53.34	---	68.20	14.86	500.00	100.0	H	32.00	10
5451.13	---	41.93	54.00	12.07	500.00	100.0	V	251.00	10
6848.50	56.88	---	68.20	11.32	500.00	200.0	V	314.00	14
7310.50	---	46.59	54.00	7.41	500.00	100.0	V	0.00	15

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8178.75	---	37.97	54.00	16.03	500.00	100.0	V	160.00	7
8693.75	48.78	---	68.20	19.42	500.00	200.0	V	353.00	7
9303.75	---	37.87	54.00	16.13	500.00	100.0	V	350.00	7
10392.50	50.58	---	68.20	17.63	500.00	200.0	V	356.00	8
10592.50	49.91	---	68.20	18.29	500.00	100.0	H	0.00	8
11350.00	---	40.56	54.00	13.44	500.00	200.0	V	346.00	9
13333.75	---	41.31	54.00	12.69	500.00	200.0	H	0.00	11
13657.50	53.17	---	68.20	15.03	500.00	100.0	V	340.00	12
13885.00	54.61	---	68.20	13.59	500.00	100.0	V	332.00	12
14485.00	---	40.49	54.00	13.51	500.00	200.0	H	66.00	11
15725.00	---	38.72	54.00	15.28	500.00	100.0	H	94.00	8
16732.50	49.15	---	68.20	19.05	500.00	100.0	H	139.00	10

Radiates Emission from 8GHz to 18GHz

802.11ax (HE80) -996TONE CH42




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1283.50	43.02	---	68.20	25.18	500.00	100.0	H	314.00	-4
1406.88	---	32.16	54.00	21.84	500.00	200.0	V	78.00	-3
1678.13	---	32.81	54.00	21.19	500.00	100.0	V	21.00	-2
1960.75	45.11	---	68.20	23.09	500.00	100.0	V	106.00	0
2604.75	47.53	---	68.20	20.67	500.00	200.0	H	354.00	3
2702.75	---	36.57	54.00	17.43	500.00	100.0	H	292.00	3
3369.50	49.66	---	68.20	18.54	500.00	200.0	H	349.00	5
3848.13	---	39.04	54.00	14.96	500.00	200.0	H	60.00	6
4450.13	51.51	---	68.20	16.69	500.00	100.0	V	11.00	8
5041.63	---	42.04	54.00	11.96	500.00	100.0	H	0.00	10
7722.63	---	47.53	54.00	6.47	500.00	200.0	H	208.00	16
7755.00	58.58	---	68.20	9.62	500.00	200.0	H	2.00	16

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8167.50	---	37.75	54.00	16.25	500.00	100.0	V	171.00	7
8816.25	49.01	---	68.20	19.19	500.00	200.0	H	335.00	6
9307.50	---	37.94	54.00	16.06	500.00	100.0	H	317.00	7
10292.50	50.81	---	68.20	17.39	500.00	100.0	H	350.00	8
10507.50	50.13	---	68.20	18.07	500.00	100.0	V	95.00	8
11343.75	---	40.14	54.00	13.86	500.00	100.0	V	54.00	9
13345.00	---	41.01	54.00	12.99	500.00	200.0	H	307.00	11
13641.25	53.08	---	68.20	15.12	500.00	200.0	V	66.00	12
13915.00	54.87	---	68.20	13.33	500.00	100.0	H	1.00	12
14490.00	---	40.53	54.00	13.47	500.00	200.0	H	357.00	11
15702.50	---	38.64	54.00	15.36	500.00	100.0	V	201.00	8
16758.75	50.32	---	68.20	17.88	500.00	200.0	H	0.00	10

Radiates Emission from 8GHz to 18GHz

802.11ax (HE80) -996TONE CH58




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1270.38	42.84	---	68.20	25.36	500.00	100.0	H	2.00	-4
1371.00	---	32.18	54.00	21.82	500.00	200.0	V	332.00	-3
1707.88	---	32.57	54.00	21.43	500.00	200.0	H	34.00	-2
1991.38	45.13	---	68.20	23.07	500.00	100.0	V	345.00	0
2575.00	47.56	---	68.20	20.64	500.00	100.0	V	345.00	3
2772.75	---	37.11	54.00	16.89	500.00	200.0	H	133.00	3
3521.75	49.47	---	68.20	18.73	500.00	200.0	V	0.00	5
3969.75	---	39.20	54.00	14.80	500.00	100.0	H	161.00	6
4443.13	51.88	---	68.20	16.32	500.00	100.0	V	177.00	8
5035.50	---	41.77	54.00	12.23	500.00	200.0	H	5.00	10
7730.50	---	47.39	54.00	6.61	500.00	100.0	H	103.00	16
7881.00	58.06	---	68.20	10.14	500.00	100.0	V	358.00	16

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8182.50	---	37.68	54.00	16.32	500.00	100.0	V	4.00	7
8698.75	48.89	---	68.20	19.31	500.00	200.0	H	358.00	7
9302.50	---	38.11	54.00	15.89	500.00	100.0	H	251.00	7
10227.50	50.60	---	68.20	17.60	500.00	100.0	V	272.00	8
10565.00	50.22	---	68.20	17.98	500.00	100.0	H	346.00	8
11382.50	---	40.33	54.00	13.67	500.00	200.0	V	17.00	9
13350.00	---	41.04	54.00	12.96	500.00	100.0	V	12.00	11
13681.25	52.61	---	68.20	15.59	500.00	200.0	H	341.00	12
13873.75	54.45	---	68.20	13.75	500.00	100.0	H	358.00	12
14480.00	---	40.44	54.00	13.56	500.00	200.0	H	0.00	11
15711.25	---	38.89	54.00	15.11	500.00	100.0	H	354.00	8
17057.50	51.72	---	68.20	16.48	500.00	200.0	H	350.00	12

Radiates Emission from 8GHz to 18GHz

802.11ax (HE80) -996TONE CH106




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1269.50	43.53	---	68.20	24.67	500.00	100.0	H	46.00	-4
1391.13	---	32.31	54.00	21.69	500.00	100.0	H	323.00	-3
1693.88	---	32.68	54.00	21.32	500.00	200.0	H	354.00	-2
1964.25	45.28	---	68.20	22.92	500.00	200.0	V	110.00	0
2585.50	47.73	---	68.20	20.47	500.00	100.0	H	354.00	3
2763.13	---	36.83	54.00	17.17	500.00	200.0	H	352.00	3
3368.63	50.56	---	68.20	17.64	500.00	100.0	H	274.00	5
3877.88	---	39.39	54.00	14.61	500.00	100.0	H	46.00	6
5041.63	---	41.80	54.00	12.20	500.00	200.0	H	352.00	10
5321.63	53.24	---	68.20	14.96	500.00	200.0	V	8.00	10
7734.88	---	47.19	54.00	6.81	500.00	100.0	V	258.00	17
7783.88	58.48	---	68.20	9.72	500.00	100.0	V	302.00	16

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8181.25	---	37.61	54.00	16.39	500.00	100.0	H	112.00	7
8637.50	48.63	---	68.20	19.57	500.00	200.0	V	354.00	7
9301.25	---	37.94	54.00	16.06	500.00	100.0	H	8.00	7
9936.25	51.06	---	68.20	17.14	500.00	200.0	H	221.00	7
10578.75	50.45	---	68.20	17.75	500.00	100.0	H	221.00	8
11327.50	---	40.52	54.00	13.48	500.00	200.0	V	0.00	9
13351.25	---	41.33	54.00	12.67	500.00	200.0	V	158.00	11
13626.25	52.86	---	68.20	15.34	500.00	100.0	H	71.00	12
13933.75	54.53	---	68.20	13.67	500.00	100.0	V	251.00	12
14488.75	---	40.65	54.00	13.35	500.00	200.0	V	0.00	11
15687.50	---	38.64	54.00	15.36	500.00	200.0	H	2.00	8
16395.00	49.76	---	68.20	18.44	500.00	100.0	V	268.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax (HE80) -996TONE CH155




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1280.88	43.04	---	68.20	25.16	500.00	100.0	H	22.00	-4
1389.38	---	32.10	54.00	21.90	500.00	200.0	V	176.00	-3
1694.75	---	32.48	54.00	21.52	500.00	100.0	V	293.00	-2
1994.00	45.21	---	68.20	22.99	500.00	200.0	H	96.00	1
2577.63	48.40	---	68.20	19.80	500.00	200.0	H	213.00	3
2824.38	---	36.81	54.00	17.19	500.00	100.0	H	16.00	3
3593.50	49.71	---	68.20	18.49	500.00	200.0	H	2.00	4
3883.13	---	39.15	54.00	14.85	500.00	200.0	H	28.00	6
5224.50	52.65	---	68.20	15.55	500.00	100.0	V	191.00	10
5412.63	---	41.81	54.00	12.19	500.00	100.0	H	1.00	10
6886.13	56.94	---	68.20	11.26	500.00	200.0	V	341.00	14
7314.88	---	46.40	54.00	7.60	500.00	100.0	V	265.00	15

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8273.75	---	37.90	54.00	16.10	500.00	100.0	H	55.00	6
8776.25	48.82	---	68.20	19.38	500.00	100.0	H	348.00	7
9302.50	---	38.03	54.00	15.97	500.00	200.0	V	84.00	7
9920.00	49.32	---	68.20	18.88	500.00	200.0	H	10.00	7
10395.00	50.56	---	68.20	17.64	500.00	100.0	V	356.00	8
11346.25	---	40.31	54.00	13.69	500.00	100.0	V	272.00	9
13337.50	---	41.29	54.00	12.71	500.00	200.0	V	52.00	11
13730.00	52.56	---	68.20	15.64	500.00	20.0	V	319.00	12
13905.00	53.97	---	68.20	14.23	500.00	100.0	H	1.00	12
14488.75	---	40.39	54.00	13.61	500.00	200.0	H	248.00	11
15733.75	---	38.71	54.00	15.29	500.00	100.0	H	5.00	8
16383.75	49.55	---	68.20	18.65	500.00	100.0	V	354.00	8

Radiates Emission from 8GHz to 18GHz


TAS Antenna
802.11ax (HE40) CH38



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1268.63	42.25	---	68.20	25.95	500.00	100.0	V	340.00	-4
1388.50	---	32.17	54.00	21.83	500.00	100.0	H	134.00	-3
1698.25	---	32.80	54.00	21.20	500.00	100.0	H	223.00	-2
1982.63	45.30	---	68.20	22.90	500.00	200.0	V	350.00	0
2507.63	47.87	---	68.20	20.33	500.00	100.0	V	340.00	2
2792.88	---	36.76	54.00	17.24	500.00	100.0	H	358.00	3
3434.25	49.68	---	68.20	18.52	500.00	200.0	H	120.00	4
3960.13	---	39.58	54.00	14.42	500.00	200.0	H	251.00	6
4452.75	51.57	---	68.20	16.63	500.00	200.0	H	53.00	8
5028.50	---	41.90	54.00	12.10	500.00	100.0	V	0.00	10
7733.13	---	47.55	54.00	6.45	500.00	100.0	V	340.00	17
7753.25	58.30	---	68.20	9.90	500.00	100.0	H	193.00	16

Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8658.75	48.83	---	68.20	19.37	500.00	100.0	H	325.00	7
9153.75	---	37.92	54.00	16.08	500.00	100.0	V	290.00	7
9302.50	---	38.44	54.00	15.56	500.00	100.0	V	322.00	7
10365.00	51.63	---	68.20	16.57	500.00	100.0	V	352.00	8
10578.75	51.08	---	68.20	17.12	500.00	200.0	H	68.00	8
11608.75	---	40.67	54.00	13.33	500.00	100.0	H	186.00	9
13370.00	---	41.87	54.00	12.13	500.00	100.0	V	187.00	11
13612.50	54.21	---	68.20	13.99	500.00	200.0	V	290.00	12
13908.75	55.38	---	68.20	12.82	500.00	100.0	V	157.00	12
14481.25	---	41.98	54.00	12.02	500.00	200.0	V	126.00	11
15718.75	---	39.90	54.00	14.10	500.00	100.0	H	5.00	8
16336.25	50.97	---	68.20	17.23	500.00	200.0	V	331.00	8

Radiates Emission from 8GHz to 18GHz

ERSU Mode

802.11ax (HE80) -996TONE CH42




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1260.75	43.52	---	68.20	24.68	500.00	100.0	H	359.00	-4
1390.25	---	32.80	54.00	21.20	500.00	200.0	V	164.00	-3
1705.25	---	33.31	54.00	20.69	500.00	100.0	H	347.00	-2
1998.38	46.19	---	68.20	22.01	500.00	200.0	V	338.00	1
2469.13	47.88	---	68.20	20.32	500.00	200.0	V	105.00	3
2778.00	---	36.92	54.00	17.08	500.00	100.0	V	27.00	3
3367.75	50.67	---	68.20	17.53	500.00	100.0	H	104.00	5
3965.38	---	39.44	54.00	14.56	500.00	100.0	V	195.00	6
4608.50	---	40.79	54.00	13.21	500.00	100.0	H	356.00	8
4674.13	50.37	---	74.00	23.63	500.00	200.0	H	329.00	8
7734.00	---	47.38	54.00	6.62	500.00	200.0	V	192.00	17
7752.38	58.54	---	68.20	9.66	500.00	200.0	H	16.00	16

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8246.25	---	36.93	54.00	17.07	500.00	200.0	V	125.00	6
8733.75	48.74	---	68.20	19.46	500.00	100.0	H	264.00	7
9402.50	---	37.38	54.00	16.62	500.00	100.0	V	49.00	7
10423.75	62.06	---	68.20	6.14	500.00	200.0	V	0.00	8
10590.00	49.98	---	68.20	18.22	500.00	100.0	V	358.00	8
11388.75	---	40.27	54.00	13.73	500.00	200.0	H	287.00	9
13351.25	---	40.73	54.00	13.27	500.00	100.0	H	232.00	11
13471.25	52.33	---	68.20	15.87	500.00	100.0	V	349.00	11
13906.25	53.58	---	68.20	14.62	500.00	200.0	V	26.00	12
14490.00	---	40.17	54.00	13.83	500.00	100.0	H	45.00	11
17691.25	55.78	---	68.20	12.42	500.00	200.0	V	7.00	18
17851.25	---	48.57	54.00	5.43	500.00	200.0	V	279.00	20

Radiates Emission from 8GHz to 18GHz

TB Mode

802.11ax (HE80) -996TONE CH42




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1295.75	42.74	---	68.20	25.46	500.00	100.0	H	352.00	-4
1371.88	---	32.28	54.00	21.72	500.00	100.0	H	356.00	-3
1586.25	---	32.66	54.00	21.34	500.00	200.0	H	192.00	-2
1926.63	45.28	---	68.20	22.92	500.00	100.0	H	177.00	0
2596.00	47.82	---	68.20	20.38	500.00	200.0	V	9.00	3
2771.88	---	36.83	54.00	17.17	500.00	100.0	H	302.00	3
3467.50	49.43	---	68.20	18.77	500.00	200.0	H	343.00	5
3968.00	---	39.34	54.00	14.66	500.00	100.0	V	268.00	6
4455.38	51.58	---	68.20	16.62	500.00	100.0	V	141.00	8
5026.75	---	41.63	54.00	12.37	500.00	200.0	V	4.00	10
7734.00	---	47.73	54.00	6.27	500.00	100.0	H	47.00	17
7884.50	58.69	---	68.20	9.51	500.00	100.0	H	0.00	16

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8723.75	48.79	---	68.20	19.41	500.00	100.0	V	0.00	7
9003.75	---	37.80	54.00	16.20	500.00	100.0	V	352.00	6
9300.00	---	38.29	54.00	15.71	500.00	200.0	H	279.00	7
10406.25	51.69	---	68.20	16.51	500.00	200.0	V	35.00	8
10582.50	51.38	---	68.20	16.82	500.00	100.0	V	348.00	8
11648.75	---	40.24	54.00	13.76	500.00	100.0	V	0.00	9
13343.75	---	41.76	54.00	12.24	500.00	100.0	H	20.00	11
13670.00	53.59	---	68.20	14.61	500.00	200.0	V	330.00	12
14008.75	55.52	---	68.20	12.68	500.00	100.0	H	0.00	12
14500.00	---	41.71	54.00	12.29	500.00	200.0	H	0.00	11
15742.50	---	38.99	54.00	15.01	500.00	100.0	V	0.00	8
16410.00	49.82	---	68.20	18.38	500.00	100.0	H	111.00	8

Radiates Emission from 8GHz to 18GHz

2. Conducted Emission

2.1. Wi-Fi 2.4GHz


During the test, the Conducted Emission was performed in all modes with all channel. The test data of the worst-case condition was recorded in this report.



Frequency [MHz]	QPK Level [dBμV]	QPK Limit [dBμV]	QPK Margin [dB]	AVG Level [dBμV]	AVG: CAV Limit [dBμV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.186	37.08	64.21	27.14				21.02	L1	9.000	1.000
0.310				23.38	49.98	26.60	20.93	L1	9.000	1.000
0.427				27.89	47.32	19.43	20.85	L1	9.000	1.000
0.490	39.45	56.17	16.72				20.79	L1	9.000	1.000
1.523	28.44	56.00	27.56				19.83	L1	9.000	1.000
1.826				16.22	46.00	29.78	19.70	L1	9.000	1.000
4.718	28.33	56.00	27.67				19.41	L1	9.000	1.000
4.799				19.40	46.00	26.60	19.41	L1	9.000	1.000
7.649	30.20	60.00	29.80				19.41	L1	9.000	1.000
10.307				22.31	50.00	27.69	19.42	L1	9.000	1.000
12.467				17.75	50.00	32.25	19.44	L1	9.000	1.000
12.989	24.15	60.00	35.85				19.45	L1	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

L line Conducted Emission from 150 kHz to 30 MHz



Frequency [MHz]	QPK Level [dBμV]	QPK Limit [dBμV]	QPK Margin [dB]	AVG Level [dBμV]	AVG: CAV Limit [dBμV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.186	38.11	64.21	26.10				21.03	N	9.000	1.000
0.310				22.90	49.98	27.08	20.94	N	9.000	1.000
0.427				27.67	47.32	19.65	20.86	N	9.000	1.000
0.488	38.98	56.21	17.23				20.80	N	9.000	1.000
1.520	28.44	56.00	27.56				19.84	N	9.000	1.000
1.763				16.43	46.00	29.57	19.74	N	9.000	1.000
4.864	29.28	56.00	26.72				19.41	N	9.000	1.000
4.891				19.89	46.00	26.11	19.41	N	9.000	1.000
10.370	29.77	60.00	30.23				19.44	N	9.000	1.000
10.469				22.84	50.00	27.16	19.45	N	9.000	1.000
12.473				17.65	50.00	32.35	19.46	N	9.000	1.000
13.065	23.79	60.00	36.21				19.48	N	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

N line Conducted Emission from 150 kHz to 30 MHz