


802.11ax (HE40) -484TONE CH54




## Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1270.38	43.90	---	68.20	24.30	500.00	100.0	V	335.00	-4
1387.63	---	33.27	54.00	20.73	500.00	200.0	V	138.00	-3
1697.38	---	33.64	54.00	20.36	500.00	200.0	H	359.00	-2
1955.50	45.91	---	68.20	22.29	500.00	100.0	V	271.00	0
2573.25	48.39	---	68.20	19.81	500.00	100.0	H	69.00	3
2764.88	---	37.31	54.00	16.69	500.00	200.0	V	15.00	3
3429.88	50.15	---	68.20	18.05	500.00	100.0	V	335.00	4
3954.88	---	39.85	54.00	14.15	500.00	200.0	H	358.00	6
4654.88	---	40.39	54.00	13.61	500.00	100.0	V	271.00	8
4683.75	50.95	---	74.00	23.05	500.00	100.0	H	182.00	8
7730.50	---	47.91	54.00	6.09	500.00	100.0	V	6.00	16
7753.25	59.06	---	68.20	9.14	500.00	100.0	H	111.00	16

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8248.75	---	37.10	54.00	16.90	500.00	200.0	V	66.00	6
8906.25	48.61	---	68.20	19.59	500.00	100.0	V	13.00	6
9301.25	---	37.35	54.00	16.65	500.00	100.0	V	0.00	7
10008.75	50.82	---	68.20	17.38	500.00	200.0	V	0.00	7
10547.50	62.81	---	68.20	5.39	500.00	200.0	V	0.00	8
11351.25	---	40.25	54.00	13.75	500.00	200.0	H	236.00	9
13371.25	---	40.91	54.00	13.09	500.00	100.0	V	0.00	11
13691.25	52.38	---	68.20	15.82	500.00	100.0	H	308.00	12
13902.50	53.97	---	68.20	14.23	500.00	100.0	H	355.00	12
14486.25	---	40.71	54.00	13.29	500.00	200.0	V	6.00	11
15717.50	---	38.93	54.00	15.07	500.00	100.0	V	4.00	8
15777.50	50.44	---	74.00	23.56	500.00	200.0	V	208.00	8

Radiates Emission from 8GHz to 18GHz

## 802.11ax (HE40) -484TONE CH102




## Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1267.75	43.89	---	68.20	24.31	500.00	100.0	H	149.00	-4
1405.13	---	33.07	54.00	20.93	500.00	100.0	H	53.00	-3
1708.75	---	33.63	54.00	20.37	500.00	200.0	V	2.00	-2
1994.88	45.71	---	68.20	22.49	500.00	100.0	H	0.00	1
2612.63	48.16	---	68.20	20.04	500.00	100.0	V	119.00	2
2799.00	---	37.31	54.00	16.69	500.00	200.0	V	117.00	3
3416.75	50.08	---	68.20	18.12	500.00	100.0	V	178.00	4
3849.00	---	39.79	54.00	14.21	500.00	100.0	V	76.00	6
4738.00	49.96	---	74.00	24.04	500.00	200.0	H	0.00	8
4853.50	---	40.56	54.00	13.44	500.00	100.0	H	5.00	9
7728.75	---	47.73	54.00	6.27	500.00	100.0	V	353.00	16
7762.88	58.89	---	68.20	9.31	500.00	100.0	H	10.00	16

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8235.00	---	37.08	54.00	16.92	500.00	200.0	V	109.00	6
8777.50	48.26	---	68.20	19.94	500.00	200.0	H	79.00	7
9306.25	---	37.42	54.00	16.58	500.00	200.0	H	10.00	7
10407.50	50.53	---	68.20	17.67	500.00	200.0	V	358.00	8
11025.00	---	48.23	54.00	5.77	500.00	100.0	V	0.00	9
11025.00	59.94	---	74.00	14.06	500.00	100.0	V	0.00	9
13347.50	---	40.84	54.00	13.16	500.00	100.0	H	225.00	11
13722.50	52.25	---	68.20	15.95	500.00	200.0	H	10.00	12
13890.00	54.39	---	68.20	13.81	500.00	200.0	V	359.00	12
14490.00	---	40.35	54.00	13.65	500.00	100.0	H	356.00	11
17512.50	55.79	---	68.20	12.41	500.00	100.0	H	269.00	16
17877.50	---	48.83	54.00	5.17	500.00	200.0	H	156.00	21

Radiates Emission from 8GHz to 18GHz

802.11ax (HE40) -484TONE CH151




## Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1252.00	43.97	---	68.20	24.23	500.00	200.0	H	269.00	-4
1392.00	---	32.89	54.00	21.11	500.00	100.0	V	224.00	-3
1689.50	---	33.37	54.00	20.63	500.00	200.0	H	269.00	-2
1974.75	45.75	---	68.20	22.45	500.00	200.0	H	282.00	0
2635.38	48.56	---	68.20	19.64	500.00	100.0	H	1.00	2
2776.25	---	37.34	54.00	16.67	500.00	200.0	V	5.00	3
3521.75	51.12	---	68.20	17.08	500.00	200.0	V	0.00	5
3879.63	---	39.79	54.00	14.21	500.00	200.0	V	186.00	6
5023.25	---	42.68	54.00	11.32	500.00	100.0	H	354.00	10
5624.38	53.83	---	68.20	14.37	500.00	100.0	V	0.00	11
7734.00	---	47.55	54.00	6.45	500.00	200.0	V	18.00	17
7757.63	58.91	---	68.20	9.29	500.00	100.0	V	253.00	16

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8126.25	---	37.10	54.00	16.90	500.00	200.0	V	325.00	6
8668.75	48.77	---	68.20	19.43	500.00	200.0	V	0.00	7
9301.25	---	37.40	54.00	16.60	500.00	100.0	V	7.00	7
10431.25	50.67	---	68.20	17.53	500.00	200.0	H	0.00	8
11505.00	64.95	---	74.00	9.05	500.00	100.0	V	0.00	9
11508.75	---	53.87	54.00	0.13	500.00	100.0	V	5.00	9
13333.75	---	41.26	54.00	12.74	500.00	100.0	V	278.00	11
13427.50	52.40	---	68.20	15.80	500.00	100.0	V	93.00	11
13843.75	54.29	---	68.20	13.91	500.00	200.0	H	6.00	12
14498.75	---	40.27	54.00	13.73	500.00	200.0	H	0.00	11
17698.75	55.98	---	68.20	12.22	500.00	100.0	V	0.00	18
17746.25	---	46.69	54.00	7.31	500.00	100.0	H	329.00	19

Radiates Emission from 8GHz to 18GHz

## 802.11ax (HE80) -996TONE CH42




## Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1284.38	43.90	---	68.20	24.30	500.00	100.0	H	219.00	-4
1378.00	---	33.00	54.00	21.00	500.00	200.0	H	224.00	-3
1694.75	---	33.46	54.00	20.54	500.00	200.0	V	104.00	-2
1991.38	45.75	---	68.20	22.45	500.00	200.0	H	19.00	0
2582.00	48.07	---	68.20	20.13	500.00	200.0	H	121.00	3
2782.38	---	37.50	54.00	16.50	500.00	200.0	V	0.00	3
3199.75	49.87	---	68.20	18.33	500.00	100.0	V	51.00	4
3882.25	---	39.47	54.00	14.53	500.00	200.0	V	355.00	6
4694.25	50.61	---	74.00	23.39	500.00	100.0	H	356.00	8
4696.00	---	40.78	54.00	13.22	500.00	200.0	H	0.00	8
7732.25	---	47.31	54.00	6.69	500.00	100.0	V	33.00	16
7779.50	58.33	---	68.20	9.87	500.00	100.0	H	0.00	16

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz






## Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8245.00	---	36.98	54.00	17.02	500.00	200.0	V	358.00	6
8637.50	48.51	---	68.20	19.69	500.00	200.0	H	14.00	7
9320.00	---	37.19	54.00	16.81	500.00	100.0	V	7.00	7
10413.75	64.98	---	68.20	3.22	500.00	200.0	V	315.00	8
10485.00	52.21	---	68.20	15.99	500.00	200.0	V	353.00	8
11348.75	---	40.10	54.00	13.90	500.00	200.0	H	1.00	9
13336.25	---	41.18	54.00	12.82	500.00	100.0	V	43.00	11
13658.75	53.13	---	68.20	15.07	500.00	100.0	V	5.00	12
13833.75	54.11	---	68.20	14.09	500.00	100.0	V	310.00	12
14486.25	---	40.39	54.00	13.61	500.00	100.0	V	20.00	11
17697.50	55.80	---	68.20	12.40	500.00	100.0	H	156.00	18
17870.00	---	48.57	54.00	5.43	500.00	200.0	V	324.00	21

Radiates Emission from 8GHz to 18GHz



802.11ax (HE80) -996TONE CH58




## Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1266.88	43.42	---	68.20	24.78	500.00	100.0	H	0.00	-4
1381.50	---	32.86	54.00	21.14	500.00	200.0	V	161.00	-3
1700.00	---	33.28	54.00	20.72	500.00	200.0	H	270.00	-2
1952.00	45.91	---	68.20	22.29	500.00	100.0	V	0.00	0
2553.13	48.52	---	68.20	19.68	500.00	200.0	V	359.00	3
2741.25	---	36.96	54.00	17.04	500.00	100.0	H	209.00	3
3448.25	50.41	---	68.20	17.79	500.00	100.0	H	350.00	5
3957.50	---	39.36	54.00	14.64	500.00	200.0	V	356.00	6
4679.38	---	40.19	54.00	13.81	500.00	200.0	H	167.00	8
4821.13	52.03	---	74.00	21.97	500.00	100.0	V	0.00	8
7735.75	---	47.31	54.00	6.69	500.00	200.0	H	270.00	17
7784.75	58.18	---	68.20	10.02	500.00	200.0	V	358.00	16

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8196.25	---	37.07	54.00	16.93	500.00	200.0	V	351.00	7
8740.00	48.57	---	68.20	19.63	500.00	100.0	H	299.00	7
9307.50	---	37.26	54.00	16.74	500.00	200.0	H	262.00	7
10482.50	50.49	---	68.20	17.71	500.00	200.0	H	14.00	8
10581.25	60.61	---	68.20	7.59	500.00	200.0	V	327.00	8
10600.00	---	48.38	54.00	5.62	500.00	200.0	V	318.00	8
13360.00	---	40.97	54.00	13.03	500.00	200.0	V	342.00	11
13736.25	52.74	---	68.20	15.46	500.00	100.0	V	296.00	12
13897.50	54.09	---	68.20	14.11	500.00	100.0	V	219.00	12
14490.00	---	40.23	54.00	13.77	500.00	100.0	V	156.00	11
15747.50	---	37.82	54.00	16.18	500.00	200.0	H	65.00	8
15782.50	49.65	---	74.00	24.35	500.00	200.0	V	82.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax (HE80) -996TONE CH106




## Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1255.50	43.77	---	68.20	24.43	500.00	200.0	H	179.00	-4
1394.63	---	33.11	54.00	20.89	500.00	100.0	H	343.00	-3
1693.00	---	33.27	54.00	20.73	500.00	100.0	H	0.00	-2
1944.13	45.65	---	68.20	22.55	500.00	200.0	V	170.00	0
2453.38	48.31	---	68.20	19.89	500.00	200.0	V	84.00	2
2766.63	---	37.16	54.00	16.84	500.00	200.0	V	347.00	3
3448.25	50.53	---	68.20	17.67	500.00	200.0	H	284.00	5
3967.13	---	39.51	54.00	14.49	500.00	100.0	V	33.00	6
4751.13	50.65	---	74.00	23.35	500.00	100.0	H	2.00	8
4855.25	---	40.42	54.00	13.58	500.00	200.0	H	2.00	9
7727.00	---	47.18	54.00	6.82	500.00	100.0	V	0.00	16
7931.75	58.31	---	68.20	9.89	500.00	200.0	H	299.00	16

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8245.00	---	37.11	54.00	16.89	500.00	100.0	H	265.00	6
8697.50	48.24	---	68.20	19.96	500.00	200.0	H	250.00	7
9340.00	---	37.35	54.00	16.65	500.00	100.0	H	281.00	7
10413.75	50.64	---	68.20	17.56	500.00	200.0	H	2.00	8
11043.75	58.05	---	74.00	15.95	500.00	100.0	V	0.00	9
11052.50	---	46.65	54.00	7.35	500.00	100.0	V	5.00	9
13337.50	---	40.79	54.00	13.21	500.00	200.0	H	1.00	11
13663.75	52.49	---	68.20	15.71	500.00	100.0	V	0.00	12
13891.25	54.61	---	68.20	13.59	500.00	200.0	V	142.00	12
14486.25	---	40.17	54.00	13.83	500.00	200.0	V	324.00	11
17685.00	55.72	---	68.20	12.48	500.00	200.0	H	82.00	17
17850.00	---	48.72	54.00	5.28	500.00	100.0	H	346.00	20

Radiates Emission from 8GHz to 18GHz

802.11ax (HE80) -996TONE CH155




## Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1273.00	43.92	---	68.20	24.28	500.00	200.0	V	60.00	-4
1390.25	---	33.07	54.00	20.93	500.00	200.0	H	137.00	-3
1709.63	---	33.17	54.00	20.83	500.00	200.0	H	20.00	-2
1951.13	46.02	---	68.20	22.18	500.00	200.0	H	339.00	0
2579.38	47.97	---	68.20	20.23	500.00	200.0	H	2.00	3
2780.63	---	37.11	54.00	16.89	500.00	100.0	V	0.00	3
3535.75	50.03	---	68.20	18.17	500.00	100.0	H	1.00	5
3968.00	---	39.57	54.00	14.43	500.00	100.0	H	356.00	6
4929.63	---	40.95	54.00	13.05	500.00	200.0	H	66.00	9
4941.88	50.16	---	74.00	23.84	500.00	200.0	H	0.00	9
7727.88	---	47.06	54.00	6.94	500.00	100.0	V	16.00	16
7751.50	59.21	---	68.20	8.99	500.00	100.0	V	8.00	16

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8001.25	48.46	---	68.20	19.74	500.00	200.0	V	7.00	6
8251.25	---	36.97	54.00	17.03	500.00	200.0	V	0.00	6
9393.75	---	37.35	54.00	16.65	500.00	200.0	H	236.00	7
10407.50	50.29	---	68.20	17.91	500.00	100.0	H	101.00	8
11545.00	---	51.32	54.00	2.68	500.00	100.0	V	351.00	9
11563.75	62.31	---	74.00	11.69	500.00	200.0	V	1.00	9
13335.00	---	40.71	54.00	13.29	500.00	100.0	V	128.00	11
13731.25	52.76	---	68.20	15.44	500.00	200.0	H	358.00	12
13877.50	53.83	---	68.20	14.37	500.00	200.0	H	335.00	12
14487.50	---	40.39	54.00	13.61	500.00	100.0	V	351.00	11
17647.50	55.96	---	68.20	12.24	500.00	100.0	V	354.00	17
17876.25	---	48.73	54.00	5.27	500.00	100.0	V	0.00	21

Radiates Emission from 8GHz to 18GHz

## TB Mode

### 802.11ax (HE20) -242TONE CH36




## Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1271.25	41.78	---	68.20	26.42	500.00	200.0	V	191.00	-4
1403.38	---	31.95	54.00	22.05	500.00	100.0	V	352.00	-3
1698.25	---	32.86	54.00	21.14	500.00	200.0	V	191.00	-2
1967.75	45.36	---	68.20	22.84	500.00	100.0	V	265.00	0
2673.88	47.86	---	68.20	20.34	500.00	100.0	V	344.00	3
2796.38	---	36.83	54.00	17.17	500.00	200.0	V	339.00	3
3008.13	49.37	---	68.20	18.83	500.00	100.0	H	8.00	4
3952.25	---	39.32	54.00	14.68	500.00	100.0	V	178.00	6
4456.25	51.12	---	68.20	17.08	500.00	200.0	V	280.00	8
5038.13	---	42.23	54.00	11.77	500.00	200.0	H	267.00	10
5417.88	---	42.18	54.00	11.82	500.00	100.0	H	0.00	10
5922.75	54.12	---	68.20	14.08	500.00	100.0	H	4.00	11

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz






## Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8121.25	---	37.75	54.00	16.25	500.00	100.0	V	139.00	6
8777.50	49.31	---	68.20	18.89	500.00	200.0	V	4.00	7
9365.00	---	37.93	54.00	16.07	500.00	100.0	H	1.00	7
10406.25	50.95	---	68.20	17.25	500.00	200.0	V	354.00	8
10578.75	50.59	---	68.20	17.61	500.00	200.0	H	296.00	8
11392.50	---	40.21	54.00	13.79	500.00	100.0	H	253.00	9
13103.75	51.04	---	68.20	17.16	500.00	100.0	H	220.00	10
13363.75	---	41.23	54.00	12.77	500.00	200.0	H	308.00	11
13902.50	55.36	---	68.20	12.84	500.00	200.0	V	18.00	12
14493.75	---	40.62	54.00	13.38	500.00	200.0	V	9.00	11
15741.25	---	38.96	54.00	15.04	500.00	100.0	H	319.00	8
16393.75	50.34	---	68.20	17.86	500.00	100.0	V	9.00	8

Radiates Emission from 8GHz to 18GHz

## 802.11ax (HE20) -242TONE CH52




## Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1270.38	42.23	---	68.20	25.97	500.00	100.0	H	0.00	-4
1400.75	---	31.87	54.00	22.13	500.00	200.0	H	134.00	-3
1695.63	---	32.57	54.00	21.43	500.00	100.0	H	294.00	-2
1952.00	45.77	---	68.20	22.43	500.00	100.0	H	265.00	0
2647.63	47.91	---	68.20	20.29	500.00	200.0	H	349.00	3
2792.00	---	36.88	54.00	17.12	500.00	100.0	H	177.00	3
3520.88	49.43	---	68.20	18.77	500.00	200.0	H	305.00	5
3965.38	---	39.41	54.00	14.59	500.00	100.0	H	325.00	6
4457.13	50.61	---	68.20	17.59	500.00	200.0	H	237.00	8
5057.38	---	42.71	54.00	11.29	500.00	200.0	V	0.00	10
6836.25	56.41	---	68.20	11.79	500.00	100.0	V	13.00	14
7383.13	---	46.75	54.00	7.25	500.00	100.0	V	0.00	15

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8195.00	---	37.68	54.00	16.32	500.00	100.0	V	237.00	7
8948.75	48.85	---	68.20	19.35	500.00	200.0	V	0.00	6
9302.50	---	38.12	54.00	15.88	500.00	200.0	V	191.00	7
10380.00	50.53	---	68.20	17.67	500.00	100.0	V	2.00	8
10575.00	50.46	---	68.20	17.74	500.00	200.0	V	18.00	8
11335.00	---	40.64	54.00	13.36	500.00	100.0	H	272.00	9
13337.50	---	41.13	54.00	12.87	500.00	100.0	V	252.00	11
13667.50	52.94	---	68.20	15.26	500.00	100.0	V	237.00	12
13907.50	54.46	---	68.20	13.74	500.00	200.0	H	352.00	12
14480.00	---	40.65	54.00	13.35	500.00	100.0	V	81.00	11
15711.25	---	38.63	54.00	15.37	500.00	200.0	V	2.00	8
16755.00	49.53	---	68.20	18.67	500.00	100.0	H	241.00	10

Radiates Emission from 8GHz to 18GHz

802.11ax (HE20) -242TONE CH100




## Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1257.25	42.39	---	68.20	25.81	500.00	100.0	H	42.00	-4
1391.13	---	31.95	54.00	22.05	500.00	200.0	V	149.00	-3
1693.88	---	32.77	54.00	21.23	500.00	100.0	H	34.00	-2
1927.50	45.43	---	68.20	22.77	500.00	200.0	V	0.00	0
2656.38	48.55	---	68.20	19.65	500.00	100.0	H	26.00	3
2780.63	---	36.85	54.00	17.15	500.00	100.0	H	4.00	3
3538.38	49.29	---	68.20	18.91	500.00	200.0	H	55.00	5
3826.25	---	39.25	54.00	14.75	500.00	200.0	H	269.00	5
5217.50	52.37	---	68.20	15.83	500.00	100.0	V	358.00	10
5408.25	---	41.98	54.00	12.02	500.00	100.0	H	66.00	10
6773.25	57.73	---	68.20	10.47	500.00	200.0	H	195.00	14
7531.88	---	46.49	54.00	7.51	500.00	200.0	V	331.00	16

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8767.50	48.68	---	68.20	19.52	500.00	200.0	V	162.00	7
9145.00	---	37.72	54.00	16.28	500.00	100.0	V	210.00	7
9301.25	---	37.99	54.00	16.01	500.00	100.0	H	1.00	7
10387.50	50.61	---	68.20	17.59	500.00	100.0	V	351.00	8
10582.50	50.22	---	68.20	17.98	500.00	200.0	H	14.00	8
11366.25	---	40.02	54.00	13.98	500.00	100.0	H	279.00	9
13335.00	---	41.02	54.00	12.98	500.00	200.0	V	354.00	11
13732.50	52.88	---	68.20	15.32	500.00	100.0	H	2.00	12
13910.00	54.59	---	68.20	13.61	500.00	100.0	H	26.00	12
14488.75	---	40.84	54.00	13.16	500.00	200.0	V	319.00	11
15003.75	50.62	---	68.20	17.58	500.00	200.0	V	269.00	10
15726.25	---	38.75	54.00	15.25	500.00	100.0	H	157.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax (HE20) -242TONE CH149




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1255.50	42.71	---	68.20	25.49	500.00	100.0	V	87.00	-4
1378.00	---	31.83	54.00	22.17	500.00	200.0	H	1.00	-3
1705.25	---	32.69	54.00	21.31	500.00	100.0	H	82.00	-2
1967.75	45.95	---	68.20	22.25	500.00	200.0	H	68.00	0
2471.75	48.08	---	68.20	20.12	500.00	100.0	H	1.00	3
2779.75	---	37.14	54.00	16.86	500.00	200.0	V	357.00	3
3514.75	49.54	---	68.20	18.66	500.00	100.0	H	68.00	5
3831.50	---	39.11	54.00	14.89	500.00	100.0	H	0.00	6
5408.25	---	42.26	54.00	11.74	500.00	200.0	V	0.00	10
5537.75	52.31	---	68.20	15.89	500.00	100.0	V	0.00	10
6849.38	58.27	---	68.20	9.93	500.00	100.0	H	6.00	14
7563.38	---	47.11	54.00	6.89	500.00	200.0	V	0.00	16

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8242.50	---	37.66	54.00	16.34	500.00	100.0	V	111.00	6
8915.00	49.15	---	68.20	19.05	500.00	100.0	H	249.00	6
9301.25	---	37.97	54.00	16.03	500.00	200.0	V	0.00	7
10350.00	50.82	---	68.20	17.38	500.00	100.0	V	319.00	8
10546.25	50.96	---	68.20	17.24	500.00	100.0	V	348.00	8
11381.25	---	40.39	54.00	13.61	500.00	200.0	H	97.00	9
13342.50	---	41.39	54.00	12.61	500.00	200.0	V	111.00	11
13718.75	52.43	---	68.20	15.77	500.00	100.0	V	309.00	12
13908.75	54.16	---	68.20	14.04	500.00	200.0	H	45.00	12
14491.25	---	40.49	54.00	13.51	500.00	100.0	V	343.00	11
15716.25	---	38.82	54.00	15.18	500.00	100.0	H	326.00	8
16476.25	49.05	---	68.20	19.15	500.00	200.0	V	1.00	9

Radiates Emission from 8GHz to 18GHz



# 802.11ax (HE40) -484TONE CH38




## Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1254.63	42.69	---	68.20	25.51	500.00	200.0	H	68.00	-4
1397.25	---	31.87	54.00	22.13	500.00	100.0	V	2.00	-3
1699.13	---	32.77	54.00	21.23	500.00	200.0	H	16.00	-2
1997.50	46.18	---	68.20	22.02	500.00	100.0	V	22.00	1
2560.13	48.21	---	68.20	19.99	500.00	100.0	H	246.00	3
2780.63	---	37.20	54.00	16.80	500.00	200.0	V	353.00	3
3194.50	49.90	---	68.20	18.30	500.00	100.0	H	321.00	4
3970.63	---	39.17	54.00	14.83	500.00	200.0	V	358.00	6
4416.88	52.34	---	68.20	15.86	500.00	200.0	V	0.00	8
5030.25	---	42.16	54.00	11.84	500.00	100.0	V	184.00	10
6850.25	57.65	---	68.20	10.55	500.00	200.0	H	153.00	14
7577.38	---	46.68	54.00	7.32	500.00	200.0	H	16.00	16

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8238.75	---	37.95	54.00	16.05	500.00	100.0	H	354.00	6
8620.00	49.50	---	68.20	18.70	500.00	200.0	H	0.00	7
9285.00	50.27	---	68.20	17.93	500.00	100.0	H	358.00	7
9300.00	---	38.14	54.00	15.86	500.00	100.0	H	348.00	7
10580.00	50.67	---	68.20	17.53	500.00	100.0	V	144.00	8
11362.50	---	40.53	54.00	13.47	500.00	200.0	H	0.00	9
13355.00	---	41.16	54.00	12.84	500.00	200.0	H	359.00	11
13648.75	52.35	---	68.20	15.85	500.00	100.0	V	84.00	12
13926.25	54.44	---	68.20	13.76	500.00	200.0	V	36.00	12
14490.00	---	40.41	54.00	13.59	500.00	100.0	V	28.00	11
15687.50	---	38.65	54.00	15.35	500.00	100.0	V	28.00	8
16406.25	49.20	---	68.20	19.00	500.00	200.0	V	28.00	8

Radiates Emission from 8GHz to 18GHz

802.11ax (HE40) -484TONE CH54




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1268.63	42.60	---	68.20	25.60	500.00	100.0	V	279.00	-4
1399.88	---	31.81	54.00	22.19	500.00	100.0	H	84.00	-3
1694.75	---	32.63	54.00	21.37	500.00	100.0	H	72.00	-2
1946.75	45.00	---	68.20	23.20	500.00	200.0	V	0.00	0
2550.50	47.36	---	68.20	20.84	500.00	100.0	V	303.00	3
2771.88	---	36.84	54.00	17.16	500.00	200.0	V	118.00	3
3523.50	49.60	---	68.20	18.60	500.00	200.0	V	57.00	5
3967.13	---	39.19	54.00	14.81	500.00	100.0	V	358.00	6
4430.88	50.79	---	68.20	17.41	500.00	100.0	V	147.00	8
5032.00	---	41.65	54.00	12.35	500.00	200.0	V	356.00	10
7733.13	---	47.86	54.00	6.14	500.00	200.0	H	14.00	17
7762.00	58.38	---	68.20	9.82	500.00	100.0	V	352.00	16

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




## Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8273.75	---	37.77	54.00	16.23	500.00	100.0	V	348.00	6
8703.75	49.52	---	68.20	18.68	500.00	20.0	V	30.00	7
9302.50	---	37.84	54.00	16.16	500.00	100.0	H	357.00	7
10388.75	50.59	---	68.20	17.61	500.00	200.0	H	292.00	8
10580.00	50.45	---	68.20	17.75	500.00	100.0	H	350.00	8
11381.25	---	40.25	54.00	13.75	500.00	100.0	V	207.00	9
13346.25	---	41.13	54.00	12.87	500.00	100.0	V	38.00	11
13568.75	52.28	---	68.20	15.92	500.00	200.0	V	251.00	12
13902.50	54.33	---	68.20	13.87	500.00	200.0	V	47.00	12
14491.25	---	40.58	54.00	13.42	500.00	100.0	V	12.00	11
15720.00	---	39.03	54.00	14.97	500.00	100.0	V	162.00	8
16526.25	49.59	---	68.20	18.61	500.00	200.0	V	5.00	9

Radiates Emission from 8GHz to 18GHz

# 802.11ax (HE40) -484TONE CH102



## Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.88	43.02	---	68.20	25.18	500.00	100.0	V	336.00	-4
1409.50	---	31.96	54.00	22.04	500.00	100.0	H	104.00	-3
1698.25	---	32.80	54.00	21.20	500.00	200.0	H	134.00	-2
1942.38	45.01	---	68.20	23.19	500.00	100.0	H	6.00	0
2537.38	47.64	---	68.20	20.56	500.00	100.0	H	74.00	2
2768.38	---	36.79	54.00	17.21	500.00	200.0	H	18.00	3
3322.25	49.51	---	68.20	18.69	500.00	200.0	V	346.00	5
3944.38	---	39.11	54.00	14.89	500.00	100.0	V	336.00	6
5192.13	52.30	---	68.20	15.90	500.00	200.0	H	51.00	10
5406.50	---	41.85	54.00	12.15	500.00	100.0	H	6.00	10
7728.75	---	47.25	54.00	6.75	500.00	200.0	V	336.00	16
7783.00	58.76	---	68.20	9.44	500.00	100.0	H	2.00	16

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz