



802.11g

Channel	Channel Frequency (MHz)	99% Bandwidth (MHz)
Low Channel	2412	16.42
Middle Channel	2437	16.94
High Channel	2462	16.78



802.11n HT20


Channel	Channel Frequency (MHz)	99% Bandwidth (MHz)
Low Channel	2412	17.58
Middle Channel	2437	17.70
High Channel	2462	17.70



Test Result of Power Spectral Density


802.11b

Channel	Channel Frequency (MHz)	Power Density (dBm/3kHz)	Limit (dBm/3kHz)
Low Channel	2412	-7.51	8
Middle Channel	2437	0.67	8
High Channel	2462	-9.03	8




802.11g

Channel	Channel Frequency (MHz)	Power Density (dBm/3kHz)	Limit (dBm/3kHz)
Low Channel	2412	-8.04	8
Middle Channel	2437	-7.57	8
High Channel	2462	-10.10	8




802.11n HT20

Channel	Channel Frequency (MHz)	Power Density (dBm/3kHz)	Limit (dBm/3kHz)
Low Channel	2412	-12.77	8
Middle Channel	2437	-12.02	8
High Channel	2462	-13.80	8




Test Result of Conducted Spurious Emissions

802.11b




802.11g


Low Channel



Middle Channel




High Channel




802.11n HT20


Low Channel



Middle Channel




High Channel




Test Result of Conducted Bandedge, Tx Mode


802.11b



802.11g



802.11n HT20



Appendix B: Test Results of Radiated Emissions & Mains Conducted

Emission Test


Band Edges, 2.31GHz ~ 2.9GHz

802.11b


Low Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 2344.3388	39.82	2.68	37.14	54.00	-14.18	269	272	Average	Horizontal		
2 *2412.0000	97.38	60.11	37.27	54.00	43.38	269	272	Average	Horizontal		
3 2804.8920	41.37	3.24	38.13	54.00	-12.63	269	272	Average	Horizontal		

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 2389.6500	39.75	2.53	37.22	54.00	-14.25	104	248	Average	Vertical		
2 *2412.0000	96.30	59.03	37.27	54.00	42.30	104	248	Average	Vertical		
3 2816.4560	41.45	3.30	38.15	54.00	-12.55	104	248	Average	Vertical		

802.11b

High Channel (Horizontal) Peak



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 2385.0948	53.31	16.09	37.22	74.00	-20.69	288	94	Peak	Horizontal		
2 *2462.0000	97.94	60.46	37.48	74.00	23.94	288	94	Peak	Horizontal		
3 2829.9218	54.21	16.05	38.16	74.00	-19.79	288	94	Peak	Horizontal		




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 2368.7640	52.52	15.32	37.20	74.00	-21.48	124	176	Peak	Vertical		
2 *2462.0000	97.82	60.34	37.48	74.00	23.82	124	176	Peak	Vertical		
3 2518.6000	55.13	17.36	37.77	74.00	-18.87	124	176	Peak	Vertical		

802.11b

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	dB	cm	deg			
1 2387.6188	39.66	2.44	37.22	54.00	-14.34	288			94 Average	Horizontal	
2 *2462.0000	93.29	55.81	37.48	54.00	39.29	288			94 Average	Horizontal	
3 2814.7788	41.31	3.17	38.14	54.00	-12.69	288			94 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	dB	cm	deg			
1 2336.1960	39.77	2.69	37.08	54.00	-14.23	124			176 Average	Vertical	
2 *2462.0000	93.95	56.47	37.48	54.00	39.95	124			176 Average	Vertical	
3 2830.6160	41.40	3.24	38.16	54.00	-12.60	124			176 Average	Vertical	


802.11g

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2390.0000	55.05	17.83	37.22	74.00	-18.95	266	295	Peak	Horizontal		
2	*2412.0000	104.51	67.24	37.27	74.00	30.51	266	295	Peak	Horizontal		
3	2501.6320	54.58	16.82	37.76	74.00	-19.42	266	295	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.7600	53.68	16.46	37.22	74.00	-20.32	100	113	Peak	Vertical		
2	*2412.0000	102.93	65.66	37.27	74.00	28.93	100	113	Peak	Vertical		
3	2818.5800	54.49	16.34	38.15	74.00	-19.51	100	113	Peak	Vertical		

802.11g

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 2390.0000	42.65	5.43	37.22	54.00	-11.35	266	295	Average	Horizontal		
2 *2412.0000	94.31	57.04	37.27	54.00	40.31	266	295	Average	Horizontal		
3 2828.9640	41.47	3.31	38.16	54.00	-12.53	266	295	Average	Horizontal		

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 2390.0000	42.03	4.01	37.22	54.00	-11.97	100	113	Average	Vertical		
2 *2412.0000	92.36	55.09	37.27	54.00	38.36	100	113	Average	Vertical		
3 2797.9300	41.43	3.31	38.12	54.00	-12.57	100	113	Average	Vertical		

802.11g

High Channel (Horizontal) Peak



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2316.7268	52.79	15.86	36.93	74.00	-21.21	286	96	Peak	Horizontal	
2	*2462.0000	101.38	63.90	37.48	74.00	27.38	286	96	Peak	Horizontal	
3	2483.5780	62.90	25.26	37.64	74.00	-11.10	286	96	Peak	Horizontal	




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2315.7820	52.75	15.83	36.92	74.00	-21.25	123	177	Peak	Vertical	
2	*2462.0000	101.62	64.34	37.48	74.00	27.82	123	177	Peak	Vertical	
3	2483.5780	63.36	25.72	37.64	74.00	-10.64	123	177	Peak	Vertical	

802.11g

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 2378.6768	39.75	2.54	37.21	54.00	-14.25	286	96	Average	Horizontal		
2 *2462.0000	91.32	53.84	37.48	54.00	37.32	286	96	Average	Horizontal		
3 2483.5788	46.44	8.80	37.64	54.00	-7.56	286	96	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 2368.0560	39.66	2.46	37.20	54.00	-14.34	123	177	Average	Vertical		
2 *2462.0000	91.44	53.96	37.48	54.00	37.44	123	177	Average	Vertical		
3 2483.5000	47.89	10.25	37.64	54.00	-6.11	123	177	Average	Vertical		

802.11n HT20

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1 2379.7300	53.45	16.24	37.21	74.00	-20.55	333	284	Peak	Horizontal		
2 *2412.0000	101.00	64.53	37.27	74.00	27.00	333	284	Peak	Horizontal		
3 2685.8300	54.20	16.24	37.96	74.00	-19.80	333	284	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1 2349.4120	52.07	14.00	37.17	74.00	-21.93	100	112	Peak	Vertical		
2 *2412.0000	100.75	63.48	37.27	74.00	26.75	100	112	Peak	Vertical		
3 2837.3420	54.56	16.39	38.17	74.00	-19.44	100	112	Peak	Vertical		

802.11n HT20

Low Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 2375.0100	41.34	4.13	37.21	54.00	-12.66	333	284	Average	Horizontal		
2 *2412.0000	91.99	54.72	37.27	54.00	37.99	333	284	Average	Horizontal		
3 2810.2020	42.87	4.73	38.14	54.00	-11.13	333	284	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 2389.8860	41.37	4.15	37.22	54.00	-12.63	100	112	Average	Vertical		
2 *2412.0000	90.61	53.34	37.27	54.00	36.61	100	112	Average	Vertical		
3 2800.8000	42.93	4.80	38.13	54.00	-11.07	100	112	Average	Vertical		

802.11n HT20

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2362.7460	53.34	16.15	37.19	74.00	-20.66	291	275	Peak	Horizontal	
2	*2462.0000	98.70	61.22	37.48	74.00	24.70	291	275	Peak	Horizontal	
3	2483.5780	55.60	17.96	37.64	74.00	-18.40	291	275	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2342.4500	52.46	15.35	37.11	74.00	-21.54	138	175	Peak	Vertical	
2	*2462.0000	98.75	61.27	37.48	74.00	24.75	138	175	Peak	Vertical	
3	2485.2300	56.22	18.57	37.65	74.00	-17.78	138	175	Peak	Vertical	

802.11n HT20

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 2361.4480	41.15	3.96	37.19	54.00	-12.85	291	275	Average	Horizontal		
2 *2462.0000	88.97	51.49	37.48	54.00	34.97	291	275	Average	Horizontal		
3 2792.6200	43.31	5.20	38.11	54.00	-10.69	291	275	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 2355.7840	41.22	4.04	37.18	54.00	-12.78	138	175	Average	Vertical		
2 *2462.0000	89.68	51.60	37.48	54.00	35.68	138	175	Average	Vertical		
3 2483.4600	43.91	6.27	37.64	54.00	-10.09	138	175	Average	Vertical		


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

802.11b

Low Channel (open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.00979	82.11	3.04	79.07	127.77	-45.66	100	294 QP	Open		
2	0.02835	70.52	-0.52	71.04	118.54	-48.02	100	141 QP	Open		
3	0.05164	64.20	-0.62	64.82	113.33	-49.13	100	189 QP	Open		
4	0.08178	58.67	-2.44	61.11	109.34	-50.67	100	214 QP	Open		
5	0.12101	56.10	-1.93	58.03	105.94	-49.84	100	38 QP	Open		
6	0.14436	52.10	-4.58	56.68	104.41	-52.31	100	32 QP	Open		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.23955	64.04	11.78	52.26	100.01	-35.97	100	124 QP	Open		
2	5.76777	49.72	11.36	38.36	69.50	-19.78	100	360 QP	Open		
3	10.85421	49.34	12.08	37.26	69.50	-20.16	100	224 QP	Open		
4	15.77946	49.48	11.91	37.57	69.50	-20.02	100	26 QP	Open		
5	22.57332	48.81	13.11	35.70	69.50	-20.69	100	48 QP	Open		
6	29.44479	50.79	12.41	38.38	69.50	-16.71	100	5 QP	Open		

802.11b

Low Channel (Close) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.00948	82.51	3.10	79.41	128.05	-45.54	100	59 QP	Close		
2	0.03362	69.63	0.04	69.59	117.06	-47.43	100	322 QP	Close		
3	0.07214	61.24	-0.87	62.11	110.43	-49.19	100	45 QP	Close		
4	0.09244	58.24	-1.92	60.16	108.28	-50.04	100	360 QP	Close		
5	0.11235	55.55	-2.98	58.53	106.59	-51.04	100	120 QP	Close		
6	0.13607	53.74	-3.42	57.16	104.92	-51.18	100	299 QP	Close		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.26940	66.50	15.13	51.37	98.99	-32.49	100	257 QP	Close		
2	3.94692	50.46	12.14	38.32	69.50	-19.04	100	206 QP	Close		
3	8.71098	48.72	10.85	37.87	69.50	-20.78	100	329 QP	Close		
4	14.13174	50.32	12.69	37.63	69.50	-19.18	100	226 QP	Close		
5	21.78767	48.24	12.31	35.93	69.50	-21.26	100	315 QP	Close		
6	29.42891	49.89	11.58	38.31	69.50	-19.61	100	198 QP	Close		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11b

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 59.00300	22.62	29.32	-6.70	40.00	-17.38	300	117	QP	horizontal		
2 160.75600	22.17	28.17	-6.00	43.50	-21.33	300	33	QP	horizontal		
3 449.23400	26.56	28.99	-2.43	46.00	-19.44	300	275	QP	horizontal		
4 632.46700	29.36	28.92	0.44	46.00	-16.64	200	3	QP	horizontal		
5 744.69600	31.19	29.11	2.08	46.00	-14.81	200	170	QP	horizontal		
6 871.28100	32.39	28.82	3.57	46.00	-13.61	300	83	QP	horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 44.16200	22.12	28.31	-6.19	40.00	-17.88	100	137	QP	vertical		
2 141.93800	22.28	28.59	-6.31	43.50	-21.22	300	159	QP	vertical		
3 334.96800	24.55	28.84	-4.29	46.00	-21.45	300	84	QP	vertical		
4 470.47700	26.35	28.72	-2.37	46.00	-19.65	100	360	QP	vertical		
5 704.05300	29.88	28.58	1.30	46.00	-16.12	200	230	QP	vertical		
6 920.36300	33.19	28.69	4.50	46.00	-12.81	300	335	QP	vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)


Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	54.20	63.65	-9.45	74.00	-19.80	100	243	Peak	Horizontal		
2	4874.00	53.77	63.22	-9.45	54.00	-0.23	100	243	Average	Horizontal		
3	9748.00	49.79	53.68	-3.89	74.00	-24.21	100	47	Peak	Horizontal		
4	9748.00	45.79	49.68	-3.89	54.00	-8.21	100	47	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	51.61	61.06	-9.45	74.00	-22.39	276	329	Peak	Vertical		
2	4874.00	49.24	58.69	-9.45	54.00	-4.76	276	329	Average	Vertical		
3	9748.00	46.07	49.96	-3.89	74.00	-27.93	100	301	Peak	Vertical		


802.11b

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	55.14	64.56	-9.42	74.00	-18.86	100	44	Peak	Horizontal	
2	4924.00	53.72	63.14	-9.42	54.00	-8.28	102	51	Average	Horizontal	
3	9848.00	49.34	53.16	-3.82	74.00	-24.66	100	360	Peak	Horizontal	
4	9848.00	45.86	49.68	-3.82	54.00	-8.14	100	360	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	52.50	61.92	-9.42	74.00	-21.50	301	308	Peak	Vertical	
2	4924.00	50.31	59.73	-9.42	54.00	-3.69	301	308	Average	Vertical	
3	9848.00	46.63	50.45	-3.82	74.00	-27.37	100	315	Peak	Vertical	


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 4824.0000	51.44	60.92	-9.48	74.00	-22.56	390			0 Peak	horizontal	
2 4824.0000	37.49	46.97	-9.48	54.00	-16.51	390			0 Average	horizontal	
3 7236.0000	63.63	70.45	-6.82	74.00	-10.37	348			337 Peak	horizontal	
4 7236.0000	37.34	44.16	-6.82	54.00	-16.66	348			337 Average	horizontal	
5 9648.0000	47.86	52.09	-4.23	74.00	-26.14	100			265 Peak	horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 4824.0000	53.50	62.98	-9.48	74.00	-20.50	398			360 Peak	vertical	
2 4824.0000	39.33	48.81	-9.48	54.00	-14.67	398			360 Average	vertical	
3 7236.0000	60.26	67.08	-6.82	74.00	-13.74	100			295 Peak	vertical	
4 7236.0000	34.57	41.39	-6.82	54.00	-19.43	100			295 Average	vertical	
5 9648.0000	47.91	52.14	-4.23	74.00	-26.09	200			176 Peak	vertical	


802.11g

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1 4874.0000	55.91	65.36	-9.45	74.00	-18.09	394	368	Peak	horizontal		
2 4874.0000	41.40	50.85	-9.45	54.00	-12.60	394	368	Average	horizontal		
3 7311.0000	61.22	68.11	-6.89	74.00	-12.78	398	339	Peak	horizontal		
4 7311.0000	34.37	41.26	-6.89	54.00	-19.63	398	339	Average	horizontal		
5 9748.3890	47.32	51.21	-3.89	74.00	-26.68	100	251	Peak	horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1 4874.0000	54.18	63.63	-9.45	74.00	-19.82	385	368	Peak	vertical		
2 4874.0000	40.11	49.56	-9.45	54.00	-13.89	385	368	Average	vertical		
3 7311.0000	56.37	63.26	-6.89	74.00	-17.63	200	342	Peak	vertical		
4 7311.0000	31.87	38.76	-6.89	54.00	-22.13	200	342	Average	vertical		
5 9748.0000	47.51	51.40	-3.89	74.00	-26.49	200	322	Peak	vertical		


802.11g

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.0000	55.77	65.19	-9.42	74.00	-18.23	258	368	Peak	horizontal	
2	4924.0000	40.59	50.01	-9.42	54.00	-13.41	258	368	Average	horizontal	
3	7386.0000	54.20	60.99	-6.79	74.00	-19.80	100	317	Peak	horizontal	
4	7386.0000	29.87	36.66	-6.79	54.00	-24.13	100	317	Average	horizontal	
5	9848.0000	46.73	50.55	-3.82	74.00	-27.27	200	223	Peak	horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.0000	54.94	64.36	-9.42	74.00	-19.06	352	152	Peak	vertical	
2	4924.0000	39.52	48.94	-9.42	54.00	-14.48	352	152	Average	vertical	
3	7386.0000	54.27	61.06	-6.79	74.00	-19.73	400	313	Peak	vertical	
4	7386.0000	29.58	36.37	-6.79	54.00	-24.42	400	313	Average	vertical	
5	9848.0000	47.23	51.05	-3.82	74.00	-26.77	200	317	Peak	vertical	


802.11n HT20

Low Channel (Horizontal)


Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

Middle Channel (Horizontal)


Middle Channel (Vertical)





TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



802.11n HT20
High Channel (Horizontal)
High Channel (Vertical)

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TUV Rheinland Taiwan Ltd(New Taipei City Branch).
 No. 438-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
 Tel: +886-2172-1000 Fax: +886-2172-1922




Trace: 1

	Freq	Read	Factor	Level	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dB	dBuV	dBuV	dB			
1	0.160	38.30	9.66	47.96	65.46	-17.50	QP	line1	
2	0.160	18.33	9.66	27.99	55.46	-27.47	Average	line1	
3	0.187	32.64	9.65	42.29	64.18	-21.89	QP	line1	
4	0.187	13.28	9.65	22.93	54.18	-31.25	Average	line1	
5	0.246	26.88	9.65	36.53	61.90	-25.37	QP	line1	
6	0.246	8.57	9.65	18.22	51.90	-33.68	Average	line1	
7	2.202	14.27	9.68	23.95	56.00	-32.05	QP	line1	
8	2.202	7.60	9.68	17.28	46.00	-28.72	Average	line1	
9	4.045	16.14	9.70	25.84	56.00	-30.16	QP	line1	
10	4.045	4.82	9.70	14.52	46.00	-31.48	Average	line1	
11	7.733	17.34	9.74	27.08	60.00	-32.92	QP	line1	
12	7.733	9.53	9.74	19.27	50.00	-30.73	Average	line1	



TUV Rheinland Taiwan Ltd(New Taipei City Branch).
 No. 438-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
 Tel: +886-2172-1000 Fax: +886-2172-1922



Trace: 1

	Freq	Read	Factor	Level	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dB	dBuV	dBuV	dB			
1	0.158	36.60	9.68	46.28	65.54	-19.26	QP	neutral	
2	0.158	19.12	9.68	28.80	55.54	-26.74	Average	neutral	
3	0.205	28.59	9.67	38.26	63.39	-25.13	QP	neutral	
4	0.205	12.63	9.67	22.30	53.39	-31.09	Average	neutral	
5	0.323	22.00	9.66	31.66	59.62	-27.96	QP	neutral	
6	0.323	7.60	9.66	17.26	49.62	-32.36	Average	neutral	
7	4.252	16.78	9.72	26.50	56.00	-29.50	QP	neutral	
8	4.252	6.96	9.72	16.68	46.00	-29.32	Average	neutral	
9	6.367	17.30	9.76	27.06	60.00	-32.94	QP	neutral	
10	6.367	7.20	9.76	16.96	50.00	-33.04	Average	neutral	
11	9.392	17.08	9.79	26.87	60.00	-33.13	QP	neutral	
12	9.392	10.38	9.79	20.17	50.00	-29.83	Average	neutral	