

Appendix Test Data


Report No.:	1812C40146512502	Test Sample No.:	1-2-2
Start Test Date:	2024.11.20	Finish Test Date:	2024.12.05
Test Engineer:	<i>Foker Wang</i>	Auditor:	<i>Justin Feng</i>
Temperature:	24.2°C	Relative Humidity:	57%
Pressure:	101kPa		

Appendix A: -6dB Bandwidth


Condition	Antenna	Modulation	Frequency (MHz)	-6dB BW(MHz)	limit(kHz)	Result
NVNT	ANT1	802.11b	2412.00	8.42	500	Pass
NVNT	ANT1	802.11b	2437.00	8.43	500	Pass
NVNT	ANT1	802.11b	2462.00	8.42	500	Pass
NVNT	ANT1	802.11g	2412.00	16.37	500	Pass
NVNT	ANT1	802.11g	2437.00	16.34	500	Pass
NVNT	ANT1	802.11g	2462.00	16.34	500	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	17.19	500	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	17.17	500	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	17.03	500	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	35.68	500	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	35.53	500	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	35.53	500	Pass

-6dB_Bandwidth_NVNT_ANT1_802_11b_2412






-6dB_Bandwidth_NVNT_ANT1_802_11b_2437




-6dB_Bandwidth_NVNT_ANT1_802_11b_2462






-6dB_Bandwidth_NVNT_ANT1_802_11g_2412




-6dB_Bandwidth_NVNT_ANT1_802_11g_2437






-6dB_Bandwidth_NVNT_ANT1_802_11g_2462




-6dB_Bandwidth_NVNT_ANT1_802_11n(HT20)_2412






-6dB_Bandwidth_NVNT_ANT1_802_11n(HT20)_2437




-6dB_Bandwidth_NVNT_ANT1_802_11n(HT20)_2462





-6dB_Bandwidth_NVNT_ANT1_802_11n(HT40)_2422




-6dB_Bandwidth_NVNT_ANT1_802_11n(HT40)_2437






-6dB_Bandwidth_NVNT_ANT1_802_11n(HT40)_2452



Appendix B: 99% Occupied Bandwidth


Condition	Antenna	Modulation	Frequency (MHz)	99%BW(MHz)
NVNT	ANT1	802.11b	2412.00	12.773
NVNT	ANT1	802.11b	2437.00	12.845
NVNT	ANT1	802.11b	2462.00	12.807
NVNT	ANT1	802.11g	2412.00	16.545
NVNT	ANT1	802.11g	2437.00	16.583
NVNT	ANT1	802.11g	2462.00	16.568
NVNT	ANT1	802.11n(HT20)	2412.00	17.350
NVNT	ANT1	802.11n(HT20)	2437.00	17.333
NVNT	ANT1	802.11n(HT20)	2462.00	17.336
NVNT	ANT1	802.11n(HT40)	2422.00	35.897
NVNT	ANT1	802.11n(HT40)	2437.00	36.201
NVNT	ANT1	802.11n(HT40)	2452.00	35.964

99%_Occupied_Bandwidth_NVNT_ANT1_802_11b_2412




99%_Occupied_Bandwidth_NVNT_ANT1_802_11b_2437






99%_Occupied_Bandwidth_NVNT_ANT1_802_11b_2462




99%_Occupied_Bandwidth_NVNT_ANT1_802_11g_2412







99%_Occupied_Bandwidth_NVNT_ANT1_802_11g_2437





99%_Occupied_Bandwidth_NVNT_ANT1_802_11g_2462






99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT20)_2437






99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT40)_2422





99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT40)_2452





Shenzhen Anbotek Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com

Hotline 400-003-0500
www.anbotek.com




Appendix C: Duty Cycle

Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty factor(dB)
NVNT	ANT1	802.11b	2412.00	100	0.00
NVNT	ANT1	802.11b	2437.00	100	0.00
NVNT	ANT1	802.11b	2462.00	100	0.00
NVNT	ANT1	802.11g	2412.00	100	0.00
NVNT	ANT1	802.11g	2437.00	100	0.00
NVNT	ANT1	802.11g	2462.00	100	0.00
NVNT	ANT1	802.11n(HT20)	2412.00	100	0.00
NVNT	ANT1	802.11n(HT20)	2437.00	100	0.00
NVNT	ANT1	802.11n(HT20)	2462.00	100	0.00
NVNT	ANT1	802.11n(HT40)	2422.00	100	0.00
NVNT	ANT1	802.11n(HT40)	2437.00	100	0.00
NVNT	ANT1	802.11n(HT40)	2452.00	100	0.00




Duty_Cycle NVNT ANT1 802 11b 2437






Duty_Cycle_NVNT_ANT1_802_11b_2462




Duty_Cycle_NVNT_ANT1_802_11g_2412






Duty_Cycle_NVNT_ANT1_802_11g_2437




Duty_Cycle_NVNT_ANT1_802_11g_2462






Duty_Cycle_NVNT_ANT1_802_11n(HT20)_2412




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_2437






Duty_Cycle_NVNT_ANT1_802_11n(HT20)_2462




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_2422






Duty_Cycle_NVNT_ANT1_802_11n(HT40)_2437



Duty_Cycle_NVNT_ANT1_802_11n(HT40)_2452





Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline 400-003-0500
www.anbotek.com



Appendix E: MAX. Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Detector	Conducted Power (dBm)	Duty factor (dB)	Total Power (dBm)	Limit (dBm)	Result
NVNT	ANT1	802.11b	2412.00	RMS	8.80	0.00	8.80	30	Pass
NVNT	ANT1	802.11b	2437.00	RMS	8.53	0.00	8.53	30	Pass
NVNT	ANT1	802.11b	2462.00	RMS	8.29	0.00	8.29	30	Pass
NVNT	ANT1	802.11g	2412.00	RMS	8.39	0.00	8.39	30	Pass
NVNT	ANT1	802.11g	2437.00	RMS	8.96	0.00	8.96	30	Pass
NVNT	ANT1	802.11g	2462.00	RMS	8.45	0.00	8.45	30	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	RMS	8.26	0.00	8.26	30	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	RMS	8.80	0.00	8.80	30	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	RMS	8.61	0.00	8.61	30	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	RMS	7.82	0.00	7.82	30	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	RMS	7.93	0.00	7.93	30	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	RMS	7.83	0.00	7.83	30	Pass

Note: The cable loss are compensated in the graph.




MAX_Output_Power_NVNT_ANT1_802_11b_2437






MAX__Output_Power_NVNT_ANT1_802_11b_2462




MAX__Output_Power_NVNT_ANT1_802_11g_2412





MAX__Output_Power_NVNT_ANT1_802_11g_2437



MAX__Output_Power_NVNT_ANT1_802_11g_2462






MAX__Output_Power_NVNT_ANT1_802_11n(HT20)_2412




MAX__Output_Power_NVNT_ANT1_802_11n(HT20)_2437






MAX__Output_Power_NVNT_ANT1_802_11n(HT20)_2462




MAX__Output_Power_NVNT_ANT1_802_11n(HT40)_2422





MAX__Output_Power_NVNT_ANT1_802_11n(HT40)_2437



MAX__Output_Power_NVNT_ANT1_802_11n(HT40)_2452





Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com



Appendix F: Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	SA_PSD (dBm/30kHz)	Duty factor (dB)	RB factor (dB)	PSD (dBm/3kHz)	Limit (dBm/3kHz)	Result
NVNT	ANT1	802.11b	2412.00	-3.95	0.00	-10.00	-13.95	8	Pass
NVNT	ANT1	802.11b	2437.00	-5.32	0.00	-10.00	-15.32	8	Pass
NVNT	ANT1	802.11b	2462.00	-5.13	0.00	-10.00	-15.13	8	Pass
NVNT	ANT1	802.11g	2412.00	-7.13	0.00	-10.00	-17.13	8	Pass
NVNT	ANT1	802.11g	2437.00	-6.83	0.00	-10.00	-16.84	8	Pass
NVNT	ANT1	802.11g	2462.00	-7.33	0.00	-10.00	-17.34	8	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	-8.19	0.00	-10.00	-18.19	8	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	-7.46	0.00	-10.00	-17.45	8	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	-7.32	0.00	-10.00	-17.32	8	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	-11.47	0.00	-10.00	-21.47	8	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	-11.23	0.00	-10.00	-21.23	8	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	-11.59	0.00	-10.00	-21.59	8	Pass

Note: The cable loss are compensated in the graph.




Power_Spectral_Density_NVNT_ANT1_802_11b_2437





Power_Spectral_Density_NVNT_ANT1_802_11b_2462




Power_Spectral_Density_NVNT_ANT1_802_11g_2412






Power_Spectral_Density_NVNT_ANT1_802_11g_2437




Power_Spectral_Density_NVNT_ANT1_802_11g_2462





Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_2412




Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_2437






Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_2462




Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_2422






Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_2437



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_2452





Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com



Appendix G: Bandedge


Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark_frequency (MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11b	2412.00	2397.136	-52.996	-32.152	Pass
NVNT	ANT1	802.11b	2462.00	2484.112	-60.420	-30.943	Pass
NVNT	ANT1	802.11g	2412.00	2395.344	-50.143	-36.403	Pass
NVNT	ANT1	802.11g	2462.00	2483.920	-53.829	-35.696	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	2399.488	-48.852	-35.493	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	2483.584	-51.709	-34.318	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	2399.760	-49.724	-39.392	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	2484.496	-47.486	-39.856	Pass

1_Reference_Level_NVNT_ANT1_802_11b_2412




2_Bandedge_NVNT_ANT1_802_11b_2412





1_Reference_Level_NVNT_ANT1_802_11b_2462




2_Bandedge_NVNT_ANT1_802_11b_2462





1_Reference_Level_NVNT_ANT1_802_11g_2412




2_Bandedge_NVNT_ANT1_802_11g_2412





1_Reference_Level_NVNT_ANT1_802_11g_2462




2_Bandedge_NVNT_ANT1_802_11g_2462





1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2412




2_Bandedge_NVNT_ANT1_802_11n(HT20)_2412





1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2462




2_Bandedge_NVNT_ANT1_802_11n(HT20)_2462






1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2422




2_Bandedge_NVNT_ANT1_802_11n(HT40)_2422





1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2452



2_Bandedge_NVNT_ANT1_802_11n(HT40)_2452





Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com



Appendix H: Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark_frequency (MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11b	2412.00	24850.180	-57.598	-32.152	Pass
NVNT	ANT1	802.11b	2437.00	24817.719	-58.302	-30.787	Pass
NVNT	ANT1	802.11b	2462.00	24795.246	-59.838	-30.943	Pass
NVNT	ANT1	802.11g	2412.00	24830.204	-64.697	-36.403	Pass
NVNT	ANT1	802.11g	2437.00	24975.030	-59.822	-34.486	Pass
NVNT	ANT1	802.11g	2462.00	5273.700	-56.947	-35.696	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	24812.725	-61.712	-35.493	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	24348.283	-60.262	-33.660	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	24940.072	-62.366	-34.318	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	5278.694	-53.429	-39.392	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	24827.707	-68.500	-36.191	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	2502.030	-69.333	-39.856	Pass

1_Reference_Level_NVNT_ANT1_802_11b_2412




2_Spurious_Emission_NVNT_ANT1_802_11b_2412





1_Reference_Level_NVNT_ANT1_802_11b_2437




2_Spurious_Emission_NVNT_ANT1_802_11b_2437





1_Reference_Level_NVNT_ANT1_802_11b_2462




2_Spurious_Emission_NVNT_ANT1_802_11b_2462





1_Reference_Level_NVNT_ANT1_802_11g_2412




2_Spurious_Emission_NVNT_ANT1_802_11g_2412





1_Reference_Level_NVNT_ANT1_802_11g_2437




2_Spurious_Emission_NVNT_ANT1_802_11g_2437






1_Reference_Level_NVNT_ANT1_802_11g_2462




2_Spurious_Emission_NVNT_ANT1_802_11g_2462





1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2412




2_Spurious_Emission_NVNT_ANT1_802_11n(HT20)_2412





1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2437




2_Spurious_Emission_NVNT_ANT1_802_11n(HT20)_2437





1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2462




2_Spurious_Emission_NVNT_ANT1_802_11n(HT20)_2462





1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2422




2_Spurious_Emission_NVNT_ANT1_802_11n(HT40)_2422





1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2437




2_Spurious_Emission_NVNT_ANT1_802_11n(HT40)_2437





1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2452



2_Spurious_Emission_NVNT_ANT1_802_11n(HT40)_2452





---END---

