



AppendixA: DFS Detection Thresholds

Test Result


Test Mode	Frequency[dbm]	Radar Type	Result	Limit[dbm]	Verdict
11A	5260	Type0	-59.63	-59.31	PASS
11A	5260	Type1	-59.36	-59.31	PASS
11A	5260	Type2	-59.52	-59.31	PASS
11A	5260	Type3	-59.67	-59.31	PASS
11A	5260	Type4	-59.52	-59.31	PASS
11A	5260	Type5	-59.61	-59.31	PASS
11A	5260	Type6	-59.65	-59.31	PASS
11A	5500	Type0	-59.33	-58.87	PASS
11A	5500	Type1	-58.94	-58.87	PASS
11A	5500	Type2	-59.26	-58.87	PASS
11A	5500	Type3	-59.09	-58.87	PASS
11A	5500	Type4	-58.91	-58.87	PASS
11A	5500	Type5	-59.09	-58.87	PASS
11A	5500	Type6	-59.03	-58.87	PASS

Test Graphs







11A-5260-Type6-PASS




11A-5500-Type0-PASS




11A-5500-Type1-PASS




11A-5500-Type2-PASS




11A-5500-Type3-PASS



11A-5500-Type4-PASS



11A-5500-Type5-PASS




11A-5500-Type6-PASS

AppendixB: Channel Loading

Test Result

Test Mode	Frequency[MHz]	Result [%]	Limit [%]	Verdict
11A	5260	46.78	17	PASS
11A	5500	50.18	17	PASS

Test Graphs







AppendixC: Channel Availability Check Time**Test Result**


Test Mode	Frequency[MHz]	Result	Verdict
11A	5260	See test Graph	PASS
11A	5500	See test Graph	PASS

Test Mode	Frequency[MHz]	Result	Verdict
11A	5260	See test Graph	PASS
11A	5500	See test Graph	PASS


Test Mode	Frequency[MHz]	Result	Verdict
11A	5260	See test Graph	PASS
11A	5500	See test Graph	PASS

Test Graphs





11A-5260-PASS




11A-5500-PASS

AppendixD: Channel Move Time and Channel Closing Transmission Time

Test Result

Test Mode	Frequency[MHz]	CCTT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11A	5260	200+16.9	200+60	1155.4	10000	PASS
11A	5500	200+16.9	200+60	1217.8	10000	PASS

Test Graphs




Appendix E:Non-Occupancy Period

Test Result

Test Mode	Frequency[MHz]	Result	Limit[s]	Verdict
11A	5260	see test graph	≥1800	PASS
11A	5500	see test graph	≥1800	PASS

Test Graphs




AppendixF: U-NII Detection Bandwidth

Test Result

Test Mode	Frequency[MHz]	FL[MHz]	FH[MHz]	Detection Bandwidth [MHz]	OCB [MHz]	Ratio [%]	Limit [%]	Verdict
11A	5260	5247	5273	26	17.603	155.74	≥100	PASS
11A	5500	5486	5514	28	17.646	158.68	≥100	PASS

Test Mode	Frequency[MHz]	Radar Freq.	Trial 1	Trial 2	Trial 3	Trial 4	Trial 5	Trial 6	Trial 7	Trial 8	Trial 9	Trial 10	Ratio (%)
11A	5260	5260	1	1	1	1	1	1	1	1	1	1	100
11A	5260	5255	1	1	1	1	1	1	1	1	1	1	100
11A	5260	5250	1	1	1	1	1	1	1	1	1	1	100
11A	5260	5249	1	1	1	1	1	1	1	1	1	1	100
11A	5260	5248	1	1	1	1	1	1	1	1	1	1	100
11A	5260	5247	1	1	1	1	1	1	1	1	1	1	100
11A	5260	5246	1	0	0	0	0	0	0	0	0	0	10
11A	5260	5265	1	1	1	1	1	1	1	1	1	1	100
11A	5260	5270	1	1	1	1	1	1	1	1	1	1	100
11A	5260	5271	1	1	1	1	1	1	1	1	1	1	100
11A	5260	5272	1	1	1	1	1	1	1	1	1	1	100
11A	5260	5273	1	1	1	1	1	1	1	1	1	1	100
11A	5260	5274	0	0	0	0	1	0	0	0	0	0	10
11A	5500	5500	1	1	1	1	1	1	1	1	1	1	100
11A	5500	5495	1	1	1	1	1	1	1	1	1	1	100
11A	5500	5490	1	1	1	1	1	1	1	1	1	1	100
11A	5500	5489	1	1	0	1	1	1	1	1	1	1	90
11A	5500	5488	1	1	1	1	1	1	1	1	1	1	100
11A	5500	5487	1	1	1	1	1	1	1	1	1	1	100
11A	5500	5486	1	1	1	1	1	1	1	1	1	1	100
11A	5500	5485	0	1	0	0	0	0	0	0	0	0	10
11A	5500	5505	1	1	1	1	1	1	1	1	1	1	100
11A	5500	5510	1	1	1	1	1	1	1	1	1	1	100
11A	5500	5511	0	1	1	1	1	1	1	1	1	1	90
11A	5500	5512	1	1	1	1	1	1	1	1	1	1	100
11A	5500	5513	1	1	1	1	1	1	1	1	1	1	100
11A	5500	5514	1	1	1	1	1	1	1	1	1	1	100
11A	5500	5515	0	0	0	0	0	0	0	0	0	0	0

Test Graphs



AppendixF: Statistical Performance check

Test Result

Test Mode	Frequency[MHz]	Radar Type	Pass Times	Fail Times	Probability (%)	Limit (%)	Verdict
11A	5260	Type1	30	0	100.00	60	PASS
11A	5260	Type2	30	0	100.00	60	PASS
11A	5260	Type3	30	0	100.00	60	PASS
11A	5260	Type4	30	0	100.00	60	PASS
11A	5260	Type 1-4	---	---	100.00	80	PASS
11A	5260	Type5	30	0	100.00	70	PASS
11A	5260	Type6	30	0	100.00	80	PASS
11A	5500	Type1	30	0	100.00	60	PASS
11A	5500	Type2	29	1	96.67	60	PASS
11A	5500	Type3	29	1	96.67	60	PASS
11A	5500	Type4	28	2	93.33	60	PASS
11A	5500	Type 1-4	---	---	96.67	80	PASS
11A	5500	Type5	28	2	93.33	70	PASS
11A	5500	Type6	30	0	100.00	80	PASS

TestMode	Frequency [MHz]	Radar Type	Trial ID	Pulse width(μs)	PRI(μs)	Pulses per Burst	Detection (1: Yes; 0: No)
11A	5260	Type1	0	1.0	938.0	57	1
11A	5260	Type1	1	1.0	698.0	76	1
11A	5260	Type1	2	1.0	618.0	86	1
11A	5260	Type1	3	1.0	538.0	99	1
11A	5260	Type1	4	1.0	878.0	61	1
11A	5260	Type1	5	1.0	3066.0	18	1
11A	5260	Type1	6	1.0	638.0	83	1
11A	5260	Type1	7	1.0	918.0	58	1
11A	5260	Type1	8	1.0	838.0	63	1
11A	5260	Type1	9	1.0	858.0	62	1
11A	5260	Type1	10	1.0	798.0	67	1
11A	5260	Type1	11	1.0	718.0	74	1
11A	5260	Type1	12	1.0	578.0	92	1
11A	5260	Type1	13	1.0	598.0	89	1
11A	5260	Type1	14	1.0	558.0	95	1
11A	5260	Type1	15	1.0	2536.0	21	1
11A	5260	Type1	16	1.0	966.0	55	1
11A	5260	Type1	17	1.0	827.0	64	1
11A	5260	Type1	18	1.0	2501.0	22	1
11A	5260	Type1	19	1.0	2595.0	21	1
11A	5260	Type1	20	1.0	1114.0	48	1
11A	5260	Type1	21	1.0	1302.0	41	1
11A	5260	Type1	22	1.0	3045.0	18	1
11A	5260	Type1	23	1.0	1624.0	33	1
11A	5260	Type1	24	1.0	2878.0	19	1
11A	5260	Type1	25	1.0	1027.0	52	1
11A	5260	Type1	26	1.0	2485.0	22	1
11A	5260	Type1	27	1.0	1600.0	33	1
11A	5260	Type1	28	1.0	1172.0	46	1
11A	5260	Type1	29	1.0	1177.0	45	1
11A	5260	Type2	0	3.2	179.0	26	1
11A	5260	Type2	1	1.1	207.0	23	1
11A	5260	Type2	2	2.1	230.0	24	1
11A	5260	Type2	3	4.8	200.0	29	1
11A	5260	Type2	4	3.9	214.0	28	1
11A	5260	Type2	5	2.9	222.0	26	1
11A	5260	Type2	6	3.2	204.0	26	1
11A	5260	Type2	7	2.5	192.0	25	1
11A	5260	Type2	8	3.1	164.0	26	1
11A	5260	Type2	9	1.2	156.0	23	1

11A	5260	Type2	10	3.9	210.0	27	1
11A	5260	Type2	11	4.6	201.0	29	1
11A	5260	Type2	12	3.2	162.0	26	1
11A	5260	Type2	13	2.2	197.0	25	1
11A	5260	Type2	14	4.5	163.0	29	1
11A	5260	Type2	15	3.0	203.0	26	1
11A	5260	Type2	16	5.0	168.0	29	1
11A	5260	Type2	17	2.4	217.0	25	1
11A	5260	Type2	18	2.9	191.0	26	1
11A	5260	Type2	19	2.3	166.0	25	1
11A	5260	Type2	20	3.7	150.0	27	1
11A	5260	Type2	21	2.2	176.0	25	1
11A	5260	Type2	22	4.9	195.0	29	1
11A	5260	Type2	23	2.9	202.0	26	1
11A	5260	Type2	24	2.5	178.0	25	1
11A	5260	Type2	25	1.1	206.0	23	1
11A	5260	Type2	26	3.8	155.0	27	1
11A	5260	Type2	27	4.7	157.0	29	1
11A	5260	Type2	28	2.4	224.0	25	1
11A	5260	Type2	29	4.2	159.0	28	1
11A	5260	Type3	0	8.2	355.0	17	1
11A	5260	Type3	1	6.1	487.0	16	1
11A	5260	Type3	2	7.1	344.0	16	1
11A	5260	Type3	3	9.8	288.0	18	1
11A	5260	Type3	4	8.9	230.0	18	1
11A	5260	Type3	5	7.9	432.0	17	1
11A	5260	Type3	6	8.2	207.0	17	1
11A	5260	Type3	7	7.5	443.0	17	1
11A	5260	Type3	8	8.1	439.0	17	1
11A	5260	Type3	9	6.2	223.0	16	1
11A	5260	Type3	10	8.9	208.0	18	1
11A	5260	Type3	11	9.6	463.0	18	1
11A	5260	Type3	12	8.2	441.0	17	1
11A	5260	Type3	13	7.2	323.0	16	1
11A	5260	Type3	14	9.5	297.0	18	1
11A	5260	Type3	15	8.0	412.0	17	1
11A	5260	Type3	16	10.0	324.0	18	1
11A	5260	Type3	17	7.4	271.0	17	1
11A	5260	Type3	18	7.9	349.0	17	1
11A	5260	Type3	19	7.3	409.0	16	1
11A	5260	Type3	20	8.7	373.0	18	1
11A	5260	Type3	21	7.2	254.0	16	1
11A	5260	Type3	22	9.9	274.0	18	1
11A	5260	Type3	23	7.9	278.0	17	1

11A	5260	Type3	24	7.5	317.0	17	1
11A	5260	Type3	25	6.1	260.0	16	1
11A	5260	Type3	26	8.8	211.0	18	1
11A	5260	Type3	27	9.7	272.0	18	1
11A	5260	Type3	28	7.4	264.0	17	1
11A	5260	Type3	29	9.2	284.0	18	1
11A	5260	Type4	0	16.0	355.0	14	1
11A	5260	Type4	1	11.3	487.0	12	1
11A	5260	Type4	2	13.5	344.0	13	1
11A	5260	Type4	3	19.4	288.0	16	1
11A	5260	Type4	4	17.5	230.0	15	1
11A	5260	Type4	5	15.3	432.0	14	1
11A	5260	Type4	6	15.9	207.0	14	1
11A	5260	Type4	7	14.3	443.0	13	1
11A	5260	Type4	8	15.8	439.0	14	1
11A	5260	Type4	9	11.5	223.0	12	1
11A	5260	Type4	10	17.4	208.0	15	1
11A	5260	Type4	11	19.0	463.0	16	1
11A	5260	Type4	12	16.0	441.0	14	1
11A	5260	Type4	13	13.8	323.0	13	1
11A	5260	Type4	14	18.9	297.0	16	1
11A	5260	Type4	15	15.5	412.0	14	1
11A	5260	Type4	16	19.9	324.0	16	1
11A	5260	Type4	17	14.1	271.0	13	1
11A	5260	Type4	18	15.2	349.0	14	1
11A	5260	Type4	19	13.8	409.0	13	1
11A	5260	Type4	20	17.1	373.0	15	1
11A	5260	Type4	21	13.8	254.0	13	1
11A	5260	Type4	22	19.8	274.0	16	1
11A	5260	Type4	23	15.3	278.0	14	1
11A	5260	Type4	24	14.5	317.0	13	1
11A	5260	Type4	25	11.3	260.0	12	1
11A	5260	Type4	26	17.3	211.0	15	1
11A	5260	Type4	27	19.2	272.0	16	1
11A	5260	Type4	28	14.2	264.0	13	1
11A	5260	Type4	29	18.2	284.0	15	1
11A	5500	Type1	0	1.0	938.0	57	1
11A	5500	Type1	1	1.0	698.0	76	1
11A	5500	Type1	2	1.0	618.0	86	1
11A	5500	Type1	3	1.0	538.0	99	1
11A	5500	Type1	4	1.0	878.0	61	1
11A	5500	Type1	5	1.0	3066.0	18	1
11A	5500	Type1	6	1.0	638.0	83	1
11A	5500	Type1	7	1.0	918.0	58	1

11A	5500	Type1	8	1.0	838.0	63	1
11A	5500	Type1	9	1.0	858.0	62	1
11A	5500	Type1	10	1.0	798.0	67	1
11A	5500	Type1	11	1.0	718.0	74	1
11A	5500	Type1	12	1.0	578.0	92	1
11A	5500	Type1	13	1.0	598.0	89	1
11A	5500	Type1	14	1.0	558.0	95	1
11A	5500	Type1	15	1.0	2536.0	21	1
11A	5500	Type1	16	1.0	966.0	55	1
11A	5500	Type1	17	1.0	827.0	64	1
11A	5500	Type1	18	1.0	2501.0	22	1
11A	5500	Type1	19	1.0	2595.0	21	1
11A	5500	Type1	20	1.0	1114.0	48	1
11A	5500	Type1	21	1.0	1302.0	41	1
11A	5500	Type1	22	1.0	3045.0	18	1
11A	5500	Type1	23	1.0	1624.0	33	1
11A	5500	Type1	24	1.0	2878.0	19	1
11A	5500	Type1	25	1.0	1027.0	52	1
11A	5500	Type1	26	1.0	2485.0	22	1
11A	5500	Type1	27	1.0	1600.0	33	1
11A	5500	Type1	28	1.0	1172.0	46	1
11A	5500	Type1	29	1.0	1177.0	45	1
11A	5500	Type2	0	3.2	179.0	26	1
11A	5500	Type2	1	1.1	207.0	23	1
11A	5500	Type2	2	2.1	230.0	24	1
11A	5500	Type2	3	4.8	200.0	29	1
11A	5500	Type2	4	3.9	214.0	28	1
11A	5500	Type2	5	2.9	222.0	26	1
11A	5500	Type2	6	3.2	204.0	26	1
11A	5500	Type2	7	2.5	192.0	25	1
11A	5500	Type2	8	3.1	164.0	26	1
11A	5500	Type2	9	1.2	156.0	23	1
11A	5500	Type2	10	3.9	210.0	27	1
11A	5500	Type2	11	4.6	201.0	29	1
11A	5500	Type2	12	3.2	162.0	26	1
11A	5500	Type2	13	2.2	197.0	25	1
11A	5500	Type2	14	4.5	163.0	29	1
11A	5500	Type2	15	3.0	203.0	26	1
11A	5500	Type2	16	5.0	168.0	29	1
11A	5500	Type2	17	2.4	217.0	25	1
11A	5500	Type2	18	2.9	191.0	26	1
11A	5500	Type2	19	2.3	166.0	25	1
11A	5500	Type2	20	3.7	150.0	27	1
11A	5500	Type2	21	2.2	176.0	25	1

11A	5500	Type2	22	4.9	195.0	29	1
11A	5500	Type2	23	2.9	202.0	26	1
11A	5500	Type2	24	2.5	178.0	25	1
11A	5500	Type2	25	1.1	206.0	23	1
11A	5500	Type2	26	3.8	155.0	27	1
11A	5500	Type2	27	4.7	157.0	29	0
11A	5500	Type2	28	2.4	224.0	25	1
11A	5500	Type2	29	4.2	159.0	28	1
11A	5500	Type3	0	8.2	355.0	17	1
11A	5500	Type3	1	6.1	487.0	16	1
11A	5500	Type3	2	7.1	344.0	16	1
11A	5500	Type3	3	9.8	288.0	18	1
11A	5500	Type3	4	8.9	230.0	18	1
11A	5500	Type3	5	7.9	432.0	17	1
11A	5500	Type3	6	8.2	207.0	17	1
11A	5500	Type3	7	7.5	443.0	17	1
11A	5500	Type3	8	8.1	439.0	17	1
11A	5500	Type3	9	6.2	223.0	16	1
11A	5500	Type3	10	8.9	208.0	18	1
11A	5500	Type3	11	9.6	463.0	18	1
11A	5500	Type3	12	8.2	441.0	17	1
11A	5500	Type3	13	7.2	323.0	16	1
11A	5500	Type3	14	9.5	297.0	18	1
11A	5500	Type3	15	8.0	412.0	17	1
11A	5500	Type3	16	10.0	324.0	18	1
11A	5500	Type3	17	7.4	271.0	17	1
11A	5500	Type3	18	7.9	349.0	17	1
11A	5500	Type3	19	7.3	409.0	16	1
11A	5500	Type3	20	8.7	373.0	18	1
11A	5500	Type3	21	7.2	254.0	16	1
11A	5500	Type3	22	9.9	274.0	18	1
11A	5500	Type3	23	7.9	278.0	17	0
11A	5500	Type3	24	7.5	317.0	17	1
11A	5500	Type3	25	6.1	260.0	16	1
11A	5500	Type3	26	8.8	211.0	18	1
11A	5500	Type3	27	9.7	272.0	18	1
11A	5500	Type3	28	7.4	264.0	17	1
11A	5500	Type3	29	9.2	284.0	18	1
11A	5500	Type4	0	16.0	355.0	14	1
11A	5500	Type4	1	11.3	487.0	12	1
11A	5500	Type4	2	13.5	344.0	13	1
11A	5500	Type4	3	19.4	288.0	16	1
11A	5500	Type4	4	17.5	230.0	15	1
11A	5500	Type4	5	15.3	432.0	14	0

11A	5500	Type4	6	15.9	207.0	14	1
11A	5500	Type4	7	14.3	443.0	13	1
11A	5500	Type4	8	15.8	439.0	14	1
11A	5500	Type4	9	11.5	223.0	12	1
11A	5500	Type4	10	17.4	208.0	15	1
11A	5500	Type4	11	19.0	463.0	16	1
11A	5500	Type4	12	16.0	441.0	14	0
11A	5500	Type4	13	13.8	323.0	13	1
11A	5500	Type4	14	18.9	297.0	16	1
11A	5500	Type4	15	15.5	412.0	14	1
11A	5500	Type4	16	19.9	324.0	16	1
11A	5500	Type4	17	14.1	271.0	13	1
11A	5500	Type4	18	15.2	349.0	14	1
11A	5500	Type4	19	13.8	409.0	13	1
11A	5500	Type4	20	17.1	373.0	15	1
11A	5500	Type4	21	13.8	254.0	13	1
11A	5500	Type4	22	19.8	274.0	16	1
11A	5500	Type4	23	15.3	278.0	14	1
11A	5500	Type4	24	14.5	317.0	13	1
11A	5500	Type4	25	11.3	260.0	12	1
11A	5500	Type4	26	17.3	211.0	15	1
11A	5500	Type4	27	19.2	272.0	16	1
11A	5500	Type4	28	14.2	264.0	13	1
11A	5500	Type4	29	18.2	284.0	15	1

TestMode	Frequency[MHz]	Radar Type	Trial ID	Number Of Bursts	Waveform Length (s))	Radar Frequency	Detection (1: Yes; 0: No)
11A	5260	Type5	0	15	12	5260	1
11A	5260	Type5	1	8	12	5260	1
11A	5260	Type5	2	11	12	5260	1
11A	5260	Type5	3	20	12	5260	1
11A	5260	Type5	4	17	12	5260	1
11A	5260	Type5	5	14	12	5260	1
11A	5260	Type5	6	15	12	5260	1
11A	5260	Type5	7	12	12	5260	1
11A	5260	Type5	8	14	12	5260	1
11A	5260	Type5	9	8	12	5260	1
11A	5260	Type5	10	17	12	5258	1
11A	5260	Type5	11	19	12	5259	1
11A	5260	Type5	12	15	12	5256	1
11A	5260	Type5	13	12	12	5255	1
11A	5260	Type5	14	19	12	5258	1
11A	5260	Type5	15	14	12	5256	1
11A	5260	Type5	16	20	12	5259	1
11A	5260	Type5	17	12	12	5255	1
11A	5260	Type5	18	14	12	5256	1
11A	5260	Type5	19	12	12	5255	1
11A	5260	Type5	20	16	12	5263	1
11A	5260	Type5	21	12	12	5265	1
11A	5260	Type5	22	20	12	5261	1
11A	5260	Type5	23	14	12	5264	1
11A	5260	Type5	24	13	12	5264	1
11A	5260	Type5	25	8	12	5267	1
11A	5260	Type5	26	17	12	5262	1
11A	5260	Type5	27	19	12	5261	1
11A	5260	Type5	28	12	12	5265	1
11A	5260	Type5	29	18	12	5262	1
11A	5500	Type5	0	15	12	5500	1
11A	5500	Type5	1	8	12	5500	1
11A	5500	Type5	2	11	12	5500	1
11A	5500	Type5	3	20	12	5500	1
11A	5500	Type5	4	17	12	5500	1
11A	5500	Type5	5	14	12	5500	1
11A	5500	Type5	6	15	12	5500	1
11A	5500	Type5	7	12	12	5500	1
11A	5500	Type5	8	14	12	5500	1
11A	5500	Type5	9	8	12	5500	1

11A	5500	Type5	10	17	12	5498	1
11A	5500	Type5	11	19	12	5499	1
11A	5500	Type5	12	15	12	5496	0
11A	5500	Type5	13	12	12	5495	1
11A	5500	Type5	14	19	12	5498	1
11A	5500	Type5	15	14	12	5496	1
11A	5500	Type5	16	20	12	5499	1
11A	5500	Type5	17	12	12	5495	1
11A	5500	Type5	18	14	12	5496	1
11A	5500	Type5	19	12	12	5495	1
11A	5500	Type5	20	16	12	5503	1
11A	5500	Type5	21	12	12	5505	1
11A	5500	Type5	22	20	12	5501	1
11A	5500	Type5	23	14	12	5504	1
11A	5500	Type5	24	13	12	5504	1
11A	5500	Type5	25	8	12	5507	0
11A	5500	Type5	26	17	12	5502	1
11A	5500	Type5	27	19	12	5501	1
11A	5500	Type5	28	12	12	5505	1
11A	5500	Type5	29	18	12	5502	1

TestMode	Frequency [MHz]	Radar Type	Trial ID	Pulse width (μs)	PRI (μs)	Pulses per Hop	Detection (1: Yes; 0: No)
11A	5260	Type6	0	1	333.3	9	1
11A	5260	Type6	1	1	333.3	9	1
11A	5260	Type6	2	1	333.3	9	1
11A	5260	Type6	3	1	333.3	9	1
11A	5260	Type6	4	1	333.3	9	1
11A	5260	Type6	5	1	333.3	9	1
11A	5260	Type6	6	1	333.3	9	1
11A	5260	Type6	7	1	333.3	9	1
11A	5260	Type6	8	1	333.3	9	1
11A	5260	Type6	9	1	333.3	9	1
11A	5260	Type6	10	1	333.3	9	1
11A	5260	Type6	11	1	333.3	9	1
11A	5260	Type6	12	1	333.3	9	1
11A	5260	Type6	13	1	333.3	9	1
11A	5260	Type6	14	1	333.3	9	1
11A	5260	Type6	15	1	333.3	9	1
11A	5260	Type6	16	1	333.3	9	1
11A	5260	Type6	17	1	333.3	9	1
11A	5260	Type6	18	1	333.3	9	1
11A	5260	Type6	19	1	333.3	9	1
11A	5260	Type6	20	1	333.3	9	1
11A	5260	Type6	21	1	333.3	9	1
11A	5260	Type6	22	1	333.3	9	1
11A	5260	Type6	23	1	333.3	9	1
11A	5260	Type6	24	1	333.3	9	1
11A	5260	Type6	25	1	333.3	9	1
11A	5260	Type6	26	1	333.3	9	1
11A	5260	Type6	27	1	333.3	9	1
11A	5260	Type6	28	1	333.3	9	1
11A	5260	Type6	29	1	333.3	9	1
11A	5500	Type6	0	1	333.3	9	1
11A	5500	Type6	1	1	333.3	9	1
11A	5500	Type6	2	1	333.3	9	1
11A	5500	Type6	3	1	333.3	9	1
11A	5500	Type6	4	1	333.3	9	1
11A	5500	Type6	5	1	333.3	9	1
11A	5500	Type6	6	1	333.3	9	1
11A	5500	Type6	7	1	333.3	9	1
11A	5500	Type6	8	1	333.3	9	1
11A	5500	Type6	9	1	333.3	9	1

11A	5500	Type6	10	1	333.3	9	1
11A	5500	Type6	11	1	333.3	9	1
11A	5500	Type6	12	1	333.3	9	1
11A	5500	Type6	13	1	333.3	9	1
11A	5500	Type6	14	1	333.3	9	1
11A	5500	Type6	15	1	333.3	9	1
11A	5500	Type6	16	1	333.3	9	1
11A	5500	Type6	17	1	333.3	9	1
11A	5500	Type6	18	1	333.3	9	1
11A	5500	Type6	19	1	333.3	9	1
11A	5500	Type6	20	1	333.3	9	1
11A	5500	Type6	21	1	333.3	9	1
11A	5500	Type6	22	1	333.3	9	1
11A	5500	Type6	23	1	333.3	9	1
11A	5500	Type6	24	1	333.3	9	1
11A	5500	Type6	25	1	333.3	9	1
11A	5500	Type6	26	1	333.3	9	1
11A	5500	Type6	27	1	333.3	9	1
11A	5500	Type6	28	1	333.3	9	1
11A	5500	Type6	29	1	333.3	9	1

---End---