

Appendix: 5G Wi-Fi Band 3

Contents

Contents 2

Duty Cycle 3

Maximum Conducted Output Power 28

-26dB Bandwidth 30

Occupied Channel Bandwidth 47

Maximum Power Spectral Density Level 64


Frequency Stability 95

Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5500	Ant1	98.2	0	0.49
NVNT	a	5580	Ant1	98.2	0	0.49
NVNT	a	5700	Ant1	98.13	0	0.49
NVNT	a	5500	Ant2	95.79	0.19	0.49
NVNT	a	5580	Ant2	95.72	0.19	0.49
NVNT	a	5700	Ant2	95.79	0.19	0.49
NVNT	n20	5500	Ant1	95.74	0.19	0.52
NVNT	n20	5580	Ant1	95.74	0.19	0.52
NVNT	n20	5700	Ant1	95.74	0.19	0.52
NVNT	n20	5500	Ant2	95.74	0.19	0.52
NVNT	n20	5580	Ant2	95.74	0.19	0.52
NVNT	n20	5700	Ant2	95.69	0.19	0.52
NVNT	n20	5500	Sum	95.64	0.19	0.52
NVNT	n20	5580	Sum	95.64	0.19	0.52
NVNT	n20	5700	Sum	95.69	0.19	0.52
NVNT	n40	5510	Ant1	95.42	0.2	1.07
NVNT	n40	5550	Ant1	95.32	0.21	1.07
NVNT	n40	5670	Ant1	95.48	0.2	1.07
NVNT	n40	5510	Ant2	95.42	0.2	1.07
NVNT	n40	5550	Ant2	95.42	0.2	1.07
NVNT	n40	5670	Ant2	95.42	0.2	1.07
NVNT	n40	5510	Sum	95.22	0.21	1.07
NVNT	n40	5550	Sum	95.32	0.21	1.07
NVNT	n40	5670	Sum	95.32	0.21	1.07
NVNT	ac20	5500	Ant1	95.75	0.19	0.52
NVNT	ac20	5580	Ant1	95.75	0.19	0.52
NVNT	ac20	5700	Ant1	95.75	0.19	0.52
NVNT	ac20	5500	Ant2	95.75	0.19	0.52
NVNT	ac20	5580	Ant2	95.7	0.19	0.52
NVNT	ac20	5700	Ant2	95.7	0.19	0.52
NVNT	ac20	5500	Sum	97.56	0.11	0.52
NVNT	ac20	5580	Sum	97.61	0.11	0.52
NVNT	ac20	5700	Sum	97.61	0.11	0.52
NVNT	ac40	5510	Ant1	95.45	0.2	1.06
NVNT	ac40	5550	Ant1	95.45	0.2	1.06
NVNT	ac40	5670	Ant1	95.45	0.2	1.06
NVNT	ac40	5510	Ant2	95.65	0.19	1.06
NVNT	ac40	5550	Ant2	95.45	0.2	1.06
NVNT	ac40	5670	Ant2	95.45	0.2	1.06

NVNT	ac40	5510	Sum	95.45	0.2	1.06
NVNT	ac40	5550	Sum	95.65	0.19	1.06
NVNT	ac40	5670	Sum	95.55	0.2	1.06
NVNT	ac80	5530	Ant1	92.38	0.34	2.17
NVNT	ac80	5530	Ant2	92.38	0.34	2.17
NVNT	ac80	5530	Sum	91.47	0.39	2.17


Note:Duty Cycle Correction Factor (dB)=-10*Ig(Duty Cycle);




Date: 6 JAN.2025 08:23:10




Date: 6 JAN.2025 08:24:45




Date: 6 JAN.2025 08:26:02




Date: 6 JAN.2025 09:07:19




Date: 6 JAN.2025 09:10:16




Date: 6 JAN.2025 09:11:42




Date: 6 JAN 2025 08:29:25




Date: 6 JAN 2025 08:30:51




Date: 6 JAN.2025 08:32:10




Date: 6 JAN.2025 09:14:07




Date: 6 JAN.2025 09:15:42




Date: 6 JAN.2025 09:17:15




Date: 6 JAN 2025 09:52:23




Date: 6 JAN 2025 09:54:33




Date: 6 JAN 2025 09:55:06




Date: 6 JAN 2025 08:40:10




Date: 6 JAN.2025 08:42:05




Date: 6 JAN.2025 08:51:45




Date: 6 JAN.2025 09:34:58




Date: 6 JAN.2025 09:36:55




Date: 6 JAN.2025 09:39:04




Date: 6 JAN.2025 10:00:28




Date: 6 JAN 2025 10:03:56





Date: 6 JAN 2025 10:05:35




Date: 6 JAN 2025 08:34:23




Date: 6 JAN 2025 08:35:48







Date: 6 JAN 2025 09:21:06




Date: 6 JAN 2025 09:32:31




Date: 6 JAN 2025 09:56:30




Date: 6 JAN 2025 09:57:05




Date: 6 JAN.2025 09:57:48




Date: 6 JAN.2025 08:54:51




Date: 6 JAN.2025 08:57:36




Date: 6 JAN.2025 08:59:45




Date: 6 JAN.2025 09:42:20




Date: 6 JAN.2025 09:44:20




Date: 6 JAN.2025 09:46:15




Date: 6 JAN.2025 10:09:56




Date: 6 JAN.2025 10:11:58




Date: 6 JAN.2025 10:15:01



Date: 6 JAN.2025 09:04:10



Date: 6 JAN.2025 09:48:35




Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	9.11	24	Pass
NVNT	a	5580	Ant1	9.42	24	Pass
NVNT	a	5700	Ant1	9.48	24	Pass
NVNT	a	5500	Ant2	9.42	24	Pass
NVNT	a	5580	Ant2	9	24	Pass
NVNT	a	5700	Ant2	9.08	24	Pass
NVNT	n20	5500	Ant1	8.34	24	Pass
NVNT	n20	5580	Ant1	8.28	24	Pass
NVNT	n20	5700	Ant1	8.45	24	Pass
NVNT	n20	5500	Ant2	8.1	24	Pass
NVNT	n20	5580	Ant2	8	24	Pass
NVNT	n20	5700	Ant2	8.33	24	Pass
NVNT	n20	5500	Ant1	6.14	24	Pass
NVNT	n20	5500	Ant2	4.82	24	Pass
NVNT	n20	5500	Sum	8.54	24	Pass
NVNT	n20	5580	Ant1	6.09	24	Pass
NVNT	n20	5580	Ant2	4.66	24	Pass
NVNT	n20	5580	Sum	8.44	24	Pass
NVNT	n20	5700	Ant1	5.2	24	Pass
NVNT	n20	5700	Ant2	5.45	24	Pass
NVNT	n20	5700	Sum	8.34	24	Pass
NVNT	n40	5510	Ant1	8.39	24	Pass
NVNT	n40	5550	Ant1	8.22	24	Pass
NVNT	n40	5670	Ant1	8.33	24	Pass
NVNT	n40	5510	Ant2	8.05	24	Pass
NVNT	n40	5550	Ant2	8.18	24	Pass
NVNT	n40	5670	Ant2	8.13	24	Pass
NVNT	n40	5510	Ant1	6.31	24	Pass
NVNT	n40	5510	Ant2	5.17	24	Pass
NVNT	n40	5510	Sum	8.79	24	Pass
NVNT	n40	5550	Ant1	6.09	24	Pass
NVNT	n40	5550	Ant2	5.08	24	Pass
NVNT	n40	5550	Sum	8.62	24	Pass
NVNT	n40	5670	Ant1	5.37	24	Pass
NVNT	n40	5670	Ant2	5.33	24	Pass
NVNT	n40	5670	Sum	8.36	24	Pass
NVNT	ac20	5500	Ant1	7.43	24	Pass


NVNT	ac20	5580	Ant1	7.45	24	Pass
NVNT	ac20	5700	Ant1	7.44	24	Pass
NVNT	ac20	5500	Ant2	7.05	24	Pass
NVNT	ac20	5580	Ant2	7.49	24	Pass
NVNT	ac20	5700	Ant2	7.39	24	Pass
NVNT	ac20	5500	Ant1	5.33	24	Pass
NVNT	ac20	5500	Ant2	3.88	24	Pass
NVNT	ac20	5500	Sum	7.68	24	Pass
NVNT	ac20	5580	Ant1	5.25	24	Pass
NVNT	ac20	5580	Ant2	3.87	24	Pass
NVNT	ac20	5580	Sum	7.62	24	Pass
NVNT	ac20	5700	Ant1	3.99	24	Pass
NVNT	ac20	5700	Ant2	4.52	24	Pass
NVNT	ac20	5700	Sum	7.27	24	Pass
NVNT	ac40	5510	Ant1	7.49	24	Pass
NVNT	ac40	5550	Ant1	7.19	24	Pass
NVNT	ac40	5670	Ant1	7.28	24	Pass
NVNT	ac40	5510	Ant2	7.25	24	Pass
NVNT	ac40	5550	Ant2	7.25	24	Pass
NVNT	ac40	5670	Ant2	7.18	24	Pass
NVNT	ac40	5510	Ant1	5.03	24	Pass
NVNT	ac40	5510	Ant2	4.15	24	Pass
NVNT	ac40	5510	Sum	7.62	24	Pass
NVNT	ac40	5550	Ant1	5.2	24	Pass
NVNT	ac40	5550	Ant2	3.94	24	Pass
NVNT	ac40	5550	Sum	7.63	24	Pass
NVNT	ac40	5670	Ant1	4.5	24	Pass
NVNT	ac40	5670	Ant2	4.15	24	Pass
NVNT	ac40	5670	Sum	7.34	24	Pass
NVNT	ac80	5530	Ant1	7.34	24	Pass
NVNT	ac80	5530	Ant2	7.46	24	Pass
NVNT	ac80	5530	Ant1	5.18	24	Pass
NVNT	ac80	5530	Ant2	3.78	24	Pass
NVNT	ac80	5530	Sum	7.55	24	Pass

-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5500	Ant1	23.349	0.5	Pass
NVNT	a	5580	Ant1	24.132	0.5	Pass
NVNT	a	5700	Ant1	23.595	0.5	Pass
NVNT	a	5500	Ant2	23.277	0.5	Pass
NVNT	a	5580	Ant2	23.478	0.5	Pass
NVNT	a	5700	Ant2	24.279	0.5	Pass
NVNT	n20	5500	Ant1	23.61	0.5	Pass
NVNT	n20	5580	Ant1	23.94	0.5	Pass
NVNT	n20	5700	Ant1	23.547	0.5	Pass
NVNT	n20	5500	Ant2	24.681	0.5	Pass
NVNT	n20	5580	Ant2	23.727	0.5	Pass
NVNT	n20	5700	Ant2	23.895	0.5	Pass
NVNT	n40	5510	Ant1	43.902	0.5	Pass
NVNT	n40	5550	Ant1	44.424	0.5	Pass
NVNT	n40	5670	Ant1	44.796	0.5	Pass
NVNT	n40	5510	Ant2	44.49	0.5	Pass
NVNT	n40	5550	Ant2	45.114	0.5	Pass
NVNT	n40	5670	Ant2	43.788	0.5	Pass
NVNT	ac20	5500	Ant1	23.919	0.5	Pass
NVNT	ac20	5580	Ant1	24.12	0.5	Pass
NVNT	ac20	5700	Ant1	23.85	0.5	Pass
NVNT	ac20	5500	Ant2	23.886	0.5	Pass
NVNT	ac20	5580	Ant2	23.988	0.5	Pass
NVNT	ac20	5700	Ant2	25.044	0.5	Pass
NVNT	ac40	5510	Ant1	43.866	0.5	Pass
NVNT	ac40	5550	Ant1	44.376	0.5	Pass
NVNT	ac40	5670	Ant1	44.862	0.5	Pass
NVNT	ac40	5510	Ant2	45.072	0.5	Pass
NVNT	ac40	5550	Ant2	44.844	0.5	Pass
NVNT	ac40	5670	Ant2	44.826	0.5	Pass
NVNT	ac80	5530	Ant1	87.816	0.5	Pass
NVNT	ac80	5530	Ant2	87.408	0.5	Pass




Date: 6 JAN.2025 08:23:42




Date: 6 JAN.2025 08:25:04




Date: 6 JAN 2025 08:26:37




Date: 6 JAN 2025 09:09:07




Date: 6 JAN.2025 09:10:37




Date: 6 JAN.2025 09:12:37




Date: 6 JAN 2025 08:29:53




Date: 6 JAN 2025 08:31:13




Date: 6 JAN 2025 08:32:53




Date: 6 JAN 2025 09:14:44




Date: 6 JAN.2025 09:16:08




Date: 6 JAN.2025 09:18:01




Date: 6 JAN.2025 08:40:42




Date: 6 JAN.2025 08:42:34




Date: 6 JAN 2025 08:52:51




Date: 6 JAN 2025 09:35:26




Date: 6 JAN.2025 09:37:39




Date: 6 JAN.2025 09:39:23




Date: 6 JAN.2025 08:34:48




Date: 6 JAN.2025 08:36:07




Date: 6 JAN.2025 08:38:14




Date: 6 JAN.2025 09:20:03




Date: 6 JAN 2025 09:22:10




Date: 6 JAN 2025 09:33:08




Date: 6 JAN 2025 08:55:58




Date: 6 JAN 2025 08:58:10




Date: 6 JAN.2025 09:00:29




Date: 6 JAN.2025 09:42:56




Date: 6 JAN.2025 09:44:49



Date: 6 JAN.2025 09:46:55




Date: 6 JAN 2025 09:04:48




Date: 6 JAN 2025 09:49:52

Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5500	Ant1	16.555
NVNT	a	5580	Ant1	16.558
NVNT	a	5700	Ant1	16.555
NVNT	a	5500	Ant2	16.546
NVNT	a	5580	Ant2	16.567
NVNT	a	5700	Ant2	16.537
NVNT	n20	5500	Ant1	17.671
NVNT	n20	5580	Ant1	17.665
NVNT	n20	5700	Ant1	17.653
NVNT	n20	5500	Ant2	17.668
NVNT	n20	5580	Ant2	17.653
NVNT	n20	5700	Ant2	17.653
NVNT	n40	5510	Ant1	36.104
NVNT	n40	5550	Ant1	36.11
NVNT	n40	5670	Ant1	36.104
NVNT	n40	5510	Ant2	36.122
NVNT	n40	5550	Ant2	36.116
NVNT	n40	5670	Ant2	36.116
NVNT	ac20	5500	Ant1	17.677
NVNT	ac20	5580	Ant1	17.695
NVNT	ac20	5700	Ant1	17.671
NVNT	ac20	5500	Ant2	17.677
NVNT	ac20	5580	Ant2	17.674
NVNT	ac20	5700	Ant2	17.68
NVNT	ac40	5510	Ant1	36.116
NVNT	ac40	5550	Ant1	36.128
NVNT	ac40	5670	Ant1	36.128
NVNT	ac40	5510	Ant2	36.116
NVNT	ac40	5550	Ant2	36.122
NVNT	ac40	5670	Ant2	36.128
NVNT	ac80	5530	Ant1	75.232
NVNT	ac80	5530	Ant2	75.196




Date: 6 JAN.2025 08:23:34





Date: 6 JAN.2025 08:24:57




Date: 6 JAN 2025 08:26:28




Date: 6 JAN 2025 09:08:58








Date: 6 JAN 2025 08:29:44




Date: 6 JAN 2025 08:31:05








Date: 6 JAN.2025 09:16:01




Date: 6 JAN.2025 09:17:51










Date: 6 JAN 2025 08:52:41




Date: 6 JAN 2025 09:35:19









Date: 6 JAN 2025 08:38:06





Date: 6 JAN 2025 09:19:56







Date: 6 JAN 2025 09:22:01




Date: 6 JAN 2025 09:32:59










Date: 6 JAN 2025 09:04:35




Date: 6 JAN 2025 09:49:45


Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	-2.9	0	-2.9	11	Pass
NVNT	a	5580	Ant1	-3.13	0	-3.13	11	Pass
NVNT	a	5700	Ant1	-3.49	0	-3.49	11	Pass
NVNT	a	5500	Ant2	-3.09	0.19	-2.9	11	Pass
NVNT	a	5580	Ant2	-3.94	0.19	-3.75	11	Pass
NVNT	a	5700	Ant2	-3.51	0.19	-3.32	11	Pass
NVNT	n20	5500	Ant1	-4.51	0.19	-4.32	11	Pass
NVNT	n20	5580	Ant1	-4.85	0.19	-4.66	11	Pass
NVNT	n20	5700	Ant1	-4.88	0.19	-4.69	11	Pass
NVNT	n20	5500	Ant2	-5.03	0.19	-4.84	11	Pass
NVNT	n20	5580	Ant2	-4.94	0.19	-4.75	11	Pass
NVNT	n20	5700	Ant2	-4.65	0.19	-4.46	11	Pass
NVNT	n20	5500	Ant1	-7.05	0.19	-6.86	11	Pass
NVNT	n20	5500	Ant2	-8.19	0.19	-8	11	Pass
NVNT	n20	5500	Sum	-4.57	0.19	-4.38	11	Pass
NVNT	n20	5580	Ant1	-7.13	0.19	-6.94	11	Pass
NVNT	n20	5580	Ant2	-8.46	0.19	-8.27	11	Pass
NVNT	n20	5580	Sum	-4.73	0.19	-4.54	11	Pass
NVNT	n20	5700	Ant1	-8.2	0.19	-8.01	11	Pass
NVNT	n20	5700	Ant2	-8.29	0.19	-8.1	11	Pass
NVNT	n20	5700	Sum	-5.23	0.19	-5.04	11	Pass
NVNT	n40	5510	Ant1	-8.27	0.2	-8.07	11	Pass
NVNT	n40	5550	Ant1	-7.92	0.21	-7.71	11	Pass
NVNT	n40	5670	Ant1	-8.45	0.2	-8.25	11	Pass
NVNT	n40	5510	Ant2	-8.43	0.2	-8.23	11	Pass
NVNT	n40	5550	Ant2	-8.31	0.2	-8.11	11	Pass
NVNT	n40	5670	Ant2	-8.68	0.2	-8.48	11	Pass
NVNT	n40	5510	Ant1	-10.28	0.21	-10.07	11	Pass
NVNT	n40	5510	Ant2	-10.82	0.21	-10.61	11	Pass
NVNT	n40	5510	Sum	-7.53	0.21	-7.32	11	Pass
NVNT	n40	5550	Ant1	-10.24	0.21	-10.03	11	Pass
NVNT	n40	5550	Ant2	-11.35	0.21	-11.14	11	Pass
NVNT	n40	5550	Sum	-7.75	0.21	-7.54	11	Pass
NVNT	n40	5670	Ant1	-11.55	0.21	-11.34	11	Pass
NVNT	n40	5670	Ant2	-11.02	0.21	-10.81	11	Pass
NVNT	n40	5670	Sum	-8.27	0.21	-8.06	11	Pass
NVNT	ac20	5500	Ant1	-6.1	0.19	-5.91	11	Pass
NVNT	ac20	5580	Ant1	-5.74	0.19	-5.55	11	Pass

NVNT	ac20	5700	Ant1	-5.91	0.19	-5.72	11	Pass
NVNT	ac20	5500	Ant2	-5.81	0.19	-5.62	11	Pass
NVNT	ac20	5580	Ant2	-5.31	0.19	-5.12	11	Pass
NVNT	ac20	5700	Ant2	-5.61	0.19	-5.42	11	Pass
NVNT	ac20	5500	Ant1	-7.93	0.11	-7.82	11	Pass
NVNT	ac20	5500	Ant2	-8.72	0.11	-8.61	11	Pass
NVNT	ac20	5500	Sum	-5.3	0.11	-5.19	11	Pass
NVNT	ac20	5580	Ant1	-8.29	0.11	-8.18	11	Pass
NVNT	ac20	5580	Ant2	-8.77	0.11	-8.66	11	Pass
NVNT	ac20	5580	Sum	-5.51	0.11	-5.4	11	Pass
NVNT	ac20	5700	Ant1	-9.1	0.11	-8.99	11	Pass
NVNT	ac20	5700	Ant2	-8.45	0.11	-8.34	11	Pass
NVNT	ac20	5700	Sum	-5.75	0.11	-5.64	11	Pass
NVNT	ac40	5510	Ant1	-8.68	0.2	-8.48	11	Pass
NVNT	ac40	5550	Ant1	-9.19	0.2	-8.99	11	Pass
NVNT	ac40	5670	Ant1	-9.19	0.2	-8.99	11	Pass
NVNT	ac40	5510	Ant2	-9.01	0.19	-8.82	11	Pass
NVNT	ac40	5550	Ant2	-9.08	0.2	-8.88	11	Pass
NVNT	ac40	5670	Ant2	-9.66	0.2	-9.46	11	Pass
NVNT	ac40	5510	Ant1	-11.63	0.2	-11.43	11	Pass
NVNT	ac40	5510	Ant2	-12.31	0.2	-12.11	11	Pass
NVNT	ac40	5510	Sum	-8.95	0.2	-8.75	11	Pass
NVNT	ac40	5550	Ant1	-11.43	0.19	-11.24	11	Pass
NVNT	ac40	5550	Ant2	-12.92	0.19	-12.73	11	Pass
NVNT	ac40	5550	Sum	-9.1	0.19	-8.91	11	Pass
NVNT	ac40	5670	Ant1	-12.63	0.2	-12.43	11	Pass
NVNT	ac40	5670	Ant2	-12.43	0.2	-12.23	11	Pass
NVNT	ac40	5670	Sum	-9.52	0.2	-9.32	11	Pass
NVNT	ac80	5530	Ant1	-12.81	0.34	-12.47	11	Pass
NVNT	ac80	5530	Ant2	-12.19	0.34	-11.85	11	Pass
NVNT	ac80	5530	Ant1	-15.29	0.39	-14.9	11	Pass
NVNT	ac80	5530	Ant2	-16.54	0.39	-16.15	11	Pass
NVNT	ac80	5530	Sum	-12.86	0.39	-12.47	11	Pass



Date: 6 JAN.2025 08:23:50



Date: 6 JAN.2025 08:25:10