

RF TEST REPORT

ISSUED BY
Shenzhen BALUN Technology Co., Ltd.



FOR
LAPTOP

ISSUED TO
E&S International Enterprises, Inc.

7801 Hayvenhurst Avenue, Van Nuys, CA 91406



Tested by: Julie Zhu

Julie Zhu

Date Jan. 24, 2022

Approved by: Liao Jianmin

Liao Jianmin
(Technical Director)

Date Jan. 24, 2022

Report No.: BL-SZ21C1014-604

EUT Name: LAPTOP

Model Name: VWNC71419-BK (refer section 2.4)

Brand Name: Vaio

Test Standard: 47 CFR Part 15 Subpart E
(refer section 3.1)

FCC ID: 2AYPE-VWNC71419

Test Conclusion: Pass

Test Date: Jan. 17, 2022 ~ Jan. 18, 2022

Date of Issue: Jan. 24, 2022

NOTE: This test report of test results only related to testing samples, which can be duplicated completely for the legal use with the approval of the applicant; it shall not be reproduced except in full, without the written approval of Shenzhen BALUN Technology Co., Ltd. Any objections should be raised within thirty days from the date of issue. To validate the report, please contact us.

Revision History

<u>Version</u>	<u>Issue Date</u>	<u>Revisions Content</u>
<u>Rev. 01</u>	<u>Jan. 24, 2022</u>	<u>Initial Issue</u>

TABLE OF CONTENTS

1	ADMINISTRATIVE DATA (GENERAL INFORMATION)	4
1.1	Identification of the Testing Laboratory	4
1.2	Identification of the Responsible Testing Location	4
1.3	Laboratory Condition	4
1.4	Announce	4
2	PRODUCT INFORMATION	5
2.1	Applicant Information	5
2.2	Manufacturer Information	5
2.3	Factory Information	5
2.4	General Description for Equipment under Test (EUT)	5
2.5	Technical Information	6
2.6	Additional Instructions	8
2.7	Channel List	13
3	SUMMARY OF TEST RESULTS.....	16
3.1	Test Standards.....	16
3.2	Verdict.....	16
4	GENERAL TEST CONFIGURATIONS.....	17
4.1	Test Environments	17
4.2	Test Equipment List	17
4.3	Test Software List	17
4.4	Measurement Uncertainty	18
4.5	Description of Test Setup.....	18
5	TEST ITEMS.....	21
5.1	RF Output Power	21
5.2	Emission Bandwidth and 6 dB Bandwidth.....	22
5.3	Power Spectral density (PSD).....	23
5.4	Conducted Emission	24

5.5	Radiated Spurious Emissions and Band Edge (Restricted-band).....	25
ANNEX A	TEST RESULT	30
A.1	RF Output Power	30
A.2	Emission Bandwidth & 99% Bandwidth	50
A.3	6 dB Bandwidth	58
A.4	Power Spectral Density	60
A.5	Conducted Emissions	80
A.6	Radiated Spurious Emissions and Band Edge (Restricted-band).....	82
ANNEX B	TEST SETUP PHOTOS	539
ANNEX C	EUT EXTERNAL PHOTOS	539
ANNEX D	EUT INTERNAL PHOTOS	539

1 ADMINISTRATIVE DATA (GENERAL INFORMATION)

1.1 Identification of the Testing Laboratory

Company Name	Shenzhen BALUN Technology Co., Ltd.
Address	Block B, 1st FL, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province, P. R. China
Phone Number	+86 755 6685 02

1.2 Identification of the Responsible Testing Location

Test Location	Shenzhen BALUN Technology Co., Ltd.
Address	Block B, 1st FL, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province, P. R. China
Accreditation Certificate	The laboratory is a testing organization accredited by FCC as a accredited testing laboratory. The designation number is CN1196.
Description	All measurement facilities used to collect the measurement data are located at Block B, FL 1, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province, P. R. China 518055

1.3 Laboratory Condition

Ambient Temperature	20°C to 25°C
Ambient Relative Humidity	45% to 55%
Ambient Pressure	100 kPa to 102 kPa

1.4 Announce

- (1) The test report reference to the report template version v4.6.
- (2) The test report is invalid if not marked with the signatures of the persons responsible for preparing and approving the test report.
- (3) The test report is invalid if there is any evidence and/or falsification.
- (4) The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein.
- (5) This document may not be altered or revised in any way unless done so by BALUN and all revisions are duly noted in the revisions section.
- (6) Content of the test report, in part or in full, cannot be used for publicity and/or promotional purposes without prior written approval from the laboratory.
- (7) The laboratory is only responsible for the data released by the laboratory, except for the part provided by the applicant.

2 PRODUCT INFORMATION

2.1 Applicant Information

Applicant	E&S International Enterprises, Inc.
Address	7801 Hayvenhurst Avenue, Van Nuys, CA 91406

2.2 Manufacturer Information

Manufacturer	E&S International Enterprises, Inc.
Address	7801 Hayvenhurst Avenue, Van Nuys, CA 91406

2.3 Factory Information

Factory	Shenzhen Bmorn Technology Co., Ltd
Address	6001, 6th Floor, West Building, Hengfang Veterans Industrial City, No.3012, Xingye Road, Yongfeng Community, Xixiang Street, Baoan District, Shenzhen, Guangdong Province, P.R. China

2.4 General Description for Equipment under Test (EUT)

EUT Name	LAPTOP
Model Name Under Test	VWNC71419-BK
Series Model Name	VWNC71419-SL, VWNC71419, N14TP6
Description of Model name differentiation	All models are same with electrical parameters and internal circuit structure, but only different on shell color and model name.
Hardware Version	EM_TG528_V2.0
Software Version	21H2
Dimensions (Approx.)	N/A
Weight (Approx.)	N/A

2.5 Technical Information

Network and Wireless connectivity	Bluetooth (BR+EDR+BLE) 2.4G WIFI 802.11b, 802.11g, 802.11n(HT20/40), 802.11ax(HE20/40) 5G WIFI 802.11a, 802.11n(HT20/40), 802.11ac(VHT20/40/80), 802.11ax(HE20/40/80), U-NII-1/2A/2C/3
-----------------------------------	--

The requirement for the following technical information of the EUT was tested in this report:

Frequency Range	U-NII-1: 5150 MHz to 5250 MHz, U-NII-2A: 5250 MHz to 5350 MHz, U-NII-2C: 5470 MHz to 5725 MHz, U-NII-3: 5725 MHz to 5850 MHz
Product Type	☐ Mobile ☒ Portable ☐ Fix Location
Modulation technology	OFDM, OFDMA
Modulation Type	1024QAM, 256QAM, 64QAM, 16QAM, BPSK, QPSK
Product Type	Portable for FCC standard
Transfer Rate (Mbps) (Single RF path)	802.11a: 54/ 48/ 36/ 24/ 18/ 12/ 9/ 6 Mbps 802.11n: up to 150 Mbps 802.11ac: up to VHT-MCS9 802.11ax: up to 600 Mbps
Channel Bandwidth	802.11a: 20 MHz 802.11n: 20 MHz, 40 MHz 802.11ac: 20 MHz, 40 MHz, 80 MHz 802.11ax: 20 MHz, 40 MHz, 80 MHz
Maximum Output Power	U-NII-1: 16.96 dBm U-NII-2A: 17.01 dBm U-NII-2C: 16.96 dBm U-NII-3: 17.06 dBm
Antenna System (eg., MIMO, Smart Antenna)	Cyclic Delay Diversity (CDD)
Categorization as Correlated or Completely Uncorrelated	Correlated
Antenna Type	Main Antenna Aux. Antenna PIFA Antenna
Antenna Gain	Main Antenna 2.1 dBi (In test items related to antenna gain, the final results reflect this figure. This value is provided by the applicant.) Aux. Antenna 1.95 dBi (In test items related to antenna gain, the final results reflect this figure. This value is provided by the applicant.)
Total directional gain	For power spectral density(PSD) measurements 5.1 dBi Formulas: Directional gain = GANT + Array Gain, Array Gain = $10 \log(NANT/NSS)$ dB. NSS =2, GANT set equal to the gain of the antenna having the highest gain. For power measurements 2.1 dBi Formulas: Directional gain = GANT + Array Gain, Array Gain =

		0.
About the Product		The equipment is LAPTOP, intended for used with information technology equipment.

2.6 Additional Instructions

EUT Software Settings:

Mode	☒	Special software is used.
		The software provided by client to enable the EUT under transmission condition continuously at specific channel frequencies individually.

During testing, Channel and Power Controlling Software provided by the customer was used to control the operating channel as well as the output power level. The RF output power selection is for the setting of RF output power expected by the customer and is going to be fixed on the firmware of the final end product.

Test Software Version	DRTU
-----------------------	------

U-NII-1 (5150 - 5250 MHz) Power level setup in software						
Mode	Channel	Frequency (MHz)	Soft Set			
			Main Antenna	Aux. Antenna	MIMO- Main Antenna	MIMO- Aux. Antenna
11a	CH36	5180	16.0	15.5	--	--
11a	CH44	5220	16.0	16.0	--	--
11a	CH48	5240	16.0	16.0	--	--
11n (HT20)	CH36	5180	16.0	15.5	13.0	12.5
11n (HT20)	CH44	5220	16.0	16.0	13.0	13.0
11n (HT20)	CH48	5240	16.0	16.0	13.0	13.0
11n (HT40)	CH38	5190	16.0	15.5	13.0	12.5
11n (HT40)	CH46	5230	15.5	15.5	13.0	12.5
11ac (VHT20)	CH36	5180	16.0	15.5	13.0	13.0
11ac (VHT20)	CH44	5220	16.0	16.0	13.0	13.0
11ac (VHT20)	CH48	5240	16.0	16.0	13.0	13.0
11ac (VHT40)	CH38	5190	16.0	15.5	13.0	13.0
11ac (VHT40)	CH46	5230	15.5	15.5	13.0	12.5
11ac (VHT80)	CH42	5210	15.5	15.5	13.0	12.5
11ax (HE20) (SU)	CH36	5180	16.0	16.0	13.0	13.0
11ax (HE20) (SU)	CH44	5220	16.0	16.0	13.0	13.0
11ax (HE20) (SU)	CH48	5240	16.0	16.0	13.0	13.0
11ax (HE40) (SU)	CH38	5190	16.0	16.0	13.5	13.0
11ax (HE40) (SU)	CH46	5230	16.0	16.0	13.0	13.0
11ax (HE80) (SU)	CH42	5210	16.0	16.0	13.0	13.0
11ax (HE20) (RU26)	CH36	5180	12.5	12.0	9.5	9.0
11ax (HE20) (RU26)	CH44	5220	12.5	12.5	9.5	9.0
11ax (HE20) (RU26)	CH48	5240	12.5	12.5	9.0	9.0
11ax (HE40) (RU26)	CH38	5190	12.5	12.0	9.0	9.0
11ax (HE40) (RU26)	CH46	5230	12.0	12.5	9.0	9.0
11ax (HE80) (RU26)	CH42	5210	13.0	12.5	10.0	9.0

U-NII-2A (5250 - 5350 MHz) Power level setup in software						
Mode	Channel	Frequency (MHz)	Soft Set			
			Main Antenna	Aux. Antenna	MIMO-Main Antenna	MIMO-Aux. Antenna
11a	CH52	5260	16.0	16.0	--	--
11a	CH60	5300	15.5	15.5	--	--
11a	CH64	5320	15.5	15.5	--	--
11n (HT20)	CH52	5260	16.0	16.0	13.0	13.0
11n (HT20)	CH60	5300	15.5	15.5	13.0	12.5
11n (HT20)	CH64	5320	15.5	15.5	12.5	12.5
11n (HT40)	CH54	5270	15.5	15.5	13.0	12.5
11n (HT40)	CH62	5310	15.5	15.5	12.5	12.5
11ac (VHT20)	CH52	5260	16.0	16.0	13.0	13.0
11ac (VHT20)	CH60	5300	15.5	15.5	13.0	12.5
11ac (VHT20)	CH64	5320	15.5	15.5	12.5	12.5
11ac (VHT40)	CH54	5270	15.5	15.5	13.0	12.5
11ac (VHT40)	CH62	5310	15.5	15.5	12.5	12.5
11ac (VHT80)	CH58	5290	15.5	15.5	12.5	12.5
11ax (HE20) (SU)	CH52	5260	16.0	16.0	13.5	13.0
11ax (HE20) (SU)	CH60	5300	16.0	16.0	13.0	12.5
11ax (HE20) (SU)	CH64	5320	15.5	15.5	12.5	12.5
11ax (HE40) (SU)	CH54	5270	16.0	16.0	13.5	12.5
11ax (HE40) (SU)	CH62	5310	15.5	15.5	13.0	12.5
11ax (HE80) (SU)	CH58	5290	15.5	15.5	13.0	12.5
11ax (HE20) (RU26)	CH52	5260	12.5	12.0	9.5	9.0
11ax (HE20) (RU26)	CH60	5300	12.5	12.5	9.0	9.0
11ax (HE20) (RU26)	CH64	5320	12.0	12.0	8.5	8.5
11ax (HE40) (RU26)	CH54	5270	12.5	12.0	9.0	9.0
11ax (HE40) (RU26)	CH62	5310	11.5	12.0	8.5	8.5
11ax (HE80) (RU26)	CH58	5290	12.5	12.0	9.5	8.5

U-NII-2C (5470 - 5725 MHz) Power level setup in software						
Mode	Channel	Frequency (MHz)	Soft Set			
			Main Antenna	Aux. Antenna	MIMO-Main Antenna	MIMO-Aux. Antenna
11a	CH100	5500	15.5	16.5	--	--
11a	CH116	5580	15.5	16.5	--	--
11a	CH140	5700	16.5	16.5	--	--
11n (HT20)	CH100	5500	15.5	16.5	13.0	13.5
11n (HT20)	CH116	5580	16.0	16.5	13.0	13.5
11n (HT20)	CH140	5700	16.5	16.5	13.5	14.0
11n (HT40)	CH102	5510	15.5	16.0	13.0	13.0
11n (HT40)	CH118	5590	15.5	16.0	13.0	13.5
11n (HT40)	CH134	5670	16.0	16.0	13.0	13.0
11ac (VHT20)	CH100	5500	16.0	16.5	13.0	13.5
11ac (VHT20)	CH116	5580	16.0	16.5	13.0	13.5
11ac (VHT20)	CH140	5700	16.5	16.5	13.5	14.0
11ac (VHT40)	CH102	5510	15.5	16.0	13.0	13.0
11ac (VHT40)	CH118	5590	15.5	16.0	13.0	13.0
11ac (VHT40)	CH134	5670	16.0	16.0	13.0	13.0
11ac (VHT80)	CH106	5530	15.5	15.5	12.5	13.0
11ac (VHT80)	CH122	5610	15.5	16.0	12.5	13.0
11ax (HE20) (SU)	CH100	5500	16.0	16.5	13.0	13.5
11ax (HE20) (SU)	CH116	5580	16.0	16.5	13.0	13.5
11ax (HE20) (SU)	CH140	5700	16.5	17.0	13.5	14.0
11ax (HE40) (SU)	CH102	5510	16.0	16.5	13.0	13.0
11ax (HE40) (SU)	CH118	5590	16.0	16.5	13.0	13.5
11ax (HE40) (SU)	CH134	5670	16.0	16.5	13.5	13.5
11ax (HE80) (SU)	CH106	5530	16.0	16.0	13.0	13.0
11ax (HE80) (SU)	CH122	5610	15.5	16.0	13.0	13.0
11ax (HE20) (RU26)	CH100	5500	12.5	13.0	9.0	9.5
11ax (HE20) (RU26)	CH116	5580	12.0	13.0	9.0	9.5
11ax (HE20) (RU26)	CH140	5700	13.0	13.5	10.0	10.0
11ax (HE40) (RU26)	CH102	5510	12.0	13.0	9.0	9.5
11ax (HE40) (RU26)	CH118	5590	12.0	13.0	9.0	9.5
11ax (HE40) (RU26)	CH134	5670	12.5	13.0	9.5	9.5
11ax (HE80) (RU26)	CH106	5530	12.0	13.0	9.0	9.5
11ax (HE80) (RU26)	CH122	5610	12.0	13.0	9.0	9.5

U-NII-3 (5725 - 5850 MHz) Power level setup in software						
Mode	Channel	Frequency (MHz)	Soft Set			
			Main Antenna	Aux. Antenna	MIMO-Main Antenna	MIMO-Aux. Antenna
11a	CH149	5745	16.0	16.5	--	--
11a	CH157	5785	16.5	16.5	--	--
11a	CH165	5825	15.5	15.5	--	--
11n (HT20)	CH149	5745	16.5	16.5	13.5	13.5
11n (HT20)	CH157	5785	16.5	16.5	13.5	14.0
11n (HT20)	CH165	5825	15.5	15.5	13.0	13.0
11n (HT40)	CH151	5755	15.5	16.5	13.5	13.5
11n (HT40)	CH159	5795	15.5	15.5	13.0	13.0
11ac (VHT20)	CH149	5745	16.5	16.5	13.0	13.5
11ac (VHT20)	CH157	5785	16.5	16.5	13.5	14.0
11ac (VHT20)	CH165	5825	15.5	15.5	13.0	13.5
11ac (VHT40)	CH151	5755	16.0	16.5	13.5	13.5
11ac (VHT40)	CH159	5795	16.0	16.0	13.0	13.0
11ac (VHT80)	CH155	5775	16.5	16.5	13.5	13.5
11ax (HE20) (SU)	CH149	5745	16.5	16.5	13.5	13.5
11ax (HE20) (SU)	CH157	5785	16.5	16.5	13.5	14.0
11ax (HE20) (SU)	CH165	5825	16.0	16.5	13.0	13.0
11ax (HE40) (SU)	CH151	5755	16.5	16.5	13.5	13.5
11ax (HE40) (SU)	CH159	5795	16.5	16.5	13.5	13.5
11ax (HE80) (SU)	CH155	5775	16.5	16.5	13.5	14.0
11ax (HE20) (RU26)	CH149	5745	13.0	13.0	9.5	9.5
11ax (HE20) (RU26)	CH157	5785	13.0	13.5	9.5	10.0
11ax (HE20) (RU26)	CH165	5825	12.0	12.0	9.5	9.0
11ax (HE40) (RU26)	CH151	5755	13.0	13.0	9.5	9.5
11ax (HE40) (RU26)	CH159	5795	12.0	13.0	9.0	9.5
11ax (HE80) (RU26)	CH155	5775	13.0	13.5	10.0	10.0

Run Software:

DRTU - Diagnostics and Regulatory Testing Utility

File View AT@ Help

Remote address: localhost Remote port: 8751 Disconnect

Work mode navigator

- Harrison Peak
 - Bluetooth
 - Wi-Fi
 - Modulated Tx
 - Sine wave
 - Continuous Rx
 - Rx sensitivity
 - Actual power tal
 - NVM/OTP

Power mode

Power control

Automatic driver settings

Transmit power (chain A): 17.000 [dBm]

Transmit power (chain B): 13.000 [dBm]

Send Packets Settings

Transmit Mode: Off Burst Unlimited

Destination MAC Address: FF:FF:FF:FF:FF:FF

Packet count: 0

Regulatory information

Current MCC: US MCC: US Set MCC

Disable regulatory limits in PAPD calibration: Disable

Target power: Chain A (1) 17 dBm

Regulatory power limit: 20 dBm

Radio settings

Transmit chains: A (1) B (2)

Band: 2.4 GHz 5 GHz

Band width: 20 MHz

Channel: 44 / 5220 MHz

Control Ch.:

Frame settings

Rate: 6 Mbps

Transmission Mode: SISO

Duty cycle: 99%

Inter Frame Interval: 40(us)

Frame Size: 1528 (bytes)

Short guard interval

BF Emulation

Calibrate TX TX calibrated

Send Stop Read Default

WiFi Modulated Tx configuration was written

Target power: Chain A (1) 17 dBm Modulated Tx Idle

2.7 Channel List

20 MHz		40 MHz		80 MHz	
Channel Number	Frequency (MHz)	Channel Number	Frequency (MHz)	Channel Number	Frequency (MHz)
36	5180	38	5190	42	5210
40	5200	46	5230	58	5290
44	5220	54	5270	106	5530
48	5240	62	5310	122	5610
52	5260	102	5510	155	5775
56	5280	110	5550		
60	5300	118	5590		
64	5320	126	5630		
100	5500	134	5670		
104	5520	151	5755		
108	5540	159	5795		
112	5560				
116	5580				
120	5600				
124	5620				
128	5640				
132	5660				
136	5680				
140	5700				
149	5745				
153	5765				
157	5785				
161	5805				
165	5825				

The Lowest frequency, the middle frequency and the highest frequency of channel were selected to perform the test, and the selected channel see below:

For 802.11a/n(HT20)/ac(VHT20)/ax(HE20)

U-NII-1 (5150 - 5250 MHz)			U-NII-2A (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
36	Low	5180	52	Low	5260
44	Mid	5220	60	Mid	5300
48	High	5240	64	High	5320

U-NII-2C (5470 - 5725 MHz)			U-NII-3 (5725 - 5850 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
100	Low	5500	149	Low	5745
116	Mid	5580	157	Mid	5785
140	High	5700	165	High	5825

For 802.11n(HT40)/ac(VHT40)/ax(HE40)

U-NII-1 (5150 - 5250 MHz)			U-NII-2A (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
38	Low	5190	54	Low	5270
46	High	5230	62	High	5310

U-NII-2C (5150 - 5250 MHz)			U-NII-3 (5725 - 5850 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
102	Low	5510	151	Low	5755
118	Mid	5590	159	High	5795
134	High	5670			

For 802.11ac(VHT80)/ax(HE80)

U-NII-1 (5150 - 5250 MHz)			U-NII-2A (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
42	Mid	5210	58	Mid	5290

U-NII-2C (5470 - 5725 MHz)			U-NII-3 (5725 - 5850 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
106	Low	5530	155	Mid	5775
122	High	5610			

Note: Preliminary tests were performed in different data rate in above table to find the worst radiated emission. The data rate shown in the table below is the worst-case rate with respect to the specific test item. Investigation has been done on all the possible configurations for searching the worst cases. The following table is a list of the test modes shown in this test report.

Test Items	Mode	Data Rate	Modulation Type	U-NII-1	U-NII-2A	U-NII-2C	U-NII-3
				Channel	Channel	Channel	Channel
RF Output Power	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
	11ax(20 MHz)	4		48/44/36	64/60/52	140/116/100	165/157/149
	11ax(40 MHz)	8		46/38	62/54	134/118/102	159/151
	11ax(80 MHz)	17		42	58	122/106	155
Emission Bandwidth & 99% Occupied Bandwidth	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151

	11ac(80 MHz)	29.3		42	58	122/106	155
	11ax(20 MHz)	4		48/44/36	64/60/52	140/116/100	165/157/149
	11ax(40 MHz)	8		46/38	62/54	134/118/102	159/151
	11ax(80 MHz)	17		42	58	122/106	155
6 dB bandwidth	11a	6	BPSK	N/A	N/A	N/A	165/157/149
	11n(20 MHz)	6.5		N/A	N/A	N/A	165/157/149
	11n(40 MHz)	13.5		N/A	N/A	N/A	159/151
	11ac(20 MHz)	6.5		N/A	N/A	N/A	165/157/149
	11ac(40 MHz)	13.5		N/A	N/A	N/A	159/151
	11ac(80 MHz)	29.3		N/A	N/A	N/A	155
	11ax(20 MHz)	4		N/A	N/A	N/A	165/157/149
	11ax(40 MHz)	8		N/A	N/A	N/A	159/151
	11ax(80 MHz)	17		N/A	N/A	N/A	155
Power Spectral Density	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
	11ax(20 MHz)	4		48/44/36	64/60/52	140/116/100	165/157/149
	11ax(40 MHz)	8		46/38	62/54	134/118/102	159/151
	11ax(80 MHz)	17		42	58	122/106	155
Radiated Spurious Emissions	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
	11ax(20 MHz)	4		48/44/36	64/60/52	140/116/100	165/157/149
	11ax(40 MHz)	8		46/38	62/54	134/118/102	159/151
	11ax(80 MHz)	17		42	58	122/106	155
Band Edge (Restricted -band)	11a	6	BPSK	48/36	64/52	140/100	165/149
	11n(20 MHz)	6.5		48/36	64/52	140/100	165/149
	11n(40 MHz)	13.5		46/38	62/54	134/102	159/151
	11ac(20 MHz)	6.5		48/36	64/52	140/100	165/149
	11ac(40 MHz)	13.5		46/38	62/54	134/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
	11ax(20 MHz)	4		48/36	64/52	140/100	165/149
	11ax(40 MHz)	8		46/38	62/54	134/102	159/151
	11ax(80 MHz)	17		42	58	122/106	155

3 SUMMARY OF TEST RESULTS

3.1 Test Standards

No.	Identity	Document Title
1	47 CFR Part 15 Subpart E	Unlicensed National Information Infrastructure Devices
2	KDB Publication 789033 D02v02r01	Guidelines for Compliance Testing of Unlicensed National Information Infrastructure (U-NII) Devices Part 15, Subpart E
3	KDB Publication 662911 D01v02r01	Emissions Testing of Transmitters with Multiple Outputs in the Same Band (e.g., MIMO, Smart Antenna, etc)
4	ANSI C63.10-2013	American National Standard for Testing Unlicensed Wireless Devices

3.2 Verdict

No.	Description	FCC Part No.	Test Result	Verdict
1	Antenna Requirement	15.203	--	Pass ^{Note1}
2	RF Output Power	15.407(a)	ANNEX A.1	Pass
3	Emission Bandwidth & 99% Occupied Bandwidth	15.407(a)	ANNEX A.2	Pass
4	6 dB bandwidth	15.407(e)	ANNEX A.3	Pass
5	Power Spectral Density	15.407(a)	ANNEX A.4	Pass
6	Conducted Emission	15.207	ANNEX A.5	Pass
7	Radiated Spurious Emissions and Band Edge (Restricted-band)	15.407(b)	ANNEX A.6	Pass
8	Receiver Spurious Emissions	--	--	N/A ^{Note2}

Note ¹: The EUT has a permanently and irreplaceable attached antenna, which complies with the requirement FCC 15.203.

Note ²: Only radio communication receivers operating in stand-alone mode within the U-NII-30-960 MHz, as well as scanner receivers, are subject to Industry Canada requirements, so this test is not applicable.

Note ³: Under all normal operating conditions specified in the user manual, frequency stability can keep radiation within the operating frequency band.

4 GENERAL TEST CONFIGURATIONS

4.1 Test Environments

During the measurement, the normal environmental conditions were within the listed ranges:

Relative Humidity	45% to 55%	
Atmospheric Pressure	100 kPa to 102 kPa	
Temperature	NT (Normal Temperature)	+22°C to +25°C
	LT (Low Temperature)	-10°C
	HT (High Temperature)	+45°C
Working Voltage of the EUT	NV (Normal Voltage)	11.55 V
	LV (Low Voltage)	10.80 V
	HV (High Voltage)	13.20 V

4.2 Test Equipment List

Description	Manufacturer	Model	Serial No.	Cal. Date	Cal. Due
Spectrum Analyzer	ROHDE&SCHWARZ	FSV-40	101544	2021.04.01	2022.03.31
Bluetooth Signaling Unit	ROHDE&SCHWARZ	CMW500	142028	2021.06.01	2022.05.31
Spectrum Analyzer	ROHDE&SCHWARZ	FSV-30	103118	2021.06.01	2022.05.31
Vector Signal Generator	ROHDE&SCHWARZ	SMBV100A	260592	2021.01.27	2022.01.26
Signal Generator	ROHDE&SCHWARZ	SMB100A	177746	2021.06.01	2022.05.31
Switch Unit with OSP-B157	ROHDE&SCHWARZ	OSP120	101270	2021.06.01	2022.05.31
Power Sensor	KEYSIGHT	U2063XA	MY58000247	2021.05.08	2022.05.07
EMI Receiver	KEYSIGHT	N9038A	MY53220118	2021.06.01	2022.05.31
EMI Receiver	ROHDE&SCHWARZ	ESRP	101036	2021.06.01	2022.05.31
LISN	SCHWARZBECK	NSLK 8127	8127-687	2021.06.01	2022.05.31
Test Antenna-Loop(9 kHz-30 MHz)	SCHWARZBECK	FMZB 1519	1519-037	2021.04.16	2024.04.15
Test Antenna-Bi-Log(30 MHz-3 GHz)	SCHWARZBECK	VULB 9163	9163-624	2021.08.20	2024.08.19
Test Antenna-Horn(1-18 GHz)	SCHWARZBECK	BBHA 9120D	9120D-1917	2019.07.02	2022.07.01
Test Antenna-Horn (18-40 GHz)	A-INFO	LB-180400KF	J211060273	2021.07.02	2023.07.01
Anechoic Chamber	RAINFORD	9m*6m*6m	N/A	2017.02.21	2022.02.20
Anechoic Chamber	EMC Electronic Co., Ltd	20.10*11.60*7.35m	N/A	2019.08.08	2022.08.07
Shielded Enclosure	ChangNing	CN-130701	130703	--	--

4.3 Test Software List

Description	Manufacturer	Software Version	Serial No.	Applicable test Setup
BL410R	BALUN	V2.1.1.488	N/A	The section 4.5.1
BL410E	BALUN	V19.8.28.435	N/A	The section 4.5.2&4.5.3&4.5.4&4.5.5

4.4 Measurement Uncertainty


The following measurement uncertainty levels have been estimated for tests performed on the EUT as specified in CISPR 16-4-2.

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$.

Parameters	Uncertainty
Occupied Channel Bandwidth	2.8%
RF output power, conducted	1.28 dB
Power Spectral Density, conducted	1.30 dB
Unwanted Emissions, conducted	1.84 dB
All emissions, radiated	5.36 dB
Temperature	0.82°C
Humidity	4.1%


4.5 Description of Test Setup

4.5.1 For Antenna Port Test




(Diagram 1)

4.5.2 For AC Power Supply Port Test




(Diagram 2)

4.5.3 For Radiated Test (Below 30 MHz)




(Diagram 3)

4.5.4 For Radiated Test (30 MHz-1 GHz)



(Diagram 4)

4.5.5 For Radiated Test (Above 1 GHz)



(Diagram 5)

5 TEST ITEMS

5.1 RF Output Power

5.1.1 Test Limit

FCC §15.407(a)

The maximum conducted output power should not exceed:

Frequency Band (MHz)	Limit
5150-5250	250 mW
5250-5350	250 mW or 11 dBm + 10log B, whichever is less.
5470-5725	250 mW or 11 dBm + 10log B, whichever is less.
5725-5850	1 W
Note: Where "B" is the 26 dB emissions bandwidth in MHz.	

5.1.2 Test Setup

The section 4.5.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.1.3 Test Procedure

The maximum peak conducted output power may be measured using a broadband Average RF power meter. The power meter shall have a video bandwidth that is greater than or equal to the emission bandwidth and utilize a fast-responding diode detector.

The E.I.R.P used radiated test method. At a test site that has been validated using the procedures of ANSI C63.4 or the latest CISPR 16-1-4 for measurements above 1 GHz, so as to simulate a near free-space environment.

5.1.4 Test Result

Please refer to ANNEX A.1.

5.2 Emission Bandwidth and 6 dB Bandwidth

5.2.1 Limit

FCC §15.407(a)

Within the 5.725-5.85 GHz band, the minimum 6 dB bandwidth of U-NII devices shall be at least 500 kHz.

5.2.2 Test Setup

The test setup photo please refer to 4.5.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.2.3 Test Procedure

Emission bandwidth

1. Set RBW = approximately 1% of the emission bandwidth.
2. Set VBW $\geq 3 \times$ RBW,
3. Detector = Peak.
4. Trace mode = Max hold.
5. Measure the maximum width of the emission that is 26 dB down from the peak of the emission.

Occupied Bandwidth

1. Set Span = 1.5 times to 5.0 times the OBW
2. Set RBW = 1% to 5% of the OBW.
3. Set VBW $\geq 3 \times$ RBW, Detector = Peak.
4. Trace mode = Max hold.
5. Use the 99% power bandwidth function of the instrument.

6 dB bandwidth

1. Set RBW = 100 kHz, VBW = 300 kHz.
2. Detector = Peak. Trace mode = Max hold.
3. Allow the trace to stabilize.
4. Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower frequencies) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.

5.2.4 Test Result

Please refer to ANNEX A.2 and ANNEX A.3.

5.3 Power Spectral density (PSD)

5.3.1 Limit

FCC §15.407(a)

The maximum power spectral density should not exceed:

Frequency Band (MHz)	Limit
5150-5250	11 dBm/MHz
5250-5350	11 dBm/MHz
5470-5725	11 dBm/MHz
5725-5850	30 dBm/500kHz

5.3.2 Test Setup

The section 4.5.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.3.3 Test Procedure

Set the spectrum analyzer or EMI receiver span to view the entire emission bandwidth.

1. Set RBW = 510 kHz/1 MHz, VBW $\geq 3 \times$ RBW, Sweep time = Auto, Detector = RMS.
2. Allow the sweeps to continue until the trace stabilizes.
3. Use the peak marker function to determine the maximum amplitude level.
4. The E.I.R.P spectral density used radiated test method. At a test site that has been validated using the procedures of ANSI C63.4 or the latest CISPR 16-1-4 for measurements above 1 GHz, so as to simulate a near free-space environment.

5.3.4 Test Result

Please refer to ANNEX A.4.

5.4 Conducted Emission

5.4.1 Limit

FCC §15.207

For an intentional radiator that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency within the U-NII-150 kHz to 30 MHz shall not exceed the limits in the following table, as measured using a 50 μ H/50 Ω line impedance stabilization network (LISN).

Frequency range (MHz)	Conducted Limit (dB μ V)	
	Quai-peak	Average
0.15 - 0.50	66 to 56	56 to 46
0.50 - 5	56	46
0.50 - 30	60	50

5.4.2 Test Setup

The section 4.5.2 (Diagram 2) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.4.3 Test Procedure

The maximum conducted interference is searched using Peak (PK), if the emission levels more than the AV and QP limits, and that have narrow margins from the AV and QP limits will be re-measured with AV and QP detectors. Tests for both L phase and N phase lines of the power mains connected to the EUT are performed. Refer to recorded points and plots below.

5.4.4 Test Result

Please refer to ANNEX A.5.

5.5 Radiated Spurious Emissions and Band Edge (Restricted-band)


5.5.1 Limit

FCC §15.209 & 15.407(b)

Frequency (MHz)	Field Strength (μV/m)	Measurement Distance (m)
0.009 - 0.490	2400/F(kHz)	300
0.490 - 1.705	24000/F(kHz)	30
1.705 - 30.0	30	30
30 - 88	100	3
88 - 216	150	3
216 - 960	200	3
Above 960	500	3

Note¹: The Limit for radiated test was performed according to FCC Part 15C

Note²: The tighter limit applies at the band edge.

Un-restricted band emissions	
Out Operating Band (MHz)	Limit
5150 - 5250	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)
5250 - 5350	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)
5470 - 5725	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)
5725 - 5850	All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge. 

Note: The following formula is used to convert the equipment isotropic radiated power (eirp) to field strength.

5.5.2 Test Setup

The section 4.5.3-4.5.5 (Diagram 3 - Diagram 5) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.5.3 Test Procedure

Since the emission limits are specified in terms of radiated field strength levels, measurements performed to demonstrate compliance have traditionally relied on a radiated test configuration. Radiated measurements remain the principal method for demonstrating compliance to the specified limits; however antenna-port conducted measurements are also now acceptable to demonstrate compliance (see below for details). When radiated measurements are utilized, test site requirements and procedures for maximizing and measuring radiated emissions that are described in ANSI C63.10 shall be followed.

Antenna-port conducted measurements may also be used as an alternative to radiated measurements for demonstrating compliance in the restricted frequency bands. If conducted measurements are performed, then proper impedance matching must be ensured and an additional radiated test for cabinet/case spurious emissions is required.

General Procedure for conducted measurements in restricted bands

- a) Measure the conducted output power (in dBm) using the detector specified (see guidance regarding measurement procedures for determining quasi-peak, peak, and average conducted output power, respectively).
- b) Add the maximum transmit antenna gain (in dBi) to the measured output power level to determine the EIRP level (see guidance on determining the applicable antenna gain)
- c) Add the appropriate maximum ground reflection factor to the EIRP level (6 dB for frequencies ≤ 30 MHz, 4.7 dB for frequencies between 30 MHz and 1000 MHz, inclusive and 0 dB for frequencies > 1000 MHz).
- d) For devices with multiple antenna-ports, measure the power of each individual chain and sum the EIRP of all chains in linear terms (e.g., Watts, mW).
- e) Convert the resultant EIRP level to an equivalent electric field strength using the following relationship:

$$E = \text{EIRP} - 20\log D + 104.8$$

where:

E = electric field strength in dB μ V/m,

EIRP = equivalent isotropic radiated power in dBm

D = specified measurement distance in meters.

- f) Compare the resultant electric field strength level to the applicable limit.
- g) Perform radiated spurious emission test.

Quasi-Peak measurement procedure

The specifications for measurements using the CISPR quasi-peak detector can be found in Publication 16 of the International Special Committee on Radio Frequency Interference (CISPR) of the International Electrotechnical Commission.

As an alternative to CISPR quasi-peak measurement, compliance can be demonstrated to the applicable emission limits using a peak detector.

Peak power measurement procedure

Peak emission levels are measured by setting the instrument as follows:

- a) RBW = as specified in Table 1.

- b) $VBW \geq 3 \times RBW$.
- c) Detector = Peak.
- d) Sweep time = auto.
- e) Trace mode = max hold.
- f) Allow sweeps to continue until the trace stabilizes. (Note that the required measurement time may be longer for low duty cycle applications).

Table 1—RBW as a function of frequency

Frequency	RBW
9-150 kHz	200-300 Hz
0.15-30 MHz	9-10 kHz
30-1000 MHz	100-120 kHz
> 1000 MHz	1 MHz

If the peak-detected amplitude can be shown to comply with the average limit, then it is not necessary to perform a separate average measurement.

Trace averaging across on and off times of the EUT transmissions followed by duty cycle correction

If continuous transmission of the EUT (i.e., duty cycle ≥ 98 percent) cannot be achieved and the duty cycle is constant (i.e., duty cycle variations are less than ± 2 percent), then the following procedure shall be used:

- a) The EUT shall be configured to operate at the maximum achievable duty cycle.
- b) Measure the duty cycle, x , of the transmitter output signal as described in section 6.0.
- c) $RBW = 1$ MHz (unless otherwise specified).
- d) $VBW \geq 3 \times RBW$.
- e) Detector = RMS, if $\text{span}/(\# \text{ of points in sweep}) \leq (RBW/2)$. Satisfying this condition may require increasing the number of points in the sweep or reducing the span. If this condition cannot be satisfied, then the detector mode shall be set to peak.
- f) Averaging type = power (i.e., RMS).
 - 1) As an alternative, the detector and averaging type may be set for linear voltage averaging.
 - 2) Some instruments require linear display mode in order to use linear voltage averaging. Log or dB averaging shall not be used.
- g) Sweep time = auto.
- h) Perform a trace average of at least 100 traces.
- i) A correction factor shall be added to the measurement results prior to comparing to the emission limit in order to compute the emission level that would have been measured had the test been performed at 100 percent duty cycle. The correction factor is computed as follows:
 - 1) If power averaging (RMS) mode was used in step f), then the applicable correction factor is $10 \log(1/x)$, where x is the duty cycle.
 - 2) If linear voltage averaging mode was used in step f), then the applicable correction factor is $20 \log(1/x)$, where x is the duty cycle.

3) If a specific emission is demonstrated to be continuous (≥ 98 percent duty cycle) rather than turning on and off with the transmit cycle, then no duty cycle correction is required for that emission.

NOTE: Reduction of the measured emission amplitude levels to account for operational duty factor is not permitted. Compliance is based on emission levels occurring during transmission - not on an average across on and off times of the transmitter.

Determining the applicable transmit antenna gain

A conducted power measurement will determine the maximum output power associated with a restricted band emission; however, in order to determine the associated EIRP level, the gain of the transmitting antenna (in dBi) must be added to the measured output power (in dBm).

Since the out-of-band characteristics of the EUT transmit antenna will often be unknown, the use of a conservative antenna gain value is necessary. Thus, when determining the EIRP based on the measured conducted power, the upper bound on antenna gain for a device with a single RF output shall be selected as the maximum in-band gain of the antenna across all operating bands, or 2 dBi, whichever is greater. However, for devices that operate in multiple frequency bands while using the same transmit antenna, the highest gain of the antenna within the operating band nearest in frequency to the restricted band emission being measured may be used in lieu of the overall highest gain when the emission is at a frequency that is within 20 percent of the nearest band edge frequency, but in no case shall a value less than 2 dBi be used.

See KDB 662911 for guidance on calculating the additional array gain term when determining the effective antenna gain for a EUT with multiple outputs occupying the same or overlapping frequency ranges in the same band.

Radiated spurious emission test

An additional consideration when performing conducted measurements of restricted band emissions is that unwanted emissions radiating from the EUT cabinet, control circuits, power leads, or intermediate circuit elements will likely go undetected in a conducted measurement configuration. To address this concern, a radiated test shall be performed to ensure that emissions emanating from the EUT cabinet (rather than the antenna port) also comply with the applicable limits.

For these cabinet radiated spurious emission measurements the EUT transmit antenna may be replaced with a termination matching the nominal impedance of the antenna. Procedures for performing radiated measurements are specified in ANSI C63.10. All detected emissions shall comply with the applicable limits.

The measurement frequency range is from 30 MHz to the 10th harmonic of the fundamental frequency. The Turn Table is actuated to turn from 0° to 360° , and both horizontal and vertical polarizations of the Test Antenna are used to find the maximum radiated power. Mid channels on all channel bandwidth verified. Only the worst RB size/offset presented.

The power of the EUT transmitting frequency should be ignored.

All Spurious Emission tests were performed in X, Y, Z axis direction. And only the worst axis test condition was recorded in this test report.

Use the following spectrum analyzer settings:

Span = wide enough to fully capture the emission being measured

RBW = 1 MHz for $f \geq 1$ GHz, 100 kHz for $f < 1$ GHz

VBW $\geq$ RBW

Sweep = auto

Detector function = peak

Trace = max hold

5.5.4 Test Result

Please refer to ANNEX A.6.

ANNEX A TEST RESULT

A.1 RF Output Power

Note ¹: For FCC standard, if transmitting antennas of directional gain greater than 6 dBi are used, all band maximum conducted output power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Conducted Power

Main Antenna

U-NII-1 (5150 - 5250 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH36	16.75	47.28	250	Pass
11a	CH44	16.77	47.50	250	Pass
11a	CH48	16.83	48.16	250	Pass
11n (HT20)	CH36	16.67	46.41	250	Pass
11n (HT20)	CH44	16.61	45.77	250	Pass
11n (HT20)	CH48	16.68	46.52	250	Pass
11n (HT40)	CH38	16.88	48.78	250	Pass
11n (HT40)	CH46	16.56	45.31	250	Pass
11ac (VHT20)	CH36	16.90	48.93	250	Pass
11ac (VHT20)	CH44	16.82	48.04	250	Pass
11ac (VHT20)	CH48	16.87	48.60	250	Pass
11ac (VHT40)	CH38	16.84	48.33	250	Pass
11ac (VHT40)	CH46	16.67	46.47	250	Pass
11ac (VHT80)	CH42	16.51	44.73	250	Pass
11ax (HE20) (SU)	CH36	16.79	47.72	250	Pass
11ax (HE20) (SU)	CH44	16.61	45.78	250	Pass
11ax (HE20) (SU)	CH48	16.65	46.20	250	Pass
11ax (HE40) (SU)	CH38	16.73	47.06	250	Pass
11ax (HE40) (SU)	CH46	16.87	48.60	250	Pass
11ax (HE80) (SU)	CH42	16.88	48.70	250	Pass
11ax (HE20) (RU26)	CH36	12.60	18.18	250	Pass
11ax (HE20) (RU26)	CH44	12.60	18.18	250	Pass
11ax (HE20) (RU26)	CH48	12.70	18.61	250	Pass
11ax (HE40) (RU26)	CH38	12.83	19.17	250	Pass
11ax (HE40) (RU26)	CH46	12.46	17.61	250	Pass
11ax (HE80) (RU26)	CH42	12.86	19.30	250	Pass

U-NII-2A (5250 - 5350 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH52	16.82	48.05	250	Pass
11a	CH60	16.70	46.74	250	Pass
11a	CH64	16.97	49.74	250	Pass
11n (HT20)	CH52	16.73	47.05	250	Pass
11n (HT20)	CH60	16.51	44.73	250	Pass
11n (HT20)	CH64	16.75	47.27	250	Pass
11n (HT40)	CH54	16.54	45.10	250	Pass
11n (HT40)	CH62	16.91	49.11	250	Pass
11ac (VHT20)	CH52	16.74	47.16	250	Pass
11ac (VHT20)	CH60	16.51	44.73	250	Pass
11ac (VHT20)	CH64	16.82	48.04	250	Pass
11ac (VHT40)	CH54	16.47	44.38	250	Pass
11ac (VHT40)	CH62	16.92	49.23	250	Pass
11ac (VHT80)	CH58	16.81	47.93	250	Pass
11ax (HE20) (SU)	CH52	16.54	45.05	250	Pass
11ax (HE20) (SU)	CH60	16.88	48.71	250	Pass
11ax (HE20) (SU)	CH64	16.62	45.88	250	Pass
11ax (HE40) (SU)	CH54	16.67	46.42	250	Pass
11ax (HE40) (SU)	CH62	16.61	45.78	250	Pass
11ax (HE80) (SU)	CH58	16.64	46.08	250	Pass
11ax (HE20) (RU26)	CH52	12.48	17.69	250	Pass
11ax (HE20) (RU26)	CH60	12.71	18.65	250	Pass
11ax (HE20) (RU26)	CH64	12.86	19.30	250	Pass
11ax (HE40) (RU26)	CH54	12.88	19.39	250	Pass
11ax (HE40) (RU26)	CH62	12.52	17.85	250	Pass
11ax (HE80) (RU26)	CH58	12.82	19.12	250	Pass

U-NII-2C (5470 - 5725 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH100	16.63	45.99	250	Pass
11a	CH116	16.51	44.74	250	Pass
11a	CH140	16.84	48.27	250	Pass
11n (HT20)	CH100	16.48	44.42	250	Pass
11n (HT20)	CH116	16.89	48.82	250	Pass
11n (HT20)	CH140	16.94	49.38	250	Pass
11n (HT40)	CH102	16.78	47.67	250	Pass
11n (HT40)	CH118	16.70	46.80	250	Pass
11n (HT40)	CH134	16.96	49.68	250	Pass
11ac (VHT20)	CH100	16.82	48.04	250	Pass
11ac (VHT20)	CH116	16.85	48.37	250	Pass
11ac (VHT20)	CH140	16.90	48.93	250	Pass
11ac (VHT40)	CH102	16.74	47.23	250	Pass
11ac (VHT40)	CH118	16.67	46.47	250	Pass
11ac (VHT40)	CH134	16.92	49.23	250	Pass
11ac (VHT80)	CH106	16.74	47.17	250	Pass
11ac (VHT80)	CH122	16.74	47.17	250	Pass
11ax (HE20) (SU)	CH100	16.82	48.05	250	Pass
11ax (HE20) (SU)	CH116	16.65	46.20	250	Pass
11ax (HE20) (SU)	CH140	16.69	46.63	250	Pass
11ax (HE40) (SU)	CH102	16.95	49.51	250	Pass
11ax (HE40) (SU)	CH118	16.88	48.72	250	Pass
11ax (HE40) (SU)	CH134	16.60	45.67	250	Pass
11ax (HE80) (SU)	CH106	16.83	48.14	250	Pass
11ax (HE80) (SU)	CH122	16.47	44.31	250	Pass
11ax (HE20) (RU26)	CH100	12.87	19.35	250	Pass
11ax (HE20) (RU26)	CH116	12.40	17.36	250	Pass
11ax (HE20) (RU26)	CH140	12.70	18.61	250	Pass
11ax (HE40) (RU26)	CH102	12.65	18.39	250	Pass
11ax (HE40) (RU26)	CH118	13.03	20.08	250	Pass
11ax (HE40) (RU26)	CH134	12.67	18.48	250	Pass
11ax (HE80) (RU26)	CH106	12.52	17.85	250	Pass
11ax (HE80) (RU26)	CH122	12.51	17.80	250	Pass

U-NII-3 (5725 - 5850 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH149	16.67	46.42	1000	Pass
11a	CH157	16.79	47.72	1000	Pass
11a	CH165	16.41	43.72	1000	Pass
11n (HT20)	CH149	17.06	50.77	1000	Pass
11n (HT20)	CH157	16.67	46.41	1000	Pass
11n (HT20)	CH165	16.32	42.81	1000	Pass
11n (HT40)	CH151	16.19	41.61	1000	Pass
11n (HT40)	CH159	16.20	41.71	1000	Pass
11ac (VHT20)	CH149	17.06	50.77	1000	Pass
11ac (VHT20)	CH157	16.68	46.52	1000	Pass
11ac (VHT20)	CH165	16.31	42.72	1000	Pass
11ac (VHT40)	CH151	16.68	46.58	1000	Pass
11ac (VHT40)	CH159	16.69	46.69	1000	Pass
11ac (VHT80)	CH155	16.90	48.94	1000	Pass
11ax (HE20) (SU)	CH149	16.84	48.27	1000	Pass
11ax (HE20) (SU)	CH157	16.49	44.53	1000	Pass
11ax (HE20) (SU)	CH165	16.60	45.67	1000	Pass
11ax (HE40) (SU)	CH151	16.93	49.28	1000	Pass
11ax (HE40) (SU)	CH159	16.91	49.05	1000	Pass
11ax (HE80) (SU)	CH155	16.66	46.29	1000	Pass
11ax (HE20) (RU26)	CH149	12.93	19.62	1000	Pass
11ax (HE20) (RU26)	CH157	12.73	18.74	1000	Pass
11ax (HE20) (RU26)	CH165	12.69	18.56	1000	Pass
11ax (HE40) (RU26)	CH151	12.96	19.75	1000	Pass
11ax (HE40) (RU26)	CH159	12.76	18.87	1000	Pass
11ax (HE80) (RU26)	CH155	12.53	17.89	1000	Pass

Aux. Antenna

U-NII-1 (5150 - 5250 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH36	16.56	45.26	250	Pass
11a	CH44	16.82	48.05	250	Pass
11a	CH48	16.96	49.62	250	Pass
11n (HT20)	CH36	16.47	44.32	250	Pass
11n (HT20)	CH44	16.77	47.49	250	Pass
11n (HT20)	CH48	16.89	48.82	250	Pass
11n (HT40)	CH38	16.67	46.47	250	Pass
11n (HT40)	CH46	16.74	47.23	250	Pass
11ac (VHT20)	CH36	16.48	44.42	250	Pass
11ac (VHT20)	CH44	16.66	46.30	250	Pass
11ac (VHT20)	CH48	16.90	48.93	250	Pass
11ac (VHT40)	CH38	16.69	46.69	250	Pass
11ac (VHT40)	CH46	16.68	46.58	250	Pass
11ac (VHT80)	CH42	16.66	46.31	250	Pass
11ax (HE20) (SU)	CH36	16.76	47.39	250	Pass
11ax (HE20) (SU)	CH44	16.43	43.92	250	Pass
11ax (HE20) (SU)	CH48	16.69	46.63	250	Pass
11ax (HE40) (SU)	CH38	16.79	47.72	250	Pass
11ax (HE40) (SU)	CH46	16.83	48.16	250	Pass
11ax (HE80) (SU)	CH42	16.83	48.14	250	Pass
11ax (HE20) (RU26)	CH36	12.59	18.14	250	Pass
11ax (HE20) (RU26)	CH44	12.60	18.18	250	Pass
11ax (HE20) (RU26)	CH48	12.72	18.69	250	Pass
11ax (HE40) (RU26)	CH38	12.60	18.18	250	Pass
11ax (HE40) (RU26)	CH46	12.87	19.35	250	Pass
11ax (HE80) (RU26)	CH42	12.83	19.17	250	Pass

U-NII-2A (5250 - 5350 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH52	16.82	48.05	250	Pass
11a	CH60	16.59	45.57	250	Pass
11a	CH64	16.69	46.63	250	Pass
11n (HT20)	CH52	16.69	46.62	250	Pass
11n (HT20)	CH60	16.48	44.42	250	Pass
11n (HT20)	CH64	16.66	46.30	250	Pass
11n (HT40)	CH54	16.52	44.90	250	Pass
11n (HT40)	CH62	16.92	49.23	250	Pass
11ac (VHT20)	CH52	16.56	45.25	250	Pass
11ac (VHT20)	CH60	16.86	48.48	250	Pass
11ac (VHT20)	CH64	16.95	49.50	250	Pass
11ac (VHT40)	CH54	16.55	45.21	250	Pass
11ac (VHT40)	CH62	16.92	49.23	250	Pass
11ac (VHT80)	CH58	17.01	50.19	250	Pass
11ax (HE20) (SU)	CH52	16.64	46.10	250	Pass
11ax (HE20) (SU)	CH60	16.86	48.49	250	Pass
11ax (HE20) (SU)	CH64	16.49	44.53	250	Pass
11ax (HE40) (SU)	CH54	16.70	46.74	250	Pass
11ax (HE40) (SU)	CH62	16.62	45.88	250	Pass
11ax (HE80) (SU)	CH58	16.74	47.16	250	Pass
11ax (HE20) (RU26)	CH52	12.49	17.73	250	Pass
11ax (HE20) (RU26)	CH60	12.79	19.00	250	Pass
11ax (HE20) (RU26)	CH64	12.72	18.69	250	Pass
11ax (HE40) (RU26)	CH54	12.65	18.39	250	Pass
11ax (HE40) (RU26)	CH62	12.89	19.44	250	Pass
11ax (HE80) (RU26)	CH58	12.69	18.56	250	Pass

U-NII-2C (5470 - 5725 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH100	16.81	47.94	250	Pass
11a	CH116	16.85	48.38	250	Pass
11a	CH140	16.66	46.31	250	Pass
11n (HT20)	CH100	16.84	48.26	250	Pass
11n (HT20)	CH116	16.68	46.52	250	Pass
11n (HT20)	CH140	16.47	44.32	250	Pass
11n (HT40)	CH102	16.61	45.84	250	Pass
11n (HT40)	CH118	16.58	45.52	250	Pass
11n (HT40)	CH134	16.71	46.90	250	Pass
11ac (VHT20)	CH100	16.74	47.16	250	Pass
11ac (VHT20)	CH116	16.75	47.27	250	Pass
11ac (VHT20)	CH140	16.56	45.25	250	Pass
11ac (VHT40)	CH102	16.70	46.80	250	Pass
11ac (VHT40)	CH118	16.66	46.37	250	Pass
11ac (VHT40)	CH134	16.63	46.05	250	Pass
11ac (VHT80)	CH106	16.32	42.82	250	Pass
11ac (VHT80)	CH122	16.90	48.94	250	Pass
11ax (HE20) (SU)	CH100	16.60	45.67	250	Pass
11ax (HE20) (SU)	CH116	16.68	46.52	250	Pass
11ax (HE20) (SU)	CH140	16.93	49.28	250	Pass
11ax (HE40) (SU)	CH102	16.91	49.05	250	Pass
11ax (HE40) (SU)	CH118	16.73	47.06	250	Pass
11ax (HE40) (SU)	CH134	16.89	48.83	250	Pass
11ax (HE80) (SU)	CH106	16.54	45.03	250	Pass
11ax (HE80) (SU)	CH122	16.64	46.08	250	Pass
11ax (HE20) (RU26)	CH100	12.48	17.69	250	Pass
11ax (HE20) (RU26)	CH116	12.53	17.89	250	Pass
11ax (HE20) (RU26)	CH140	12.81	19.08	250	Pass
11ax (HE40) (RU26)	CH102	12.80	19.04	250	Pass
11ax (HE40) (RU26)	CH118	12.95	19.71	250	Pass
11ax (HE40) (RU26)	CH134	12.79	19.00	250	Pass
11ax (HE80) (RU26)	CH106	12.54	17.93	250	Pass
11ax (HE80) (RU26)	CH122	12.73	18.73	250	Pass

U-NII-3 (5725 - 5850 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH149	16.91	49.06	1000	Pass
11a	CH157	16.44	44.02	1000	Pass
11a	CH165	16.52	44.84	1000	Pass
11n (HT20)	CH149	16.83	48.15	1000	Pass
11n (HT20)	CH157	16.39	43.51	1000	Pass
11n (HT20)	CH165	16.43	43.91	1000	Pass
11n (HT40)	CH151	16.93	49.34	1000	Pass
11n (HT40)	CH159	16.19	41.61	1000	Pass
11ac (VHT20)	CH149	16.83	48.15	1000	Pass
11ac (VHT20)	CH157	16.42	43.81	1000	Pass
11ac (VHT20)	CH165	16.43	43.91	1000	Pass
11ac (VHT40)	CH151	16.92	49.23	1000	Pass
11ac (VHT40)	CH159	16.68	46.58	1000	Pass
11ac (VHT80)	CH155	16.75	47.28	1000	Pass
11ax (HE20) (SU)	CH149	16.63	45.99	1000	Pass
11ax (HE20) (SU)	CH157	16.14	41.08	1000	Pass
11ax (HE20) (SU)	CH165	17.06	50.78	1000	Pass
11ax (HE40) (SU)	CH151	16.48	44.43	1000	Pass
11ax (HE40) (SU)	CH159	16.79	47.72	1000	Pass
11ax (HE80) (SU)	CH155	16.38	43.40	1000	Pass
11ax (HE20) (RU26)	CH149	12.51	17.81	1000	Pass
11ax (HE20) (RU26)	CH157	12.50	17.77	1000	Pass
11ax (HE20) (RU26)	CH165	12.69	18.56	1000	Pass
11ax (HE40) (RU26)	CH151	12.69	18.56	1000	Pass
11ax (HE40) (RU26)	CH159	12.96	19.75	1000	Pass
11ax (HE80) (RU26)	CH155	12.63	18.30	1000	Pass

MIMO-Main Antenna

U-NII-1 (5150 - 5250 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH36	13.88	24.41	250	Pass
11n (HT20)	CH44	13.68	23.31	250	Pass
11n (HT20)	CH48	13.75	23.69	250	Pass
11n (HT40)	CH38	13.77	23.83	250	Pass
11n (HT40)	CH46	13.76	23.78	250	Pass
11ac (VHT20)	CH36	13.76	23.75	250	Pass
11ac (VHT20)	CH44	13.66	23.21	250	Pass
11ac (VHT20)	CH48	13.72	23.53	250	Pass
11ac (VHT40)	CH38	13.77	23.83	250	Pass
11ac (VHT40)	CH46	13.74	23.67	250	Pass
11ac (VHT80)	CH42	13.95	24.81	250	Pass
11ax (HE20) (SU)	CH36	13.64	23.10	250	Pass
11ax (HE20) (SU)	CH44	13.51	22.42	250	Pass
11ax (HE20) (SU)	CH48	13.54	22.58	250	Pass
11ax (HE40) (SU)	CH38	13.97	24.93	250	Pass
11ax (HE40) (SU)	CH46	13.48	22.27	250	Pass
11ax (HE80) (SU)	CH42	13.66	23.20	250	Pass
11ax (HE20) (RU26)	CH36	9.75	9.43	250	Pass
11ax (HE20) (RU26)	CH44	9.78	9.50	250	Pass
11ax (HE20) (RU26)	CH48	9.47	8.84	250	Pass
11ax (HE40) (RU26)	CH38	9.52	8.95	250	Pass
11ax (HE40) (RU26)	CH46	9.53	8.97	250	Pass
11ax (HE80) (RU26)	CH42	9.97	9.92	250	Pass

U-NII-2A (5250 - 5350 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH52	13.59	22.83	250	Pass
11n (HT20)	CH60	13.91	24.58	250	Pass
11n (HT20)	CH64	13.71	23.47	250	Pass
11n (HT40)	CH54	13.75	23.72	250	Pass
11n (HT40)	CH62	13.62	23.03	250	Pass
11ac (VHT20)	CH52	13.57	22.73	250	Pass
11ac (VHT20)	CH60	13.97	24.92	250	Pass
11ac (VHT20)	CH64	13.70	23.42	250	Pass
11ac (VHT40)	CH54	13.66	23.24	250	Pass
11ac (VHT40)	CH62	13.55	22.66	250	Pass
11ac (VHT80)	CH58	13.62	23.00	250	Pass
11ax (HE20) (SU)	CH52	13.89	24.47	250	Pass
11ax (HE20) (SU)	CH60	13.72	23.53	250	Pass
11ax (HE20) (SU)	CH64	13.47	22.22	250	Pass
11ax (HE40) (SU)	CH54	13.90	24.53	250	Pass
11ax (HE40) (SU)	CH62	13.77	23.80	250	Pass
11ax (HE80) (SU)	CH58	13.85	24.24	250	Pass
11ax (HE20) (RU26)	CH52	9.66	9.24	250	Pass
11ax (HE20) (RU26)	CH60	9.53	8.97	250	Pass
11ax (HE20) (RU26)	CH64	9.58	9.07	250	Pass
11ax (HE40) (RU26)	CH54	9.50	8.91	250	Pass
11ax (HE40) (RU26)	CH62	9.61	9.13	250	Pass
11ax (HE80) (RU26)	CH58	9.92	9.81	250	Pass

U-NII-2C (5470 - 5725 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH100	13.85	24.24	250	Pass
11n (HT20)	CH116	13.71	23.47	250	Pass
11n (HT20)	CH140	13.72	23.53	250	Pass
11n (HT40)	CH102	13.92	24.67	250	Pass
11n (HT40)	CH118	13.74	23.67	250	Pass
11n (HT40)	CH134	13.48	22.29	250	Pass
11ac (VHT20)	CH100	13.85	24.24	250	Pass
11ac (VHT20)	CH116	13.71	23.47	250	Pass
11ac (VHT20)	CH140	13.71	23.47	250	Pass
11ac (VHT40)	CH102	13.91	24.62	250	Pass
11ac (VHT40)	CH118	13.74	23.67	250	Pass
11ac (VHT40)	CH134	13.49	22.35	250	Pass
11ac (VHT80)	CH106	13.48	22.27	250	Pass
11ac (VHT80)	CH122	13.42	21.96	250	Pass
11ax (HE20) (SU)	CH100	13.70	23.42	250	Pass
11ax (HE20) (SU)	CH116	13.50	22.37	250	Pass
11ax (HE20) (SU)	CH140	13.54	22.58	250	Pass
11ax (HE40) (SU)	CH102	13.62	23.00	250	Pass
11ax (HE40) (SU)	CH118	13.46	22.16	250	Pass
11ax (HE40) (SU)	CH134	13.71	23.48	250	Pass
11ax (HE80) (SU)	CH106	13.71	23.47	250	Pass
11ax (HE80) (SU)	CH122	13.74	23.63	250	Pass
11ax (HE20) (RU26)	CH100	9.71	9.35	250	Pass
11ax (HE20) (RU26)	CH116	9.51	8.93	250	Pass
11ax (HE20) (RU26)	CH140	9.96	9.90	250	Pass
11ax (HE40) (RU26)	CH102	9.71	9.35	250	Pass
11ax (HE40) (RU26)	CH118	9.53	8.97	250	Pass
11ax (HE40) (RU26)	CH134	9.75	9.43	250	Pass
11ax (HE80) (RU26)	CH106	9.68	9.28	250	Pass
11ax (HE80) (RU26)	CH122	9.56	9.03	250	Pass

U-NII-3 (5725 - 5850 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH149	13.95	24.81	1000	Pass
11n (HT20)	CH157	13.70	23.42	1000	Pass
11n (HT20)	CH165	13.75	23.69	1000	Pass
11n (HT40)	CH151	13.96	24.90	1000	Pass
11n (HT40)	CH159	13.55	22.66	1000	Pass
11ac (VHT20)	CH149	13.38	21.76	1000	Pass
11ac (VHT20)	CH157	13.69	23.37	1000	Pass
11ac (VHT20)	CH165	13.75	23.69	1000	Pass
11ac (VHT40)	CH151	13.82	24.11	1000	Pass
11ac (VHT40)	CH159	13.54	22.60	1000	Pass
11ac (VHT80)	CH155	13.79	23.91	1000	Pass
11ax (HE20) (SU)	CH149	13.72	23.53	1000	Pass
11ax (HE20) (SU)	CH157	13.55	22.63	1000	Pass
11ax (HE20) (SU)	CH165	13.52	22.47	1000	Pass
11ax (HE40) (SU)	CH151	13.64	23.10	1000	Pass
11ax (HE40) (SU)	CH159	13.70	23.42	1000	Pass
11ax (HE80) (SU)	CH155	13.53	22.52	1000	Pass
11ax (HE20) (RU26)	CH149	9.61	9.13	1000	Pass
11ax (HE20) (RU26)	CH157	9.47	8.84	1000	Pass
11ax (HE20) (RU26)	CH165	9.88	9.72	1000	Pass
11ax (HE40) (RU26)	CH151	9.56	9.03	1000	Pass
11ax (HE40) (RU26)	CH159	9.50	8.91	1000	Pass
11ax (HE80) (RU26)	CH155	9.72	9.37	1000	Pass

MIMO-Aux. Antenna

U-NII-1 (5150 - 5250 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH36	13.50	22.37	250	Pass
11n (HT20)	CH44	13.82	24.08	250	Pass
11n (HT20)	CH48	13.93	24.69	250	Pass
11n (HT40)	CH38	13.60	22.92	250	Pass
11n (HT40)	CH46	13.75	23.72	250	Pass
11ac (VHT20)	CH36	13.96	24.87	250	Pass
11ac (VHT20)	CH44	13.75	23.69	250	Pass
11ac (VHT20)	CH48	13.91	24.58	250	Pass
11ac (VHT40)	CH38	13.62	23.03	250	Pass
11ac (VHT40)	CH46	13.76	23.78	250	Pass
11ac (VHT80)	CH42	13.62	23.00	250	Pass
11ax (HE20) (SU)	CH36	13.63	23.05	250	Pass
11ax (HE20) (SU)	CH44	13.43	22.01	250	Pass
11ax (HE20) (SU)	CH48	13.54	22.58	250	Pass
11ax (HE40) (SU)	CH38	13.81	24.03	250	Pass
11ax (HE40) (SU)	CH46	13.92	24.64	250	Pass
11ax (HE80) (SU)	CH42	13.89	24.46	250	Pass
11ax (HE20) (RU26)	CH36	9.89	9.74	250	Pass
11ax (HE20) (RU26)	CH44	9.42	8.74	250	Pass
11ax (HE20) (RU26)	CH48	9.45	8.80	250	Pass
11ax (HE40) (RU26)	CH38	9.76	9.46	250	Pass
11ax (HE40) (RU26)	CH46	9.65	9.22	250	Pass
11ax (HE80) (RU26)	CH42	9.47	8.84	250	Pass

U-NII-2A (5250 - 5350 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH52	13.90	24.52	250	Pass
11n (HT20)	CH60	13.66	23.21	250	Pass
11n (HT20)	CH64	13.80	23.97	250	Pass
11n (HT40)	CH54	13.62	23.03	250	Pass
11n (HT40)	CH62	13.49	22.35	250	Pass
11ac (VHT20)	CH52	13.84	24.19	250	Pass
11ac (VHT20)	CH60	13.66	23.21	250	Pass
11ac (VHT20)	CH64	13.61	22.94	250	Pass
11ac (VHT40)	CH54	13.70	23.45	250	Pass
11ac (VHT40)	CH62	13.94	24.79	250	Pass
11ac (VHT80)	CH58	13.82	24.08	250	Pass
11ax (HE20) (SU)	CH52	13.69	23.37	250	Pass
11ax (HE20) (SU)	CH60	13.49	22.32	250	Pass
11ax (HE20) (SU)	CH64	13.59	22.84	250	Pass
11ax (HE40) (SU)	CH54	13.47	22.22	250	Pass
11ax (HE40) (SU)	CH62	13.75	23.70	250	Pass
11ax (HE80) (SU)	CH58	13.77	23.80	250	Pass
11ax (HE20) (RU26)	CH52	9.91	9.79	250	Pass
11ax (HE20) (RU26)	CH60	9.77	9.48	250	Pass
11ax (HE20) (RU26)	CH64	9.72	9.37	250	Pass
11ax (HE40) (RU26)	CH54	9.88	9.72	250	Pass
11ax (HE40) (RU26)	CH62	9.72	9.37	250	Pass
11ax (HE80) (RU26)	CH58	9.61	9.13	250	Pass

U-NII-2C (5470 - 5725 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH100	13.77	23.80	250	Pass
11n (HT20)	CH116	13.56	22.68	250	Pass
11n (HT20)	CH140	13.91	24.58	250	Pass
11n (HT40)	CH102	13.65	23.18	250	Pass
11n (HT40)	CH118	13.90	24.56	250	Pass
11n (HT40)	CH134	13.55	22.66	250	Pass
11ac (VHT20)	CH100	13.70	23.42	250	Pass
11ac (VHT20)	CH116	13.66	23.21	250	Pass
11ac (VHT20)	CH140	13.89	24.47	250	Pass
11ac (VHT40)	CH102	13.69	23.40	250	Pass
11ac (VHT40)	CH118	13.53	22.55	250	Pass
11ac (VHT40)	CH134	13.60	22.92	250	Pass
11ac (VHT80)	CH106	13.63	23.05	250	Pass
11ac (VHT80)	CH122	13.84	24.19	250	Pass
11ax (HE20) (SU)	CH100	13.75	23.70	250	Pass
11ax (HE20) (SU)	CH116	13.52	22.47	250	Pass
11ax (HE20) (SU)	CH140	13.84	24.19	250	Pass
11ax (HE40) (SU)	CH102	13.50	22.37	250	Pass
11ax (HE40) (SU)	CH118	13.85	24.25	250	Pass
11ax (HE40) (SU)	CH134	13.79	23.91	250	Pass
11ax (HE80) (SU)	CH106	13.62	22.99	250	Pass
11ax (HE80) (SU)	CH122	13.59	22.83	250	Pass
11ax (HE20) (RU26)	CH100	9.54	8.99	250	Pass
11ax (HE20) (RU26)	CH116	9.52	8.95	250	Pass
11ax (HE20) (RU26)	CH140	9.76	9.45	250	Pass
11ax (HE40) (RU26)	CH102	9.64	9.20	250	Pass
11ax (HE40) (RU26)	CH118	9.69	9.30	250	Pass
11ax (HE40) (RU26)	CH134	9.46	8.82	250	Pass
11ax (HE80) (RU26)	CH106	9.43	8.76	250	Pass
11ax (HE80) (RU26)	CH122	9.47	8.84	250	Pass

U-NII-3 (5725 - 5850 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH149	13.70	23.42	1000	Pass
11n (HT20)	CH157	13.78	23.86	1000	Pass
11n (HT20)	CH165	13.74	23.64	1000	Pass
11n (HT40)	CH151	13.81	24.05	1000	Pass
11n (HT40)	CH159	13.58	22.81	1000	Pass
11ac (VHT20)	CH149	13.73	23.58	1000	Pass
11ac (VHT20)	CH157	13.79	23.91	1000	Pass
11ac (VHT20)	CH165	13.75	23.69	1000	Pass
11ac (VHT40)	CH151	13.77	23.83	1000	Pass
11ac (VHT40)	CH159	13.63	23.08	1000	Pass
11ac (VHT80)	CH155	13.64	23.10	1000	Pass
11ax (HE20) (SU)	CH149	13.52	22.47	1000	Pass
11ax (HE20) (SU)	CH157	13.59	22.84	1000	Pass
11ax (HE20) (SU)	CH165	13.54	22.58	1000	Pass
11ax (HE40) (SU)	CH151	13.48	22.27	1000	Pass
11ax (HE40) (SU)	CH159	13.83	24.14	1000	Pass
11ax (HE80) (SU)	CH155	13.89	24.46	1000	Pass
11ax (HE20) (RU26)	CH149	9.49	8.88	1000	Pass
11ax (HE20) (RU26)	CH157	9.50	8.91	1000	Pass
11ax (HE20) (RU26)	CH165	9.62	9.15	1000	Pass
11ax (HE40) (RU26)	CH151	9.44	8.78	1000	Pass
11ax (HE40) (RU26)	CH159	9.83	9.61	1000	Pass
11ax (HE80) (RU26)	CH155	9.40	8.70	1000	Pass

MIMO

U-NII-1 (5150 - 5250 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH36	16.70	46.78	250	Pass
11n (HT20)	CH44	16.76	47.39	250	Pass
11n (HT20)	CH48	16.85	48.39	250	Pass
11n (HT40)	CH38	16.70	46.75	250	Pass
11n (HT40)	CH46	16.77	47.50	250	Pass
11ac (VHT20)	CH36	16.87	48.61	250	Pass
11ac (VHT20)	CH44	16.71	46.90	250	Pass
11ac (VHT20)	CH48	16.82	48.11	250	Pass
11ac (VHT40)	CH38	16.71	46.86	250	Pass
11ac (VHT40)	CH46	16.76	47.45	250	Pass
11ac (VHT80)	CH42	16.79	47.81	250	Pass
11ax (HE20) (SU)	CH36	16.64	46.15	250	Pass
11ax (HE20) (SU)	CH44	16.48	44.43	250	Pass
11ax (HE20) (SU)	CH48	16.55	45.15	250	Pass
11ax (HE40) (SU)	CH38	16.90	48.95	250	Pass
11ax (HE40) (SU)	CH46	16.71	46.91	250	Pass
11ax (HE80) (SU)	CH42	16.78	47.67	250	Pass
11ax (HE20) (RU26)	CH36	12.83	19.18	250	Pass
11ax (HE20) (RU26)	CH44	12.61	18.24	250	Pass
11ax (HE20) (RU26)	CH48	12.47	17.65	250	Pass
11ax (HE40) (RU26)	CH38	12.65	18.40	250	Pass
11ax (HE40) (RU26)	CH46	12.60	18.19	250	Pass
11ax (HE80) (RU26)	CH42	12.73	18.76	250	Pass

U-NII-2A (5250 - 5350 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH52	16.75	47.36	250	Pass
11n (HT20)	CH60	16.79	47.79	250	Pass
11n (HT20)	CH64	16.76	47.44	250	Pass
11n (HT40)	CH54	16.70	46.75	250	Pass
11n (HT40)	CH62	16.57	45.37	250	Pass
11ac (VHT20)	CH52	16.71	46.92	250	Pass
11ac (VHT20)	CH60	16.82	48.13	250	Pass
11ac (VHT20)	CH64	16.66	46.36	250	Pass
11ac (VHT40)	CH54	16.69	46.69	250	Pass
11ac (VHT40)	CH62	16.76	47.44	250	Pass
11ac (VHT80)	CH58	16.73	47.08	250	Pass
11ax (HE20) (SU)	CH52	16.80	47.84	250	Pass
11ax (HE20) (SU)	CH60	16.61	45.85	250	Pass
11ax (HE20) (SU)	CH64	16.54	45.05	250	Pass
11ax (HE40) (SU)	CH54	16.70	46.74	250	Pass
11ax (HE40) (SU)	CH62	16.77	47.50	250	Pass
11ax (HE80) (SU)	CH58	16.82	48.04	250	Pass
11ax (HE20) (RU26)	CH52	12.79	19.03	250	Pass
11ax (HE20) (RU26)	CH60	12.66	18.44	250	Pass
11ax (HE20) (RU26)	CH64	12.66	18.44	250	Pass
11ax (HE40) (RU26)	CH54	12.70	18.63	250	Pass
11ax (HE40) (RU26)	CH62	12.67	18.50	250	Pass
11ax (HE80) (RU26)	CH58	12.77	18.94	250	Pass

U-NII-2C (5470 - 5725 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH100	16.82	48.04	250	Pass
11n (HT20)	CH116	16.64	46.15	250	Pass
11n (HT20)	CH140	16.82	48.11	250	Pass
11n (HT40)	CH102	16.80	47.86	250	Pass
11n (HT40)	CH118	16.83	48.23	250	Pass
11n (HT40)	CH134	16.53	44.95	250	Pass
11ac (VHT20)	CH100	16.78	47.66	250	Pass
11ac (VHT20)	CH116	16.69	46.68	250	Pass
11ac (VHT20)	CH140	16.81	47.94	250	Pass
11ac (VHT40)	CH102	16.81	48.01	250	Pass
11ac (VHT40)	CH118	16.65	46.22	250	Pass
11ac (VHT40)	CH134	16.56	45.27	250	Pass
11ac (VHT80)	CH106	16.56	45.31	250	Pass
11ac (VHT80)	CH122	16.64	46.15	250	Pass
11ax (HE20) (SU)	CH100	16.73	47.12	250	Pass
11ax (HE20) (SU)	CH116	16.52	44.84	250	Pass
11ax (HE20) (SU)	CH140	16.70	46.77	250	Pass
11ax (HE40) (SU)	CH102	16.57	45.37	250	Pass
11ax (HE40) (SU)	CH118	16.67	46.41	250	Pass
11ax (HE40) (SU)	CH134	16.76	47.39	250	Pass
11ax (HE80) (SU)	CH106	16.67	46.46	250	Pass
11ax (HE80) (SU)	CH122	16.67	46.47	250	Pass
11ax (HE20) (RU26)	CH100	12.63	18.33	250	Pass
11ax (HE20) (RU26)	CH116	12.52	17.87	250	Pass
11ax (HE20) (RU26)	CH140	12.87	19.36	250	Pass
11ax (HE40) (RU26)	CH102	12.68	18.54	250	Pass
11ax (HE40) (RU26)	CH118	12.62	18.27	250	Pass
11ax (HE40) (RU26)	CH134	12.61	18.26	250	Pass
11ax (HE80) (RU26)	CH106	12.56	18.04	250	Pass
11ax (HE80) (RU26)	CH122	12.52	17.87	250	Pass

U-NII-3 (5725 - 5850 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH149	16.83	48.23	1000	Pass
11n (HT20)	CH157	16.75	47.28	1000	Pass
11n (HT20)	CH165	16.75	47.33	1000	Pass
11n (HT40)	CH151	16.90	48.95	1000	Pass
11n (HT40)	CH159	16.58	45.47	1000	Pass
11ac (VHT20)	CH149	16.56	45.34	1000	Pass
11ac (VHT20)	CH157	16.75	47.28	1000	Pass
11ac (VHT20)	CH165	16.76	47.38	1000	Pass
11ac (VHT40)	CH151	16.81	47.94	1000	Pass
11ac (VHT40)	CH159	16.60	45.68	1000	Pass
11ac (VHT80)	CH155	16.72	47.02	1000	Pass
11ax (HE20) (SU)	CH149	16.63	46.00	1000	Pass
11ax (HE20) (SU)	CH157	16.58	45.47	1000	Pass
11ax (HE20) (SU)	CH165	16.54	45.05	1000	Pass
11ax (HE40) (SU)	CH151	16.57	45.37	1000	Pass
11ax (HE40) (SU)	CH159	16.77	47.56	1000	Pass
11ax (HE80) (SU)	CH155	16.72	46.98	1000	Pass
11ax (HE20) (RU26)	CH149	12.56	18.02	1000	Pass
11ax (HE20) (RU26)	CH157	12.49	17.75	1000	Pass
11ax (HE20) (RU26)	CH165	12.76	18.87	1000	Pass
11ax (HE40) (RU26)	CH151	12.51	17.81	1000	Pass
11ax (HE40) (RU26)	CH159	12.68	18.51	1000	Pass
11ax (HE80) (RU26)	CH155	12.57	18.07	1000	Pass

A.2 Emission Bandwidth & 99% Bandwidth

Note: Test plots please refer to the document “Annex No.: BL-SZ21C1014-604 Data Part 1.pdf”.

Test Data

Main Antenna

U-NII-1 (5150 - 5250 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH36	23.71	16.69
11a	CH44	24.25	16.77
11a	CH48	24.08	16.78
11n (HT20)	CH36	23.88	17.74
11n (HT20)	CH44	24.44	17.78
11n (HT20)	CH48	24.34	17.77
11n (HT40)	CH38	43.46	36.07
11n (HT40)	CH46	44.42	36.06
11ac (VHT20)	CH36	24.05	17.76
11ac (VHT20)	CH44	24.42	17.80
11ac (VHT20)	CH48	24.58	17.83
11ac (VHT40)	CH38	43.65	36.07
11ac (VHT40)	CH46	44.16	36.12
11ac (VHT80)	CH42	88.15	75.17
11ax (HE20) (SU)	CH36	24.27	18.91
11ax (HE20) (SU)	CH44	23.61	18.92
11ax (HE20) (SU)	CH48	24.50	18.94
11ax (HE40) (SU)	CH38	43.11	37.52
11ax (HE40) (SU)	CH46	43.28	37.51
11ax (HE80) (SU)	CH42	84.52	76.65

U-NII-2A (5250 - 5350 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH52	24.57	16.75
11a	CH60	23.63	16.68
11a	CH64	23.49	16.68
11n (HT20)	CH52	24.34	17.81
11n (HT20)	CH60	24.12	17.74
11n (HT20)	CH64	23.96	17.73
11n (HT40)	CH54	46.50	36.20
11n (HT40)	CH62	43.82	36.05
11ac (VHT20)	CH52	24.50	17.80
11ac (VHT20)	CH60	24.13	17.75
11ac (VHT20)	CH64	24.24	17.73
11ac (VHT40)	CH54	45.74	36.19
11ac (VHT40)	CH62	42.71	36.05
11ac (VHT80)	CH58	87.64	75.28
11ax (HE20) (SU)	CH52	24.30	18.92
11ax (HE20) (SU)	CH60	24.01	18.88
11ax (HE20) (SU)	CH64	24.05	18.89
11ax (HE40) (SU)	CH54	44.18	37.58
11ax (HE40) (SU)	CH62	43.11	37.53
11ax (HE80) (SU)	CH58	84.29	76.74

U-NII-2C (5470 - 5725 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH100	23.89	16.66
11a	CH116	23.97	16.71
11a	CH140	23.67	16.67
11n (HT20)	CH100	23.75	17.74
11n (HT20)	CH116	23.68	17.74
11n (HT20)	CH140	24.05	17.73
11n (HT40)	CH102	43.46	36.07
11n (HT40)	CH118	45.21	36.14
11n (HT40)	CH134	43.52	36.07
11ac (VHT20)	CH100	23.68	17.72
11ac (VHT20)	CH116	23.94	17.78
11ac (VHT20)	CH140	23.82	17.72
11ac (VHT40)	CH102	44.02	36.08
11ac (VHT40)	CH118	44.65	36.13
11ac (VHT40)	CH134	43.47	36.08
11ac (VHT80)	CH106	88.67	75.11
11ac (VHT80)	CH122	87.79	75.29
11ax (HE20) (SU)	CH100	23.58	18.90
11ax (HE20) (SU)	CH116	23.44	18.91
11ax (HE20) (SU)	CH140	23.36	18.89
11ax (HE40) (SU)	CH102	42.77	37.52
11ax (HE40) (SU)	CH118	44.43	37.55
11ax (HE40) (SU)	CH134	43.13	37.52
11ax (HE80) (SU)	CH106	84.08	76.69
11ax (HE80) (SU)	CH122	83.72	76.79

U-NII-3 (5725 - 5850 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH149	23.80	16.68
11a	CH157	24.26	16.78
11a	CH165	23.86	16.72
11n (HT20)	CH149	24.50	17.80
11n (HT20)	CH157	24.69	17.83
11n (HT20)	CH165	24.64	17.78
11n (HT40)	CH151	44.86	36.09
11n (HT40)	CH159	45.06	36.16
11ac (VHT20)	CH149	24.84	17.81
11ac (VHT20)	CH157	24.74	17.83
11ac (VHT20)	CH165	24.25	17.79
11ac (VHT40)	CH151	45.54	36.13
11ac (VHT40)	CH159	45.36	36.19
11ac (VHT80)	CH155	87.24	75.29
11ax (HE20) (SU)	CH149	23.79	18.89
11ax (HE20) (SU)	CH157	24.98	18.94
11ax (HE20) (SU)	CH165	23.74	18.92
11ax (HE40) (SU)	CH151	44.13	37.50
11ax (HE40) (SU)	CH159	44.84	37.61
11ax (HE80) (SU)	CH155	83.77	76.76

Aux. Antenna

U-NII-1 (5150 - 5250 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH36	23.84	16.71
11a	CH44	23.60	16.66
11a	CH48	23.45	16.67
11n (HT20)	CH36	24.16	17.74
11n (HT20)	CH44	24.48	17.73
11n (HT20)	CH48	24.10	17.75
11n (HT40)	CH38	43.87	36.07
11n (HT40)	CH46	44.57	36.09
11ac (VHT20)	CH36	24.01	17.75
11ac (VHT20)	CH44	24.01	17.74
11ac (VHT20)	CH48	23.96	17.74
11ac (VHT40)	CH38	43.28	36.09
11ac (VHT40)	CH46	44.86	36.09
11ac (VHT80)	CH42	85.54	75.05
11ax (HE20) (SU)	CH36	24.50	18.90
11ax (HE20) (SU)	CH44	23.81	18.91
11ax (HE20) (SU)	CH48	23.58	18.94
11ax (HE40) (SU)	CH38	42.72	37.50
11ax (HE40) (SU)	CH46	43.74	37.47
11ax (HE80) (SU)	CH42	83.31	76.69

U-NII-2A (5250 - 5350 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH52	24.23	16.77
11a	CH60	23.30	16.65
11a	CH64	23.54	16.68
11n (HT20)	CH52	24.36	17.76
11n (HT20)	CH60	23.66	17.73
11n (HT20)	CH64	23.97	17.71
11n (HT40)	CH54	43.96	36.19
11n (HT40)	CH62	43.96	36.02
11ac (VHT20)	CH52	24.19	17.80
11ac (VHT20)	CH60	23.81	17.73
11ac (VHT20)	CH64	23.46	17.72
11ac (VHT40)	CH54	44.83	36.17
11ac (VHT40)	CH62	43.32	36.04
11ac (VHT80)	CH58	88.77	75.27
11ax (HE20) (SU)	CH52	23.40	18.93
11ax (HE20) (SU)	CH60	23.32	18.90
11ax (HE20) (SU)	CH64	23.56	18.90
11ax (HE40) (SU)	CH54	44.48	37.59
11ax (HE40) (SU)	CH62	43.27	37.54
11ax (HE80) (SU)	CH58	83.67	76.76

U-NII-2C (5470 - 5725 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH100	23.57	16.68
11a	CH116	23.80	16.68
11a	CH140	23.64	16.68
11n (HT20)	CH100	24.13	17.72
11n (HT20)	CH116	24.43	17.75
11n (HT20)	CH140	23.52	17.73
11n (HT40)	CH102	43.40	36.09
11n (HT40)	CH118	44.47	36.12
11n (HT40)	CH134	43.27	36.04
11ac (VHT20)	CH100	24.17	17.75
11ac (VHT20)	CH116	24.40	17.75
11ac (VHT20)	CH140	23.78	17.73
11ac (VHT40)	CH102	44.70	36.07
11ac (VHT40)	CH118	45.10	36.11
11ac (VHT40)	CH134	42.83	36.04
11ac (VHT80)	CH106	86.90	75.18
11ac (VHT80)	CH122	90.13	75.29
11ax (HE20) (SU)	CH100	23.34	18.90
11ax (HE20) (SU)	CH116	23.08	18.90
11ax (HE20) (SU)	CH140	23.58	18.91
11ax (HE40) (SU)	CH102	43.45	37.50
11ax (HE40) (SU)	CH118	43.01	37.50
11ax (HE40) (SU)	CH134	42.16	37.49
11ax (HE80) (SU)	CH106	83.17	76.76
11ax (HE80) (SU)	CH122	83.45	76.81

U-NII-3 (5725 - 5850 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH149	23.90	16.77
11a	CH157	24.31	16.75
11a	CH165	23.54	16.72
11n (HT20)	CH149	24.46	17.80
11n (HT20)	CH157	24.74	17.79
11n (HT20)	CH165	23.98	17.76
11n (HT40)	CH151	47.31	36.22
11n (HT40)	CH159	46.51	36.25
11ac (VHT20)	CH149	24.56	17.82
11ac (VHT20)	CH157	24.39	17.78
11ac (VHT20)	CH165	24.46	17.79
11ac (VHT40)	CH151	46.82	36.19
11ac (VHT40)	CH159	45.95	36.20
11ac (VHT80)	CH155	87.80	75.25
11ax (HE20) (SU)	CH149	25.39	18.94
11ax (HE20) (SU)	CH157	24.30	18.90
11ax (HE20) (SU)	CH165	24.34	18.91
11ax (HE40) (SU)	CH151	43.74	37.52
11ax (HE40) (SU)	CH159	44.86	37.54
11ax (HE80) (SU)	CH155	83.30	76.81

A.3 6 dB Bandwidth

Note: Test plots please refer to the document “Annex No.: BL-SZ21C1014-604 Data Part 2.pdf”.

Test Data

Main Antenna

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	6 dB Bandwidth (MHz)	Limit (kHz)	Verdict
11a	CH149	15.25	500.00	Pass
11a	CH157	15.25	500.00	Pass
11a	CH165	15.25	500.00	Pass
11n (HT20)	CH149	15.20	500.00	Pass
11n (HT20)	CH157	15.20	500.00	Pass
11n (HT20)	CH165	15.20	500.00	Pass
11n (HT40)	CH151	35.15	500.00	Pass
11n (HT40)	CH159	35.15	500.00	Pass
11ac (VHT20)	CH149	15.05	500.00	Pass
11ac (VHT20)	CH157	15.25	500.00	Pass
11ac (VHT20)	CH165	15.20	500.00	Pass
11ac (VHT40)	CH151	35.15	500.00	Pass
11ac (VHT40)	CH159	35.15	500.00	Pass
11ac (VHT80)	CH155	75.15	500.00	Pass
11ax (HE20) (SU)	CH149	16.45	500.00	Pass
11ax (HE20) (SU)	CH157	17.30	500.00	Pass
11ax (HE20) (SU)	CH165	17.05	500.00	Pass
11ax (HE40) (SU)	CH151	35.20	500.00	Pass
11ax (HE40) (SU)	CH159	35.35	500.00	Pass
11ax (HE80) (SU)	CH155	75.20	500.00	Pass

Aux. Antenna

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	6 dB Bandwidth (MHz)	Limit (kHz)	Verdict
11a	CH149	15.20	500.00	Pass
11a	CH157	15.15	500.00	Pass
11a	CH165	15.20	500.00	Pass
11n (HT20)	CH149	15.15	500.00	Pass
11n (HT20)	CH157	15.55	500.00	Pass
11n (HT20)	CH165	15.20	500.00	Pass
11n (HT40)	CH151	35.20	500.00	Pass
11n (HT40)	CH159	35.20	500.00	Pass
11ac (VHT20)	CH149	15.15	500.00	Pass
11ac (VHT20)	CH157	15.15	500.00	Pass
11ac (VHT20)	CH165	15.20	500.00	Pass
11ac (VHT40)	CH151	35.20	500.00	Pass
11ac (VHT40)	CH159	35.15	500.00	Pass
11ac (VHT80)	CH155	75.15	500.00	Pass
11ax (HE20) (SU)	CH149	16.75	500.00	Pass
11ax (HE20) (SU)	CH157	16.80	500.00	Pass
11ax (HE20) (SU)	CH165	16.20	500.00	Pass
11ax (HE40) (SU)	CH151	35.45	500.00	Pass
11ax (HE40) (SU)	CH159	36.50	500.00	Pass
11ax (HE80) (SU)	CH155	75.20	500.00	Pass

A.4 Power Spectral Density

Note ¹: Test plots please refer to the document “Annex No.: BL-SZ21C1014-604 Data Part 3.pdf”.

Note ²: The RBW used in U-NII-3 is 1 MHz, and the PSD factor is: $10 \cdot \log(500 \text{ kHz/RBW}) = -3 \text{ dBm}$.

Test Data

Main Antenna

U-NII-1 (5150 - 5250 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH36	6.89	11.00	Pass
11a	CH44	6.82	11.00	Pass
11a	CH48	6.80	11.00	Pass
11n (HT20)	CH36	6.56	11.00	Pass
11n (HT20)	CH44	6.54	11.00	Pass
11n (HT20)	CH48	6.61	11.00	Pass
11n (HT40)	CH38	3.43	11.00	Pass
11n (HT40)	CH46	3.01	11.00	Pass
11ac (VHT20)	CH36	6.78	11.00	Pass
11ac (VHT20)	CH44	6.72	11.00	Pass
11ac (VHT20)	CH48	6.67	11.00	Pass
11ac (VHT40)	CH38	3.53	11.00	Pass
11ac (VHT40)	CH46	3.04	11.00	Pass
11ac (VHT80)	CH42	0.16	11.00	Pass
11ax (HE20) (SU)	CH36	6.43	11.00	Pass
11ax (HE20) (SU)	CH44	6.39	11.00	Pass
11ax (HE20) (SU)	CH48	6.22	11.00	Pass
11ax (HE40) (SU)	CH38	3.06	11.00	Pass
11ax (HE40) (SU)	CH46	3.03	11.00	Pass
11ax (HE80) (SU)	CH42	0.28	11.00	Pass
11ax (HE20) (RU26)	CH36	9.71	11.00	Pass
11ax (HE20) (RU26)	CH44	9.68	11.00	Pass
11ax (HE20) (RU26)	CH48	9.89	11.00	Pass
11ax (HE40) (RU26)	CH38	10.12	11.00	Pass
11ax (HE40) (RU26)	CH46	9.41	11.00	Pass
11ax (HE80) (RU26)	CH42	10.23	11.00	Pass

U-NII-2A (5250 - 5350 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH52	6.92	11.00	Pass
11a	CH60	6.71	11.00	Pass
11a	CH64	6.90	11.00	Pass
11n (HT20)	CH52	6.67	11.00	Pass
11n (HT20)	CH60	6.42	11.00	Pass
11n (HT20)	CH64	6.69	11.00	Pass
11n (HT40)	CH54	3.03	11.00	Pass
11n (HT40)	CH62	3.31	11.00	Pass
11ac (VHT20)	CH52	6.66	11.00	Pass
11ac (VHT20)	CH60	6.45	11.00	Pass
11ac (VHT20)	CH64	6.59	11.00	Pass
11ac (VHT40)	CH54	2.91	11.00	Pass
11ac (VHT40)	CH62	3.35	11.00	Pass
11ac (VHT80)	CH58	-0.78	11.00	Pass
11ax (HE20) (SU)	CH52	6.26	11.00	Pass
11ax (HE20) (SU)	CH60	6.52	11.00	Pass
11ax (HE20) (SU)	CH64	6.28	11.00	Pass
11ax (HE40) (SU)	CH54	3.04	11.00	Pass
11ax (HE40) (SU)	CH62	2.86	11.00	Pass
11ax (HE80) (SU)	CH58	-0.13	11.00	Pass
11ax (HE20) (RU26)	CH52	9.53	11.00	Pass
11ax (HE20) (RU26)	CH60	9.79	11.00	Pass
11ax (HE20) (RU26)	CH64	9.92	11.00	Pass
11ax (HE40) (RU26)	CH54	9.95	11.00	Pass
11ax (HE40) (RU26)	CH62	9.33	11.00	Pass
11ax (HE80) (RU26)	CH58	9.48	11.00	Pass

U-NII-2C (5470 - 5725 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH100	5.76	11.00	Pass
11a	CH116	5.70	11.00	Pass
11a	CH140	6.09	11.00	Pass
11n (HT20)	CH100	5.52	11.00	Pass
11n (HT20)	CH116	5.98	11.00	Pass
11n (HT20)	CH140	5.79	11.00	Pass
11n (HT40)	CH102	2.27	11.00	Pass
11n (HT40)	CH118	2.26	11.00	Pass
11n (HT40)	CH134	2.63	11.00	Pass
11ac (VHT20)	CH100	5.94	11.00	Pass
11ac (VHT20)	CH116	5.87	11.00	Pass
11ac (VHT20)	CH140	5.73	11.00	Pass
11ac (VHT40)	CH102	2.17	11.00	Pass
11ac (VHT40)	CH118	2.14	11.00	Pass
11ac (VHT40)	CH134	2.59	11.00	Pass
11ac (VHT80)	CH106	-0.79	11.00	Pass
11ac (VHT80)	CH122	-0.65	11.00	Pass
11ax (HE20) (SU)	CH100	5.50	11.00	Pass
11ax (HE20) (SU)	CH116	5.46	11.00	Pass
11ax (HE20) (SU)	CH140	5.31	11.00	Pass
11ax (HE40) (SU)	CH102	2.26	11.00	Pass
11ax (HE40) (SU)	CH118	2.20	11.00	Pass
11ax (HE40) (SU)	CH134	2.02	11.00	Pass
11ax (HE80) (SU)	CH106	-0.63	11.00	Pass
11ax (HE80) (SU)	CH122	-0.99	11.00	Pass
11ax (HE20) (RU26)	CH100	10.07	11.00	Pass
11ax (HE20) (RU26)	CH116	9.67	11.00	Pass
11ax (HE20) (RU26)	CH140	9.95	11.00	Pass
11ax (HE40) (RU26)	CH102	9.79	11.00	Pass
11ax (HE40) (RU26)	CH118	9.67	11.00	Pass
11ax (HE40) (RU26)	CH134	9.56	11.00	Pass
11ax (HE80) (RU26)	CH106	9.66	11.00	Pass
11ax (HE80) (RU26)	CH122	9.60	11.00	Pass

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
11a	CH149	3.40	30.00	Pass
11a	CH157	3.10	30.00	Pass
11a	CH165	3.66	30.00	Pass
11n (HT20)	CH149	3.10	30.00	Pass
11n (HT20)	CH157	2.88	30.00	Pass
11n (HT20)	CH165	3.31	30.00	Pass
11n (HT40)	CH151	0.19	30.00	Pass
11n (HT40)	CH159	0.28	30.00	Pass
11ac (VHT20)	CH149	3.06	30.00	Pass
11ac (VHT20)	CH157	2.86	30.00	Pass
11ac (VHT20)	CH165	3.34	30.00	Pass
11ac (VHT40)	CH151	0.12	30.00	Pass
11ac (VHT40)	CH159	0.23	30.00	Pass
11ac (VHT80)	CH155	-2.93	30.00	Pass
11ax (HE20) (SU)	CH149	2.68	30.00	Pass
11ax (HE20) (SU)	CH157	2.48	30.00	Pass
11ax (HE20) (SU)	CH165	2.89	30.00	Pass
11ax (HE40) (SU)	CH151	-0.30	30.00	Pass
11ax (HE40) (SU)	CH159	-0.22	30.00	Pass
11ax (HE80) (SU)	CH155	-3.36	30.00	Pass
11ax (HE20) (RU26)	CH149	7.39	30.00	Pass
11ax (HE20) (RU26)	CH157	7.23	30.00	Pass
11ax (HE20) (RU26)	CH165	7.31	30.00	Pass
11ax (HE40) (RU26)	CH151	7.44	30.00	Pass
11ax (HE40) (RU26)	CH159	7.26	30.00	Pass
11ax (HE80) (RU26)	CH155	7.36	30.00	Pass

Aux. Antenna

U-NII-1 (5150 - 5250 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH36	6.52	11.00	Pass
11a	CH44	6.89	11.00	Pass
11a	CH48	6.99	11.00	Pass
11n (HT20)	CH36	6.26	11.00	Pass
11n (HT20)	CH44	6.65	11.00	Pass
11n (HT20)	CH48	6.70	11.00	Pass
11n (HT40)	CH38	3.00	11.00	Pass
11n (HT40)	CH46	3.17	11.00	Pass
11ac (VHT20)	CH36	6.31	11.00	Pass
11ac (VHT20)	CH44	6.68	11.00	Pass
11ac (VHT20)	CH48	6.71	11.00	Pass
11ac (VHT40)	CH38	3.02	11.00	Pass
11ac (VHT40)	CH46	3.20	11.00	Pass
11ac (VHT80)	CH42	-0.63	11.00	Pass
11ax (HE20) (SU)	CH36	6.49	11.00	Pass
11ax (HE20) (SU)	CH44	6.29	11.00	Pass
11ax (HE20) (SU)	CH48	6.35	11.00	Pass
11ax (HE40) (SU)	CH38	3.05	11.00	Pass
11ax (HE40) (SU)	CH46	3.20	11.00	Pass
11ax (HE80) (SU)	CH42	0.41	11.00	Pass
11ax (HE20) (RU26)	CH36	10.13	11.00	Pass
11ax (HE20) (RU26)	CH44	9.73	11.00	Pass
11ax (HE20) (RU26)	CH48	9.78	11.00	Pass
11ax (HE40) (RU26)	CH38	9.68	11.00	Pass
11ax (HE40) (RU26)	CH46	9.83	11.00	Pass
11ax (HE80) (RU26)	CH42	10.17	11.00	Pass

U-NII-2A (5250 - 5350 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH52	6.88	11.00	Pass
11a	CH60	6.83	11.00	Pass
11a	CH64	6.82	11.00	Pass
11n (HT20)	CH52	6.66	11.00	Pass
11n (HT20)	CH60	6.45	11.00	Pass
11n (HT20)	CH64	6.49	11.00	Pass
11n (HT40)	CH54	3.02	11.00	Pass
11n (HT40)	CH62	3.35	11.00	Pass
11ac (VHT20)	CH52	6.26	11.00	Pass
11ac (VHT20)	CH60	6.60	11.00	Pass
11ac (VHT20)	CH64	6.57	11.00	Pass
11ac (VHT40)	CH54	3.06	11.00	Pass
11ac (VHT40)	CH62	3.36	11.00	Pass
11ac (VHT80)	CH58	-0.44	11.00	Pass
11ax (HE20) (SU)	CH52	6.29	11.00	Pass
11ax (HE20) (SU)	CH60	6.46	11.00	Pass
11ax (HE20) (SU)	CH64	6.02	11.00	Pass
11ax (HE40) (SU)	CH54	3.15	11.00	Pass
11ax (HE40) (SU)	CH62	2.85	11.00	Pass
11ax (HE80) (SU)	CH58	0.17	11.00	Pass
11ax (HE20) (RU26)	CH52	9.51	11.00	Pass
11ax (HE20) (RU26)	CH60	9.91	11.00	Pass
11ax (HE20) (RU26)	CH64	9.68	11.00	Pass
11ax (HE40) (RU26)	CH54	9.53	11.00	Pass
11ax (HE40) (RU26)	CH62	9.84	11.00	Pass
11ax (HE80) (RU26)	CH58	9.43	11.00	Pass

U-NII-2C (5470 - 5725 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH100	6.16	11.00	Pass
11a	CH116	6.07	11.00	Pass
11a	CH140	5.73	11.00	Pass
11n (HT20)	CH100	5.79	11.00	Pass
11n (HT20)	CH116	5.82	11.00	Pass
11n (HT20)	CH140	5.49	11.00	Pass
11n (HT40)	CH102	2.18	11.00	Pass
11n (HT40)	CH118	2.16	11.00	Pass
11n (HT40)	CH134	2.30	11.00	Pass
11ac (VHT20)	CH100	5.81	11.00	Pass
11ac (VHT20)	CH116	5.83	11.00	Pass
11ac (VHT20)	CH140	5.45	11.00	Pass
11ac (VHT40)	CH102	2.19	11.00	Pass
11ac (VHT40)	CH118	2.14	11.00	Pass
11ac (VHT40)	CH134	2.37	11.00	Pass
11ac (VHT80)	CH106	-1.15	11.00	Pass
11ac (VHT80)	CH122	-0.58	11.00	Pass
11ax (HE20) (SU)	CH100	5.48	11.00	Pass
11ax (HE20) (SU)	CH116	5.45	11.00	Pass
11ax (HE20) (SU)	CH140	5.63	11.00	Pass
11ax (HE40) (SU)	CH102	2.25	11.00	Pass
11ax (HE40) (SU)	CH118	2.26	11.00	Pass
11ax (HE40) (SU)	CH134	2.34	11.00	Pass
11ax (HE80) (SU)	CH106	-0.98	11.00	Pass
11ax (HE80) (SU)	CH122	-0.93	11.00	Pass
11ax (HE20) (RU26)	CH100	9.70	11.00	Pass
11ax (HE20) (RU26)	CH116	9.76	11.00	Pass
11ax (HE20) (RU26)	CH140	10.07	11.00	Pass
11ax (HE40) (RU26)	CH102	9.85	11.00	Pass
11ax (HE40) (RU26)	CH118	10.06	11.00	Pass
11ax (HE40) (RU26)	CH134	9.64	11.00	Pass
11ax (HE80) (RU26)	CH106	9.62	11.00	Pass
11ax (HE80) (RU26)	CH122	9.73	11.00	Pass

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
11a	CH149	3.07	30.00	Pass
11a	CH157	2.76	30.00	Pass
11a	CH165	3.69	30.00	Pass
11n (HT20)	CH149	2.93	30.00	Pass
11n (HT20)	CH157	2.53	30.00	Pass
11n (HT20)	CH165	2.48	30.00	Pass
11n (HT40)	CH151	-0.31	30.00	Pass
11n (HT40)	CH159	-0.04	30.00	Pass
11ac (VHT20)	CH149	2.85	30.00	Pass
11ac (VHT20)	CH157	2.54	30.00	Pass
11ac (VHT20)	CH165	3.41	30.00	Pass
11ac (VHT40)	CH151	-0.31	30.00	Pass
11ac (VHT40)	CH159	0.07	30.00	Pass
11ac (VHT80)	CH155	-3.45	30.00	Pass
11ax (HE20) (SU)	CH149	2.47	30.00	Pass
11ax (HE20) (SU)	CH157	2.12	30.00	Pass
11ax (HE20) (SU)	CH165	2.93	30.00	Pass
11ax (HE40) (SU)	CH151	-0.95	30.00	Pass
11ax (HE40) (SU)	CH159	-0.58	30.00	Pass
11ax (HE80) (SU)	CH155	-3.81	30.00	Pass
11ax (HE20) (RU26)	CH149	6.97	30.00	Pass
11ax (HE20) (RU26)	CH157	7.08	30.00	Pass
11ax (HE20) (RU26)	CH165	7.16	30.00	Pass
11ax (HE40) (RU26)	CH151	7.16	30.00	Pass
11ax (HE40) (RU26)	CH159	7.48	30.00	Pass
11ax (HE80) (RU26)	CH155	7.41	30.00	Pass

MIMO-Main Antenna

U-NII-1 (5150 - 5250 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n (HT20)	CH36	3.57	11.00	Pass
11n (HT20)	CH44	3.49	11.00	Pass
11n (HT20)	CH48	3.43	11.00	Pass
11n (HT40)	CH38	0.14	11.00	Pass
11n (HT40)	CH46	0.16	11.00	Pass
11ac (VHT20)	CH36	5.43	11.00	Pass
11ac (VHT20)	CH44	3.50	11.00	Pass
11ac (VHT20)	CH48	3.40	11.00	Pass
11ac (VHT40)	CH38	0.10	11.00	Pass
11ac (VHT40)	CH46	0.19	11.00	Pass
11ac (VHT80)	CH42	-2.66	11.00	Pass
11ax (HE20) (SU)	CH36	5.09	11.00	Pass
11ax (HE20) (SU)	CH44	3.28	11.00	Pass
11ax (HE20) (SU)	CH48	3.09	11.00	Pass
11ax (HE40) (SU)	CH38	0.92	11.00	Pass
11ax (HE40) (SU)	CH46	-0.41	11.00	Pass
11ax (HE80) (SU)	CH42	-3.08	11.00	Pass
11ax (HE20) (RU26)	CH36	7.12	11.00	Pass
11ax (HE20) (RU26)	CH44	6.96	11.00	Pass
11ax (HE20) (RU26)	CH48	6.56	11.00	Pass
11ax (HE40) (RU26)	CH38	6.65	11.00	Pass
11ax (HE40) (RU26)	CH46	6.84	11.00	Pass
11ax (HE80) (RU26)	CH42	7.46	11.00	Pass

U-NII-2A (5250 - 5350 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n (HT20)	CH52	3.40	11.00	Pass
11n (HT20)	CH60	3.73	11.00	Pass
11n (HT20)	CH64	3.49	11.00	Pass
11n (HT40)	CH54	0.08	11.00	Pass
11n (HT40)	CH62	-0.12	11.00	Pass
11ac (VHT20)	CH52	7.28	11.00	Pass
11ac (VHT20)	CH60	3.71	11.00	Pass
11ac (VHT20)	CH64	3.38	11.00	Pass
11ac (VHT40)	CH54	2.64	11.00	Pass
11ac (VHT40)	CH62	-0.14	11.00	Pass
11ac (VHT80)	CH58	-3.16	11.00	Pass
11ax (HE20) (SU)	CH52	3.50	11.00	Pass
11ax (HE20) (SU)	CH60	3.36	11.00	Pass
11ax (HE20) (SU)	CH64	4.70	11.00	Pass
11ax (HE40) (SU)	CH54	0.04	11.00	Pass
11ax (HE40) (SU)	CH62	-0.04	11.00	Pass
11ax (HE80) (SU)	CH58	-3.51	11.00	Pass
11ax (HE20) (RU26)	CH52	7.37	11.00	Pass
11ax (HE20) (RU26)	CH60	6.61	11.00	Pass
11ax (HE20) (RU26)	CH64	6.61	11.00	Pass
11ax (HE40) (RU26)	CH54	7.83	11.00	Pass
11ax (HE40) (RU26)	CH62	6.46	11.00	Pass
11ax (HE80) (RU26)	CH58	6.74	11.00	Pass

U-NII-2C (5470 - 5725 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n (HT20)	CH100	3.41	11.00	Pass
11n (HT20)	CH116	2.67	11.00	Pass
11n (HT20)	CH140	2.70	11.00	Pass
11n (HT40)	CH102	-0.67	11.00	Pass
11n (HT40)	CH118	-0.73	11.00	Pass
11n (HT40)	CH134	-0.91	11.00	Pass
11ac (VHT20)	CH100	5.55	11.00	Pass
11ac (VHT20)	CH116	2.68	11.00	Pass
11ac (VHT20)	CH140	2.58	11.00	Pass
11ac (VHT40)	CH102	-0.69	11.00	Pass
11ac (VHT40)	CH118	-0.73	11.00	Pass
11ac (VHT40)	CH134	4.20	11.00	Pass
11ac (VHT80)	CH106	-4.10	11.00	Pass
11ac (VHT80)	CH122	-3.89	11.00	Pass
11ax (HE20) (SU)	CH100	5.26	11.00	Pass
11ax (HE20) (SU)	CH116	2.27	11.00	Pass
11ax (HE20) (SU)	CH140	2.22	11.00	Pass
11ax (HE40) (SU)	CH102	-1.18	11.00	Pass
11ax (HE40) (SU)	CH118	-1.04	11.00	Pass
11ax (HE40) (SU)	CH134	-0.70	11.00	Pass
11ax (HE80) (SU)	CH106	-1.88	11.00	Pass
11ax (HE80) (SU)	CH122	-3.79	11.00	Pass
11ax (HE20) (RU26)	CH100	6.88	11.00	Pass
11ax (HE20) (RU26)	CH116	6.86	11.00	Pass
11ax (HE20) (RU26)	CH140	7.54	11.00	Pass
11ax (HE40) (RU26)	CH102	6.97	11.00	Pass
11ax (HE40) (RU26)	CH118	6.67	11.00	Pass
11ax (HE40) (RU26)	CH134	6.62	11.00	Pass
11ax (HE80) (RU26)	CH106	6.75	11.00	Pass
11ax (HE80) (RU26)	CH122	6.71	11.00	Pass

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
11n (HT20)	CH149	1.52	30.00	Pass
11n (HT20)	CH157	1.34	30.00	Pass
11n (HT20)	CH165	1.19	30.00	Pass
11n (HT40)	CH151	1.73	30.00	Pass
11n (HT40)	CH159	-1.97	30.00	Pass
11ac (VHT20)	CH149	1.00	30.00	Pass
11ac (VHT20)	CH157	4.03	30.00	Pass
11ac (VHT20)	CH165	1.41	30.00	Pass
11ac (VHT40)	CH151	1.74	30.00	Pass
11ac (VHT40)	CH159	-2.00	30.00	Pass
11ac (VHT80)	CH155	-4.48	30.00	Pass
11ax (HE20) (SU)	CH149	1.26	30.00	Pass
11ax (HE20) (SU)	CH157	1.09	30.00	Pass
11ax (HE20) (SU)	CH165	4.21	30.00	Pass
11ax (HE40) (SU)	CH151	-2.49	30.00	Pass
11ax (HE40) (SU)	CH159	-1.87	30.00	Pass
11ax (HE80) (SU)	CH155	-2.69	30.00	Pass
11ax (HE20) (RU26)	CH149	3.93	30.00	Pass
11ax (HE20) (RU26)	CH157	3.93	30.00	Pass
11ax (HE20) (RU26)	CH165	4.51	30.00	Pass
11ax (HE40) (RU26)	CH151	5.03	30.00	Pass
11ax (HE40) (RU26)	CH159	4.18	30.00	Pass
11ax (HE80) (RU26)	CH155	4.92	30.00	Pass

MIMO-Aux. Antenna

U-NII-1 (5150 - 5250 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n (HT20)	CH36	3.34	11.00	Pass
11n (HT20)	CH44	3.74	11.00	Pass
11n (HT20)	CH48	3.79	11.00	Pass
11n (HT40)	CH38	-0.01	11.00	Pass
11n (HT40)	CH46	0.21	11.00	Pass
11ac (VHT20)	CH36	3.80	11.00	Pass
11ac (VHT20)	CH44	3.71	11.00	Pass
11ac (VHT20)	CH48	3.74	11.00	Pass
11ac (VHT40)	CH38	0.02	11.00	Pass
11ac (VHT40)	CH46	0.19	11.00	Pass
11ac (VHT80)	CH42	-2.75	11.00	Pass
11ax (HE20) (SU)	CH36	4.94	11.00	Pass
11ax (HE20) (SU)	CH44	3.15	11.00	Pass
11ax (HE20) (SU)	CH48	3.26	11.00	Pass
11ax (HE40) (SU)	CH38	1.09	11.00	Pass
11ax (HE40) (SU)	CH46	0.22	11.00	Pass
11ax (HE80) (SU)	CH42	-2.66	11.00	Pass
11ax (HE20) (RU26)	CH36	7.04	11.00	Pass
11ax (HE20) (RU26)	CH44	6.58	11.00	Pass
11ax (HE20) (RU26)	CH48	6.71	11.00	Pass
11ax (HE40) (RU26)	CH38	6.97	11.00	Pass
11ax (HE40) (RU26)	CH46	6.64	11.00	Pass
11ax (HE80) (RU26)	CH42	7.22	11.00	Pass

U-NII-2A (5250 - 5350 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n (HT20)	CH52	3.75	11.00	Pass
11n (HT20)	CH60	5.54	11.00	Pass
11n (HT20)	CH64	3.64	11.00	Pass
11n (HT40)	CH54	0.19	11.00	Pass
11n (HT40)	CH62	0.44	11.00	Pass
11ac (VHT20)	CH52	3.80	11.00	Pass
11ac (VHT20)	CH60	3.59	11.00	Pass
11ac (VHT20)	CH64	3.53	11.00	Pass
11ac (VHT40)	CH54	0.16	11.00	Pass
11ac (VHT40)	CH62	0.40	11.00	Pass
11ac (VHT80)	CH58	-2.48	11.00	Pass
11ax (HE20) (SU)	CH52	3.27	11.00	Pass
11ax (HE20) (SU)	CH60	3.05	11.00	Pass
11ax (HE20) (SU)	CH64	3.15	11.00	Pass
11ax (HE40) (SU)	CH54	2.44	11.00	Pass
11ax (HE40) (SU)	CH62	0.94	11.00	Pass
11ax (HE80) (SU)	CH58	-2.83	11.00	Pass
11ax (HE20) (RU26)	CH52	7.12	11.00	Pass
11ax (HE20) (RU26)	CH60	7.07	11.00	Pass
11ax (HE20) (RU26)	CH64	6.78	11.00	Pass
11ax (HE40) (RU26)	CH54	7.03	11.00	Pass
11ax (HE40) (RU26)	CH62	6.74	11.00	Pass
11ax (HE80) (RU26)	CH58	6.39	11.00	Pass

U-NII-2C (5470 - 5725 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n (HT20)	CH100	2.81	11.00	Pass
11n (HT20)	CH116	2.70	11.00	Pass
11n (HT20)	CH140	2.79	11.00	Pass
11n (HT40)	CH102	2.04	11.00	Pass
11n (HT40)	CH118	-0.39	11.00	Pass
11n (HT40)	CH134	-0.80	11.00	Pass
11ac (VHT20)	CH100	2.70	11.00	Pass
11ac (VHT20)	CH116	2.58	11.00	Pass
11ac (VHT20)	CH140	2.77	11.00	Pass
11ac (VHT40)	CH102	-0.83	11.00	Pass
11ac (VHT40)	CH118	-0.87	11.00	Pass
11ac (VHT40)	CH134	-0.72	11.00	Pass
11ac (VHT80)	CH106	-3.76	11.00	Pass
11ac (VHT80)	CH122	-3.64	11.00	Pass
11ax (HE20) (SU)	CH100	2.43	11.00	Pass
11ax (HE20) (SU)	CH116	2.35	11.00	Pass
11ax (HE20) (SU)	CH140	2.50	11.00	Pass
11ax (HE40) (SU)	CH102	-1.18	11.00	Pass
11ax (HE40) (SU)	CH118	-0.76	11.00	Pass
11ax (HE40) (SU)	CH134	-0.58	11.00	Pass
11ax (HE80) (SU)	CH106	-2.06	11.00	Pass
11ax (HE80) (SU)	CH122	-4.01	11.00	Pass
11ax (HE20) (RU26)	CH100	6.80	11.00	Pass
11ax (HE20) (RU26)	CH116	6.74	11.00	Pass
11ax (HE20) (RU26)	CH140	6.97	11.00	Pass
11ax (HE40) (RU26)	CH102	6.78	11.00	Pass
11ax (HE40) (RU26)	CH118	6.86	11.00	Pass
11ax (HE40) (RU26)	CH134	6.46	11.00	Pass
11ax (HE80) (RU26)	CH106	6.52	11.00	Pass
11ax (HE80) (RU26)	CH122	6.66	11.00	Pass

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
11n (HT20)	CH149	1.05	30.00	Pass
11n (HT20)	CH157	1.45	30.00	Pass
11n (HT20)	CH165	1.29	30.00	Pass
11n (HT40)	CH151	0.83	30.00	Pass
11n (HT40)	CH159	-2.08	30.00	Pass
11ac (VHT20)	CH149	1.26	30.00	Pass
11ac (VHT20)	CH157	1.47	30.00	Pass
11ac (VHT20)	CH165	1.37	30.00	Pass
11ac (VHT40)	CH151	1.16	30.00	Pass
11ac (VHT40)	CH159	-2.10	30.00	Pass
11ac (VHT80)	CH155	-2.59	30.00	Pass
11ax (HE20) (SU)	CH149	0.87	30.00	Pass
11ax (HE20) (SU)	CH157	1.05	30.00	Pass
11ax (HE20) (SU)	CH165	4.04	30.00	Pass
11ax (HE40) (SU)	CH151	-2.46	30.00	Pass
11ax (HE40) (SU)	CH159	1.07	30.00	Pass
11ax (HE80) (SU)	CH155	-4.76	30.00	Pass
11ax (HE20) (RU26)	CH149	3.96	30.00	Pass
11ax (HE20) (RU26)	CH157	3.77	30.00	Pass
11ax (HE20) (RU26)	CH165	4.10	30.00	Pass
11ax (HE40) (RU26)	CH151	5.37	30.00	Pass
11ax (HE40) (RU26)	CH159	4.31	30.00	Pass
11ax (HE80) (RU26)	CH155	4.10	30.00	Pass

MIMO

U-NII-1 (5150 - 5250 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n (HT20)	CH36	6.47	11.00	Pass
11n (HT20)	CH44	6.63	11.00	Pass
11n (HT20)	CH48	6.62	11.00	Pass
11n (HT40)	CH38	3.07	11.00	Pass
11n (HT40)	CH46	3.19	11.00	Pass
11ac (VHT20)	CH36	7.70	11.00	Pass
11ac (VHT20)	CH44	6.61	11.00	Pass
11ac (VHT20)	CH48	6.58	11.00	Pass
11ac (VHT40)	CH38	3.07	11.00	Pass
11ac (VHT40)	CH46	3.20	11.00	Pass
11ac (VHT80)	CH42	0.31	11.00	Pass
11ax (HE20) (SU)	CH36	8.02	11.00	Pass
11ax (HE20) (SU)	CH44	6.22	11.00	Pass
11ax (HE20) (SU)	CH48	6.19	11.00	Pass
11ax (HE40) (SU)	CH38	4.02	11.00	Pass
11ax (HE40) (SU)	CH46	2.93	11.00	Pass
11ax (HE80) (SU)	CH42	0.14	11.00	Pass
11ax (HE20) (RU26)	CH36	10.09	11.00	Pass
11ax (HE20) (RU26)	CH44	9.79	11.00	Pass
11ax (HE20) (RU26)	CH48	9.64	11.00	Pass
11ax (HE40) (RU26)	CH38	9.82	11.00	Pass
11ax (HE40) (RU26)	CH46	9.75	11.00	Pass
11ax (HE80) (RU26)	CH42	10.36	11.00	Pass

U-NII-2A (5250 - 5350 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n (HT20)	CH52	6.59	11.00	Pass
11n (HT20)	CH60	7.74	11.00	Pass
11n (HT20)	CH64	6.57	11.00	Pass
11n (HT40)	CH54	3.15	11.00	Pass
11n (HT40)	CH62	3.18	11.00	Pass
11ac (VHT20)	CH52	8.89	11.00	Pass
11ac (VHT20)	CH60	6.66	11.00	Pass
11ac (VHT20)	CH64	6.46	11.00	Pass
11ac (VHT40)	CH54	4.58	11.00	Pass
11ac (VHT40)	CH62	3.15	11.00	Pass
11ac (VHT80)	CH58	0.21	11.00	Pass
11ax (HE20) (SU)	CH52	6.40	11.00	Pass
11ax (HE20) (SU)	CH60	6.22	11.00	Pass
11ax (HE20) (SU)	CH64	7.01	11.00	Pass
11ax (HE40) (SU)	CH54	4.41	11.00	Pass
11ax (HE40) (SU)	CH62	3.49	11.00	Pass
11ax (HE80) (SU)	CH58	-0.14	11.00	Pass
11ax (HE20) (RU26)	CH52	10.26	11.00	Pass
11ax (HE20) (RU26)	CH60	9.86	11.00	Pass
11ax (HE20) (RU26)	CH64	9.71	11.00	Pass
11ax (HE40) (RU26)	CH54	10.46	11.00	Pass
11ax (HE40) (RU26)	CH62	9.61	11.00	Pass
11ax (HE80) (RU26)	CH58	9.58	11.00	Pass

U-NII-2C (5470 - 5725 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n (HT20)	CH100	6.13	11.00	Pass
11n (HT20)	CH116	5.69	11.00	Pass
11n (HT20)	CH140	5.75	11.00	Pass
11n (HT40)	CH102	3.90	11.00	Pass
11n (HT40)	CH118	2.45	11.00	Pass
11n (HT40)	CH134	2.15	11.00	Pass
11ac (VHT20)	CH100	7.36	11.00	Pass
11ac (VHT20)	CH116	5.64	11.00	Pass
11ac (VHT20)	CH140	5.68	11.00	Pass
11ac (VHT40)	CH102	2.25	11.00	Pass
11ac (VHT40)	CH118	2.21	11.00	Pass
11ac (VHT40)	CH134	5.42	11.00	Pass
11ac (VHT80)	CH106	-0.91	11.00	Pass
11ac (VHT80)	CH122	-0.75	11.00	Pass
11ax (HE20) (SU)	CH100	7.08	11.00	Pass
11ax (HE20) (SU)	CH116	5.32	11.00	Pass
11ax (HE20) (SU)	CH140	5.37	11.00	Pass
11ax (HE40) (SU)	CH102	1.83	11.00	Pass
11ax (HE40) (SU)	CH118	2.12	11.00	Pass
11ax (HE40) (SU)	CH134	2.37	11.00	Pass
11ax (HE80) (SU)	CH106	1.04	11.00	Pass
11ax (HE80) (SU)	CH122	-0.89	11.00	Pass
11ax (HE20) (RU26)	CH100	9.85	11.00	Pass
11ax (HE20) (RU26)	CH116	9.81	11.00	Pass
11ax (HE20) (RU26)	CH140	10.28	11.00	Pass
11ax (HE40) (RU26)	CH102	9.89	11.00	Pass
11ax (HE40) (RU26)	CH118	9.78	11.00	Pass
11ax (HE40) (RU26)	CH134	9.55	11.00	Pass
11ax (HE80) (RU26)	CH106	9.65	11.00	Pass
11ax (HE80) (RU26)	CH122	9.69	11.00	Pass

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
11n (HT20)	CH149	4.30	30.00	Pass
11n (HT20)	CH157	4.41	30.00	Pass
11n (HT20)	CH165	4.25	30.00	Pass
11n (HT40)	CH151	4.32	30.00	Pass
11n (HT40)	CH159	0.99	30.00	Pass
11ac (VHT20)	CH149	4.14	30.00	Pass
11ac (VHT20)	CH157	5.95	30.00	Pass
11ac (VHT20)	CH165	4.40	30.00	Pass
11ac (VHT40)	CH151	4.47	30.00	Pass
11ac (VHT40)	CH159	0.96	30.00	Pass
11ac (VHT80)	CH155	-0.42	30.00	Pass
11ax (HE20) (SU)	CH149	4.08	30.00	Pass
11ax (HE20) (SU)	CH157	4.08	30.00	Pass
11ax (HE20) (SU)	CH165	7.13	30.00	Pass
11ax (HE40) (SU)	CH151	0.54	30.00	Pass
11ax (HE40) (SU)	CH159	2.85	30.00	Pass
11ax (HE80) (SU)	CH155	-0.59	30.00	Pass
11ax (HE20) (RU26)	CH149	6.95	30.00	Pass
11ax (HE20) (RU26)	CH157	6.86	30.00	Pass
11ax (HE20) (RU26)	CH165	7.32	30.00	Pass
11ax (HE40) (RU26)	CH151	8.21	30.00	Pass
11ax (HE40) (RU26)	CH159	7.26	30.00	Pass
11ax (HE80) (RU26)	CH155	7.54	30.00	Pass


A.5 Conducted Emissions

Note¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.
 Note²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Test Data and Plots

PHASE L


CE Test case_FCC_CE_FCC PART 15B_Class B



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.158	52.95	10.99	65.57	-12.62	Peak	L	Pass
1**	0.158	33.24	10.99	55.57	-22.33	AV	L	Pass
2	0.162	52.53	10.99	65.36	-12.83	Peak	L	Pass
2**	0.162	31.24	10.99	55.36	-24.12	AV	L	Pass
3	0.178	50.42	10.97	64.58	-14.16	Peak	L	Pass
3**	0.178	34.93	10.97	54.58	-19.65	AV	L	Pass
4	0.424	40.70	10.91	57.37	-16.67	Peak	L	Pass
4**	0.424	28.01	10.91	47.37	-19.36	AV	L	Pass
5	0.466	39.63	10.91	56.58	-16.95	Peak	L	Pass
5**	0.466	31.92	10.91	46.58	-14.66	AV	L	Pass
6	5.044	39.37	10.68	60.00	-20.63	Peak	L	Pass
6**	5.044	27.64	10.68	50.00	-22.36	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15B_Class B



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.170	56.05	10.98	64.96	-8.91	Peak	N	Pass
1**	0.170	30.57	10.98	54.96	-24.39	AV	N	Pass
2	0.190	54.54	10.96	64.04	-9.50	Peak	N	Pass
2**	0.190	30.88	10.96	54.04	-23.16	AV	N	Pass
3	0.274	47.22	10.90	61.00	-13.78	Peak	N	Pass
3**	0.274	27.97	10.90	51.00	-23.03	AV	N	Pass
4	0.440	40.17	10.91	57.06	-16.89	Peak	N	Pass
4**	0.440	27.52	10.91	47.06	-19.54	AV	N	Pass
5	5.208	39.22	10.69	60.00	-20.78	Peak	N	Pass
5**	5.208	26.27	10.69	50.00	-23.73	AV	N	Pass
6	10.094	38.59	10.67	60.00	-21.41	Peak	N	Pass
6**	10.094	24.42	10.67	50.00	-25.58	AV	N	Pass

A.6 Radiated Spurious Emissions and Band Edge (Restricted-band)

Test Data

Note¹: The symbol of “--” in the table which means not application.


Note²: For the test data above 1 GHz, According the ANSI C63.4, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note³: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note⁴: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.


Note⁵: For Multiple transmitter output, the quantity $10 \log (NANT)$ dB is added to each spectrum value before comparing to the emission limit. When testing out-of-band and spurious emissions against relative emission limits, tests may be performed on each output individually without summing or adding $10 \log (NANT)$ if the measurements are made relative to the in-band emissions on the individual outputs.

30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	114.854	23.44	-28.83	33.5	-10.06	Peak	161.00	200	Horizontal	Pass
2	291.350	27.10	-25.25	36.0	-8.90	Peak	166.00	200	Horizontal	Pass
3	402.387	29.45	-22.31	36.0	-6.55	Peak	283.00	200	Horizontal	Pass
4	478.270	28.27	-20.96	36.0	-7.73	Peak	215.00	100	Horizontal	Pass
5	799.988	41.83	-14.53	36.0	5.83	Peak	225.00	100	Horizontal	N/A
5*	799.988	31.26	-14.53	36.0	-4.74	QP	225.00	100	Horizontal	Pass
6	842.657	35.82	-13.73	36.0	-0.18	Peak	260.00	100	Horizontal	N/A
6*	842.657	26.23	-13.73	36.0	-9.77	QP	260.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	112.429	29.55	-28.36	33.5	-3.95	Peak	300.00	100	Vertical	Pass
2	173.767	22.04	-30.21	33.5	-11.46	Peak	275.00	100	Vertical	Pass
3	193.889	21.20	-28.20	33.5	-12.30	Peak	240.00	100	Vertical	Pass
4	308.320	23.18	-24.83	36.0	-12.82	Peak	245.00	100	Vertical	Pass
5	456.936	24.51	-21.38	36.0	-11.49	Peak	159.00	100	Vertical	Pass
6	834.656	32.00	-13.91	36.0	-4.00	Peak	241.00	200	Vertical	Pass

Note: The spurious above 18G is noise only, do not show on the report.

Main Antenna

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.200	44.75	-15.55	68.2	-23.45	Peak	158.00	150	Horizontal	Pass
1**	1529.200	33.38	-15.55	54.0	-20.62	AV	158.00	150	Horizontal	Pass
2	2390.000	54.02	-10.39	68.2	-14.18	Peak	267.00	150	Horizontal	Pass
2**	2390.000	42.42	-10.39	54.0	-11.58	AV	267.00	150	Horizontal	Pass
3	5177.000	109.29	0.03	--	-250.71	Peak	360.00	150	Horizontal	N/A
3**	5177.000	102.29	0.03	--	102.29	AV	360.00	150	Horizontal	N/A
4	7405.000	55.63	2.62	68.2	-12.57	Peak	128.00	150	Horizontal	Pass
4**	7405.000	45.84	2.62	54.0	-8.16	AV	128.00	150	Horizontal	Pass
5	11909.724	55.44	2.36	68.2	-12.76	Peak	103.00	150	Horizontal	Pass
5**	11909.724	45.68	2.36	54.0	-8.32	AV	103.00	150	Horizontal	Pass
6	15971.401	54.32	0.85	68.2	-13.88	Peak	360.00	150	Horizontal	Pass
6**	15971.401	44.17	0.85	54.0	-9.83	AV	360.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1587.100	46.37	-15.85	68.2	-21.83	Peak	174.00	150	Vertical	Pass
1**	1587.100	32.99	-15.85	54.0	-21.01	AV	174.00	150	Vertical	Pass
2	2390.000	57.79	-10.39	68.2	-10.41	Peak	174.00	150	Vertical	Pass
2**	2390.000	47.75	-10.39	54.0	-6.25	AV	174.00	150	Vertical	Pass
3	4784.000	55.86	0.96	68.2	-12.34	Peak	212.00	150	Vertical	Pass
3**	4784.000	50.94	0.96	54.0	-3.06	AV	212.00	150	Vertical	Pass
4	5183.500	106.46	0.15	--	-155.54	Peak	262.00	150	Vertical	N/A
4**	5183.500	98.95	0.15	--	98.95	AV	262.00	150	Vertical	N/A
5	7560.750	55.58	2.74	68.2	-12.62	Peak	360.00	150	Vertical	Pass
5**	7560.750	45.60	2.74	54.0	-8.40	AV	360.00	150	Vertical	Pass
6	11887.162	55.01	2.20	68.2	-13.19	Peak	85.00	150	Vertical	Pass
6**	11887.162	46.03	2.20	54.0	-7.97	AV	85.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.800	43.79	-15.57	68.2	-24.41	Peak	162.00	150	Horizontal	Pass
1**	1540.800	31.90	-15.57	54.0	-22.10	AV	162.00	150	Horizontal	Pass
2	2390.000	50.18	-10.39	68.2	-18.02	Peak	231.00	150	Horizontal	Pass
2**	2390.000	47.45	-10.39	54.0	-6.55	AV	231.00	150	Horizontal	Pass
3	5216.250	110.75	0.35	--	109.75	Peak	1.00	150	Horizontal	N/A
3**	5216.250	104.08	0.35	--	104.08	AV	1.00	150	Horizontal	N/A
4	7566.000	55.17	2.68	68.2	-13.03	Peak	89.00	150	Horizontal	Pass
4**	7566.000	45.57	2.68	54.0	-8.43	AV	89.00	150	Horizontal	Pass
5	10791.812	54.37	1.94	68.2	-13.83	Peak	104.00	150	Horizontal	Pass
5**	10791.812	44.87	1.94	54.0	-9.13	AV	104.00	150	Horizontal	Pass
6	15773.737	53.72	1.06	68.2	-14.48	Peak	245.00	150	Horizontal	Pass
6**	15773.737	44.77	1.06	54.0	-9.23	AV	245.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.300	46.24	-15.87	68.2	-21.96	Peak	169.00	150	Vertical	Pass
1**	1584.300	34.14	-15.87	54.0	-19.86	AV	169.00	150	Vertical	Pass
2	2390.000	52.22	-10.39	68.2	-15.98	Peak	22.00	150	Vertical	Pass
2**	2390.000	44.13	-10.39	54.0	-9.87	AV	22.00	150	Vertical	Pass
3	4791.750	54.97	0.65	68.2	-13.23	Peak	216.00	150	Vertical	Pass
3**	4791.750	50.88	0.65	54.0	-3.12	AV	216.00	150	Vertical	Pass
4	5216.500	106.68	0.35	--	-46.32	Peak	153.00	150	Vertical	N/A
4**	5216.500	99.75	0.35	--	99.75	AV	153.00	150	Vertical	N/A
5	7396.000	55.05	2.48	68.2	-13.15	Peak	339.00	150	Vertical	Pass
5**	7396.000	46.48	2.48	54.0	-7.52	AV	339.00	150	Vertical	Pass
6	11960.075	54.84	2.64	68.2	-13.36	Peak	173.00	150	Vertical	Pass
6**	11960.075	46.02	2.64	54.0	-7.98	AV	173.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.800	44.33	-15.71	68.2	-23.87	Peak	164.00	150	Horizontal	Pass
1**	1522.800	34.25	-15.71	54.0	-19.75	AV	164.00	150	Horizontal	Pass
2	2390.000	52.33	-10.39	68.2	-15.87	Peak	266.00	150	Horizontal	Pass
2**	2390.000	48.65	-10.39	54.0	-5.35	AV	266.00	150	Horizontal	Pass
3	5236.000	110.13	0.13	--	110.13	Peak	0.00	150	Horizontal	N/A
3**	5236.000	102.85	0.13	--	102.85	AV	0.00	150	Horizontal	N/A
4	7423.250	55.11	2.93	68.2	-13.09	Peak	165.00	150	Horizontal	Pass
4**	7423.250	45.20	2.93	54.0	-8.80	AV	165.00	150	Horizontal	Pass
5	11298.638	54.77	2.39	68.2	-13.43	Peak	353.00	150	Horizontal	Pass
5**	11298.638	46.46	2.39	54.0	-7.54	AV	353.00	150	Horizontal	Pass
6	15981.375	53.56	0.78	68.2	-14.64	Peak	360.00	150	Horizontal	Pass
6**	15981.375	44.17	0.78	54.0	-9.83	AV	360.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.800	46.27	-15.87	68.2	-21.93	Peak	174.00	150	Vertical	Pass
1**	1584.800	33.42	-15.87	54.0	-20.58	AV	174.00	150	Vertical	Pass
2	2390.000	52.59	-10.39	68.2	-15.61	Peak	28.00	150	Vertical	Pass
2**	2390.000	42.83	-10.39	54.0	-11.17	AV	28.00	150	Vertical	Pass
3	4785.500	56.77	0.96	68.2	-11.43	Peak	190.00	150	Vertical	Pass
3**	4785.500	50.41	0.96	54.0	-3.59	AV	190.00	150	Vertical	Pass
4	5237.750	105.79	0.20	--	-146.21	Peak	252.00	150	Vertical	N/A
4**	5237.750	98.02	0.20	--	98.02	AV	252.00	150	Vertical	N/A
5	7584.250	54.87	1.69	68.2	-13.33	Peak	240.00	150	Vertical	Pass
5**	7584.250	46.35	1.69	54.0	-7.65	AV	240.00	150	Vertical	Pass
6	11264.912	54.61	1.97	68.2	-13.59	Peak	-1.00	150	Vertical	Pass
6**	11264.912	44.95	1.97	54.0	-9.05	AV	-1.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.200	43.83	-15.86	68.2	-24.37	Peak	163.00	150	Horizontal	Pass
1**	1570.200	30.64	-15.86	54.0	-23.36	AV	163.00	150	Horizontal	Pass
2	2390.000	52.41	-10.39	68.2	-15.79	Peak	252.00	150	Horizontal	Pass
2**	2390.000	46.65	-10.39	54.0	-7.35	AV	252.00	150	Horizontal	Pass
3	5183.250	109.62	0.14	--	-250.38	Peak	360.00	150	Horizontal	N/A
3**	5183.250	102.19	0.14	--	102.19	AV	360.00	150	Horizontal	N/A
4	7393.000	55.51	2.44	68.2	-12.69	Peak	226.00	150	Horizontal	Pass
4**	7393.000	46.01	2.44	54.0	-7.99	AV	226.00	150	Horizontal	Pass
5	11942.974	55.58	2.59	68.2	-12.62	Peak	227.00	150	Horizontal	Pass
5**	11942.974	46.44	2.59	54.0	-7.56	AV	227.00	150	Horizontal	Pass
6	15766.388	53.96	1.09	68.2	-14.24	Peak	0.00	150	Horizontal	Pass
6**	15766.388	44.75	1.09	54.0	-9.25	AV	0.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1616.600	47.58	-16.06	68.2	-20.62	Peak	210.00	150	Vertical	Pass
1**	1616.600	33.63	-16.06	54.0	-20.37	AV	210.00	150	Vertical	Pass
2	2390.000	51.11	-10.39	68.2	-17.09	Peak	74.00	150	Vertical	Pass
2**	2390.000	39.69	-10.39	54.0	-14.31	AV	74.00	150	Vertical	Pass
3	4786.250	57.34	0.92	68.2	-10.86	Peak	176.00	150	Vertical	Pass
3**	4786.250	50.55	0.92	54.0	-3.45	AV	176.00	150	Vertical	Pass
4	5178.000	106.41	0.08	--	-157.59	Peak	264.00	150	Vertical	N/A
4**	5178.000	99.02	0.08	--	99.02	AV	264.00	150	Vertical	N/A
5	7422.750	55.93	2.95	68.2	-12.27	Peak	63.00	150	Vertical	Pass
5**	7422.750	45.57	2.95	54.0	-8.43	AV	63.00	150	Vertical	Pass
6	11278.451	55.23	2.13	68.2	-12.97	Peak	194.00	150	Vertical	Pass
6**	11278.451	46.13	2.13	54.0	-7.87	AV	194.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1312.400	42.19	-15.90	68.2	-26.01	Peak	124.00	150	Horizontal	Pass
1**	1312.400	32.02	-15.90	54.0	-21.98	AV	124.00	150	Horizontal	Pass
2	2390.000	56.05	-10.39	68.2	-12.15	Peak	258.00	150	Horizontal	Pass
2**	2390.000	47.61	-10.39	54.0	-6.39	AV	258.00	150	Horizontal	Pass
3	5217.500	110.43	0.38	--	-249.57	Peak	360.00	150	Horizontal	N/A
3**	5217.500	103.63	0.38	--	103.63	AV	360.00	150	Horizontal	N/A
4	7563.000	55.67	2.75	68.2	-12.53	Peak	40.00	150	Horizontal	Pass
4**	7563.000	46.07	2.75	54.0	-7.93	AV	40.00	150	Horizontal	Pass
5	11936.562	55.67	2.55	68.2	-12.53	Peak	14.00	150	Horizontal	Pass
5**	11936.562	44.96	2.55	54.0	-9.04	AV	14.00	150	Horizontal	Pass
6	15747.225	53.49	1.11	68.2	-14.71	Peak	136.00	150	Horizontal	Pass
6**	15747.225	44.55	1.11	54.0	-9.45	AV	136.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1581.700	46.48	-15.77	68.2	-21.72	Peak	164.00	150	Vertical	Pass
1**	1581.700	33.53	-15.77	54.0	-20.47	AV	164.00	150	Vertical	Pass
2	2390.000	56.68	-10.39	68.2	-11.52	Peak	177.00	150	Vertical	Pass
2**	2390.000	45.64	-10.39	54.0	-8.36	AV	177.00	150	Vertical	Pass
3	4785.500	51.97	0.96	68.2	-16.23	Peak	352.00	150	Vertical	Pass
3**	4785.500	50.34	0.96	54.0	-3.66	AV	352.00	150	Vertical	Pass
4	5223.500	106.24	0.46	--	-158.76	Peak	265.00	150	Vertical	N/A
4**	5223.500	99.27	0.46	--	99.27	AV	265.00	150	Vertical	N/A
5	7419.250	54.88	3.07	68.2	-13.32	Peak	314.00	150	Vertical	Pass
5**	7419.250	46.27	3.07	54.0	-7.73	AV	314.00	150	Vertical	Pass
6	11271.562	54.68	2.05	68.2	-13.52	Peak	174.00	150	Vertical	Pass
6**	11271.562	46.00	2.05	54.0	-8.00	AV	174.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.900	43.68	-15.63	68.2	-24.52	Peak	171.00	150	Horizontal	Pass
1**	1537.900	34.93	-15.63	54.0	-19.07	AV	171.00	150	Horizontal	Pass
2	2390.000	48.23	-10.39	68.2	-19.97	Peak	246.00	150	Horizontal	Pass
2**	2390.000	46.06	-10.39	54.0	-7.94	AV	246.00	150	Horizontal	Pass
3	5245.000	109.70	0.04	--	83.70	Peak	26.00	150	Horizontal	N/A
3**	5245.000	102.95	0.04	--	102.95	AV	26.00	150	Horizontal	N/A
4	7367.750	55.57	1.56	68.2	-12.63	Peak	189.00	150	Horizontal	Pass
4**	7367.750	44.64	1.56	54.0	-9.36	AV	189.00	150	Horizontal	Pass
5	11206.963	54.61	2.19	68.2	-13.59	Peak	14.00	150	Horizontal	Pass
5**	11206.963	45.51	2.19	54.0	-8.49	AV	14.00	150	Horizontal	Pass
6	15961.162	54.04	0.91	68.2	-14.16	Peak	0.00	150	Horizontal	Pass
6**	15961.162	45.23	0.91	54.0	-8.77	AV	0.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1591.900	45.64	-15.81	68.2	-22.56	Peak	181.00	150	Vertical	Pass
1**	1591.900	34.28	-15.81	54.0	-19.72	AV	181.00	150	Vertical	Pass
2	2390.000	54.92	-10.39	68.2	-13.28	Peak	169.00	150	Vertical	Pass
2**	2390.000	42.92	-10.39	54.0	-11.08	AV	169.00	150	Vertical	Pass
3	4791.750	56.14	0.65	68.2	-12.06	Peak	177.00	150	Vertical	Pass
3**	4791.750	50.44	0.65	54.0	-3.56	AV	177.00	150	Vertical	Pass
4	5238.000	105.09	0.19	--	-146.91	Peak	252.00	150	Vertical	N/A
4**	5238.000	97.39	0.19	--	97.39	AV	252.00	150	Vertical	N/A
5	7395.750	55.42	2.47	68.2	-12.78	Peak	78.00	150	Vertical	Pass
5**	7395.750	45.54	2.47	54.0	-8.46	AV	78.00	150	Vertical	Pass
6	11268.237	56.58	2.01	68.2	-11.62	Peak	315.00	150	Vertical	Pass
6**	11268.237	45.37	2.01	54.0	-8.63	AV	315.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1538.300	43.48	-15.59	68.2	-24.72	Peak	150.00	150	Horizontal	Pass
1**	1538.300	31.38	-15.59	54.0	-22.62	AV	150.00	150	Horizontal	Pass
2	2390.000	48.02	-10.39	68.2	-20.18	Peak	267.00	150	Horizontal	Pass
2**	2390.000	37.77	-10.39	54.0	-16.23	AV	267.00	150	Horizontal	Pass
3	5201.250	107.43	0.28	--	62.43	Peak	45.00	150	Horizontal	N/A
3**	5201.250	99.32	0.28	--	99.32	AV	45.00	150	Horizontal	N/A
4	7425.750	55.12	2.81	68.2	-13.08	Peak	215.00	150	Horizontal	Pass
4**	7425.750	45.30	2.81	54.0	-8.70	AV	215.00	150	Horizontal	Pass
5	11288.188	55.15	2.26	68.2	-13.05	Peak	70.00	150	Horizontal	Pass
5**	11288.188	45.76	2.26	54.0	-8.24	AV	70.00	150	Horizontal	Pass
6	15737.775	53.26	0.99	68.2	-14.94	Peak	360.00	150	Horizontal	Pass
6**	15737.775	43.89	0.99	54.0	-10.11	AV	360.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.400	45.26	-15.78	68.2	-22.94	Peak	177.00	150	Vertical	Pass
1**	1594.400	32.52	-15.78	54.0	-21.48	AV	177.00	150	Vertical	Pass
2	2390.000	56.73	-10.39	68.2	-11.47	Peak	159.00	150	Vertical	Pass
2**	2390.000	40.57	-10.39	54.0	-13.43	AV	159.00	150	Vertical	Pass
3	4793.500	58.06	0.56	68.2	-10.14	Peak	199.00	150	Vertical	Pass
3**	4793.500	50.90	0.56	54.0	-3.10	AV	199.00	150	Vertical	Pass
4	5197.500	103.51	0.30	--	-155.49	Peak	259.00	150	Vertical	N/A
4**	5197.500	94.84	0.30	--	94.84	AV	259.00	150	Vertical	N/A
5	9323.588	54.98	2.17	68.2	-13.22	Peak	52.00	150	Vertical	Pass
5**	9323.588	45.08	2.17	54.0	-8.92	AV	52.00	150	Vertical	Pass
6	15494.175	53.78	1.05	68.2	-14.42	Peak	360.00	150	Vertical	Pass
6**	15494.175	43.79	1.05	54.0	-10.21	AV	360.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.400	43.96	-15.55	68.2	-24.24	Peak	245.00	150	Horizontal	Pass
1**	1540.400	32.91	-15.55	54.0	-21.09	AV	245.00	150	Horizontal	Pass
2	2390.000	48.23	-10.39	68.2	-19.97	Peak	280.00	150	Horizontal	Pass
2**	2390.000	41.48	-10.39	54.0	-12.52	AV	280.00	150	Horizontal	Pass
3	5217.750	107.32	0.41	--	99.32	Peak	8.00	150	Horizontal	N/A
3**	5217.750	99.20	0.41	--	99.20	AV	8.00	150	Horizontal	N/A
4	7514.250	55.42	1.52	68.2	-12.78	Peak	227.00	150	Horizontal	Pass
4**	7514.250	46.35	1.52	54.0	-7.65	AV	227.00	150	Horizontal	Pass
5	11043.325	54.71	1.86	68.2	-13.49	Peak	223.00	150	Horizontal	Pass
5**	11043.325	44.98	1.86	54.0	-9.02	AV	223.00	150	Horizontal	Pass
6	15971.138	53.94	0.85	68.2	-14.26	Peak	0.00	150	Horizontal	Pass
6**	15971.138	44.56	0.85	54.0	-9.44	AV	0.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.400	44.04	-15.85	68.2	-24.16	Peak	200.00	150	Vertical	Pass
1**	1575.400	31.76	-15.85	54.0	-22.24	AV	200.00	150	Vertical	Pass
2	2390.000	52.71	-10.39	68.2	-15.49	Peak	175.00	150	Vertical	Pass
2**	2390.000	40.52	-10.39	54.0	-13.48	AV	175.00	150	Vertical	Pass
3	4795.500	57.28	0.46	68.2	-10.92	Peak	201.00	150	Vertical	Pass
3**	4795.500	50.73	0.46	54.0	-3.27	AV	201.00	150	Vertical	Pass
4	5219.750	104.56	0.34	--	-167.44	Peak	272.00	150	Vertical	N/A
4**	5219.750	95.69	0.34	--	95.69	AV	272.00	150	Vertical	N/A
5	7619.750	55.58	2.19	68.2	-12.62	Peak	141.00	150	Vertical	Pass
5**	7619.750	45.32	2.19	54.0	-8.68	AV	141.00	150	Vertical	Pass
6	11969.812	55.04	2.64	68.2	-13.16	Peak	346.00	150	Vertical	Pass
6**	11969.812	45.05	2.64	54.0	-8.95	AV	346.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.100	40.83	-15.62	68.2	-27.37	Peak	358.00	150	Horizontal	Pass
1**	1537.100	30.41	-15.62	54.0	-23.59	AV	358.00	150	Horizontal	Pass
2	2398.200	50.36	-10.81	68.2	-17.84	Peak	335.00	150	Horizontal	Pass
2**	2398.200	33.91	-10.81	54.0	33.91	AV	335.00	150	Horizontal	Pass
3	5184.250	109.51	0.14	--	41.31	Peak	360.00	150	Horizontal	N/A
3**	5184.250	101.78	0.14	--	101.78	AV	360.00	150	Horizontal	N/A
4	7571.000	55.34	2.45	68.2	-12.86	Peak	128.00	150	Horizontal	Pass
4**	7571.000	45.76	2.45	54.0	-8.24	AV	128.00	150	Horizontal	Pass
5	12456.212	55.08	2.75	68.2	-13.12	Peak	224.00	150	Horizontal	Pass
5**	12456.212	45.77	2.75	54.0	-8.23	AV	224.00	150	Horizontal	Pass
6	15944.362	54.09	0.93	68.2	-14.11	Peak	70.00	150	Horizontal	Pass
6**	15944.362	44.44	0.93	54.0	-9.56	AV	70.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1576.100	45.05	-15.85	68.2	-23.15	Peak	223.00	150	Vertical	Pass
1**	1576.100	35.51	-15.85	54.0	-18.49	AV	223.00	150	Vertical	Pass
2	2390.000	53.87	-10.39	68.2	-14.33	Peak	153.00	150	Vertical	Pass
2**	2390.000	49.80	-10.39	54.0	-4.20	AV	153.00	150	Vertical	Pass
3	4786.250	59.31	0.92	68.2	-8.89	Peak	178.00	150	Vertical	Pass
3**	4786.250	50.70	0.92	54.0	-3.30	AV	178.00	150	Vertical	Pass
4	5184.000	106.49	0.15	--	-155.51	Peak	262.00	150	Vertical	N/A
4**	5184.000	98.85	0.15	--	98.85	AV	262.00	150	Vertical	N/A
5	7417.250	55.78	3.06	68.2	-12.42	Peak	274.00	150	Vertical	Pass
5**	7417.250	45.66	3.06	54.0	-8.34	AV	274.00	150	Vertical	Pass
6	12434.600	55.30	2.52	68.2	-12.90	Peak	157.00	150	Vertical	Pass
6**	12434.600	46.78	2.52	54.0	-7.22	AV	157.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.800	43.13	-15.56	68.2	-25.07	Peak	164.00	150	Horizontal	Pass
1**	1528.800	31.44	-15.56	54.0	-22.56	AV	164.00	150	Horizontal	Pass
2	2390.000	52.05	-10.39	68.2	-16.15	Peak	258.00	150	Horizontal	Pass
2**	2390.000	42.30	-10.39	54.0	-11.70	AV	258.00	150	Horizontal	Pass
3	5223.500	110.43	0.46	--	78.43	Peak	32.00	150	Horizontal	N/A
3**	5223.500	103.06	0.46	--	103.06	AV	32.00	150	Horizontal	N/A
4	7412.250	56.41	2.89	68.2	-11.79	Peak	164.00	150	Horizontal	Pass
4**	7412.250	46.46	2.89	54.0	-7.54	AV	164.00	150	Horizontal	Pass
5	11282.250	54.81	2.18	68.2	-13.39	Peak	209.00	150	Horizontal	Pass
5**	11282.250	46.04	2.18	54.0	-7.96	AV	209.00	150	Horizontal	Pass
6	15953.287	53.32	0.96	68.2	-14.88	Peak	0.00	150	Horizontal	Pass
6**	15953.287	44.11	0.96	54.0	-9.89	AV	0.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1620.500	45.93	-15.87	68.2	-22.27	Peak	0.00	150	Vertical	Pass
1**	1620.500	32.29	-15.87	54.0	-21.71	AV	0.00	150	Vertical	Pass
2	2390.000	56.16	-10.39	68.2	-12.04	Peak	153.00	150	Vertical	Pass
2**	2390.000	40.88	-10.39	54.0	-13.12	AV	153.00	150	Vertical	Pass
3	4802.750	52.61	0.44	68.2	-15.59	Peak	188.00	150	Vertical	Pass
3**	4802.750	50.44	0.44	54.0	-3.56	AV	188.00	150	Vertical	Pass
4	5216.500	107.22	0.35	--	-55.78	Peak	163.00	150	Vertical	N/A
4**	5216.500	99.34	0.35	--	99.34	AV	163.00	150	Vertical	N/A
5	7387.750	55.13	2.35	68.2	-13.07	Peak	115.00	150	Vertical	Pass
5**	7387.750	45.15	2.35	54.0	-8.85	AV	115.00	150	Vertical	Pass
6	11998.550	55.47	2.63	68.2	-12.73	Peak	72.00	150	Vertical	Pass
6**	11998.550	46.82	2.63	54.0	-7.18	AV	72.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.400	43.23	-15.61	68.2	-24.97	Peak	153.00	150	Horizontal	Pass
1**	1539.400	32.16	-15.61	54.0	-21.84	AV	153.00	150	Horizontal	Pass
2	2390.000	52.15	-10.39	68.2	-16.05	Peak	89.00	150	Horizontal	Pass
2**	2390.000	44.81	-10.39	54.0	-9.19	AV	89.00	150	Horizontal	Pass
3	5236.250	109.98	0.13	--	64.98	Peak	45.00	150	Horizontal	N/A
3**	5236.250	102.64	0.13	--	102.64	AV	45.00	150	Horizontal	N/A
4	7508.500	54.63	1.57	68.2	-13.57	Peak	202.00	150	Horizontal	Pass
4**	7508.500	44.81	1.57	54.0	-9.19	AV	202.00	150	Horizontal	Pass
5	11307.425	55.12	2.19	68.2	-13.08	Peak	19.00	150	Horizontal	Pass
5**	11307.425	45.25	2.19	54.0	-8.75	AV	19.00	150	Horizontal	Pass
6	15788.438	54.29	1.01	68.2	-13.91	Peak	214.00	150	Horizontal	Pass
6**	15788.438	44.70	1.01	54.0	-9.30	AV	214.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1615.200	46.62	-16.01	68.2	-21.58	Peak	188.00	150	Vertical	Pass
1**	1615.200	33.07	-16.01	54.0	-20.93	AV	188.00	150	Vertical	Pass
2	2390.000	53.94	-10.39	68.2	-14.26	Peak	335.00	150	Vertical	Pass
2**	2390.000	43.53	-10.39	54.0	-10.47	AV	335.00	150	Vertical	Pass
3	4782.750	54.76	0.88	68.2	-13.44	Peak	210.00	150	Vertical	Pass
3**	4782.750	50.87	0.88	54.0	-3.13	AV	210.00	150	Vertical	Pass
4	5245.250	106.63	0.01	--	-56.37	Peak	163.00	150	Vertical	N/A
4**	5245.250	98.28	0.01	--	98.28	AV	163.00	150	Vertical	N/A
5	7715.250	55.74	2.18	68.2	-12.46	Peak	282.00	150	Vertical	Pass
5**	7715.250	45.16	2.18	54.0	-8.84	AV	282.00	150	Vertical	Pass
6	12533.162	55.37	2.48	68.2	-12.83	Peak	156.00	150	Vertical	Pass
6**	12533.162	45.23	2.48	54.0	-8.77	AV	156.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.000	43.57	-15.53	68.2	-24.63	Peak	148.00	150	Horizontal	Pass
1**	1531.000	31.76	-15.53	54.0	-22.24	AV	148.00	150	Horizontal	Pass
2	2390.000	56.61	-10.39	68.2	-11.59	Peak	243.00	150	Horizontal	Pass
2**	2390.000	44.73	-10.39	54.0	-9.27	AV	243.00	150	Horizontal	Pass
3	5187.250	106.87	0.17	--	74.87	Peak	32.00	150	Horizontal	N/A
3**	5187.250	99.17	0.17	--	99.17	AV	32.00	150	Horizontal	N/A
4	7259.250	55.71	2.43	68.2	-12.49	Peak	261.00	150	Horizontal	Pass
4**	7259.250	45.57	2.43	54.0	-8.43	AV	261.00	150	Horizontal	Pass
5	11306.713	54.69	2.21	68.2	-13.51	Peak	260.00	150	Horizontal	Pass
5**	11306.713	45.93	2.21	54.0	-8.07	AV	260.00	150	Horizontal	Pass
6	15755.625	53.68	1.12	68.2	-14.52	Peak	303.00	150	Horizontal	Pass
6**	15755.625	44.22	1.12	54.0	-9.78	AV	303.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1552.800	44.00	-15.69	68.2	-24.20	Peak	203.00	150	Vertical	Pass
1**	1552.800	30.80	-15.69	54.0	-23.20	AV	203.00	150	Vertical	Pass
2	2390.000	53.51	-10.39	68.2	-14.69	Peak	22.00	150	Vertical	Pass
2**	2390.000	43.77	-10.39	54.0	-10.23	AV	22.00	150	Vertical	Pass
3	4785.750	57.52	0.95	68.2	-10.68	Peak	211.00	150	Vertical	Pass
3**	4785.750	50.57	0.95	54.0	-3.43	AV	211.00	150	Vertical	Pass
4	5183.250	102.80	0.14	--	-168.20	Peak	271.00	150	Vertical	N/A
4**	5183.250	94.33	0.14	--	94.33	AV	271.00	150	Vertical	N/A
5	7560.000	55.50	2.75	68.2	-12.70	Peak	116.00	150	Vertical	Pass
5**	7560.000	46.07	2.75	54.0	-7.93	AV	116.00	150	Vertical	Pass
6	12417.263	55.05	2.34	68.2	-13.15	Peak	17.00	150	Vertical	Pass
6**	12417.263	45.01	2.34	54.0	-8.99	AV	17.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.600	43.35	-15.56	68.2	-24.85	Peak	360.00	150	Horizontal	Pass
1**	1540.600	34.37	-15.56	54.0	-19.63	AV	360.00	150	Horizontal	Pass
2	2390.000	52.50	-10.39	68.2	-15.70	Peak	91.00	150	Horizontal	Pass
2**	2390.000	43.00	-10.39	54.0	-11.00	AV	91.00	150	Horizontal	Pass
3	5234.750	107.94	0.24	--	63.94	Peak	44.00	150	Horizontal	N/A
3**	5234.750	100.42	0.24	--	100.42	AV	44.00	150	Horizontal	N/A
4	7402.250	55.47	2.53	68.2	-12.73	Peak	238.00	150	Horizontal	Pass
4**	7402.250	47.12	2.53	54.0	-6.88	AV	238.00	150	Horizontal	Pass
5	12001.401	55.45	2.59	68.2	-12.75	Peak	0.00	150	Horizontal	Pass
5**	12001.401	45.97	2.59	54.0	-8.03	AV	0.00	150	Horizontal	Pass
6	15709.688	53.65	0.65	68.2	-14.55	Peak	100.00	150	Horizontal	Pass
6**	15709.688	44.36	0.65	54.0	-9.64	AV	100.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1577.500	45.62	-15.86	68.2	-22.58	Peak	168.00	150	Vertical	Pass
1**	1577.500	31.69	-15.86	54.0	-22.31	AV	168.00	150	Vertical	Pass
2	2390.000	52.86	-10.39	68.2	-15.34	Peak	174.00	150	Vertical	Pass
2**	2390.000	44.47	-10.39	54.0	-9.53	AV	174.00	150	Vertical	Pass
3	4784.250	52.46	0.97	68.2	-15.74	Peak	178.00	150	Vertical	Pass
3**	4784.250	50.88	0.97	54.0	-3.12	AV	178.00	150	Vertical	Pass
4	5221.000	103.33	0.44	--	83.33	Peak	20.00	150	Vertical	N/A
4**	5221.000	96.17	0.44	--	96.17	AV	20.00	150	Vertical	N/A
5	7396.500	55.59	2.48	68.2	-12.61	Peak	214.00	150	Vertical	Pass
5**	7396.500	45.40	2.48	54.0	-8.60	AV	214.00	150	Vertical	Pass
6	12478.775	54.91	2.99	68.2	-13.29	Peak	139.00	150	Vertical	Pass
6**	12478.775	47.09	2.99	54.0	-6.91	AV	139.00	150	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1538.600	44.28	-15.57	68.2	-23.92	Peak	360.00	150	Horizontal	Pass
1**	1538.600	32.66	-15.57	54.0	-21.34	AV	360.00	150	Horizontal	Pass
2	2390.000	50.83	-10.39	68.2	-17.37	Peak	84.00	150	Horizontal	Pass
2**	2390.000	44.23	-10.39	54.0	-9.77	AV	84.00	150	Horizontal	Pass
3	5214.500	104.29	0.34	--	59.29	Peak	45.00	150	Horizontal	N/A
3**	5214.500	96.56	0.34	--	96.56	AV	45.00	150	Horizontal	N/A
4	7616.250	55.74	2.11	68.2	-12.46	Peak	320.00	150	Horizontal	Pass
4**	7616.250	45.56	2.11	54.0	-8.44	AV	320.00	150	Horizontal	Pass
5	11291.275	54.94	2.29	68.2	-13.26	Peak	312.00	150	Horizontal	Pass
5**	11291.275	45.96	2.29	54.0	-8.04	AV	312.00	150	Horizontal	Pass
6	15757.725	54.26	1.12	68.2	-13.94	Peak	292.00	150	Horizontal	Pass
6**	15757.725	44.67	1.12	54.0	-9.33	AV	292.00	150	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1580.600	45.31	-15.85	68.2	-22.89	Peak	168.00	150	Vertical	Pass
1**	1580.600	33.24	-15.85	54.0	-20.76	AV	168.00	150	Vertical	Pass
2	2390.000	50.07	-10.39	68.2	-18.13	Peak	181.00	150	Vertical	Pass
2**	2390.000	39.62	-10.39	54.0	-14.38	AV	181.00	150	Vertical	Pass
3	4778.000	54.99	0.51	68.2	-13.21	Peak	190.00	150	Vertical	Pass
3**	4778.000	50.81	0.51	54.0	-3.19	AV	190.00	150	Vertical	Pass
4	5200.750	100.26	0.29	--	-161.74	Peak	262.00	150	Vertical	N/A
4**	5200.750	91.16	0.29	--	91.16	AV	262.00	150	Vertical	N/A
5	7574.250	55.03	2.23	68.2	-13.17	Peak	285.00	150	Vertical	Pass
5**	7574.250	45.61	2.23	54.0	-8.39	AV	285.00	150	Vertical	Pass
6	11268.950	54.99	2.02	68.2	-13.21	Peak	346.00	150	Vertical	Pass
6**	11268.950	45.90	2.02	54.0	-8.10	AV	346.00	150	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.200	44.65	-15.58	68.2	-23.55	Peak	156.00	150	Horizontal	Pass
1**	1541.200	32.00	-15.58	54.0	-22.00	AV	156.00	150	Horizontal	Pass
2	2390.000	52.50	-10.39	68.2	-15.70	Peak	226.00	150	Horizontal	Pass
2**	2390.000	41.02	-10.39	54.0	-12.98	AV	226.00	150	Horizontal	Pass
3	5176.750	109.76	0.02	--	77.76	Peak	32.00	150	Horizontal	N/A
3**	5176.750	102.29	0.02	--	102.29	AV	32.00	150	Horizontal	N/A
4	7651.000	55.36	2.27	68.2	-12.84	Peak	32.00	150	Horizontal	Pass
4**	7651.000	44.98	2.27	54.0	-9.02	AV	32.00	150	Horizontal	Pass
5	11210.762	54.67	2.15	68.2	-13.53	Peak	120.00	150	Horizontal	Pass
5**	11210.762	45.06	2.15	54.0	-8.94	AV	120.00	150	Horizontal	Pass
6	15751.162	54.48	1.14	68.2	-13.72	Peak	55.00	150	Horizontal	Pass
6**	15751.162	43.69	1.14	54.0	-10.31	AV	55.00	150	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1591.400	44.72	-15.83	68.2	-23.48	Peak	162.00	150	Vertical	Pass
1**	1591.400	32.93	-15.83	54.0	-21.07	AV	162.00	150	Vertical	Pass
2	2390.000	51.54	-10.39	68.2	-16.66	Peak	345.00	150	Vertical	Pass
2**	2390.000	36.97	-10.39	54.0	-17.03	AV	345.00	150	Vertical	Pass
3	4802.250	55.61	0.42	68.2	-12.59	Peak	190.00	150	Vertical	Pass
3**	4802.250	50.74	0.42	54.0	-3.26	AV	190.00	150	Vertical	Pass
4	5174.500	106.08	0.03	--	-155.92	Peak	262.00	150	Vertical	N/A
4**	5174.500	96.77	0.03	--	96.77	AV	262.00	150	Vertical	N/A
5	10964.475	55.01	1.15	68.2	-13.19	Peak	360.00	150	Vertical	Pass
5**	10964.475	45.62	1.15	54.0	-8.38	AV	360.00	150	Vertical	Pass
6	15749.063	53.09	1.13	68.2	-15.11	Peak	12.00	150	Vertical	Pass
6**	15749.063	44.60	1.13	54.0	-9.40	AV	12.00	150	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.100	44.70	-15.97	68.2	-23.50	Peak	304.00	150	Horizontal	Pass
1**	1613.100	31.98	-15.97	54.0	-22.02	AV	304.00	150	Horizontal	Pass
2	2390.000	51.75	-10.39	68.2	-16.45	Peak	219.00	150	Horizontal	Pass
2**	2390.000	43.69	-10.39	54.0	-10.31	AV	219.00	150	Horizontal	Pass
3	5221.000	111.13	0.44	--	79.13	Peak	32.00	150	Horizontal	N/A
3**	5221.000	103.83	0.44	--	103.83	AV	32.00	150	Horizontal	N/A
4	7402.500	55.68	2.54	68.2	-12.52	Peak	344.00	150	Horizontal	Pass
4**	7402.500	46.31	2.54	54.0	-7.69	AV	344.00	150	Horizontal	Pass
5	11298.400	55.30	2.38	68.2	-12.90	Peak	0.00	150	Horizontal	Pass
5**	11298.400	45.72	2.38	54.0	-8.28	AV	0.00	150	Horizontal	Pass
6	15911.812	53.88	0.63	68.2	-14.32	Peak	174.00	150	Horizontal	Pass
6**	15911.812	43.70	0.63	54.0	-10.30	AV	174.00	150	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1615.800	46.31	-16.07	68.2	-21.89	Peak	163.00	150	Vertical	Pass
1**	1615.800	33.89	-16.07	54.0	-20.11	AV	163.00	150	Vertical	Pass
2	2390.000	55.61	-10.39	68.2	-12.59	Peak	139.00	150	Vertical	Pass
2**	2390.000	43.38	-10.39	54.0	-10.62	AV	139.00	150	Vertical	Pass
3	4790.250	53.81	0.76	68.2	-14.39	Peak	177.00	150	Vertical	Pass
3**	4790.250	50.95	0.76	54.0	-3.05	AV	177.00	150	Vertical	Pass
4	5219.250	106.65	0.39	--	-58.35	Peak	165.00	150	Vertical	N/A
4**	5219.250	98.81	0.39	--	98.81	AV	165.00	150	Vertical	N/A
5	7341.000	55.36	1.56	68.2	-12.84	Peak	360.00	150	Vertical	Pass
5**	7341.000	44.62	1.56	54.0	-9.38	AV	360.00	150	Vertical	Pass
6	11278.213	55.14	2.13	68.2	-13.06	Peak	277.00	150	Vertical	Pass
6**	11278.213	45.50	2.13	54.0	-8.50	AV	277.00	150	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1538.800	43.09	-15.58	68.2	-25.11	Peak	2.00	150	Horizontal	Pass
1**	1538.800	33.25	-15.58	54.0	-20.75	AV	2.00	150	Horizontal	Pass
2	2390.000	51.58	-10.39	68.2	-16.62	Peak	128.00	150	Horizontal	Pass
2**	2390.000	47.98	-10.39	54.0	-6.02	AV	128.00	150	Horizontal	Pass
3	5244.500	110.08	0.11	--	-249.92	Peak	360.00	150	Horizontal	N/A
3**	5244.500	102.44	0.11	--	102.44	AV	360.00	150	Horizontal	N/A
4	7274.250	56.24	1.68	68.2	-11.96	Peak	141.00	150	Horizontal	Pass
4**	7274.250	45.32	1.68	54.0	-8.68	AV	141.00	150	Horizontal	Pass
5	11291.037	54.98	2.29	68.2	-13.22	Peak	207.00	150	Horizontal	Pass
5**	11291.037	45.82	2.29	54.0	-8.18	AV	207.00	150	Horizontal	Pass
6	15806.812	54.02	0.85	68.2	-14.18	Peak	129.00	150	Horizontal	Pass
6**	15806.812	45.23	0.85	54.0	-8.77	AV	129.00	150	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1611.500	46.48	-15.93	68.2	-21.72	Peak	194.00	150	Vertical	Pass
1**	1611.500	33.81	-15.93	54.0	-20.19	AV	194.00	150	Vertical	Pass
2	2390.000	56.35	-10.39	68.2	-11.85	Peak	176.00	150	Vertical	Pass
2**	2390.000	46.23	-10.39	54.0	-7.77	AV	176.00	150	Vertical	Pass
3	4785.000	56.22	0.98	68.2	-11.98	Peak	190.00	150	Vertical	Pass
3**	4785.000	50.44	0.98	54.0	-3.56	AV	190.00	150	Vertical	Pass
4	5239.500	107.10	0.09	--	-58.90	Peak	166.00	150	Vertical	N/A
4**	5239.500	97.93	0.09	--	97.93	AV	166.00	150	Vertical	N/A
5	7561.750	56.10	2.71	68.2	-12.10	Peak	214.00	150	Vertical	Pass
5**	7561.750	46.39	2.71	54.0	-7.61	AV	214.00	150	Vertical	Pass
6	11303.862	54.72	2.29	68.2	-13.48	Peak	13.00	150	Vertical	Pass
6**	11303.862	46.21	2.29	54.0	-7.79	AV	13.00	150	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.800	44.22	-15.87	68.2	-23.98	Peak	151.00	150	Horizontal	Pass
1**	1584.800	32.52	-15.87	54.0	-21.48	AV	151.00	150	Horizontal	Pass
2	2390.000	51.96	-10.39	68.2	-16.24	Peak	257.00	150	Horizontal	Pass
2**	2390.000	43.40	-10.39	54.0	-10.60	AV	257.00	150	Horizontal	Pass
3	5179.750	107.39	0.07	--	63.39	Peak	44.00	150	Horizontal	N/A
3**	5179.750	98.51	0.07	--	98.51	AV	44.00	150	Horizontal	N/A
4	7605.750	55.40	2.12	68.2	-12.80	Peak	153.00	150	Horizontal	Pass
4**	7605.750	44.70	2.12	54.0	-9.30	AV	153.00	150	Horizontal	Pass
5	11309.088	54.78	2.14	68.2	-13.42	Peak	155.00	150	Horizontal	Pass
5**	11309.088	46.31	2.14	54.0	-7.69	AV	155.00	150	Horizontal	Pass
6	15953.025	54.48	0.96	68.2	-13.72	Peak	321.00	150	Horizontal	Pass
6**	15953.025	44.84	0.96	54.0	-9.16	AV	321.00	150	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1616.000	45.58	-16.08	68.2	-22.62	Peak	204.00	150	Vertical	Pass
1**	1616.000	34.81	-16.08	54.0	-19.19	AV	204.00	150	Vertical	Pass
2	2390.000	52.45	-10.39	68.2	-15.75	Peak	164.00	150	Vertical	Pass
2**	2390.000	39.72	-10.39	54.0	-14.28	AV	164.00	150	Vertical	Pass
3	4787.000	56.80	0.92	68.2	-11.40	Peak	201.00	150	Vertical	Pass
3**	4787.000	50.42	0.92	54.0	-3.58	AV	201.00	150	Vertical	Pass
4	5199.250	104.60	0.29	--	-157.40	Peak	262.00	150	Vertical	N/A
4**	5199.250	94.58	0.29	--	94.58	AV	262.00	150	Vertical	N/A
5	7422.750	55.00	2.95	68.2	-13.20	Peak	142.00	150	Vertical	Pass
5**	7422.750	45.99	2.95	54.0	-8.01	AV	142.00	150	Vertical	Pass
6	12001.401	55.55	2.59	68.2	-12.65	Peak	102.00	150	Vertical	Pass
6**	12001.401	45.20	2.59	54.0	-8.80	AV	102.00	150	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.400	44.16	-15.82	68.2	-24.04	Peak	153.00	150	Horizontal	Pass
1**	1595.400	31.48	-15.82	54.0	-22.52	AV	153.00	150	Horizontal	Pass
2	2390.000	51.08	-10.39	68.2	-17.12	Peak	360.00	150	Horizontal	Pass
2**	2390.000	45.83	-10.39	54.0	-8.17	AV	360.00	150	Horizontal	Pass
3	5218.250	108.28	0.45	--	64.28	Peak	44.00	150	Horizontal	N/A
3**	5218.250	100.82	0.45	--	100.82	AV	44.00	150	Horizontal	N/A
4	7704.250	56.00	2.72	68.2	-12.20	Peak	44.00	150	Horizontal	Pass
4**	7704.250	45.60	2.72	54.0	-8.40	AV	44.00	150	Horizontal	Pass
5	11911.151	55.19	2.37	68.2	-13.01	Peak	67.00	150	Horizontal	Pass
5**	11911.151	45.79	2.37	54.0	-8.21	AV	67.00	150	Horizontal	Pass
6	15922.838	53.76	0.73	68.2	-14.44	Peak	157.00	150	Horizontal	Pass
6**	15922.838	45.75	0.73	54.0	-8.25	AV	157.00	150	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1623.300	47.02	-15.76	68.2	-21.18	Peak	357.00	150	Vertical	Pass
1**	1623.300	34.51	-15.76	54.0	-19.49	AV	357.00	150	Vertical	Pass
2	2390.000	47.43	-10.39	68.2	-20.77	Peak	170.00	150	Vertical	Pass
2**	2390.000	43.16	-10.39	54.0	-10.84	AV	170.00	150	Vertical	Pass
3	4783.500	57.60	0.93	68.2	-10.60	Peak	187.00	150	Vertical	Pass
3**	4783.500	50.37	0.93	54.0	-3.63	AV	187.00	150	Vertical	Pass
4	5216.250	103.36	0.35	--	-167.64	Peak	271.00	150	Vertical	N/A
4**	5216.250	93.42	0.35	--	93.42	AV	271.00	150	Vertical	N/A
5	7665.000	55.95	1.94	68.2	-12.25	Peak	67.00	150	Vertical	Pass
5**	7665.000	46.04	1.94	54.0	-7.96	AV	67.00	150	Vertical	Pass
6	11302.912	55.10	2.32	68.2	-13.10	Peak	118.00	150	Vertical	Pass
6**	11302.912	45.54	2.32	54.0	-8.46	AV	118.00	150	Vertical	Pass

11ax80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1585.200	44.04	-15.90	68.2	-24.16	Peak	157.00	150	Horizontal	Pass
1**	1585.200	32.20	-15.90	54.0	-21.80	AV	157.00	150	Horizontal	Pass
2	2390.000	51.47	-10.39	68.2	-16.73	Peak	255.00	150	Horizontal	Pass
2**	2390.000	42.35	-10.39	54.0	-11.65	AV	255.00	150	Horizontal	Pass
3	5234.500	106.34	0.22	--	62.34	Peak	44.00	150	Horizontal	N/A
3**	5234.500	96.01	0.22	--	96.01	AV	44.00	150	Horizontal	N/A
4	7411.500	55.75	2.87	68.2	-12.45	Peak	273.00	150	Horizontal	Pass
4**	7411.500	45.41	2.87	54.0	-8.59	AV	273.00	150	Horizontal	Pass
5	11898.087	55.51	2.28	68.2	-12.69	Peak	119.00	150	Horizontal	Pass
5**	11898.087	45.28	2.28	54.0	-8.72	AV	119.00	150	Horizontal	Pass
6	15767.700	53.83	1.08	68.2	-14.37	Peak	349.00	150	Horizontal	Pass
6**	15767.700	44.44	1.08	54.0	-9.56	AV	349.00	150	Horizontal	Pass

11ax80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.500	45.93	-15.70	68.2	-22.27	Peak	191.00	150	Vertical	Pass
1**	1601.500	32.87	-15.70	54.0	-21.13	AV	191.00	150	Vertical	Pass
2	2390.000	53.61	-10.39	68.2	-14.59	Peak	180.00	150	Vertical	Pass
2**	2390.000	46.16	-10.39	54.0	-7.84	AV	180.00	150	Vertical	Pass
3	4786.250	54.51	0.92	68.2	-13.69	Peak	200.00	150	Vertical	Pass
3**	4786.250	50.50	0.92	54.0	-3.50	AV	200.00	150	Vertical	Pass
4	5190.500	100.88	0.23	--	80.88	Peak	20.00	150	Vertical	N/A
4**	5190.500	91.25	0.23	--	91.25	AV	20.00	150	Vertical	N/A
5	7578.000	56.05	2.05	68.2	-12.15	Peak	128.00	150	Vertical	Pass
5**	7578.000	45.08	2.05	54.0	-8.92	AV	128.00	150	Vertical	Pass
6	11986.675	56.03	2.63	68.2	-12.17	Peak	312.00	150	Vertical	Pass
6**	11986.675	45.20	2.63	54.0	-8.80	AV	312.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1604.600	43.75	-15.81	68.2	-24.45	Peak	149.00	150	Horizontal	Pass
1**	1604.600	31.14	-15.81	54.0	-22.86	AV	149.00	150	Horizontal	Pass
2	2390.000	52.69	-10.39	68.2	-15.51	Peak	256.00	150	Horizontal	Pass
2**	2390.000	43.83	-10.39	54.0	-10.17	AV	256.00	150	Horizontal	Pass
3	5256.250	110.01	0.00	--	65.01	Peak	45.00	150	Horizontal	N/A
3**	5256.250	103.31	0.00	--	103.31	AV	45.00	150	Horizontal	N/A
4	7540.250	55.23	2.29	68.2	-12.97	Peak	262.00	150	Horizontal	Pass
4**	7540.250	45.68	2.29	54.0	-8.32	AV	262.00	150	Horizontal	Pass
5	11942.025	56.08	2.59	68.2	-12.12	Peak	102.00	150	Horizontal	Pass
5**	11942.025	45.36	2.59	54.0	-8.64	AV	102.00	150	Horizontal	Pass
6	15957.488	54.18	0.93	68.2	-14.02	Peak	85.00	150	Horizontal	Pass
6**	15957.488	45.62	0.93	54.0	-8.38	AV	85.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1605.200	45.07	-15.82	68.2	-23.13	Peak	358.00	150	Vertical	Pass
1**	1605.200	32.95	-15.82	54.0	-21.05	AV	358.00	150	Vertical	Pass
2	2390.000	57.30	-10.39	68.2	-10.90	Peak	162.00	150	Vertical	Pass
2**	2390.000	49.95	-10.39	54.0	-4.05	AV	162.00	150	Vertical	Pass
3	4796.500	56.48	0.43	68.2	-11.72	Peak	202.00	150	Vertical	Pass
3**	4796.500	50.44	0.43	54.0	-3.56	AV	202.00	150	Vertical	Pass
4	5256.750	106.61	0.01	--	-59.39	Peak	166.00	150	Vertical	N/A
4**	5256.750	99.09	0.01	--	99.09	AV	166.00	150	Vertical	N/A
5	7359.250	55.17	1.71	68.2	-13.03	Peak	166.00	150	Vertical	Pass
5**	7359.250	45.72	1.71	54.0	-8.28	AV	166.00	150	Vertical	Pass
6	11287.000	55.05	2.24	68.2	-13.15	Peak	190.00	150	Vertical	Pass
6**	11287.000	45.66	2.24	54.0	-8.34	AV	190.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.100	43.34	-15.53	68.2	-24.86	Peak	145.00	150	Horizontal	Pass
1**	1532.100	31.62	-15.53	54.0	-22.38	AV	145.00	150	Horizontal	Pass
2	2390.000	53.08	-10.39	68.2	-15.12	Peak	121.00	150	Horizontal	Pass
2**	2390.000	43.51	-10.39	54.0	-10.49	AV	121.00	150	Horizontal	Pass
3	5296.000	109.68	0.43	--	63.68	Peak	46.00	150	Horizontal	N/A
3**	5296.000	102.80	0.43	--	102.80	AV	46.00	150	Horizontal	N/A
4	7404.000	54.85	2.57	68.2	-13.35	Peak	9.00	150	Horizontal	Pass
4**	7404.000	45.30	2.57	54.0	-8.70	AV	9.00	150	Horizontal	Pass
5	11948.200	54.66	2.63	68.2	-13.54	Peak	188.00	150	Horizontal	Pass
5**	11948.200	46.37	2.63	54.0	-7.63	AV	188.00	150	Horizontal	Pass
6	15803.400	53.28	0.91	68.2	-14.92	Peak	12.00	150	Horizontal	Pass
6**	15803.400	43.39	0.91	54.0	-10.61	AV	12.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1588.700	45.39	-15.86	68.2	-22.81	Peak	179.00	150	Vertical	Pass
1**	1588.700	32.78	-15.86	54.0	-21.22	AV	179.00	150	Vertical	Pass
2	2390.000	52.68	-10.39	68.2	-15.52	Peak	21.00	150	Vertical	Pass
2**	2390.000	40.75	-10.39	54.0	-13.25	AV	21.00	150	Vertical	Pass
3	4792.500	50.85	0.60	68.2	-17.35	Peak	20.00	150	Vertical	Pass
3**	4792.500	50.54	0.60	54.0	-3.46	AV	20.00	150	Vertical	Pass
4	5304.000	107.39	0.41	--	-58.61	Peak	166.00	150	Vertical	N/A
4**	5304.000	99.97	0.41	--	99.97	AV	166.00	150	Vertical	N/A
5	7700.500	56.06	2.80	68.2	-12.14	Peak	334.00	150	Vertical	Pass
5**	7700.500	45.84	2.80	54.0	-8.16	AV	334.00	150	Vertical	Pass
6	11917.563	54.76	2.41	68.2	-13.44	Peak	190.00	150	Vertical	Pass
6**	11917.563	45.31	2.41	54.0	-8.69	AV	190.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1621.500	43.91	-15.90	68.2	-24.29	Peak	150.00	150	Horizontal	Pass
1**	1621.500	31.70	-15.90	54.0	-22.30	AV	150.00	150	Horizontal	Pass
2	2390.000	49.66	-10.39	68.2	-18.54	Peak	280.00	150	Horizontal	Pass
2**	2390.000	44.74	-10.39	54.0	-9.26	AV	280.00	150	Horizontal	Pass
3	5318.750	108.66	0.49	--	63.66	Peak	45.00	150	Horizontal	N/A
3**	5318.750	100.91	0.49	--	100.91	AV	45.00	150	Horizontal	N/A
4	7543.250	55.66	2.33	68.2	-12.54	Peak	275.00	150	Horizontal	Pass
4**	7543.250	44.66	2.33	54.0	-9.34	AV	275.00	150	Horizontal	Pass
5	11272.275	54.64	2.06	68.2	-13.56	Peak	277.00	150	Horizontal	Pass
5**	11272.275	45.77	2.06	54.0	-8.23	AV	277.00	150	Horizontal	Pass
6	15759.300	53.78	1.11	68.2	-14.42	Peak	56.00	150	Horizontal	Pass
6**	15759.300	44.11	1.11	54.0	-9.89	AV	56.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1589.700	44.35	-15.82	68.2	-23.85	Peak	174.00	150	Vertical	Pass
1**	1589.700	32.82	-15.82	54.0	-21.18	AV	174.00	150	Vertical	Pass
2	2390.000	49.11	-10.39	68.2	-19.09	Peak	329.00	150	Vertical	Pass
2**	2390.000	44.29	-10.39	54.0	-9.71	AV	329.00	150	Vertical	Pass
3	4798.000	55.52	0.35	68.2	-12.68	Peak	190.00	150	Vertical	Pass
3**	4798.000	50.47	0.35	54.0	-3.53	AV	190.00	150	Vertical	Pass
4	5316.500	104.08	0.42	--	-61.92	Peak	166.00	150	Vertical	N/A
4**	5316.500	97.57	0.42	--	97.57	AV	166.00	150	Vertical	N/A
5	7643.250	55.38	2.37	68.2	-12.82	Peak	274.00	150	Vertical	Pass
5**	7643.250	45.70	2.37	54.0	-8.30	AV	274.00	150	Vertical	Pass
6	11898.087	56.11	2.28	68.2	-12.09	Peak	189.00	150	Vertical	Pass
6**	11898.087	45.53	2.28	54.0	-8.47	AV	189.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1563.800	42.59	-15.88	68.2	-25.61	Peak	153.00	150	Horizontal	Pass
1**	1563.800	30.15	-15.88	54.0	-23.85	AV	153.00	150	Horizontal	Pass
2	2390.000	54.49	-10.39	68.2	-13.71	Peak	276.00	150	Horizontal	Pass
2**	2390.000	41.96	-10.39	54.0	-12.04	AV	276.00	150	Horizontal	Pass
3	5256.000	109.96	-0.01	--	77.96	Peak	32.00	150	Horizontal	N/A
3**	5256.000	102.53	-0.01	--	102.53	AV	32.00	150	Horizontal	N/A
4	7416.750	55.14	3.04	68.2	-13.06	Peak	129.00	150	Horizontal	Pass
4**	7416.750	45.70	3.04	54.0	-8.30	AV	129.00	150	Horizontal	Pass
5	11280.825	54.99	2.16	68.2	-13.21	Peak	260.00	150	Horizontal	Pass
5**	11280.825	45.48	2.16	54.0	-8.52	AV	260.00	150	Horizontal	Pass
6	15995.550	53.80	0.69	68.2	-14.40	Peak	41.00	150	Horizontal	Pass
6**	15995.550	44.11	0.69	54.0	-9.89	AV	41.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1580.400	45.56	-15.90	68.2	-22.64	Peak	163.00	150	Vertical	Pass
1**	1580.400	37.17	-15.90	54.0	-16.83	AV	163.00	150	Vertical	Pass
2	2390.000	58.15	-10.39	68.2	-10.05	Peak	163.00	150	Vertical	Pass
2**	2390.000	43.72	-10.39	54.0	-10.28	AV	163.00	150	Vertical	Pass
3	4797.750	55.46	0.35	68.2	-12.74	Peak	212.00	150	Vertical	Pass
3**	4797.750	50.66	0.35	54.0	-3.34	AV	212.00	150	Vertical	Pass
4	5264.500	106.31	-0.02	--	-56.69	Peak	163.00	150	Vertical	N/A
4**	5264.500	98.85	-0.02	--	98.85	AV	163.00	150	Vertical	N/A
5	7420.500	55.48	3.03	68.2	-12.72	Peak	344.00	150	Vertical	Pass
5**	7420.500	45.92	3.03	54.0	-8.08	AV	344.00	150	Vertical	Pass
6	11972.187	55.43	2.64	68.2	-12.77	Peak	294.00	150	Vertical	Pass
6**	11972.187	45.03	2.64	54.0	-8.97	AV	294.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.000	43.70	-15.75	68.2	-24.50	Peak	143.00	150	Horizontal	Pass
1**	1601.000	31.68	-15.75	54.0	-22.32	AV	143.00	150	Horizontal	Pass
2	2390.000	53.31	-10.39	68.2	-14.89	Peak	245.00	150	Horizontal	Pass
2**	2390.000	48.11	-10.39	54.0	-5.89	AV	245.00	150	Horizontal	Pass
3	5303.250	109.72	0.31	--	65.72	Peak	44.00	150	Horizontal	N/A
3**	5303.250	102.18	0.31	--	102.18	AV	44.00	150	Horizontal	N/A
4	7467.000	55.56	1.78	68.2	-12.64	Peak	296.00	150	Horizontal	Pass
4**	7467.000	44.61	1.78	54.0	-9.39	AV	296.00	150	Horizontal	Pass
5	12010.900	54.41	2.31	68.2	-13.79	Peak	0.00	150	Horizontal	Pass
5**	12010.900	45.64	2.31	54.0	-8.36	AV	0.00	150	Horizontal	Pass
6	15950.137	53.68	0.98	68.2	-14.52	Peak	99.00	150	Horizontal	Pass
6**	15950.137	44.49	0.98	54.0	-9.51	AV	99.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1614.800	45.37	-16.00	68.2	-22.83	Peak	15.00	150	Vertical	Pass
1**	1614.800	30.94	-16.00	54.0	-23.06	AV	15.00	150	Vertical	Pass
2	2390.100	52.97	-10.41	68.2	-15.23	Peak	32.00	150	Vertical	Pass
2**	2390.100	33.98	-10.41	54.0	33.98	AV	32.00	150	Vertical	N/A
3	4796.500	56.79	0.43	68.2	-11.41	Peak	213.00	150	Vertical	Pass
3**	4796.500	50.63	0.43	54.0	-3.37	AV	213.00	150	Vertical	Pass
4	5301.250	106.25	0.31	--	-58.75	Peak	165.00	150	Vertical	N/A
4**	5301.250	98.99	0.31	--	98.99	AV	165.00	150	Vertical	N/A
5	7432.500	55.78	2.22	68.2	-12.42	Peak	356.00	150	Vertical	Pass
5**	7432.500	45.29	2.22	54.0	-8.71	AV	356.00	150	Vertical	Pass
6	11270.375	55.08	2.03	68.2	-13.12	Peak	0.00	150	Vertical	Pass
6**	11270.375	45.59	2.03	54.0	-8.41	AV	0.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1607.900	44.70	-15.81	68.2	-23.50	Peak	154.00	150	Horizontal	Pass
1**	1607.900	31.79	-15.81	54.0	-22.21	AV	154.00	150	Horizontal	Pass
2	2390.000	52.09	-10.39	68.2	-16.11	Peak	262.00	150	Horizontal	Pass
2**	2390.000	47.04	-10.39	54.0	-6.96	AV	262.00	150	Horizontal	Pass
3	5324.000	108.05	0.44	--	64.05	Peak	44.00	150	Horizontal	N/A
3**	5324.000	99.85	0.44	--	99.85	AV	44.00	150	Horizontal	N/A
4	7401.500	56.25	2.52	68.2	-11.95	Peak	319.00	150	Horizontal	Pass
4**	7401.500	46.27	2.52	54.0	-7.73	AV	319.00	150	Horizontal	Pass
5	11251.138	54.76	1.80	68.2	-13.44	Peak	0.00	150	Horizontal	Pass
5**	11251.138	45.68	1.80	54.0	-8.32	AV	0.00	150	Horizontal	Pass
6	15978.488	54.37	0.80	68.2	-13.83	Peak	115.00	150	Horizontal	Pass
6**	15978.488	44.27	0.80	54.0	-9.73	AV	115.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1608.800	45.53	-15.84	68.2	-22.67	Peak	4.00	150	Vertical	Pass
1**	1608.800	33.83	-15.84	54.0	-20.17	AV	4.00	150	Vertical	Pass
2	2390.000	49.48	-10.39	68.2	-18.72	Peak	305.00	150	Vertical	Pass
2**	2390.000	41.94	-10.39	54.0	-12.06	AV	305.00	150	Vertical	Pass
3	4789.250	61.01	0.82	68.2	-7.19	Peak	189.00	150	Vertical	Pass
3**	4789.250	49.73	0.82	54.0	-4.27	AV	189.00	150	Vertical	Pass
4	5321.750	104.82	0.50	--	-61.18	Peak	166.00	150	Vertical	N/A
4**	5321.750	96.33	0.50	--	96.33	AV	166.00	150	Vertical	N/A
5	7416.000	54.81	3.01	68.2	-13.39	Peak	58.00	150	Vertical	Pass
5**	7416.000	45.05	3.01	54.0	-8.95	AV	58.00	150	Vertical	Pass
6	11215.513	54.74	2.11	68.2	-13.46	Peak	30.00	150	Vertical	Pass
6**	11215.513	44.31	2.11	54.0	-9.69	AV	30.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.300	44.34	-15.53	68.2	-23.86	Peak	157.00	150	Horizontal	Pass
1**	1542.300	32.71	-15.53	54.0	-21.29	AV	157.00	150	Horizontal	Pass
2	2390.000	53.44	-10.39	68.2	-14.76	Peak	263.00	150	Horizontal	Pass
2**	2390.000	47.87	-10.39	54.0	-6.13	AV	263.00	150	Horizontal	Pass
3	5278.500	107.89	0.42	--	62.89	Peak	45.00	150	Horizontal	N/A
3**	5278.500	100.47	0.42	--	100.47	AV	45.00	150	Horizontal	N/A
4	7252.250	55.56	2.52	68.2	-12.64	Peak	236.00	150	Horizontal	Pass
4**	7252.250	45.18	2.52	54.0	-8.82	AV	236.00	150	Horizontal	Pass
5	11285.100	54.51	2.22	68.2	-13.69	Peak	226.00	150	Horizontal	Pass
5**	11285.100	45.61	2.22	54.0	-8.39	AV	226.00	150	Horizontal	Pass
6	15776.362	53.62	1.05	68.2	-14.58	Peak	143.00	150	Horizontal	Pass
6**	15776.362	43.67	1.05	54.0	-10.33	AV	143.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1588.700	45.00	-15.86	68.2	-23.20	Peak	178.00	150	Vertical	Pass
1**	1588.700	32.66	-15.86	54.0	-21.34	AV	178.00	150	Vertical	Pass
2	2390.000	51.43	-10.39	68.2	-16.77	Peak	26.00	150	Vertical	Pass
2**	2390.000	39.84	-10.39	54.0	-14.16	AV	26.00	150	Vertical	Pass
3	4783.000	58.14	0.90	68.2	-10.06	Peak	202.00	150	Vertical	Pass
3**	4783.000	50.41	0.90	54.0	-3.59	AV	202.00	150	Vertical	Pass
4	5281.500	104.44	0.50	--	-60.56	Peak	165.00	150	Vertical	N/A
4**	5281.500	95.95	0.50	--	95.95	AV	165.00	150	Vertical	N/A
5	7423.500	55.13	2.92	68.2	-13.07	Peak	0.00	150	Vertical	Pass
5**	7423.500	46.16	2.92	54.0	-7.84	AV	0.00	150	Vertical	Pass
6	11282.487	54.06	2.18	68.2	-14.14	Peak	259.00	150	Vertical	Pass
6**	11282.487	44.68	2.18	54.0	-9.32	AV	259.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.900	43.98	-15.57	68.2	-24.22	Peak	158.00	150	Horizontal	Pass
1**	1539.900	31.54	-15.57	54.0	-22.46	AV	158.00	150	Horizontal	Pass
2	2390.000	49.56	-10.39	68.2	-18.64	Peak	246.00	150	Horizontal	Pass
2**	2390.000	42.07	-10.39	54.0	-11.93	AV	246.00	150	Horizontal	Pass
3	5299.250	104.63	0.34	--	61.63	Peak	43.00	150	Horizontal	N/A
3**	5299.250	96.19	0.34	--	96.19	AV	43.00	150	Horizontal	N/A
4	7568.250	55.13	2.57	68.2	-13.07	Peak	79.00	150	Horizontal	Pass
4**	7568.250	45.68	2.57	54.0	-8.32	AV	79.00	150	Horizontal	Pass
5	11296.500	54.31	2.36	68.2	-13.89	Peak	158.00	150	Horizontal	Pass
5**	11296.500	45.09	2.36	54.0	-8.91	AV	158.00	150	Horizontal	Pass
6	15775.838	53.67	1.05	68.2	-14.53	Peak	12.00	150	Horizontal	Pass
6**	15775.838	44.32	1.05	54.0	-9.68	AV	12.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1617.100	46.06	-16.01	68.2	-22.14	Peak	197.00	150	Vertical	Pass
1**	1617.100	33.96	-16.01	54.0	-20.04	AV	197.00	150	Vertical	Pass
2	2390.000	51.71	-10.39	68.2	-16.49	Peak	162.00	150	Vertical	Pass
2**	2390.000	53.52	-10.39	54.0	-0.48	AV	162.00	150	Vertical	Pass
3	4782.500	58.31	0.86	68.2	-9.89	Peak	201.00	150	Vertical	Pass
3**	4782.500	50.79	0.86	54.0	-3.21	AV	201.00	150	Vertical	Pass
4	5298.750	100.17	0.33	--	-64.83	Peak	165.00	150	Vertical	N/A
4**	5298.750	92.62	0.33	--	92.62	AV	165.00	150	Vertical	N/A
5	7571.500	55.11	2.49	68.2	-13.09	Peak	44.00	150	Vertical	Pass
5**	7571.500	46.36	2.49	54.0	-7.64	AV	44.00	150	Vertical	Pass
6	11308.849	55.25	2.15	68.2	-12.95	Peak	104.00	150	Vertical	Pass
6**	11308.849	45.03	2.15	54.0	-8.97	AV	104.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1555.000	43.36	-15.72	68.2	-24.84	Peak	152.00	150	Horizontal	Pass
1**	1555.000	30.71	-15.72	54.0	-23.29	AV	152.00	150	Horizontal	Pass
2	2390.000	53.48	-10.39	68.2	-14.72	Peak	258.00	150	Horizontal	Pass
2**	2390.000	45.81	-10.39	54.0	-8.19	AV	258.00	150	Horizontal	Pass
3	5256.250	109.70	0.00	--	76.70	Peak	33.00	150	Horizontal	N/A
3**	5256.250	102.99	0.00	--	102.99	AV	33.00	150	Horizontal	N/A
4	7393.250	55.87	2.45	68.2	-12.33	Peak	360.00	150	Horizontal	Pass
4**	7393.250	46.91	2.45	54.0	-7.09	AV	360.00	150	Horizontal	Pass
5	11874.338	55.16	2.11	68.2	-13.04	Peak	0.00	150	Horizontal	Pass
5**	11874.338	45.34	2.11	54.0	-8.66	AV	0.00	150	Horizontal	Pass
6	15976.651	53.05	0.81	68.2	-15.15	Peak	360.00	150	Horizontal	Pass
6**	15976.651	45.01	0.81	54.0	-8.99	AV	360.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1609.500	45.64	-15.87	68.2	-22.56	Peak	360.00	150	Vertical	Pass
1**	1609.500	33.69	-15.87	54.0	-20.31	AV	360.00	150	Vertical	Pass
2	2390.000	52.77	-10.39	68.2	-15.43	Peak	141.00	150	Vertical	Pass
2**	2390.000	43.54	-10.39	54.0	-10.46	AV	141.00	150	Vertical	Pass
3	4794.750	56.34	0.53	68.2	-11.86	Peak	200.00	150	Vertical	Pass
3**	4794.750	48.36	0.53	54.0	-5.64	AV	200.00	150	Vertical	Pass
4	5262.750	105.93	-0.05	--	-58.07	Peak	164.00	150	Vertical	N/A
4**	5262.750	99.20	-0.05	--	99.20	AV	164.00	150	Vertical	N/A
5	7620.000	55.85	2.18	68.2	-12.35	Peak	44.00	150	Vertical	Pass
5**	7620.000	45.52	2.18	54.0	-8.48	AV	44.00	150	Vertical	Pass
6	11270.850	54.85	2.04	68.2	-13.35	Peak	139.00	150	Vertical	Pass
6**	11270.850	46.35	2.04	54.0	-7.65	AV	139.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1615.500	45.12	-16.04	68.2	-23.08	Peak	150.00	150	Horizontal	Pass
1**	1615.500	35.99	-16.04	54.0	-18.01	AV	150.00	150	Horizontal	Pass
2	2390.000	55.42	-10.39	68.2	-12.78	Peak	250.00	150	Horizontal	Pass
2**	2390.000	44.52	-10.39	54.0	-9.48	AV	250.00	150	Horizontal	Pass
3	5303.000	110.16	0.29	--	67.16	Peak	43.00	150	Horizontal	N/A
3**	5303.000	101.90	0.29	--	101.90	AV	43.00	150	Horizontal	N/A
4	7598.000	55.51	1.73	68.2	-12.69	Peak	0.00	150	Horizontal	Pass
4**	7598.000	44.74	1.73	54.0	-9.26	AV	0.00	150	Horizontal	Pass
5	11921.125	54.93	2.44	68.2	-13.27	Peak	360.00	150	Horizontal	Pass
5**	11921.125	45.68	2.44	54.0	-8.32	AV	360.00	150	Horizontal	Pass
6	15772.425	53.88	1.07	68.2	-14.32	Peak	360.00	150	Horizontal	Pass
6**	15772.425	44.57	1.07	54.0	-9.43	AV	360.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1569.400	44.79	-15.87	68.2	-23.41	Peak	197.00	150	Vertical	Pass
1**	1569.400	32.61	-15.87	54.0	-21.39	AV	197.00	150	Vertical	Pass
2	2390.000	48.03	-10.39	68.2	-20.17	Peak	304.00	150	Vertical	Pass
2**	2390.000	37.37	-10.39	54.0	-16.63	AV	304.00	150	Vertical	Pass
3	4794.500	56.79	0.51	68.2	-11.41	Peak	200.00	150	Vertical	Pass
3**	4794.500	50.30	0.51	54.0	-3.70	AV	200.00	150	Vertical	Pass
4	5304.250	106.10	0.41	--	-57.90	Peak	164.00	150	Vertical	N/A
4**	5304.250	99.17	0.41	--	99.17	AV	164.00	150	Vertical	N/A
5	7337.750	55.15	1.60	68.2	-13.05	Peak	188.00	150	Vertical	Pass
5**	7337.750	45.36	1.60	54.0	-8.64	AV	188.00	150	Vertical	Pass
6	11295.075	55.68	2.34	68.2	-12.52	Peak	241.00	150	Vertical	Pass
6**	11295.075	46.77	2.34	54.0	-7.23	AV	241.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1605.200	44.30	-15.82	68.2	-23.90	Peak	157.00	150	Horizontal	Pass
1**	1605.200	32.03	-15.82	54.0	-21.97	AV	157.00	150	Horizontal	Pass
2	2390.000	53.05	-10.39	68.2	-15.15	Peak	251.00	150	Horizontal	Pass
2**	2390.000	41.09	-10.39	54.0	-12.91	AV	251.00	150	Horizontal	Pass
3	5318.000	107.89	0.51	--	63.89	Peak	44.00	150	Horizontal	N/A
3**	5318.000	101.22	0.51	--	101.22	AV	44.00	150	Horizontal	N/A
4	7421.000	55.66	2.99	68.2	-12.54	Peak	346.00	150	Horizontal	Pass
4**	7421.000	46.10	2.99	54.0	-7.90	AV	346.00	150	Horizontal	Pass
5	11983.350	55.74	2.64	68.2	-12.46	Peak	18.00	150	Horizontal	Pass
5**	11983.350	46.06	2.64	54.0	-7.94	AV	18.00	150	Horizontal	Pass
6	15776.625	53.86	1.05	68.2	-14.34	Peak	320.00	150	Horizontal	Pass
6**	15776.625	44.87	1.05	54.0	-9.13	AV	320.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.700	46.47	-15.99	68.2	-21.73	Peak	0.00	150	Vertical	Pass
1**	1612.700	35.00	-15.99	54.0	-19.00	AV	0.00	150	Vertical	Pass
2	2390.000	52.35	-10.39	68.2	-15.85	Peak	339.00	150	Vertical	Pass
2**	2390.000	41.48	-10.39	54.0	-12.52	AV	339.00	150	Vertical	Pass
3	4804.750	53.50	0.44	68.2	-14.70	Peak	214.00	150	Vertical	Pass
3**	4804.750	50.29	0.44	54.0	-3.71	AV	214.00	150	Vertical	Pass
4	5323.000	103.88	0.45	--	-62.12	Peak	166.00	150	Vertical	N/A
4**	5323.000	96.82	0.45	--	96.82	AV	166.00	150	Vertical	N/A
5	7397.000	55.49	2.46	68.2	-12.71	Peak	214.00	150	Vertical	Pass
5**	7397.000	47.06	2.46	54.0	-6.94	AV	214.00	150	Vertical	Pass
6	11994.750	54.89	2.63	68.2	-13.31	Peak	208.00	150	Vertical	Pass
6**	11994.750	46.67	2.63	54.0	-7.33	AV	208.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1603.300	44.27	-15.83	68.2	-23.93	Peak	151.00	150	Horizontal	Pass
1**	1603.300	31.85	-15.83	54.0	-22.15	AV	151.00	150	Horizontal	Pass
2	2390.000	50.50	-10.39	68.2	-17.70	Peak	1.00	150	Horizontal	Pass
2**	2390.000	43.05	-10.39	54.0	-10.95	AV	1.00	150	Horizontal	Pass
3	5267.500	108.25	0.10	--	63.25	Peak	45.00	150	Horizontal	N/A
3**	5267.500	99.96	0.10	--	99.96	AV	45.00	150	Horizontal	N/A
4	7561.500	55.85	2.71	68.2	-12.35	Peak	307.00	150	Horizontal	Pass
4**	7561.500	46.32	2.71	54.0	-7.68	AV	307.00	150	Horizontal	Pass
5	11302.674	54.82	2.32	68.2	-13.38	Peak	347.00	150	Horizontal	Pass
5**	11302.674	46.52	2.32	54.0	-7.48	AV	347.00	150	Horizontal	Pass
6	15777.150	53.67	1.05	68.2	-14.53	Peak	85.00	150	Horizontal	Pass
6**	15777.150	44.85	1.05	54.0	-9.15	AV	85.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1610.700	45.17	-15.93	68.2	-23.03	Peak	17.00	150	Vertical	Pass
1**	1610.700	34.57	-15.93	54.0	-19.43	AV	17.00	150	Vertical	Pass
2	2390.000	56.32	-10.39	68.2	-11.88	Peak	168.00	150	Vertical	Pass
2**	2390.000	43.12	-10.39	54.0	-10.88	AV	168.00	150	Vertical	Pass
3	4787.250	55.01	0.93	68.2	-13.19	Peak	201.00	150	Vertical	Pass
3**	4787.250	50.78	0.93	54.0	-3.22	AV	201.00	150	Vertical	Pass
4	5281.250	104.54	0.48	--	-60.46	Peak	165.00	150	Vertical	N/A
4**	5281.250	97.45	0.48	--	97.45	AV	165.00	150	Vertical	N/A
5	7395.500	56.04	2.44	68.2	-12.16	Peak	177.00	150	Vertical	Pass
5**	7395.500	46.05	2.44	54.0	-7.95	AV	177.00	150	Vertical	Pass
6	11359.912	54.30	0.83	68.2	-13.90	Peak	68.00	150	Vertical	Pass
6**	11359.912	44.06	0.83	54.0	-9.94	AV	68.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.500	45.49	-15.82	68.2	-22.71	Peak	157.00	150	Horizontal	Pass
1**	1597.500	30.87	-15.82	54.0	-23.13	AV	157.00	150	Horizontal	Pass
2	2390.000	51.72	-10.39	68.2	-16.48	Peak	216.00	150	Horizontal	Pass
2**	2390.000	43.28	-10.39	54.0	-10.72	AV	216.00	150	Horizontal	Pass
3	5301.500	105.17	0.31	--	60.17	Peak	45.00	150	Horizontal	N/A
3**	5301.500	96.99	0.31	--	96.99	AV	45.00	150	Horizontal	N/A
4	7379.500	55.91	2.13	68.2	-12.29	Peak	358.00	150	Horizontal	Pass
4**	7379.500	44.96	2.13	54.0	-9.04	AV	358.00	150	Horizontal	Pass
5	11953.188	55.31	2.64	68.2	-12.89	Peak	122.00	150	Horizontal	Pass
5**	11953.188	46.31	2.64	54.0	-7.69	AV	122.00	150	Horizontal	Pass
6	15773.475	54.46	1.06	68.2	-13.74	Peak	360.00	150	Horizontal	Pass
6**	15773.475	44.11	1.06	54.0	-9.89	AV	360.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1618.600	45.42	-15.89	68.2	-22.78	Peak	194.00	150	Vertical	Pass
1**	1618.600	32.96	-15.89	54.0	-21.04	AV	194.00	150	Vertical	Pass
2	2390.000	52.73	-10.39	68.2	-15.47	Peak	141.00	150	Vertical	Pass
2**	2390.000	44.77	-10.39	54.0	-9.23	AV	141.00	150	Vertical	Pass
3	4778.250	57.32	0.53	68.2	-10.88	Peak	189.00	150	Vertical	Pass
3**	4778.250	50.72	0.53	54.0	-3.28	AV	189.00	150	Vertical	Pass
4	5307.500	100.67	0.35	--	-63.33	Peak	164.00	150	Vertical	N/A
4**	5307.500	93.73	0.35	--	93.73	AV	164.00	150	Vertical	N/A
5	7315.000	55.19	1.58	68.2	-13.01	Peak	116.00	150	Vertical	Pass
5**	7315.000	45.53	1.58	54.0	-8.47	AV	116.00	150	Vertical	Pass
6	11912.813	55.09	2.38	68.2	-13.11	Peak	278.00	150	Vertical	Pass
6**	11912.813	45.04	2.38	54.0	-8.96	AV	278.00	150	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1582.100	44.38	-15.80	68.2	-23.82	Peak	148.00	150	Horizontal	Pass
1**	1582.100	32.30	-15.80	54.0	-21.70	AV	148.00	150	Horizontal	Pass
2	2390.000	54.16	-10.39	68.2	-14.04	Peak	237.00	150	Horizontal	Pass
2**	2390.000	47.11	-10.39	54.0	-6.89	AV	237.00	150	Horizontal	Pass
3	5287.250	103.49	0.58	--	59.49	Peak	44.00	150	Horizontal	N/A
3**	5287.250	95.67	0.58	--	95.67	AV	44.00	150	Horizontal	N/A
4	7572.750	56.55	2.35	68.2	-11.65	Peak	344.00	150	Horizontal	Pass
4**	7572.750	46.03	2.35	54.0	-7.97	AV	344.00	150	Horizontal	Pass
5	11950.338	55.42	2.64	68.2	-12.78	Peak	35.00	150	Horizontal	Pass
5**	11950.338	45.61	2.64	54.0	-8.39	AV	35.00	150	Horizontal	Pass
6	15961.687	53.71	0.91	68.2	-14.49	Peak	27.00	150	Horizontal	Pass
6**	15961.687	44.51	0.91	54.0	-9.49	AV	27.00	150	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1609.700	47.10	-15.88	68.2	-21.10	Peak	190.00	150	Vertical	Pass
1**	1609.700	34.75	-15.88	54.0	-19.25	AV	190.00	150	Vertical	Pass
2	2390.000	55.54	-10.39	68.2	-12.66	Peak	156.00	150	Vertical	Pass
2**	2390.000	44.50	-10.39	54.0	-9.50	AV	156.00	150	Vertical	Pass
3	4781.750	56.03	0.81	68.2	-12.17	Peak	200.00	150	Vertical	Pass
3**	4781.750	50.68	0.81	54.0	-3.32	AV	200.00	150	Vertical	Pass
4	5307.000	99.10	0.36	--	-64.90	Peak	164.00	150	Vertical	N/A
4**	5307.000	91.45	0.36	--	91.45	AV	164.00	150	Vertical	N/A
5	7508.750	54.80	1.57	68.2	-13.40	Peak	176.00	150	Vertical	Pass
5**	7508.750	44.91	1.57	54.0	-9.09	AV	176.00	150	Vertical	Pass
6	10774.237	55.41	1.32	68.2	-12.79	Peak	101.00	150	Vertical	Pass
6**	10774.237	44.16	1.32	54.0	-9.84	AV	101.00	150	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1609.100	43.89	-15.85	68.2	-24.31	Peak	151.00	150	Horizontal	Pass
1**	1609.100	35.37	-15.85	54.0	-18.63	AV	151.00	150	Horizontal	Pass
2	2390.000	55.56	-10.39	68.2	-12.64	Peak	246.00	150	Horizontal	Pass
2**	2390.000	45.09	-10.39	54.0	-8.91	AV	246.00	150	Horizontal	Pass
3	5265.250	110.35	-0.02	--	66.35	Peak	44.00	150	Horizontal	N/A
3**	5265.250	102.12	-0.02	--	102.12	AV	44.00	150	Horizontal	N/A
4	7669.500	55.35	1.83	68.2	-12.85	Peak	213.00	150	Horizontal	Pass
4**	7669.500	44.70	1.83	54.0	-9.30	AV	213.00	150	Horizontal	Pass
5	11299.588	55.39	2.40	68.2	-12.81	Peak	103.00	150	Horizontal	Pass
5**	11299.588	44.89	2.40	54.0	-9.11	AV	103.00	150	Horizontal	Pass
6	15774.262	53.68	1.06	68.2	-14.52	Peak	84.00	150	Horizontal	Pass
6**	15774.262	44.28	1.06	54.0	-9.72	AV	84.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1620.900	46.13	-15.93	68.2	-22.07	Peak	360.00	150	Vertical	Pass
1**	1620.900	33.45	-15.93	54.0	-20.55	AV	360.00	150	Vertical	Pass
2	2390.000	51.37	-10.39	68.2	-16.83	Peak	154.00	150	Vertical	Pass
2**	2390.000	45.43	-10.39	54.0	-8.57	AV	154.00	150	Vertical	Pass
3	4779.250	53.95	0.60	68.2	-14.25	Peak	211.00	150	Vertical	Pass
3**	4779.250	50.62	0.60	54.0	-3.38	AV	211.00	150	Vertical	Pass
4	5257.500	107.17	-0.02	--	-44.83	Peak	152.00	150	Vertical	N/A
4**	5257.500	98.55	-0.02	--	98.55	AV	152.00	150	Vertical	N/A
5	7399.000	54.97	2.49	68.2	-13.23	Peak	224.00	150	Vertical	Pass
5**	7399.000	46.66	2.49	54.0	-7.34	AV	224.00	150	Vertical	Pass
6	11294.363	54.58	2.33	68.2	-13.62	Peak	242.00	150	Vertical	Pass
6**	11294.363	45.57	2.33	54.0	-8.43	AV	242.00	150	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1607.800	44.76	-15.80	68.2	-23.44	Peak	147.00	150	Horizontal	Pass
1**	1607.800	34.60	-15.80	54.0	-19.40	AV	147.00	150	Horizontal	Pass
2	2390.000	53.70	-10.39	68.2	-14.50	Peak	251.00	150	Horizontal	Pass
2**	2390.000	43.10	-10.39	54.0	-10.90	AV	251.00	150	Horizontal	Pass
3	5303.750	110.00	0.37	--	62.00	Peak	48.00	150	Horizontal	N/A
3**	5303.750	102.47	0.37	--	102.47	AV	48.00	150	Horizontal	N/A
4	7560.500	55.23	2.74	68.2	-12.97	Peak	203.00	150	Horizontal	Pass
4**	7560.500	45.61	2.74	54.0	-8.39	AV	203.00	150	Horizontal	Pass
5	11298.162	54.71	2.38	68.2	-13.49	Peak	0.00	150	Horizontal	Pass
5**	11298.162	45.78	2.38	54.0	-8.22	AV	0.00	150	Horizontal	Pass
6	15765.338	53.24	1.09	68.2	-14.96	Peak	230.00	150	Horizontal	Pass
6**	15765.338	44.87	1.09	54.0	-9.13	AV	230.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1611.500	46.23	-15.93	68.2	-21.97	Peak	198.00	150	Vertical	Pass
1**	1611.500	32.72	-15.93	54.0	-21.28	AV	198.00	150	Vertical	Pass
2	2390.000	56.43	-10.39	68.2	-11.77	Peak	175.00	150	Vertical	Pass
2**	2390.000	44.50	-10.39	54.0	-9.50	AV	175.00	150	Vertical	Pass
3	4790.750	55.95	0.75	68.2	-12.25	Peak	212.00	150	Vertical	Pass
3**	4790.750	50.82	0.75	54.0	-3.18	AV	212.00	150	Vertical	Pass
4	5295.000	107.78	0.41	--	-56.22	Peak	164.00	150	Vertical	N/A
4**	5295.000	96.14	0.41	--	96.14	AV	164.00	150	Vertical	N/A
5	7396.250	55.36	2.48	68.2	-12.84	Peak	56.00	150	Vertical	Pass
5**	7396.250	45.07	2.48	54.0	-8.93	AV	56.00	150	Vertical	Pass
6	11265.150	55.19	1.97	68.2	-13.01	Peak	33.00	150	Vertical	Pass
6**	11265.150	45.45	1.97	54.0	-8.55	AV	33.00	150	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1587.300	44.57	-15.83	68.2	-23.63	Peak	145.00	150	Horizontal	Pass
1**	1587.300	33.17	-15.83	54.0	-20.83	AV	145.00	150	Horizontal	Pass
2	2390.000	55.54	-10.39	68.2	-12.66	Peak	262.00	150	Horizontal	Pass
2**	2390.000	42.35	-10.39	54.0	-11.65	AV	262.00	150	Horizontal	Pass
3	5316.750	109.13	0.44	--	65.13	Peak	44.00	150	Horizontal	N/A
3**	5316.750	99.25	0.44	--	99.25	AV	44.00	150	Horizontal	N/A
4	7391.500	55.15	2.39	68.2	-13.05	Peak	164.00	150	Horizontal	Pass
4**	7391.500	46.90	2.39	54.0	-7.10	AV	164.00	150	Horizontal	Pass
5	11302.912	54.75	2.32	68.2	-13.45	Peak	277.00	150	Horizontal	Pass
5**	11302.912	45.67	2.32	54.0	-8.33	AV	277.00	150	Horizontal	Pass
6	15747.488	54.46	1.11	68.2	-13.74	Peak	71.00	150	Horizontal	Pass
6**	15747.488	44.15	1.11	54.0	-9.85	AV	71.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1623.900	46.02	-15.77	68.2	-22.18	Peak	191.00	150	Vertical	Pass
1**	1623.900	35.66	-15.77	54.0	-18.34	AV	191.00	150	Vertical	Pass
2	2390.000	49.33	-10.39	68.2	-18.87	Peak	160.00	150	Vertical	Pass
2**	2390.000	45.19	-10.39	54.0	-8.81	AV	160.00	150	Vertical	Pass
3	4782.000	57.88	0.83	68.2	-10.32	Peak	202.00	150	Vertical	Pass
3**	4782.000	50.91	0.83	54.0	-3.09	AV	202.00	150	Vertical	Pass
4	5324.250	105.20	0.42	--	-59.80	Peak	165.00	150	Vertical	N/A
4**	5324.250	95.99	0.42	--	95.99	AV	165.00	150	Vertical	N/A
5	7404.750	55.16	2.60	68.2	-13.04	Peak	153.00	150	Vertical	Pass
5**	7404.750	45.91	2.60	54.0	-8.09	AV	153.00	150	Vertical	Pass
6	11291.037	54.25	2.29	68.2	-13.95	Peak	276.00	150	Vertical	Pass
6**	11291.037	45.67	2.29	54.0	-8.33	AV	276.00	150	Vertical	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.300	43.21	-15.53	68.2	-24.99	Peak	161.00	150	Horizontal	Pass
1**	1542.300	33.36	-15.53	54.0	-20.64	AV	161.00	150	Horizontal	Pass
2	2390.000	53.34	-10.39	68.2	-14.86	Peak	262.00	150	Horizontal	Pass
2**	2390.000	46.68	-10.39	54.0	-7.32	AV	262.00	150	Horizontal	Pass
3	5279.500	108.27	0.42	--	63.27	Peak	45.00	150	Horizontal	N/A
3**	5279.500	99.70	0.42	--	99.70	AV	45.00	150	Horizontal	N/A
4	7563.750	55.50	2.74	68.2	-12.70	Peak	166.00	150	Horizontal	Pass
4**	7563.750	46.88	2.74	54.0	-7.12	AV	166.00	150	Horizontal	Pass
5	11229.525	54.79	1.97	68.2	-13.41	Peak	51.00	150	Horizontal	Pass
5**	11229.525	45.15	1.97	54.0	-8.85	AV	51.00	150	Horizontal	Pass
6	15771.638	54.66	1.07	68.2	-13.54	Peak	231.00	150	Horizontal	Pass
6**	15771.638	44.04	1.07	54.0	-9.96	AV	231.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.800	44.27	-15.89	68.2	-23.93	Peak	175.00	150	Vertical	Pass
1**	1570.800	33.44	-15.89	54.0	-20.56	AV	175.00	150	Vertical	Pass
2	2390.000	57.45	-10.39	68.2	-10.75	Peak	163.00	150	Vertical	Pass
2**	2390.000	45.31	-10.39	54.0	-8.69	AV	163.00	150	Vertical	Pass
3	4810.500	51.25	0.72	68.2	-16.95	Peak	203.00	150	Vertical	Pass
3**	4810.500	50.99	0.72	54.0	-3.01	AV	203.00	150	Vertical	Pass
4	5277.750	105.70	0.39	--	-61.30	Peak	167.00	150	Vertical	N/A
4**	5277.750	95.88	0.39	--	95.88	AV	167.00	150	Vertical	N/A
5	7502.000	54.98	1.80	68.2	-13.22	Peak	8.00	150	Vertical	Pass
5**	7502.000	45.59	1.80	54.0	-8.41	AV	8.00	150	Vertical	Pass
6	11951.526	55.46	2.64	68.2	-12.74	Peak	0.00	150	Vertical	Pass
6**	11951.526	46.45	2.64	54.0	-7.55	AV	0.00	150	Vertical	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.800	43.98	-15.54	68.2	-24.22	Peak	157.00	150	Horizontal	Pass
1**	1532.800	31.00	-15.54	54.0	-23.00	AV	157.00	150	Horizontal	Pass
2	2390.000	54.63	-10.39	68.2	-13.57	Peak	221.00	150	Horizontal	Pass
2**	2390.000	43.87	-10.39	54.0	-10.13	AV	221.00	150	Horizontal	Pass
3	5307.750	105.57	0.34	--	61.57	Peak	44.00	150	Horizontal	N/A
3**	5307.750	95.84	0.34	--	95.84	AV	44.00	150	Horizontal	N/A
4	7634.250	56.19	2.48	68.2	-12.01	Peak	356.00	150	Horizontal	Pass
4**	7634.250	45.77	2.48	54.0	-8.23	AV	356.00	150	Horizontal	Pass
5	11283.912	55.21	2.20	68.2	-12.99	Peak	346.00	150	Horizontal	Pass
5**	11283.912	45.91	2.20	54.0	-8.09	AV	346.00	150	Horizontal	Pass
6	15725.175	53.58	0.84	68.2	-14.62	Peak	201.00	150	Horizontal	Pass
6**	15725.175	44.71	0.84	54.0	-9.29	AV	201.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1608.100	45.44	-15.82	68.2	-22.76	Peak	188.00	150	Vertical	Pass
1**	1608.100	33.38	-15.82	54.0	-20.62	AV	188.00	150	Vertical	Pass
2	2390.000	48.75	-10.39	68.2	-19.45	Peak	323.00	150	Vertical	Pass
2**	2390.000	40.78	-10.39	54.0	-13.22	AV	323.00	150	Vertical	Pass
3	4791.250	56.55	0.69	68.2	-11.65	Peak	200.00	150	Vertical	Pass
3**	4791.250	50.68	0.69	54.0	-3.32	AV	200.00	150	Vertical	Pass
4	5305.500	100.38	0.34	--	-63.62	Peak	164.00	150	Vertical	N/A
4**	5305.500	92.07	0.34	--	92.07	AV	164.00	150	Vertical	N/A
5	7408.500	54.88	2.67	68.2	-13.32	Peak	33.00	150	Vertical	Pass
5**	7408.500	45.39	2.67	54.0	-8.61	AV	33.00	150	Vertical	Pass
6	11196.276	55.18	2.14	68.2	-13.02	Peak	0.00	150	Vertical	Pass
6**	11196.276	45.90	2.14	54.0	-8.10	AV	0.00	150	Vertical	Pass

11ax80 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.200	43.96	-15.60	68.2	-24.24	Peak	163.00	150	Horizontal	Pass
1**	1539.200	31.36	-15.60	54.0	-22.64	AV	163.00	150	Horizontal	Pass
2	2390.000	51.74	-10.39	68.2	-16.46	Peak	116.00	150	Horizontal	Pass
2**	2390.000	46.43	-10.39	54.0	-7.57	AV	116.00	150	Horizontal	Pass
3	5267.750	103.63	0.11	--	60.63	Peak	43.00	150	Horizontal	N/A
3**	5267.750	94.56	0.11	--	94.56	AV	43.00	150	Horizontal	N/A
4	7432.250	55.48	2.24	68.2	-12.72	Peak	92.00	150	Horizontal	Pass
4**	7432.250	45.48	2.24	54.0	-8.52	AV	92.00	150	Horizontal	Pass
5	11294.838	55.76	2.34	68.2	-12.44	Peak	191.00	150	Horizontal	Pass
5**	11294.838	45.52	2.34	54.0	-8.48	AV	191.00	150	Horizontal	Pass
6	15977.700	53.64	0.80	68.2	-14.56	Peak	263.00	150	Horizontal	Pass
6**	15977.700	45.36	0.80	54.0	-8.64	AV	263.00	150	Horizontal	Pass

11ax80 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1614.700	45.99	-16.00	68.2	-22.21	Peak	0.00	150	Vertical	Pass
1**	1614.700	34.54	-16.00	54.0	-19.46	AV	0.00	150	Vertical	Pass
2	2390.000	54.10	-10.39	68.2	-14.10	Peak	150.00	150	Vertical	Pass
2**	2390.000	46.47	-10.39	54.0	-7.53	AV	150.00	150	Vertical	Pass
3	4785.500	52.79	0.96	68.2	-15.41	Peak	213.00	150	Vertical	Pass
3**	4785.500	50.94	0.96	54.0	-3.06	AV	213.00	150	Vertical	Pass
4	5287.000	100.23	0.59	--	-64.77	Peak	165.00	150	Vertical	N/A
4**	5287.000	90.05	0.59	--	90.05	AV	165.00	150	Vertical	N/A
5	7239.500	55.14	2.25	68.2	-13.06	Peak	117.00	150	Vertical	Pass
5**	7239.500	45.17	2.25	54.0	45.17	AV	117.00	150	Vertical	Pass
6	11296.026	55.34	2.35	68.2	-12.86	Peak	0.00	150	Vertical	Pass
6**	11296.026	45.73	2.35	54.0	-8.27	AV	0.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1610.900	44.74	-15.93	68.2	-23.46	Peak	294.00	150	Horizontal	Pass
1**	1610.900	33.22	-15.93	54.0	-20.78	AV	294.00	150	Horizontal	Pass
2	2390.000	50.47	-10.39	68.2	-17.73	Peak	194.00	150	Horizontal	Pass
2**	2390.000	45.93	-10.39	54.0	-8.07	AV	194.00	150	Horizontal	Pass
3	5502.750	109.11	0.67	--	88.11	Peak	21.00	150	Horizontal	N/A
3**	5502.750	102.06	0.67	--	102.06	AV	21.00	150	Horizontal	N/A
4	7392.500	55.55	2.42	68.2	-12.65	Peak	356.00	150	Horizontal	Pass
4**	7392.500	45.24	2.42	54.0	-8.76	AV	356.00	150	Horizontal	Pass
5	11989.287	55.13	2.63	68.2	-13.07	Peak	1.00	150	Horizontal	Pass
5**	11989.287	45.68	2.63	54.0	-8.32	AV	1.00	150	Horizontal	Pass
6	15766.125	53.92	1.09	68.2	-14.28	Peak	56.00	150	Horizontal	Pass
6**	15766.125	43.89	1.09	54.0	-10.11	AV	56.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1622.800	46.06	-15.80	68.2	-22.14	Peak	188.00	150	Vertical	Pass
1**	1622.800	32.91	-15.80	54.0	-21.09	AV	188.00	150	Vertical	Pass
2	2390.000	50.76	-10.39	68.2	-17.44	Peak	352.00	150	Vertical	Pass
2**	2390.000	40.45	-10.39	54.0	-13.55	AV	352.00	150	Vertical	Pass
3	4782.000	57.62	0.83	68.2	-10.58	Peak	190.00	150	Vertical	Pass
3**	4782.000	50.52	0.83	54.0	-3.48	AV	190.00	150	Vertical	Pass
4	5497.500	108.17	0.59	--	-165.83	Peak	274.00	150	Vertical	N/A
4**	5497.500	101.86	0.59	--	101.86	AV	274.00	150	Vertical	N/A
5	7631.000	55.62	2.41	68.2	-12.58	Peak	69.00	150	Vertical	Pass
5**	7631.000	44.89	2.41	54.0	-9.11	AV	69.00	150	Vertical	Pass
6	11296.975	54.83	2.36	68.2	-13.37	Peak	312.00	150	Vertical	Pass
6**	11296.975	45.96	2.36	54.0	-8.04	AV	312.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.400	44.26	-15.61	68.2	-23.94	Peak	159.00	150	Horizontal	Pass
1**	1539.400	34.14	-15.61	54.0	-19.86	AV	159.00	150	Horizontal	Pass
2	2396.200	55.86	-10.82	68.2	-12.34	Peak	241.00	150	Horizontal	Pass
2**	2396.200	42.71	-10.82	--	42.71	AV	241.00	150	Horizontal	N/A
3	5584.500	108.89	0.42	--	75.89	Peak	33.00	150	Horizontal	N/A
3**	5584.500	102.54	0.42	--	102.54	AV	33.00	150	Horizontal	N/A
4	7548.000	55.32	2.32	68.2	-12.88	Peak	275.00	150	Horizontal	Pass
4**	7548.000	45.20	2.32	54.0	-8.80	AV	275.00	150	Horizontal	Pass
5	11283.438	55.21	2.20	68.2	-12.99	Peak	189.00	150	Horizontal	Pass
5**	11283.438	45.04	2.20	54.0	-8.96	AV	189.00	150	Horizontal	Pass
6	15750.112	53.85	1.14	68.2	-14.35	Peak	27.00	150	Horizontal	Pass
6**	15750.112	44.50	1.14	54.0	-9.50	AV	27.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1611.700	46.09	-15.93	68.2	-22.11	Peak	192.00	150	Vertical	Pass
1**	1611.700	34.77	-15.93	54.0	-19.23	AV	192.00	150	Vertical	Pass
2	2390.000	51.45	-10.39	68.2	-16.75	Peak	64.00	150	Vertical	Pass
2**	2390.000	39.48	-10.39	54.0	-14.52	AV	64.00	150	Vertical	Pass
3	4780.750	59.62	0.74	68.2	-8.58	Peak	200.00	150	Vertical	Pass
3**	4780.750	50.85	0.74	54.0	-3.15	AV	200.00	150	Vertical	Pass
4	5576.750	109.72	0.28	--	-162.28	Peak	272.00	150	Vertical	N/A
4**	5576.750	102.66	0.28	--	102.66	AV	272.00	150	Vertical	N/A
5	7418.250	55.96	3.06	68.2	-12.24	Peak	69.00	150	Vertical	Pass
5**	7418.250	45.75	3.06	54.0	-8.25	AV	69.00	150	Vertical	Pass
6	11946.537	55.69	2.62	68.2	-12.51	Peak	242.00	150	Vertical	Pass
6**	11946.537	45.43	2.62	54.0	-8.57	AV	242.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.500	45.26	-15.88	68.2	-22.94	Peak	149.00	150	Horizontal	Pass
1**	1572.500	32.53	-15.88	54.0	-21.47	AV	149.00	150	Horizontal	Pass
2	2390.000	54.66	-10.39	68.2	-13.54	Peak	240.00	150	Horizontal	Pass
2**	2390.000	40.76	-10.39	54.0	-13.24	AV	240.00	150	Horizontal	Pass
3	5696.750	107.21	0.52	--	74.21	Peak	33.00	150	Horizontal	N/A
3**	5696.750	98.43	0.52	--	98.43	AV	33.00	150	Horizontal	N/A
4	7575.000	55.54	2.31	68.2	-12.66	Peak	324.00	150	Horizontal	Pass
4**	7575.000	45.99	2.31	54.0	-8.01	AV	324.00	150	Horizontal	Pass
5	11286.525	54.65	2.23	68.2	-13.55	Peak	155.00	150	Horizontal	Pass
5**	11286.525	45.91	2.23	54.0	-8.09	AV	155.00	150	Horizontal	Pass
6	15487.612	53.30	1.01	68.2	-14.90	Peak	229.00	150	Horizontal	Pass
6**	15487.612	44.10	1.01	54.0	-9.90	AV	229.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1607.600	43.74	-15.79	68.2	-24.46	Peak	0.00	150	Vertical	Pass
1**	1607.600	32.40	-15.79	54.0	-21.60	AV	0.00	150	Vertical	Pass
2	2390.000	52.95	-10.39	68.2	-15.25	Peak	124.00	150	Vertical	Pass
2**	2390.000	44.07	-10.39	54.0	-9.93	AV	124.00	150	Vertical	Pass
3	4782.500	55.42	0.86	68.2	-12.78	Peak	204.00	150	Vertical	Pass
3**	4782.500	50.31	0.86	54.0	-3.69	AV	204.00	150	Vertical	Pass
4	5695.750	107.26	0.58	--	-155.74	Peak	263.00	150	Vertical	N/A
4**	5695.750	99.94	0.58	--	99.94	AV	263.00	150	Vertical	N/A
5	7402.000	54.65	2.52	68.2	-13.55	Peak	167.00	150	Vertical	Pass
5**	7402.000	45.96	2.52	54.0	-8.04	AV	167.00	150	Vertical	Pass
6	11211.713	54.00	2.14	68.2	-14.20	Peak	224.00	150	Vertical	Pass
6**	11211.713	44.53	2.14	54.0	-9.47	AV	224.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1322.200	44.60	-15.55	68.2	-23.60	Peak	216.00	150	Horizontal	Pass
1**	1322.200	30.74	-15.55	54.0	-23.26	AV	216.00	150	Horizontal	Pass
2	2390.000	56.23	-10.39	68.2	-11.97	Peak	240.00	150	Horizontal	Pass
2**	2390.000	36.83	-10.39	54.0	-17.17	AV	240.00	150	Horizontal	Pass
3	5504.250	108.44	0.65	--	88.44	Peak	20.00	150	Horizontal	N/A
3**	5504.250	100.31	0.65	--	100.31	AV	20.00	150	Horizontal	N/A
4	7407.500	55.04	2.66	68.2	-13.16	Peak	213.00	150	Horizontal	Pass
4**	7407.500	45.44	2.66	54.0	-8.56	AV	213.00	150	Horizontal	Pass
5	11910.200	55.19	2.36	68.2	-13.01	Peak	101.00	150	Horizontal	Pass
5**	11910.200	45.16	2.36	54.0	-8.84	AV	101.00	150	Horizontal	Pass
6	15761.401	53.62	1.10	68.2	-14.58	Peak	286.00	150	Horizontal	Pass
6**	15761.401	44.22	1.10	54.0	-9.78	AV	286.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1614.200	45.31	-16.01	68.2	-22.89	Peak	197.00	150	Vertical	Pass
1**	1614.200	33.49	-16.01	54.0	-20.51	AV	197.00	150	Vertical	Pass
2	2390.000	51.55	-10.39	68.2	-16.65	Peak	162.00	150	Vertical	Pass
2**	2390.000	50.51	-10.39	54.0	-3.49	AV	162.00	150	Vertical	Pass
3	4783.750	57.81	0.95	68.2	-10.39	Peak	213.00	150	Vertical	Pass
3**	4783.750	50.61	0.95	54.0	-3.39	AV	213.00	150	Vertical	Pass
4	5496.750	108.15	0.55	--	-164.85	Peak	273.00	150	Vertical	N/A
4**	5496.750	100.49	0.55	--	100.49	AV	273.00	150	Vertical	N/A
5	7414.250	55.46	2.96	68.2	-12.74	Peak	273.00	150	Vertical	Pass
5**	7414.250	45.82	2.96	54.0	-8.18	AV	273.00	150	Vertical	Pass
6	11999.263	54.91	2.63	68.2	-13.29	Peak	240.00	150	Vertical	Pass
6**	11999.263	45.54	2.63	54.0	-8.46	AV	240.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.200	43.60	-15.59	68.2	-24.60	Peak	151.00	150	Horizontal	Pass
1**	1534.200	31.03	-15.59	54.0	-22.97	AV	151.00	150	Horizontal	Pass
2	2390.000	53.41	-10.39	68.2	-14.79	Peak	192.00	150	Horizontal	Pass
2**	2390.000	39.49	-10.39	54.0	-14.51	AV	192.00	150	Horizontal	Pass
3	5576.750	108.97	0.28	--	88.97	Peak	20.00	150	Horizontal	N/A
3**	5576.750	102.47	0.28	--	102.47	AV	20.00	150	Horizontal	N/A
4	7575.000	55.57	2.31	68.2	-12.63	Peak	251.00	150	Horizontal	Pass
4**	7575.000	45.48	2.31	54.0	-8.52	AV	251.00	150	Horizontal	Pass
5	11275.837	54.72	2.10	68.2	-13.48	Peak	240.00	150	Horizontal	Pass
5**	11275.837	45.89	2.10	54.0	-8.11	AV	240.00	150	Horizontal	Pass
6	15746.700	52.91	1.10	68.2	-15.29	Peak	211.00	150	Horizontal	Pass
6**	15746.700	43.50	1.10	54.0	-10.50	AV	211.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1585.400	44.93	-15.90	68.2	-23.27	Peak	163.00	150	Vertical	Pass
1**	1585.400	33.66	-15.90	54.0	-20.34	AV	163.00	150	Vertical	Pass
2	2390.000	53.10	-10.39	68.2	-15.10	Peak	145.00	150	Vertical	Pass
2**	2390.000	42.72	-10.39	54.0	-11.28	AV	145.00	150	Vertical	Pass
3	4779.000	51.71	0.57	68.2	-16.49	Peak	215.00	150	Vertical	Pass
3**	4779.000	50.87	0.57	54.0	-3.13	AV	215.00	150	Vertical	Pass
4	5577.250	110.05	0.29	--	-164.95	Peak	275.00	150	Vertical	N/A
4**	5577.250	101.92	0.29	--	101.92	AV	275.00	150	Vertical	N/A
5	7403.250	55.18	2.56	68.2	-13.02	Peak	240.00	150	Vertical	Pass
5**	7403.250	46.22	2.56	54.0	-7.78	AV	240.00	150	Vertical	Pass
6	11300.775	54.58	2.38	68.2	-13.62	Peak	172.00	150	Vertical	Pass
6**	11300.775	46.28	2.38	54.0	-7.72	AV	172.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.800	43.12	-15.58	68.2	-25.08	Peak	156.00	150	Horizontal	Pass
1**	1539.800	33.88	-15.58	54.0	-20.12	AV	156.00	150	Horizontal	Pass
2	2390.000	51.46	-10.39	68.2	-16.74	Peak	116.00	150	Horizontal	Pass
2**	2390.000	41.09	-10.39	54.0	-12.91	AV	116.00	150	Horizontal	Pass
3	5701.750	105.48	0.40	--	84.48	Peak	21.00	150	Horizontal	N/A
3**	5701.750	98.46	0.40	--	98.46	AV	21.00	150	Horizontal	N/A
4	7645.000	55.53	2.41	68.2	-12.67	Peak	118.00	150	Horizontal	Pass
4**	7645.000	45.82	2.41	54.0	-8.18	AV	118.00	150	Horizontal	Pass
5	12013.513	55.15	2.23	68.2	-13.05	Peak	99.00	150	Horizontal	Pass
5**	12013.513	44.91	2.23	54.0	-9.09	AV	99.00	150	Horizontal	Pass
6	15960.901	53.28	0.91	68.2	-14.92	Peak	0.00	150	Horizontal	Pass
6**	15960.901	44.44	0.91	54.0	-9.56	AV	0.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1590.100	46.11	-15.83	68.2	-22.09	Peak	204.00	150	Vertical	Pass
1**	1590.100	33.12	-15.83	54.0	-20.88	AV	204.00	150	Vertical	Pass
2	2390.000	54.36	-10.39	68.2	-13.84	Peak	152.00	150	Vertical	Pass
2**	2390.000	42.23	-10.39	54.0	-11.77	AV	152.00	150	Vertical	Pass
3	4781.250	58.61	0.78	68.2	-9.59	Peak	203.00	150	Vertical	Pass
3**	4781.250	50.01	0.78	54.0	-3.99	AV	203.00	150	Vertical	Pass
4	5699.000	106.60	0.42	--	-157.40	Peak	264.00	150	Vertical	N/A
4**	5699.000	99.29	0.42	--	99.29	AV	264.00	150	Vertical	N/A
5	7614.500	55.18	2.20	68.2	-13.02	Peak	154.00	150	Vertical	Pass
5**	7614.500	46.39	2.20	54.0	-7.61	AV	154.00	150	Vertical	Pass
6	11920.412	54.51	2.43	68.2	-13.69	Peak	117.00	150	Vertical	Pass
6**	11920.412	45.06	2.43	54.0	-8.94	AV	117.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1554.000	43.20	-15.66	68.2	-25.00	Peak	158.00	150	Horizontal	Pass
1**	1554.000	30.52	-15.66	54.0	-23.48	AV	158.00	150	Horizontal	Pass
2	2390.000	48.66	-10.39	68.2	-19.54	Peak	0.00	150	Horizontal	Pass
2**	2390.000	39.97	-10.39	54.0	-14.03	AV	0.00	150	Horizontal	Pass
3	5521.750	105.29	0.66	--	85.29	Peak	20.00	150	Horizontal	N/A
3**	5521.750	97.56	0.66	--	97.56	AV	20.00	150	Horizontal	N/A
4	7423.500	55.08	2.92	68.2	-13.12	Peak	178.00	150	Horizontal	Pass
4**	7423.500	46.07	2.92	54.0	-7.93	AV	178.00	150	Horizontal	Pass
5	11304.100	54.85	2.28	68.2	-13.35	Peak	278.00	150	Horizontal	Pass
5**	11304.100	45.40	2.28	54.0	-8.60	AV	278.00	150	Horizontal	Pass
6	15950.137	53.25	0.98	68.2	-14.95	Peak	14.00	150	Horizontal	Pass
6**	15950.137	43.93	0.98	54.0	-10.07	AV	14.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1609.800	46.69	-15.88	68.2	-21.51	Peak	360.00	150	Vertical	Pass
1**	1609.800	35.40	-15.88	54.0	-18.60	AV	360.00	150	Vertical	Pass
2	2390.000	55.18	-10.39	68.2	-13.02	Peak	155.00	150	Vertical	Pass
2**	2390.000	44.14	-10.39	54.0	-9.86	AV	155.00	150	Vertical	Pass
3	4785.500	58.63	0.96	68.2	-9.57	Peak	202.00	150	Vertical	Pass
3**	4785.500	50.61	0.96	54.0	-3.39	AV	202.00	150	Vertical	Pass
4	5512.750	105.33	0.54	--	-168.67	Peak	274.00	150	Vertical	N/A
4**	5512.750	97.05	0.54	--	97.05	AV	274.00	150	Vertical	N/A
5	7406.500	55.80	2.68	68.2	-12.40	Peak	142.00	150	Vertical	Pass
5**	7406.500	46.14	2.68	54.0	-7.86	AV	142.00	150	Vertical	Pass
6	11778.862	55.10	1.50	68.2	-13.10	Peak	259.00	150	Vertical	Pass
6**	11778.862	44.58	1.50	54.0	-9.42	AV	259.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.500	45.67	-15.60	68.2	-22.53	Peak	156.00	150	Horizontal	Pass
1**	1536.500	35.23	-15.60	54.0	-18.77	AV	156.00	150	Horizontal	Pass
2	2391.900	53.15	-10.57	68.2	-15.05	Peak	121.00	150	Horizontal	Pass
2**	2391.900	41.12	-10.57	54.0	41.12	AV	121.00	150	Horizontal	Pass
3	5581.250	107.89	0.27	--	87.89	Peak	20.00	150	Horizontal	N/A
3**	5581.250	99.01	0.27	--	99.01	AV	20.00	150	Horizontal	N/A
4	7402.000	54.94	2.52	68.2	-13.26	Peak	155.00	150	Horizontal	Pass
4**	7402.000	47.01	2.52	54.0	-6.99	AV	155.00	150	Horizontal	Pass
5	11301.488	54.86	2.36	68.2	-13.34	Peak	276.00	150	Horizontal	Pass
5**	11301.488	46.19	2.36	54.0	-7.81	AV	276.00	150	Horizontal	Pass
6	15775.575	52.97	1.06	68.2	-15.23	Peak	33.00	150	Horizontal	Pass
6**	15775.575	44.69	1.06	54.0	-9.31	AV	33.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1588.800	44.91	-15.85	68.2	-23.29	Peak	198.00	150	Vertical	Pass
1**	1588.800	32.18	-15.85	54.0	-21.82	AV	198.00	150	Vertical	Pass
2	2390.000	55.66	-10.39	68.2	-12.54	Peak	168.00	150	Vertical	Pass
2**	2390.000	47.04	-10.39	54.0	-6.96	AV	168.00	150	Vertical	Pass
3	4790.750	57.98	0.75	68.2	-10.22	Peak	201.00	150	Vertical	Pass
3**	4790.750	50.93	0.75	54.0	-3.07	AV	201.00	150	Vertical	Pass
4	5599.000	108.17	0.74	--	-164.83	Peak	273.00	150	Vertical	N/A
4**	5599.000	100.97	0.74	--	100.97	AV	273.00	150	Vertical	N/A
5	7541.250	55.22	2.31	68.2	-12.98	Peak	8.00	150	Vertical	Pass
5**	7541.250	44.54	2.31	54.0	-9.46	AV	8.00	150	Vertical	Pass
6	11987.863	55.46	2.63	68.2	-12.74	Peak	294.00	150	Vertical	Pass
6**	11987.863	44.70	2.63	54.0	-9.30	AV	294.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1559.900	44.09	-15.75	68.2	-24.11	Peak	153.00	150	Horizontal	Pass
1**	1559.900	30.35	-15.75	54.0	-23.65	AV	153.00	150	Horizontal	Pass
2	2390.000	53.55	-10.39	68.2	-14.65	Peak	258.00	150	Horizontal	Pass
2**	2390.000	45.32	-10.39	54.0	-8.68	AV	258.00	150	Horizontal	Pass
3	5668.250	104.44	0.65	--	72.44	Peak	32.00	150	Horizontal	N/A
3**	5668.250	96.95	0.65	--	96.95	AV	32.00	150	Horizontal	N/A
4	7403.500	55.22	2.57	68.2	-12.98	Peak	167.00	150	Horizontal	Pass
4**	7403.500	47.17	2.57	54.0	-6.83	AV	167.00	150	Horizontal	Pass
5	11298.162	55.38	2.38	68.2	-12.82	Peak	171.00	150	Horizontal	Pass
5**	11298.162	45.33	2.38	54.0	-8.67	AV	171.00	150	Horizontal	Pass
6	15966.151	53.55	0.88	68.2	-14.65	Peak	284.00	150	Horizontal	Pass
6**	15966.151	44.50	0.88	54.0	-9.50	AV	284.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.700	45.08	-15.87	68.2	-23.12	Peak	174.00	150	Vertical	Pass
1**	1572.700	32.09	-15.87	54.0	-21.91	AV	174.00	150	Vertical	Pass
2	2390.000	53.45	-10.39	68.2	-14.75	Peak	168.00	150	Vertical	Pass
2**	2390.000	39.73	-10.39	54.0	-14.27	AV	168.00	150	Vertical	Pass
3	4800.500	54.57	0.36	68.2	-13.63	Peak	203.00	150	Vertical	Pass
3**	4800.500	50.56	0.36	54.0	-3.44	AV	203.00	150	Vertical	Pass
4	5660.750	105.58	0.37	--	-158.42	Peak	264.00	150	Vertical	N/A
4**	5660.750	97.68	0.37	--	97.68	AV	264.00	150	Vertical	N/A
5	7475.750	55.24	1.85	68.2	-12.96	Peak	360.00	150	Vertical	Pass
5**	7475.750	45.06	1.85	54.0	-8.94	AV	360.00	150	Vertical	Pass
6	11272.037	54.95	2.06	68.2	-13.25	Peak	188.00	150	Vertical	Pass
6**	11272.037	45.83	2.06	54.0	-8.17	AV	188.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1609.000	44.62	-15.85	68.2	-23.58	Peak	148.00	150	Horizontal	Pass
1**	1609.000	32.72	-15.85	54.0	-21.28	AV	148.00	150	Horizontal	Pass
2	2390.000	48.93	-10.39	68.2	-19.27	Peak	340.00	150	Horizontal	Pass
2**	2390.000	45.52	-10.39	54.0	-8.48	AV	340.00	150	Horizontal	Pass
3	5503.250	107.41	0.66	--	75.41	Peak	32.00	150	Horizontal	N/A
3**	5503.250	100.88	0.66	--	100.88	AV	32.00	150	Horizontal	N/A
4	7420.500	55.09	3.03	68.2	-13.11	Peak	45.00	150	Horizontal	Pass
4**	7420.500	45.45	3.03	54.0	-8.55	AV	45.00	150	Horizontal	Pass
5	11290.563	54.89	2.28	68.2	-13.31	Peak	294.00	150	Horizontal	Pass
5**	11290.563	45.66	2.28	54.0	-8.34	AV	294.00	150	Horizontal	Pass
6	15972.712	53.22	0.84	68.2	-14.98	Peak	32.00	150	Horizontal	Pass
6**	15972.712	43.62	0.84	54.0	-10.38	AV	32.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1610.100	44.97	-15.90	68.2	-23.23	Peak	360.00	150	Vertical	Pass
1**	1610.100	35.65	-15.90	54.0	-18.35	AV	360.00	150	Vertical	Pass
2	2390.000	52.89	-10.39	68.2	-15.31	Peak	151.00	150	Vertical	Pass
2**	2390.000	45.70	-10.39	54.0	-8.30	AV	151.00	150	Vertical	Pass
3	4776.500	53.95	0.39	68.2	-14.25	Peak	227.00	150	Vertical	Pass
3**	4776.500	50.53	0.39	54.0	-3.47	AV	227.00	150	Vertical	Pass
4	5496.000	107.06	0.59	--	-168.94	Peak	276.00	150	Vertical	N/A
4**	5496.000	100.17	0.59	--	100.17	AV	276.00	150	Vertical	N/A
5	7558.250	55.46	2.74	68.2	-12.74	Peak	9.00	150	Vertical	Pass
5**	7558.250	44.94	2.74	54.0	-9.06	AV	9.00	150	Vertical	Pass
6	11302.438	54.59	2.33	68.2	-13.61	Peak	102.00	150	Vertical	Pass
6**	11302.438	46.58	2.33	54.0	-7.42	AV	102.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.800	43.87	-15.77	68.2	-24.33	Peak	151.00	150	Horizontal	Pass
1**	1592.800	30.87	-15.77	54.0	-23.13	AV	151.00	150	Horizontal	Pass
2	2390.000	49.77	-10.39	68.2	-18.43	Peak	0.00	150	Horizontal	Pass
2**	2390.000	45.36	-10.39	54.0	-8.64	AV	0.00	150	Horizontal	Pass
3	5583.500	108.94	0.36	--	88.94	Peak	20.00	150	Horizontal	N/A
3**	5583.500	101.85	0.36	--	101.85	AV	20.00	150	Horizontal	N/A
4	7405.750	55.31	2.66	68.2	-12.89	Peak	45.00	150	Horizontal	Pass
4**	7405.750	46.28	2.66	54.0	-7.72	AV	45.00	150	Horizontal	Pass
5	11307.425	54.63	2.19	68.2	-13.57	Peak	102.00	150	Horizontal	Pass
5**	11307.425	45.71	2.19	54.0	-8.29	AV	102.00	150	Horizontal	Pass
6	15760.349	53.98	1.11	68.2	-14.22	Peak	228.00	150	Horizontal	Pass
6**	15760.349	44.48	1.11	54.0	-9.52	AV	228.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.200	44.73	-15.88	68.2	-23.47	Peak	223.00	150	Vertical	Pass
1**	1584.200	33.37	-15.88	54.0	-20.63	AV	223.00	150	Vertical	Pass
2	2390.000	50.89	-10.39	68.2	-17.31	Peak	352.00	150	Vertical	Pass
2**	2390.000	41.17	-10.39	54.0	-12.83	AV	352.00	150	Vertical	Pass
3	4794.750	51.56	0.53	68.2	-16.64	Peak	360.00	150	Vertical	Pass
3**	4794.750	50.73	0.53	54.0	-3.27	AV	360.00	150	Vertical	Pass
4	5577.250	110.13	0.29	--	-163.87	Peak	274.00	150	Vertical	N/A
4**	5577.250	101.84	0.29	--	101.84	AV	274.00	150	Vertical	N/A
5	7418.000	55.28	3.05	68.2	-12.92	Peak	213.00	150	Vertical	Pass
5**	7418.000	45.92	3.05	54.0	-8.08	AV	213.00	150	Vertical	Pass
6	12444.575	55.77	2.63	68.2	-12.43	Peak	171.00	150	Vertical	Pass
6**	12444.575	44.98	2.63	54.0	-9.02	AV	171.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1611.200	45.26	-15.93	68.2	-22.94	Peak	155.00	150	Horizontal	Pass
1**	1611.200	31.08	-15.93	54.0	-22.92	AV	155.00	150	Horizontal	Pass
2	2390.000	54.65	-10.39	68.2	-13.55	Peak	233.00	150	Horizontal	Pass
2**	2390.000	44.95	-10.39	54.0	-9.05	AV	233.00	150	Horizontal	Pass
3	5696.000	106.06	0.57	--	85.06	Peak	21.00	150	Horizontal	N/A
3**	5696.000	98.71	0.57	--	98.71	AV	21.00	150	Horizontal	N/A
4	7405.000	55.51	2.62	68.2	-12.69	Peak	9.00	150	Horizontal	Pass
4**	7405.000	47.53	2.62	54.0	-6.47	AV	9.00	150	Horizontal	Pass
5	12482.099	55.21	3.02	68.2	-12.99	Peak	224.00	150	Horizontal	Pass
5**	12482.099	45.56	3.02	54.0	-8.44	AV	224.00	150	Horizontal	Pass
6	15935.700	53.55	0.85	68.2	-14.65	Peak	210.00	150	Horizontal	Pass
6**	15935.700	44.07	0.85	54.0	-9.93	AV	210.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1581.100	46.19	-15.75	68.2	-22.01	Peak	170.00	150	Vertical	Pass
1**	1581.100	36.88	-15.75	54.0	-17.12	AV	170.00	150	Vertical	Pass
2	2390.000	51.65	-10.39	68.2	-16.55	Peak	336.00	150	Vertical	Pass
2**	2390.000	49.22	-10.39	54.0	-4.78	AV	336.00	150	Vertical	Pass
3	4773.750	54.30	0.24	68.2	-13.90	Peak	201.00	150	Vertical	Pass
3**	4773.750	50.39	0.24	54.0	-3.61	AV	201.00	150	Vertical	Pass
4	5696.000	107.58	0.57	--	-154.42	Peak	262.00	150	Vertical	Pass
4**	5696.000	99.76	0.57	--	99.76	AV	262.00	150	Vertical	N/A
5	7420.750	54.82	3.01	68.2	-13.38	Peak	274.00	150	Vertical	Pass
5**	7420.750	46.91	3.01	54.0	-7.09	AV	274.00	150	Vertical	Pass
6	11954.138	54.60	2.64	68.2	-13.60	Peak	13.00	150	Vertical	Pass
6**	11954.138	45.81	2.64	54.0	-8.19	AV	13.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1611.100	45.18	-15.93	68.2	-23.02	Peak	147.00	150	Horizontal	Pass
1**	1611.100	31.42	-15.93	54.0	-22.58	AV	147.00	150	Horizontal	Pass
2	2390.000	50.93	-10.39	68.2	-17.27	Peak	130.00	150	Horizontal	Pass
2**	2390.000	42.60	-10.39	54.0	-11.40	AV	130.00	150	Horizontal	Pass
3	5517.250	105.46	0.53	--	73.46	Peak	32.00	150	Horizontal	N/A
3**	5517.250	97.74	0.53	--	97.74	AV	32.00	150	Horizontal	N/A
4	7406.500	55.57	2.68	68.2	-12.63	Peak	214.00	150	Horizontal	Pass
4**	7406.500	45.75	2.68	54.0	-8.25	AV	214.00	150	Horizontal	Pass
5	11999.974	54.85	2.63	68.2	-13.35	Peak	346.00	150	Horizontal	Pass
5**	11999.974	45.35	2.63	54.0	-8.65	AV	346.00	150	Horizontal	Pass
6	15945.938	54.16	0.94	68.2	-14.04	Peak	318.00	150	Horizontal	Pass
6**	15945.938	45.44	0.94	54.0	-8.56	AV	318.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.000	46.29	-15.96	68.2	-21.91	Peak	203.00	150	Vertical	Pass
1**	1612.000	34.54	-15.96	54.0	-19.46	AV	203.00	150	Vertical	Pass
2	2390.000	51.18	-10.39	68.2	-17.02	Peak	157.00	150	Vertical	Pass
2**	2390.000	42.87	-10.39	54.0	-11.13	AV	157.00	150	Vertical	Pass
3	4783.250	52.83	0.92	68.2	-15.37	Peak	224.00	150	Vertical	Pass
3**	4783.250	50.51	0.92	54.0	-3.49	AV	224.00	150	Vertical	Pass
4	5522.000	104.99	0.65	--	-168.01	Peak	273.00	150	Vertical	N/A
4**	5522.000	98.78	0.65	--	98.78	AV	273.00	150	Vertical	N/A
5	7389.000	55.29	2.40	68.2	-12.91	Peak	333.00	150	Vertical	Pass
5**	7389.000	46.41	2.40	54.0	-7.59	AV	333.00	150	Vertical	Pass
6	10788.963	55.03	1.84	68.2	-13.17	Peak	312.00	150	Vertical	Pass
6**	10788.963	44.45	1.84	54.0	-9.55	AV	312.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.100	44.15	-15.81	68.2	-24.05	Peak	156.00	150	Horizontal	Pass
1**	1594.100	32.47	-15.81	54.0	-21.53	AV	156.00	150	Horizontal	Pass
2	2390.000	51.32	-10.39	68.2	-16.88	Peak	244.00	150	Horizontal	Pass
2**	2390.000	43.26	-10.39	54.0	-10.74	AV	244.00	150	Horizontal	Pass
3	5588.000	107.23	0.43	--	74.23	Peak	33.00	150	Horizontal	N/A
3**	5588.000	98.54	0.43	--	98.54	AV	33.00	150	Horizontal	N/A
4	7404.250	55.51	2.57	68.2	-12.69	Peak	93.00	150	Horizontal	Pass
4**	7404.250	46.78	2.57	54.0	-7.22	AV	93.00	150	Horizontal	Pass
5	11995.700	55.60	2.63	68.2	-12.60	Peak	136.00	150	Horizontal	Pass
5**	11995.700	45.77	2.63	54.0	-8.23	AV	136.00	150	Horizontal	Pass
6	15903.674	53.19	0.56	68.2	-15.01	Peak	229.00	150	Horizontal	Pass
6**	15903.674	43.23	0.56	54.0	-10.77	AV	229.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1621.600	45.87	-15.89	68.2	-22.33	Peak	192.00	150	Vertical	Pass
1**	1621.600	35.12	-15.89	54.0	-18.88	AV	192.00	150	Vertical	Pass
2	2390.000	54.11	-10.39	68.2	-14.09	Peak	343.00	150	Vertical	Pass
2**	2390.000	49.40	-10.39	54.0	-4.60	AV	343.00	150	Vertical	Pass
3	4783.000	57.57	0.90	68.2	-10.63	Peak	200.00	150	Vertical	Pass
3**	4783.000	50.40	0.90	54.0	-3.60	AV	200.00	150	Vertical	Pass
4	5600.000	108.01	0.72	--	-163.99	Peak	272.00	150	Vertical	N/A
4**	5600.000	100.35	0.72	--	100.35	AV	272.00	150	Vertical	N/A
5	7407.250	54.96	2.67	68.2	-13.24	Peak	140.00	150	Vertical	Pass
5**	7407.250	45.51	2.67	54.0	-8.49	AV	140.00	150	Vertical	Pass
6	11871.487	55.75	2.09	68.2	-12.45	Peak	171.00	150	Vertical	Pass
6**	11871.487	44.89	2.09	54.0	-9.11	AV	171.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.000	45.07	-15.90	68.2	-23.13	Peak	159.00	150	Horizontal	Pass
1**	1568.000	30.58	-15.90	54.0	-23.42	AV	159.00	150	Horizontal	Pass
2	2390.000	50.14	-10.39	68.2	-18.06	Peak	360.00	150	Horizontal	Pass
2**	2390.000	43.35	-10.39	54.0	-10.65	AV	360.00	150	Horizontal	Pass
3	5666.000	104.93	0.60	--	83.93	Peak	21.00	150	Horizontal	N/A
3**	5666.000	97.75	0.60	--	97.75	AV	21.00	150	Horizontal	N/A
4	7334.750	55.11	1.62	68.2	-13.09	Peak	59.00	150	Horizontal	Pass
4**	7334.750	45.00	1.62	54.0	-9.00	AV	59.00	150	Horizontal	Pass
5	11949.388	54.46	2.64	68.2	-13.74	Peak	220.00	150	Horizontal	Pass
5**	11949.388	45.55	2.64	54.0	-8.45	AV	220.00	150	Horizontal	Pass
6	15968.250	53.54	0.87	68.2	-14.66	Peak	52.00	150	Horizontal	Pass
6**	15968.250	44.35	0.87	54.0	-9.65	AV	52.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.700	44.96	-15.83	68.2	-23.24	Peak	16.00	150	Vertical	Pass
1**	1598.700	36.32	-15.83	54.0	-17.68	AV	16.00	150	Vertical	Pass
2	2390.000	54.01	-10.39	68.2	-14.19	Peak	350.00	150	Vertical	Pass
2**	2390.000	43.70	-10.39	54.0	-10.30	AV	350.00	150	Vertical	Pass
3	4779.000	58.91	0.57	68.2	-9.29	Peak	210.00	150	Vertical	Pass
3**	4779.000	50.65	0.57	54.0	-3.35	AV	210.00	150	Vertical	Pass
4	5664.250	105.21	0.49	--	-168.79	Peak	274.00	150	Vertical	N/A
4**	5664.250	97.96	0.49	--	97.96	AV	274.00	150	Vertical	N/A
5	7397.250	56.39	2.46	68.2	-11.81	Peak	72.00	150	Vertical	Pass
5**	7397.250	45.88	2.46	54.0	-8.12	AV	72.00	150	Vertical	Pass
6	11300.300	54.97	2.39	68.2	-13.23	Peak	236.00	150	Vertical	Pass
6**	11300.300	46.00	2.39	54.0	-8.00	AV	236.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1605.900	44.64	-15.82	68.2	-23.56	Peak	146.00	150	Horizontal	Pass
1**	1605.900	35.95	-15.82	54.0	-18.05	AV	146.00	150	Horizontal	Pass
2	2390.000	54.39	-10.39	68.2	-13.81	Peak	259.00	150	Horizontal	Pass
2**	2390.000	46.15	-10.39	54.0	-7.85	AV	259.00	150	Horizontal	Pass
3	5531.500	103.35	0.86	--	82.35	Peak	21.00	150	Horizontal	N/A
3**	5531.500	95.31	0.86	--	95.31	AV	21.00	150	Horizontal	N/A
4	7640.500	55.41	2.52	68.2	-12.79	Peak	96.00	150	Horizontal	Pass
4**	7640.500	46.31	2.52	54.0	-7.69	AV	96.00	150	Horizontal	Pass
5	11279.400	54.37	2.15	68.2	-13.83	Peak	346.00	150	Horizontal	Pass
5**	11279.400	45.24	2.15	54.0	-8.76	AV	346.00	150	Horizontal	Pass
6	15931.763	52.93	0.81	68.2	-15.27	Peak	271.00	150	Horizontal	Pass
6**	15931.763	43.93	0.81	54.0	-10.07	AV	271.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1620.100	46.32	-15.84	68.2	-21.88	Peak	180.00	150	Vertical	Pass
1**	1620.100	33.58	-15.84	54.0	-20.42	AV	180.00	150	Vertical	Pass
2	2390.000	57.60	-10.39	68.2	-10.60	Peak	161.00	150	Vertical	Pass
2**	2390.000	48.16	-10.39	54.0	-5.84	AV	161.00	150	Vertical	Pass
3	4792.000	58.61	0.63	68.2	-9.59	Peak	221.00	150	Vertical	Pass
3**	4792.000	49.41	0.63	54.0	-4.59	AV	221.00	150	Vertical	Pass
4	5533.250	103.17	0.93	--	-167.83	Peak	271.00	150	Vertical	N/A
4**	5533.250	95.64	0.93	--	95.64	AV	271.00	150	Vertical	N/A
5	7416.250	55.40	3.00	68.2	-12.80	Peak	146.00	150	Vertical	Pass
5**	7416.250	45.80	3.00	54.0	-8.20	AV	146.00	150	Vertical	Pass
6	11310.750	56.15	2.09	68.2	-12.05	Peak	77.00	150	Vertical	Pass
6**	11310.750	45.21	2.09	54.0	-8.79	AV	77.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1623.500	45.09	-15.75	68.2	-23.11	Peak	360.00	150	Horizontal	Pass
1**	1623.500	34.53	-15.75	54.0	-19.47	AV	360.00	150	Horizontal	Pass
2	2390.000	52.13	-10.39	68.2	-16.07	Peak	266.00	150	Horizontal	Pass
2**	2390.000	41.69	-10.39	54.0	-12.31	AV	266.00	150	Horizontal	Pass
3	5593.250	103.78	0.57	--	82.78	Peak	21.00	150	Horizontal	N/A
3**	5593.250	96.10	0.57	--	96.10	AV	21.00	150	Horizontal	N/A
4	7548.500	55.57	2.38	68.2	-12.63	Peak	210.00	150	Horizontal	Pass
4**	7548.500	45.06	2.38	54.0	-8.94	AV	210.00	150	Horizontal	Pass
5	11917.088	55.33	2.41	68.2	-12.87	Peak	113.00	150	Horizontal	Pass
5**	11917.088	45.71	2.41	54.0	-8.29	AV	113.00	150	Horizontal	Pass
6	15944.100	53.82	0.93	68.2	-14.38	Peak	360.00	150	Horizontal	Pass
6**	15944.100	44.39	0.93	54.0	-9.61	AV	360.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1623.800	46.07	-15.76	68.2	-22.13	Peak	198.00	150	Vertical	Pass
1**	1623.800	35.20	-15.76	54.0	-18.80	AV	198.00	150	Vertical	Pass
2	2390.000	58.08	-10.39	68.2	-10.12	Peak	159.00	150	Vertical	Pass
2**	2390.000	43.08	-10.39	54.0	-10.92	AV	159.00	150	Vertical	Pass
3	4789.500	51.69	0.79	68.2	-16.51	Peak	34.00	150	Vertical	Pass
3**	4789.500	50.56	0.79	54.0	-3.44	AV	34.00	150	Vertical	Pass
4	5602.750	104.50	0.74	--	-169.50	Peak	274.00	150	Vertical	N/A
4**	5602.750	96.20	0.74	--	96.20	AV	274.00	150	Vertical	N/A
5	7399.250	55.41	2.52	68.2	-12.79	Peak	223.00	150	Vertical	Pass
5**	7399.250	47.17	2.52	54.0	-6.83	AV	223.00	150	Vertical	Pass
6	11272.037	54.61	2.06	68.2	-13.59	Peak	274.00	150	Vertical	Pass
6**	11272.037	45.17	2.06	54.0	-8.83	AV	274.00	150	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.600	44.32	-15.88	68.2	-23.88	Peak	151.00	150	Horizontal	Pass
1**	1572.600	30.64	-15.88	54.0	-23.36	AV	151.00	150	Horizontal	Pass
2	2390.000	47.63	-10.39	68.2	-20.57	Peak	151.00	150	Horizontal	Pass
2**	2390.000	42.72	-10.39	54.0	-11.28	AV	151.00	150	Horizontal	Pass
3	5497.500	108.28	0.59	--	87.28	Peak	21.00	150	Horizontal	N/A
3**	5497.500	99.74	0.59	--	99.74	AV	21.00	150	Horizontal	N/A
4	7392.000	55.50	2.40	68.2	-12.70	Peak	212.00	150	Horizontal	Pass
4**	7392.000	45.57	2.40	54.0	-8.43	AV	212.00	150	Horizontal	Pass
5	11995.225	54.60	2.63	68.2	-13.60	Peak	292.00	150	Horizontal	Pass
5**	11995.225	45.62	2.63	54.0	-8.38	AV	292.00	150	Horizontal	Pass
6	15781.088	53.52	1.04	68.2	-14.68	Peak	273.00	150	Horizontal	Pass
6**	15781.088	43.64	1.04	54.0	-10.36	AV	273.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1604.900	45.66	-15.81	68.2	-22.54	Peak	203.00	150	Vertical	Pass
1**	1604.900	38.48	-15.81	54.0	-15.52	AV	203.00	150	Vertical	Pass
2	2390.000	48.84	-10.39	68.2	-19.36	Peak	139.00	150	Vertical	Pass
2**	2390.000	39.83	-10.39	54.0	-14.17	AV	139.00	150	Vertical	Pass
3	4793.000	52.67	0.60	68.2	-15.53	Peak	196.00	150	Vertical	Pass
3**	4793.000	50.35	0.60	54.0	-3.65	AV	196.00	150	Vertical	Pass
4	5496.250	108.98	0.58	--	-163.02	Peak	272.00	150	Vertical	N/A
4**	5496.250	99.77	0.58	--	99.77	AV	272.00	150	Vertical	N/A
5	7644.250	55.80	2.43	68.2	-12.40	Peak	247.00	150	Vertical	Pass
5**	7644.250	46.38	2.43	54.0	-7.62	AV	247.00	150	Vertical	Pass
6	11189.862	54.84	1.95	68.2	-13.36	Peak	360.00	150	Vertical	Pass
6**	11189.862	45.14	1.95	54.0	-8.86	AV	360.00	150	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1564.100	44.61	-15.87	68.2	-23.59	Peak	152.00	150	Horizontal	Pass
1**	1564.100	30.84	-15.87	54.0	-23.16	AV	152.00	150	Horizontal	Pass
2	2390.000	49.62	-10.39	68.2	-18.58	Peak	96.00	150	Horizontal	Pass
2**	2390.000	43.74	-10.39	54.0	-10.26	AV	96.00	150	Horizontal	Pass
3	5576.750	108.95	0.28	--	87.95	Peak	21.00	150	Horizontal	N/A
3**	5576.750	101.28	0.28	--	101.28	AV	21.00	150	Horizontal	N/A
4	7388.000	55.37	2.34	68.2	-12.83	Peak	0.00	150	Horizontal	Pass
4**	7388.000	45.92	2.34	54.0	-8.08	AV	0.00	150	Horizontal	Pass
5	11984.775	54.94	2.64	68.2	-13.26	Peak	273.00	150	Horizontal	Pass
5**	11984.775	45.01	2.64	54.0	-8.99	AV	273.00	150	Horizontal	Pass
6	15950.137	53.42	0.98	68.2	-14.78	Peak	14.00	150	Horizontal	Pass
6**	15950.137	44.72	0.98	54.0	-9.28	AV	14.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1582.500	44.72	-15.85	68.2	-23.48	Peak	173.00	150	Vertical	Pass
1**	1582.500	32.18	-15.85	54.0	-21.82	AV	173.00	150	Vertical	Pass
2	2390.000	54.27	-10.39	68.2	-13.93	Peak	33.00	150	Vertical	Pass
2**	2390.000	45.37	-10.39	54.0	-8.63	AV	33.00	150	Vertical	Pass
3	4802.250	56.09	0.42	68.2	-12.11	Peak	186.00	150	Vertical	Pass
3**	4802.250	50.47	0.42	54.0	-3.53	AV	186.00	150	Vertical	Pass
4	5583.000	109.98	0.31	--	-127.02	Peak	237.00	150	Vertical	N/A
4**	5583.000	101.40	0.31	--	101.40	AV	237.00	150	Vertical	N/A
5	7404.000	55.07	2.57	68.2	-13.13	Peak	313.00	150	Vertical	Pass
5**	7404.000	44.97	2.57	54.0	-9.03	AV	313.00	150	Vertical	Pass
6	11963.875	55.43	2.64	68.2	-12.77	Peak	0.00	150	Vertical	Pass
6**	11963.875	45.68	2.64	54.0	-8.32	AV	0.00	150	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1587.700	43.82	-15.80	68.2	-24.38	Peak	292.00	150	Horizontal	Pass
1**	1587.700	31.34	-15.80	54.0	-22.66	AV	292.00	150	Horizontal	Pass
2	2390.000	47.59	-10.39	68.2	-20.61	Peak	0.00	150	Horizontal	Pass
2**	2390.000	45.17	-10.39	54.0	-8.83	AV	0.00	150	Horizontal	Pass
3	5698.500	105.44	0.47	--	83.44	Peak	22.00	150	Horizontal	N/A
3**	5698.500	98.04	0.47	--	98.04	AV	22.00	150	Horizontal	N/A
4	7645.000	55.00	2.41	68.2	-13.20	Peak	288.00	150	Horizontal	Pass
4**	7645.000	45.64	2.41	54.0	-8.36	AV	288.00	150	Horizontal	Pass
5	11206.487	54.95	2.19	68.2	-13.25	Peak	148.00	150	Horizontal	Pass
5**	11206.487	45.01	2.19	54.0	-8.99	AV	148.00	150	Horizontal	Pass
6	15755.625	53.30	1.12	68.2	-14.90	Peak	181.00	150	Horizontal	Pass
6**	15755.625	44.38	1.12	54.0	-9.62	AV	181.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1571.900	44.65	-15.87	68.2	-23.55	Peak	171.00	150	Vertical	Pass
1**	1571.900	33.65	-15.87	54.0	-20.35	AV	171.00	150	Vertical	Pass
2	2390.000	55.54	-10.39	68.2	-12.66	Peak	165.00	150	Vertical	Pass
2**	2390.000	47.94	-10.39	54.0	-6.06	AV	165.00	150	Vertical	Pass
3	4800.000	51.22	0.38	68.2	-16.98	Peak	247.00	150	Vertical	Pass
3**	4800.000	50.96	0.38	54.0	-3.04	AV	247.00	150	Vertical	Pass
4	5693.250	106.94	0.61	--	-154.06	Peak	261.00	150	Vertical	N/A
4**	5693.250	97.19	0.61	--	97.19	AV	261.00	150	Vertical	N/A
5	7648.250	55.30	2.32	68.2	-12.90	Peak	360.00	150	Vertical	Pass
5**	7648.250	45.75	2.32	54.0	-8.25	AV	360.00	150	Vertical	Pass
6	11954.375	54.61	2.64	68.2	-13.59	Peak	238.00	150	Vertical	Pass
6**	11954.375	45.28	2.64	54.0	-8.72	AV	238.00	150	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.300	44.39	-15.79	68.2	-23.81	Peak	156.00	150	Horizontal	Pass
1**	1593.300	32.72	-15.79	54.0	-21.28	AV	156.00	150	Horizontal	Pass
2	2390.000	55.01	-10.39	68.2	-13.19	Peak	240.00	150	Horizontal	Pass
2**	2390.000	45.97	-10.39	54.0	-8.03	AV	240.00	150	Horizontal	Pass
3	5514.000	105.07	0.53	--	84.07	Peak	21.00	150	Horizontal	N/A
3**	5514.000	97.15	0.53	--	97.15	AV	21.00	150	Horizontal	N/A
4	7568.750	54.85	2.54	68.2	-13.35	Peak	9.00	150	Horizontal	Pass
4**	7568.750	45.57	2.54	54.0	-8.43	AV	9.00	150	Horizontal	Pass
5	11917.325	55.60	2.41	68.2	-12.60	Peak	20.00	150	Horizontal	Pass
5**	11917.325	45.53	2.41	54.0	-8.47	AV	20.00	150	Horizontal	Pass
6	15743.549	53.35	1.06	68.2	-14.85	Peak	70.00	150	Horizontal	Pass
6**	15743.549	44.33	1.06	54.0	-9.67	AV	70.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.000	43.33	-15.87	68.2	-24.87	Peak	161.00	150	Vertical	Pass
1**	1574.000	32.48	-15.87	54.0	-21.52	AV	161.00	150	Vertical	Pass
2	2387.000	53.57	-10.19	68.2	-14.63	Peak	161.00	150	Vertical	Pass
2**	2387.000	39.51	-10.19	54.0	-14.49	AV	161.00	150	Vertical	Pass
3	4790.250	58.23	0.76	68.2	-9.97	Peak	198.00	150	Vertical	Pass
3**	4790.250	50.59	0.76	54.0	-3.41	AV	198.00	150	Vertical	Pass
4	5514.750	106.04	0.54	--	-168.96	Peak	275.00	150	Vertical	N/A
4**	5514.750	97.73	0.54	--	97.73	AV	275.00	150	Vertical	N/A
5	7622.750	55.48	2.31	68.2	-12.72	Peak	47.00	150	Vertical	Pass
5**	7622.750	45.04	2.31	54.0	-8.96	AV	47.00	150	Vertical	Pass
6	11936.562	55.05	2.55	68.2	-13.15	Peak	346.00	150	Vertical	Pass
6**	11936.562	45.13	2.55	54.0	-8.87	AV	346.00	150	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.800	44.26	-15.86	68.2	-23.94	Peak	153.00	150	Horizontal	Pass
1**	1572.800	30.92	-15.86	54.0	-23.08	AV	153.00	150	Horizontal	Pass
2	2390.000	45.24	-10.39	68.2	-22.96	Peak	122.00	150	Horizontal	Pass
2**	2390.000	43.08	-10.39	54.0	-10.92	AV	122.00	150	Horizontal	Pass
3	5578.250	107.92	0.30	--	86.92	Peak	21.00	150	Horizontal	N/A
3**	5578.250	98.70	0.30	--	98.70	AV	21.00	150	Horizontal	N/A
4	7549.500	55.58	2.39	68.2	-12.62	Peak	286.00	150	Horizontal	Pass
4**	7549.500	44.96	2.39	54.0	-9.04	AV	286.00	150	Horizontal	Pass
5	11309.799	55.35	2.12	68.2	-12.85	Peak	185.00	150	Horizontal	Pass
5**	11309.799	46.67	2.12	54.0	-7.33	AV	185.00	150	Horizontal	Pass
6	15960.112	53.97	0.92	68.2	-14.23	Peak	309.00	150	Horizontal	Pass
6**	15960.112	44.37	0.92	54.0	-9.63	AV	309.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.400	43.28	-15.59	68.2	-24.92	Peak	360.00	150	Vertical	Pass
1**	1534.400	31.67	-15.59	54.0	-22.33	AV	360.00	150	Vertical	Pass
2	2390.000	51.24	-10.39	68.2	-16.96	Peak	152.00	150	Vertical	Pass
2**	2390.000	43.08	-10.39	54.0	-10.92	AV	152.00	150	Vertical	Pass
3	4804.250	55.51	0.45	68.2	-12.69	Peak	210.00	150	Vertical	Pass
3**	4804.250	50.66	0.45	54.0	-3.34	AV	210.00	150	Vertical	Pass
4	5582.500	109.14	0.31	--	-163.86	Peak	273.00	150	Vertical	N/A
4**	5582.500	100.94	0.31	--	100.94	AV	273.00	150	Vertical	N/A
5	7563.750	55.04	2.74	68.2	-13.16	Peak	9.00	150	Vertical	Pass
5**	7563.750	45.85	2.74	54.0	-8.15	AV	9.00	150	Vertical	Pass
6	12012.562	54.95	2.26	68.2	-13.25	Peak	58.00	150	Vertical	Pass
6**	12012.562	45.03	2.26	54.0	-8.97	AV	58.00	150	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1119.200	43.84	-17.80	68.2	-24.36	Peak	188.00	150	Horizontal	Pass
1**	1119.200	35.89	-17.80	54.0	-18.11	AV	188.00	150	Horizontal	Pass
2	2390.000	53.75	-12.78	68.2	-14.45	Peak	90.00	150	Horizontal	Pass
2**	2390.000	39.91	-12.78	54.0	-14.09	AV	90.00	150	Horizontal	Pass
3	5678.750	107.91	-0.85	--	-218.09	Peak	326.00	150	Horizontal	N/A
3**	5678.750	98.32	-0.85	--	98.32	AV	326.00	150	Horizontal	N/A
4	8411.825	49.07	-3.35	68.2	-19.13	Peak	103.00	150	Horizontal	Pass
4**	8411.825	40.17	-3.35	54.0	-13.83	AV	103.00	150	Horizontal	Pass
5	11992.138	52.67	-0.80	68.2	-15.53	Peak	300.00	150	Horizontal	Pass
5**	11992.138	43.21	-0.80	54.0	-10.79	AV	300.00	150	Horizontal	Pass
6	15934.387	49.18	-3.27	68.2	-19.02	Peak	127.00	150	Horizontal	Pass
6**	15934.387	40.59	-3.27	54.0	-13.41	AV	127.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.200	45.13	-17.18	68.2	-23.07	Peak	144.00	150	Vertical	Pass
1**	1598.200	33.27	-17.18	54.0	-20.73	AV	144.00	150	Vertical	Pass
2	2390.000	55.90	-12.78	68.2	-12.30	Peak	125.00	150	Vertical	Pass
2**	2390.000	37.11	-12.78	54.0	-16.89	AV	125.00	150	Vertical	Pass
3	4790.500	54.99	-2.63	68.2	-13.21	Peak	165.00	150	Vertical	Pass
3**	4790.500	50.98	-2.63	54.0	-3.02	AV	165.00	150	Vertical	Pass
4	5664.750	108.65	-0.97	--	-106.35	Peak	215.00	150	Vertical	N/A
4**	5664.750	98.36	-0.97	--	98.36	AV	215.00	150	Vertical	N/A
5	8169.575	49.66	-2.56	68.2	-18.54	Peak	156.00	150	Vertical	Pass
5**	8169.575	40.84	-2.56	54.0	-13.16	AV	156.00	150	Vertical	Pass
6	11861.750	52.52	-1.25	68.2	-15.68	Peak	360.00	150	Vertical	Pass
6**	11861.750	43.87	-1.25	54.0	-10.13	AV	360.00	150	Vertical	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1121.700	44.37	-17.71	68.2	-23.83	Peak	182.00	150	Horizontal	Pass
1**	1121.700	33.71	-17.71	54.0	-20.29	AV	182.00	150	Horizontal	Pass
2	2390.000	57.18	-12.78	68.2	-11.02	Peak	225.00	150	Horizontal	Pass
2**	2390.000	45.11	-12.78	54.0	-8.89	AV	225.00	150	Horizontal	Pass
3	3835.750	48.93	-4.43	68.2	-19.27	Peak	276.00	150	Horizontal	Pass
3**	3835.750	39.56	-4.43	54.0	-14.44	AV	276.00	150	Horizontal	Pass
4	5543.250	105.04	-0.35	--	-232.96	Peak	338.00	150	Horizontal	N/A
4**	5543.250	96.41	-0.35	--	96.41	AV	338.00	150	Horizontal	N/A
5	8272.412	49.21	-3.78	68.2	-18.99	Peak	124.00	150	Horizontal	Pass
5**	8272.412	39.53	-3.78	54.0	-14.47	AV	124.00	150	Horizontal	Pass
6	11994.276	53.21	-0.80	68.2	-14.99	Peak	32.00	150	Horizontal	Pass
6**	11994.276	44.50	-0.80	54.0	-9.50	AV	32.00	150	Horizontal	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1620.100	46.74	-17.11	68.2	-21.46	Peak	146.00	150	Vertical	Pass
1**	1620.100	31.43	-17.11	54.0	-22.57	AV	146.00	150	Vertical	Pass
2	2390.000	57.43	-12.78	68.2	-10.77	Peak	127.00	150	Vertical	Pass
2**	2390.000	47.60	-12.78	54.0	-6.40	AV	127.00	150	Vertical	Pass
3	4786.750	51.66	-2.72	68.2	-16.54	Peak	327.00	150	Vertical	Pass
3**	4786.750	50.81	-2.72	54.0	-3.19	AV	327.00	150	Vertical	Pass
4	5533.500	103.96	-0.87	--	-118.04	Peak	222.00	150	Vertical	N/A
4**	5533.500	95.33	-0.87	--	95.33	AV	222.00	150	Vertical	N/A
5	8251.513	49.45	-3.44	68.2	-18.75	Peak	129.00	150	Vertical	Pass
5**	8251.513	39.65	-3.44	54.0	-14.35	AV	129.00	150	Vertical	Pass
6	11937.988	52.61	-0.87	68.2	-15.59	Peak	0.00	150	Vertical	Pass
6**	11937.988	43.65	-0.87	54.0	-10.35	AV	0.00	150	Vertical	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1120.800	44.52	-17.82	68.2	-23.68	Peak	181.00	150	Horizontal	Pass
1**	1120.800	34.97	-17.82	54.0	-19.03	AV	181.00	150	Horizontal	Pass
2	2390.000	57.31	-12.78	68.2	-10.89	Peak	232.00	150	Horizontal	Pass
2**	2390.000	43.75	-12.78	54.0	-10.25	AV	232.00	150	Horizontal	Pass
3	3859.250	49.84	-3.57	68.2	-18.36	Peak	297.00	150	Horizontal	Pass
3**	3859.250	39.99	-3.57	54.0	-14.01	AV	297.00	150	Horizontal	Pass
4	5597.750	105.16	-0.80	--	-231.84	Peak	337.00	150	Horizontal	N/A
4**	5597.750	96.03	-0.80	--	96.03	AV	337.00	150	Horizontal	N/A
5	8280.724	48.83	-3.59	68.2	-19.37	Peak	75.00	150	Horizontal	Pass
5**	8280.724	40.00	-3.59	54.0	-14.00	AV	75.00	150	Horizontal	Pass
6	11958.887	53.29	-0.82	68.2	-14.91	Peak	245.00	150	Horizontal	Pass
6**	11958.887	43.63	-0.82	54.0	-10.37	AV	245.00	150	Horizontal	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	56.27	-12.78	68.2	-11.93	Peak	133.00	150	Vertical	Pass
1**	2390.000	50.55	-12.78	54.0	-3.45	AV	133.00	150	Vertical	Pass
2	4787.750	55.01	-2.64	68.2	-13.19	Peak	170.00	150	Vertical	Pass
2**	4787.750	50.46	-2.64	54.0	-3.54	AV	170.00	150	Vertical	Pass
3	5608.750	106.26	-1.08	--	-127.74	Peak	234.00	150	Vertical	N/A
3**	5608.750	95.26	-1.08	--	95.26	AV	234.00	150	Vertical	N/A
4	8215.888	48.54	-3.29	68.2	-19.66	Peak	339.00	150	Vertical	Pass
4**	8215.888	39.93	-3.29	54.0	-14.07	AV	339.00	150	Vertical	Pass
5	11765.800	52.27	-1.41	68.2	-15.93	Peak	55.00	150	Vertical	Pass
5**	11765.800	43.44	-1.41	54.0	-10.56	AV	55.00	150	Vertical	Pass
6	15993.713	49.53	-3.33	68.2	-18.67	Peak	173.00	150	Vertical	Pass
6**	15993.713	40.66	-3.33	54.0	-13.34	AV	173.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1119.300	44.50	-17.78	68.2	-23.70	Peak	188.00	150	Horizontal	Pass
1**	1119.300	36.16	-17.78	54.0	-17.84	AV	188.00	150	Horizontal	Pass
2	2390.000	50.90	-12.78	68.2	-17.30	Peak	164.00	150	Horizontal	Pass
2**	2390.000	40.65	-12.78	54.0	-13.35	AV	164.00	150	Horizontal	Pass
3	4000.500	49.50	-3.71	68.2	-18.70	Peak	298.00	150	Horizontal	Pass
3**	4000.500	39.77	-3.71	54.0	-14.23	AV	298.00	150	Horizontal	Pass
4	5747.000	110.02	-1.34	--	-225.98	Peak	336.00	150	Horizontal	N/A
4**	5747.000	101.60	-1.34	--	101.60	AV	336.00	150	Horizontal	N/A
5	8057.475	50.12	-2.37	68.2	-18.08	Peak	306.00	150	Horizontal	Pass
5**	8057.475	40.86	-2.37	54.0	-13.14	AV	306.00	150	Horizontal	Pass
6	11995.938	52.84	-0.80	68.2	-15.36	Peak	152.00	150	Horizontal	Pass
6**	11995.938	44.27	-0.80	54.0	-9.73	AV	152.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1605.500	45.76	-17.16	68.2	-22.44	Peak	143.00	150	Vertical	Pass
1**	1605.500	33.05	-17.16	54.0	-20.95	AV	143.00	150	Vertical	Pass
2	2390.000	57.04	-12.78	68.2	-11.16	Peak	131.00	150	Vertical	Pass
2**	2390.000	45.95	-12.78	54.0	-8.05	AV	131.00	150	Vertical	Pass
3	4798.500	55.41	-2.50	68.2	-12.79	Peak	154.00	150	Vertical	Pass
3**	4798.500	50.58	-2.50	54.0	-3.42	AV	154.00	150	Vertical	Pass
4	5746.250	109.51	-1.20	--	-83.49	Peak	193.00	150	Vertical	N/A
4**	5746.250	102.71	-1.20	--	102.71	AV	193.00	150	Vertical	N/A
5	8295.213	49.08	-3.23	68.2	-19.12	Peak	360.00	150	Vertical	Pass
5**	8295.213	40.08	-3.23	54.0	-13.92	AV	360.00	150	Vertical	Pass
6	11954.850	52.74	-0.82	68.2	-15.46	Peak	263.00	150	Vertical	Pass
6**	11954.850	44.38	-0.82	54.0	-9.62	AV	263.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1119.800	43.98	-17.76	68.2	-24.22	Peak	184.00	150	Horizontal	Pass
1**	1119.800	34.73	-17.76	54.0	-19.27	AV	184.00	150	Horizontal	Pass
2	2390.000	56.29	-12.78	68.2	-11.91	Peak	218.00	150	Horizontal	Pass
2**	2390.000	41.63	-12.78	54.0	-12.37	AV	218.00	150	Horizontal	Pass
3	5786.000	110.26	-1.19	--	-225.74	Peak	336.00	150	Horizontal	N/A
3**	5786.000	103.12	-1.19	--	103.12	AV	336.00	150	Horizontal	N/A
4	8188.337	48.75	-2.76	68.2	-19.45	Peak	16.00	150	Horizontal	Pass
4**	8188.337	39.28	-2.76	54.0	-14.72	AV	16.00	150	Horizontal	Pass
5	11754.401	52.41	-1.31	68.2	-15.79	Peak	263.00	150	Horizontal	Pass
5**	11754.401	43.09	-1.31	54.0	-10.91	AV	263.00	150	Horizontal	Pass
6	15985.313	49.70	-3.26	68.2	-18.50	Peak	117.00	150	Horizontal	Pass
6**	15985.313	40.64	-3.26	54.0	-13.36	AV	117.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1619.000	46.54	-17.14	68.2	-21.66	Peak	174.00	150	Vertical	Pass
1**	1619.000	35.48	-17.14	54.0	-18.52	AV	174.00	150	Vertical	Pass
2	2390.000	49.73	-12.78	68.2	-18.47	Peak	269.00	150	Vertical	Pass
2**	2390.000	47.37	-12.78	54.0	-6.63	AV	269.00	150	Vertical	Pass
3	4786.250	57.32	-2.71	68.2	-10.88	Peak	143.00	150	Vertical	Pass
3**	4786.250	50.56	-2.71	54.0	-3.44	AV	143.00	150	Vertical	Pass
4	5783.750	109.98	-1.13	--	-111.02	Peak	221.00	150	Vertical	N/A
4**	5783.750	103.11	-1.13	--	103.11	AV	221.00	150	Vertical	N/A
5	8250.325	48.89	-3.39	68.2	-19.31	Peak	70.00	150	Vertical	Pass
5**	8250.325	40.15	-3.39	54.0	-13.85	AV	70.00	150	Vertical	Pass
6	11166.588	52.30	-1.73	68.2	-15.90	Peak	238.00	150	Vertical	Pass
6**	11166.588	42.20	-1.73	54.0	-11.80	AV	238.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1120.300	44.69	-17.83	68.2	-23.51	Peak	179.00	150	Horizontal	Pass
1**	1120.300	34.85	-17.83	54.0	-19.15	AV	179.00	150	Horizontal	Pass
2	2390.000	51.50	-12.78	68.2	-16.70	Peak	179.00	150	Horizontal	Pass
2**	2390.000	39.54	-12.78	54.0	-14.46	AV	179.00	150	Horizontal	Pass
3	4217.000	49.15	-3.54	68.2	-19.05	Peak	273.00	150	Horizontal	Pass
3**	4217.000	40.44	-3.54	54.0	-13.56	AV	273.00	150	Horizontal	Pass
4	5827.500	109.71	-1.28	--	-228.29	Peak	338.00	150	Horizontal	N/A
4**	5827.500	103.09	-1.28	--	103.09	AV	338.00	150	Horizontal	N/A
5	8321.338	48.61	-3.64	68.2	-19.59	Peak	148.00	150	Horizontal	Pass
5**	8321.338	39.76	-3.64	54.0	-14.24	AV	148.00	150	Horizontal	Pass
6	11953.424	52.89	-0.82	68.2	-15.31	Peak	148.00	150	Horizontal	Pass
6**	11953.424	43.37	-0.82	54.0	-10.63	AV	148.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1607.400	45.70	-17.19	68.2	-22.50	Peak	134.00	150	Vertical	Pass
1**	1607.400	34.51	-17.19	54.0	-19.49	AV	134.00	150	Vertical	Pass
2	2390.000	55.53	-12.78	68.2	-12.67	Peak	294.00	150	Vertical	Pass
2**	2390.000	35.80	-12.78	54.0	-18.20	AV	294.00	150	Vertical	Pass
3	4773.750	55.64	-2.62	68.2	-12.56	Peak	177.00	150	Vertical	Pass
3**	4773.750	50.46	-2.62	54.0	-3.54	AV	177.00	150	Vertical	Pass
4	5821.250	110.28	-1.32	--	-107.72	Peak	218.00	150	Vertical	N/A
4**	5821.250	102.50	-1.32	--	102.50	AV	218.00	150	Vertical	N/A
5	8042.038	50.88	-2.73	68.2	-17.32	Peak	36.00	150	Vertical	Pass
5**	8042.038	40.79	-2.73	54.0	-13.21	AV	36.00	150	Vertical	Pass
6	11285.338	52.62	-1.09	68.2	-15.58	Peak	343.00	150	Vertical	Pass
6**	11285.338	43.45	-1.09	54.0	-10.55	AV	343.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1122.100	44.33	-17.65	68.2	-23.87	Peak	176.00	150	Horizontal	Pass
1**	1122.100	36.41	-17.65	54.0	-17.59	AV	176.00	150	Horizontal	Pass
2	2390.000	48.72	-12.78	68.2	-19.48	Peak	299.00	150	Horizontal	Pass
2**	2390.000	40.76	-12.78	54.0	-13.24	AV	299.00	150	Horizontal	Pass
3	4980.250	52.67	-1.36	68.2	-15.53	Peak	220.00	150	Horizontal	Pass
3**	4980.250	42.76	-1.36	54.0	-11.24	AV	220.00	150	Horizontal	Pass
4	5744.250	109.72	-1.30	--	-227.28	Peak	337.00	150	Horizontal	N/A
4**	5744.250	102.16	-1.30	--	102.16	AV	337.00	150	Horizontal	N/A
5	8214.938	48.80	-3.39	68.2	-19.40	Peak	111.00	150	Horizontal	Pass
5**	8214.938	38.94	-3.39	54.0	-15.06	AV	111.00	150	Horizontal	Pass
6	11957.224	53.44	-0.82	68.2	-14.76	Peak	149.00	150	Horizontal	Pass
6**	11957.224	44.39	-0.82	54.0	-9.61	AV	149.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1580.700	45.07	-17.08	68.2	-23.13	Peak	160.00	150	Vertical	Pass
1**	1580.700	32.02	-17.08	54.0	-21.98	AV	160.00	150	Vertical	Pass
2	2390.000	57.03	-12.78	68.2	-11.17	Peak	129.00	150	Vertical	Pass
2**	2390.000	41.65	-12.78	54.0	-12.35	AV	129.00	150	Vertical	Pass
3	4778.750	51.04	-2.77	68.2	-17.16	Peak	162.00	150	Vertical	Pass
3**	4778.750	49.90	-2.77	54.0	-4.10	AV	162.00	150	Vertical	Pass
4	5748.750	109.26	-1.35	--	-115.74	Peak	225.00	150	Vertical	N/A
4**	5748.750	101.91	-1.35	--	101.91	AV	225.00	150	Vertical	N/A
5	8072.912	50.14	-2.15	68.2	-18.06	Peak	94.00	150	Vertical	Pass
5**	8072.912	40.75	-2.15	54.0	-13.25	AV	94.00	150	Vertical	Pass
6	11158.275	52.06	-1.90	68.2	-16.14	Peak	75.00	150	Vertical	Pass
6**	11158.275	41.49	-1.90	54.0	-12.51	AV	75.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1620.900	44.57	-17.06	68.2	-23.63	Peak	215.00	150	Horizontal	Pass
1**	1620.900	30.72	-17.06	54.0	-23.28	AV	215.00	150	Horizontal	Pass
2	2390.000	54.85	-12.78	68.2	-13.35	Peak	246.00	150	Horizontal	Pass
2**	2390.000	43.24	-12.78	54.0	-10.76	AV	246.00	150	Horizontal	Pass
3	4096.250	49.64	-3.55	68.2	-18.56	Peak	17.00	150	Horizontal	Pass
3**	4096.250	39.18	-3.55	54.0	-14.82	AV	17.00	150	Horizontal	Pass
4	5786.000	110.52	-1.19	--	-226.48	Peak	337.00	150	Horizontal	N/A
4**	5786.000	101.74	-1.19	--	101.74	AV	337.00	150	Horizontal	N/A
5	8244.388	48.44	-3.49	68.2	-19.76	Peak	231.00	150	Horizontal	Pass
5**	8244.388	39.17	-3.49	54.0	-14.83	AV	231.00	150	Horizontal	Pass
6	11942.263	52.35	-0.85	68.2	-15.85	Peak	37.00	150	Horizontal	Pass
6**	11942.263	44.93	-0.85	54.0	-9.07	AV	37.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1580.400	44.95	-17.11	68.2	-23.25	Peak	147.00	150	Vertical	Pass
1**	1580.400	35.40	-17.11	54.0	-18.60	AV	147.00	150	Vertical	Pass
2	2390.000	54.45	-12.78	68.2	-13.75	Peak	296.00	150	Vertical	Pass
2**	2390.000	43.88	-12.78	54.0	-10.12	AV	296.00	150	Vertical	Pass
3	4794.500	50.99	-2.62	68.2	-17.21	Peak	4.00	150	Vertical	Pass
3**	4794.500	49.94	-2.62	54.0	-4.06	AV	4.00	150	Vertical	Pass
4	5783.500	108.68	-1.12	--	-108.32	Peak	217.00	150	Vertical	N/A
4**	5783.500	103.48	-1.12	--	103.48	AV	217.00	150	Vertical	N/A
5	8382.850	49.52	-3.47	68.2	-18.68	Peak	211.00	150	Vertical	Pass
5**	8382.850	39.27	-3.47	54.0	-14.73	AV	211.00	150	Vertical	Pass
6	11922.076	53.19	-0.93	68.2	-15.01	Peak	347.00	150	Vertical	Pass
6**	11922.076	43.27	-0.93	54.0	-10.73	AV	347.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.000	43.67	-17.13	68.2	-24.53	Peak	129.00	150	Horizontal	Pass
1**	1539.000	30.53	-17.13	54.0	-23.47	AV	129.00	150	Horizontal	Pass
2	2390.000	54.79	-12.78	68.2	-13.41	Peak	238.00	150	Horizontal	Pass
2**	2390.000	40.70	-12.78	54.0	-13.30	AV	238.00	150	Horizontal	Pass
3	4185.000	50.92	-2.85	68.2	-17.28	Peak	125.00	150	Horizontal	Pass
3**	4185.000	40.91	-2.85	54.0	-13.09	AV	125.00	150	Horizontal	Pass
4	5821.000	109.51	-1.26	--	-226.49	Peak	336.00	150	Horizontal	N/A
4**	5821.000	102.84	-1.26	--	102.84	AV	336.00	150	Horizontal	N/A
5	8073.862	50.48	-2.18	68.2	-17.72	Peak	92.00	150	Horizontal	Pass
5**	8073.862	41.20	-2.18	54.0	-12.80	AV	92.00	150	Horizontal	Pass
6	11925.401	53.02	-0.92	68.2	-15.18	Peak	326.00	150	Horizontal	Pass
6**	11925.401	44.04	-0.92	54.0	-9.96	AV	326.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1606.700	46.21	-17.17	68.2	-21.99	Peak	146.00	150	Vertical	Pass
1**	1606.700	34.77	-17.17	54.0	-19.23	AV	146.00	150	Vertical	Pass
2	2390.000	56.47	-12.78	68.2	-11.73	Peak	126.00	150	Vertical	Pass
2**	2390.000	46.17	-12.78	54.0	-7.83	AV	126.00	150	Vertical	Pass
3	4800.000	57.14	-2.45	68.2	-11.06	Peak	147.00	150	Vertical	Pass
3**	4800.000	49.99	-2.45	54.0	-4.01	AV	147.00	150	Vertical	Pass
4	5822.250	109.55	-1.42	--	-102.45	Peak	212.00	150	Vertical	N/A
4**	5822.250	102.34	-1.42	--	102.34	AV	212.00	150	Vertical	N/A
5	8137.038	48.61	-2.95	68.2	-19.59	Peak	77.00	150	Vertical	Pass
5**	8137.038	39.71	-2.95	54.0	-14.29	AV	77.00	150	Vertical	Pass
6	10991.787	52.58	-2.01	68.2	-15.62	Peak	198.00	150	Vertical	Pass
6**	10991.787	43.03	-2.01	54.0	-10.97	AV	198.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1559.000	43.19	-17.26	68.2	-25.01	Peak	125.00	150	Horizontal	Pass
1**	1559.000	32.68	-17.26	54.0	-21.32	AV	125.00	150	Horizontal	Pass
2	2390.000	49.83	-12.78	68.2	-18.37	Peak	234.00	150	Horizontal	Pass
2**	2390.000	39.30	-12.78	54.0	-14.70	AV	234.00	150	Horizontal	Pass
3	4123.750	50.35	-3.23	68.2	-17.85	Peak	215.00	150	Horizontal	Pass
3**	4123.750	40.25	-3.23	54.0	-13.75	AV	215.00	150	Horizontal	Pass
4	5746.250	107.29	-1.20	--	-228.71	Peak	336.00	150	Horizontal	N/A
4**	5746.250	98.46	-1.20	--	98.46	AV	336.00	150	Horizontal	N/A
5	8353.162	49.75	-3.69	68.2	-18.45	Peak	35.00	150	Horizontal	Pass
5**	8353.162	40.27	-3.69	54.0	-13.73	AV	35.00	150	Horizontal	Pass
6	11908.300	53.05	-0.99	68.2	-15.15	Peak	16.00	150	Horizontal	Pass
6**	11908.300	44.02	-0.99	54.0	-9.98	AV	16.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1615.800	45.80	-17.29	68.2	-22.40	Peak	145.00	150	Vertical	Pass
1**	1615.800	33.71	-17.29	54.0	-20.29	AV	145.00	150	Vertical	Pass
2	2390.000	48.58	-12.78	68.2	-19.62	Peak	263.00	150	Vertical	Pass
2**	2390.000	44.65	-12.78	54.0	-9.35	AV	263.00	150	Vertical	Pass
3	4797.500	56.61	-2.49	68.2	-11.59	Peak	149.00	150	Vertical	Pass
3**	4797.500	50.58	-2.49	54.0	-3.42	AV	149.00	150	Vertical	Pass
4	5744.500	106.51	-1.30	--	-81.49	Peak	188.00	150	Vertical	N/A
4**	5744.500	98.45	-1.30	--	98.45	AV	188.00	150	Vertical	N/A
5	8252.463	49.30	-3.44	68.2	-18.90	Peak	214.00	150	Vertical	Pass
5**	8252.463	40.84	-3.44	54.0	-13.16	AV	214.00	150	Vertical	Pass
6	11989.526	52.80	-0.81	68.2	-15.40	Peak	174.00	150	Vertical	Pass
6**	11989.526	43.84	-0.81	54.0	-10.16	AV	174.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1347.100	41.76	-16.77	68.2	-26.44	Peak	187.00	150	Horizontal	Pass
1**	1347.100	32.71	-16.77	54.0	-21.29	AV	187.00	150	Horizontal	Pass
2	2390.000	48.03	-12.78	68.2	-20.17	Peak	60.00	150	Horizontal	Pass
2**	2390.000	46.68	-12.78	54.0	-7.32	AV	60.00	150	Horizontal	Pass
3	3992.250	49.17	-3.40	68.2	-19.03	Peak	14.00	150	Horizontal	Pass
3**	3992.250	40.07	-3.40	54.0	-13.93	AV	14.00	150	Horizontal	Pass
4	5790.500	107.67	-1.17	--	-230.33	Peak	338.00	150	Horizontal	N/A
4**	5790.500	99.08	-1.17	--	99.08	AV	338.00	150	Horizontal	N/A
5	8297.588	48.97	-3.31	68.2	-19.23	Peak	354.00	150	Horizontal	Pass
5**	8297.588	40.40	-3.31	54.0	-13.60	AV	354.00	150	Horizontal	Pass
6	11747.512	52.54	-1.31	68.2	-15.66	Peak	174.00	150	Horizontal	Pass
6**	11747.512	42.84	-1.31	54.0	-11.16	AV	174.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.900	46.06	-17.25	68.2	-22.14	Peak	145.00	150	Vertical	Pass
1**	1601.900	33.75	-17.25	54.0	-20.25	AV	145.00	150	Vertical	Pass
2	2390.000	49.83	-12.78	68.2	-18.37	Peak	313.00	150	Vertical	Pass
2**	2390.000	50.11	-12.78	54.0	-3.89	AV	313.00	150	Vertical	Pass
3	4772.750	51.86	-2.53	68.2	-16.34	Peak	151.00	150	Vertical	Pass
3**	4772.750	50.09	-2.53	54.0	-3.91	AV	151.00	150	Vertical	Pass
4	5800.500	108.01	-1.25	--	-109.99	Peak	218.00	150	Vertical	N/A
4**	5800.500	99.83	-1.25	--	99.83	AV	218.00	150	Vertical	N/A
5	8145.112	49.45	-3.02	68.2	-18.75	Peak	360.00	150	Vertical	Pass
5**	8145.112	39.70	-3.02	54.0	-14.30	AV	360.00	150	Vertical	Pass
6	11948.200	53.24	-0.83	68.2	-14.96	Peak	94.00	150	Vertical	Pass
6**	11948.200	43.78	-0.83	54.0	-10.22	AV	94.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1552.900	43.36	-17.26	68.2	-24.84	Peak	122.00	150	Horizontal	Pass
1**	1552.900	32.49	-17.26	54.0	-21.51	AV	122.00	150	Horizontal	Pass
2	2390.000	49.26	-12.78	68.2	-18.94	Peak	252.00	150	Horizontal	Pass
2**	2390.000	45.99	-12.78	54.0	-8.01	AV	252.00	150	Horizontal	Pass
3	4139.000	49.10	-3.69	68.2	-19.10	Peak	138.00	150	Horizontal	Pass
3**	4139.000	40.25	-3.69	54.0	-13.75	AV	138.00	150	Horizontal	Pass
4	5748.500	109.30	-1.37	--	-228.70	Peak	338.00	150	Horizontal	N/A
4**	5748.500	101.50	-1.37	--	101.50	AV	338.00	150	Horizontal	N/A
5	8069.112	50.11	-2.04	68.2	-18.09	Peak	106.00	150	Horizontal	Pass
5**	8069.112	40.88	-2.04	54.0	-13.12	AV	106.00	150	Horizontal	Pass
6	11920.650	52.79	-0.94	68.2	-15.41	Peak	87.00	150	Horizontal	Pass
6**	11920.650	42.98	-0.94	54.0	-11.02	AV	87.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.300	46.80	-17.13	68.2	-21.40	Peak	143.00	150	Vertical	Pass
1**	1612.300	32.78	-17.13	54.0	-21.22	AV	143.00	150	Vertical	Pass
2	2390.000	50.99	-12.78	68.2	-17.21	Peak	112.00	150	Vertical	Pass
2**	2390.000	45.42	-12.78	54.0	-8.58	AV	112.00	150	Vertical	Pass
3	4779.000	56.15	-2.79	68.2	-12.05	Peak	152.00	150	Vertical	Pass
3**	4779.000	50.61	-2.79	54.0	-3.39	AV	152.00	150	Vertical	Pass
4	5747.000	108.97	-1.34	--	-109.03	Peak	218.00	150	Vertical	N/A
4**	5747.000	101.71	-1.34	--	101.71	AV	218.00	150	Vertical	N/A
5	8194.037	49.25	-2.83	68.2	-18.95	Peak	346.00	150	Vertical	Pass
5**	8194.037	39.14	-2.83	54.0	-14.86	AV	346.00	150	Vertical	Pass
6	11913.287	52.88	-0.97	68.2	-15.32	Peak	114.00	150	Vertical	Pass
6**	11913.287	43.27	-0.97	54.0	-10.73	AV	114.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1122.000	43.93	-17.66	68.2	-24.27	Peak	182.00	150	Horizontal	Pass
1**	1122.000	36.12	-17.66	54.0	-17.88	AV	182.00	150	Horizontal	Pass
2	2390.000	50.93	-12.78	68.2	-17.27	Peak	219.00	150	Horizontal	Pass
2**	2390.000	44.74	-12.78	54.0	-9.26	AV	219.00	150	Horizontal	Pass
3	3847.250	50.04	-3.57	68.2	-18.16	Peak	122.00	150	Horizontal	Pass
3**	3847.250	39.64	-3.57	54.0	-14.36	AV	122.00	150	Horizontal	Pass
4	5780.250	109.45	-1.01	--	-227.55	Peak	337.00	150	Horizontal	N/A
4**	5780.250	101.18	-1.01	--	101.18	AV	337.00	150	Horizontal	N/A
5	8352.213	49.03	-3.62	68.2	-19.17	Peak	303.00	150	Horizontal	Pass
5**	8352.213	39.69	-3.62	54.0	-14.31	AV	303.00	150	Horizontal	Pass
6	12002.825	52.91	-0.88	68.2	-15.29	Peak	360.00	150	Horizontal	Pass
6**	12002.825	44.11	-0.88	54.0	-9.89	AV	360.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.700	46.23	-17.16	68.2	-21.97	Peak	148.00	150	Vertical	Pass
1**	1592.700	33.08	-17.16	54.0	-20.92	AV	148.00	150	Vertical	Pass
2	2390.000	54.52	-12.78	68.2	-13.68	Peak	135.00	150	Vertical	Pass
2**	2390.000	44.54	-12.78	54.0	-9.46	AV	135.00	150	Vertical	Pass
3	4778.000	55.24	-2.48	68.2	-12.96	Peak	166.00	150	Vertical	Pass
3**	4778.000	49.82	-2.48	54.0	-4.18	AV	166.00	150	Vertical	Pass
4	5782.250	109.88	-1.25	--	-109.12	Peak	219.00	150	Vertical	N/A
4**	5782.250	102.03	-1.25	--	102.03	AV	219.00	150	Vertical	N/A
5	8060.325	50.08	-2.49	68.2	-18.12	Peak	325.00	150	Vertical	Pass
5**	8060.325	40.65	-2.49	54.0	-13.35	AV	325.00	150	Vertical	Pass
6	11994.988	53.10	-0.80	68.2	-15.10	Peak	113.00	150	Vertical	Pass
6**	11994.988	45.25	-0.80	54.0	-8.75	AV	113.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1562.300	43.54	-17.26	68.2	-24.66	Peak	122.00	150	Horizontal	Pass
1**	1562.300	32.03	-17.26	54.0	-21.97	AV	122.00	150	Horizontal	Pass
2	2390.000	54.61	-12.78	68.2	-13.59	Peak	226.00	150	Horizontal	Pass
2**	2390.000	49.64	-12.78	54.0	-4.36	AV	226.00	150	Horizontal	Pass
3	4027.000	48.99	-3.92	68.2	-19.21	Peak	144.00	150	Horizontal	Pass
3**	4027.000	39.30	-3.92	54.0	-14.70	AV	144.00	150	Horizontal	Pass
4	5820.750	109.02	-1.22	--	-227.98	Peak	337.00	150	Horizontal	N/A
4**	5820.750	102.65	-1.22	--	102.65	AV	337.00	150	Horizontal	N/A
5	8067.450	50.53	-2.21	68.2	-17.67	Peak	355.00	150	Horizontal	Pass
5**	8067.450	40.43	-2.21	54.0	-13.57	AV	355.00	150	Horizontal	Pass
6	11945.588	53.13	-0.84	68.2	-15.07	Peak	55.00	150	Horizontal	Pass
6**	11945.588	44.35	-0.84	54.0	-9.65	AV	55.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	55.26	-12.78	68.2	-12.94	Peak	294.00	150	Vertical	Pass
1**	2390.000	42.15	-12.78	54.0	-11.85	AV	294.00	150	Vertical	Pass
2	4788.250	52.39	-2.62	68.2	-15.81	Peak	350.00	150	Vertical	Pass
2**	4788.250	49.25	-2.62	54.0	-4.75	AV	350.00	150	Vertical	Pass
3	5823.750	109.61	-1.40	--	-106.39	Peak	216.00	150	Vertical	N/A
3**	5823.750	101.42	-1.40	--	101.42	AV	216.00	150	Vertical	N/A
4	8259.350	49.12	-3.49	68.2	-19.08	Peak	297.00	150	Vertical	Pass
4**	8259.350	40.12	-3.49	54.0	-13.88	AV	297.00	150	Vertical	Pass
5	10983.713	52.11	-1.95	68.2	-16.09	Peak	360.00	150	Vertical	Pass
5**	10983.713	42.38	-1.95	54.0	-11.62	AV	360.00	150	Vertical	Pass
6	15996.599	49.66	-3.35	68.2	-18.54	Peak	249.00	150	Vertical	Pass
6**	15996.599	40.13	-3.35	54.0	-13.87	AV	249.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1580.900	43.95	-17.06	68.2	-24.25	Peak	123.00	150	Horizontal	Pass
1**	1580.900	31.58	-17.06	54.0	-22.42	AV	123.00	150	Horizontal	Pass
2	2390.000	55.48	-12.78	68.2	-12.72	Peak	249.00	150	Horizontal	Pass
2**	2390.000	48.85	-12.78	54.0	-5.15	AV	249.00	150	Horizontal	Pass
3	3885.250	48.84	-3.62	68.2	-19.36	Peak	178.00	150	Horizontal	Pass
3**	3885.250	40.12	-3.62	54.0	-13.88	AV	178.00	150	Horizontal	Pass
4	5744.250	106.55	-1.30	--	-229.45	Peak	336.00	150	Horizontal	N/A
4**	5744.250	100.03	-1.30	--	100.03	AV	336.00	150	Horizontal	N/A
5	8284.526	49.05	-3.75	68.2	-19.15	Peak	343.00	150	Horizontal	Pass
5**	8284.526	39.44	-3.75	54.0	-14.56	AV	343.00	150	Horizontal	Pass
6	11962.687	53.22	-0.82	68.2	-14.98	Peak	54.00	150	Horizontal	Pass
6**	11962.687	44.02	-0.82	54.0	-9.98	AV	54.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1624.000	45.40	-17.26	68.2	-22.80	Peak	172.00	150	Vertical	Pass
1**	1624.000	33.31	-17.26	54.0	-20.69	AV	172.00	150	Vertical	Pass
2	2388.100	53.41	-12.64	68.2	-14.79	Peak	128.00	150	Vertical	Pass
2**	2388.100	37.26	-12.64	54.0	-16.74	AV	128.00	150	Vertical	Pass
3	4795.750	55.45	-2.62	68.2	-12.75	Peak	169.00	150	Vertical	Pass
3**	4795.750	50.51	-2.62	54.0	-3.49	AV	169.00	150	Vertical	Pass
4	5749.250	106.41	-1.28	--	-89.59	Peak	196.00	150	Vertical	N/A
4**	5749.250	98.92	-1.28	--	98.92	AV	196.00	150	Vertical	N/A
5	8399.237	49.72	-3.46	68.2	-18.48	Peak	284.00	150	Vertical	Pass
5**	8399.237	40.08	-3.46	54.0	-13.92	AV	284.00	150	Vertical	Pass
6	11956.037	53.17	-0.82	68.2	-15.03	Peak	359.00	150	Vertical	Pass
6**	11956.037	44.96	-0.82	54.0	-9.04	AV	359.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1123.100	43.34	-17.88	68.2	-24.86	Peak	183.00	150	Horizontal	Pass
1**	1123.100	34.42	-17.88	54.0	-19.58	AV	183.00	150	Horizontal	Pass
2	2390.000	55.64	-12.78	68.2	-12.56	Peak	251.00	150	Horizontal	Pass
2**	2390.000	41.19	-12.78	54.0	-12.81	AV	251.00	150	Horizontal	Pass
3	4703.500	52.19	-2.59	68.2	-16.01	Peak	65.00	150	Horizontal	Pass
3**	4703.500	41.96	-2.59	54.0	-12.04	AV	65.00	150	Horizontal	Pass
4	5798.000	107.23	-1.29	--	-229.77	Peak	337.00	150	Horizontal	N/A
4**	5798.000	99.77	-1.29	--	99.77	AV	337.00	150	Horizontal	N/A
5	8333.213	48.84	-3.91	68.2	-19.36	Peak	360.00	150	Horizontal	Pass
5**	8333.213	39.60	-3.91	54.0	-14.40	AV	360.00	150	Horizontal	Pass
6	11942.263	52.88	-0.85	68.2	-15.32	Peak	264.00	150	Horizontal	Pass
6**	11942.263	43.31	-0.85	54.0	-10.69	AV	264.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	54.81	-12.78	68.2	-13.39	Peak	289.00	150	Vertical	Pass
1**	2390.000	40.18	-12.78	54.0	-13.82	AV	289.00	150	Vertical	Pass
2	4794.250	59.17	-2.63	68.2	-9.03	Peak	138.00	150	Vertical	Pass
2**	4794.250	50.31	-2.63	54.0	-3.69	AV	138.00	150	Vertical	Pass
3	5801.500	107.92	-1.18	--	-113.08	Peak	221.00	150	Vertical	N/A
3**	5801.500	99.34	-1.18	--	99.34	AV	221.00	150	Vertical	N/A
4	8075.525	50.67	-2.46	68.2	-17.53	Peak	92.00	150	Vertical	Pass
4**	8075.525	40.60	-2.46	54.0	-13.40	AV	92.00	150	Vertical	Pass
5	11940.838	53.18	-0.86	68.2	-15.02	Peak	298.00	150	Vertical	Pass
5**	11940.838	44.26	-0.86	54.0	-9.74	AV	298.00	150	Vertical	Pass
6	15968.250	50.18	-3.11	68.2	-18.02	Peak	326.00	150	Vertical	Pass
6**	15968.250	40.61	-3.11	54.0	-13.39	AV	326.00	150	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1119.600	43.61	-17.74	68.2	-24.59	Peak	180.00	150	Horizontal	Pass
1**	1119.600	37.12	-17.74	54.0	-16.88	AV	180.00	150	Horizontal	Pass
2	2390.000	54.75	-12.78	68.2	-13.45	Peak	210.00	150	Horizontal	Pass
2**	2390.000	47.40	-12.78	54.0	-6.60	AV	210.00	150	Horizontal	Pass
3	5782.250	103.36	-1.25	--	-241.64	Peak	345.00	150	Horizontal	N/A
3**	5782.250	95.07	-1.25	--	95.07	AV	345.00	150	Horizontal	N/A
4	8249.138	48.84	-3.62	68.2	-19.36	Peak	43.00	150	Horizontal	Pass
4**	8249.138	40.63	-3.62	54.0	-13.37	AV	43.00	150	Horizontal	Pass
5	10981.812	52.17	-1.94	68.2	-16.03	Peak	182.00	150	Horizontal	Pass
5**	10981.812	42.61	-1.94	54.0	-11.39	AV	182.00	150	Horizontal	Pass
6	15701.287	49.39	-4.14	68.2	-18.81	Peak	25.00	150	Horizontal	Pass
6**	15701.287	39.70	-4.14	54.0	-14.30	AV	25.00	150	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1196.500	41.07	-17.65	68.2	-27.13	Peak	177.00	150	Vertical	Pass
1**	1196.500	31.69	-17.65	54.0	-22.31	AV	177.00	150	Vertical	Pass
2	2390.000	54.11	-12.78	68.2	-14.09	Peak	146.00	150	Vertical	Pass
2**	2390.000	45.21	-12.78	54.0	-8.79	AV	146.00	150	Vertical	Pass
3	4793.250	55.88	-2.50	68.2	-12.32	Peak	140.00	150	Vertical	Pass
3**	4793.250	50.91	-2.50	54.0	-3.09	AV	140.00	150	Vertical	Pass
4	5792.000	103.51	-1.18	--	-111.49	Peak	215.00	150	Vertical	N/A
4**	5792.000	94.22	-1.18	--	94.22	AV	215.00	150	Vertical	N/A
5	8257.688	48.41	-3.66	68.2	-19.79	Peak	175.00	150	Vertical	Pass
5**	8257.688	39.82	-3.66	54.0	-14.18	AV	175.00	150	Vertical	Pass
6	11025.275	52.62	-1.51	68.2	-15.58	Peak	211.00	150	Vertical	Pass
6**	11025.275	42.63	-1.51	54.0	-11.37	AV	211.00	150	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.200	43.86	-16.97	68.2	-24.34	Peak	124.00	150	Horizontal	Pass
1**	1570.200	32.04	-16.97	54.0	-21.96	AV	124.00	150	Horizontal	Pass
2	2390.000	54.41	-12.78	68.2	-13.79	Peak	221.00	150	Horizontal	Pass
2**	2390.000	43.98	-12.78	54.0	-10.02	AV	221.00	150	Horizontal	Pass
3	3972.250	49.00	-4.08	68.2	-19.20	Peak	181.00	150	Horizontal	Pass
3**	3972.250	39.58	-4.08	54.0	-14.42	AV	181.00	150	Horizontal	Pass
4	5741.000	109.79	-1.24	--	-223.21	Peak	333.00	150	Horizontal	N/A
4**	5741.000	101.77	-1.24	--	101.77	AV	333.00	150	Horizontal	N/A
5	8259.825	49.77	-3.55	68.2	-18.43	Peak	83.00	150	Horizontal	Pass
5**	8259.825	40.59	-3.55	54.0	-13.41	AV	83.00	150	Horizontal	Pass
6	11993.800	52.98	-0.80	68.2	-15.22	Peak	127.00	150	Horizontal	Pass
6**	11993.800	43.44	-0.80	54.0	-10.56	AV	127.00	150	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.000	45.90	-17.17	68.2	-22.30	Peak	148.00	150	Vertical	Pass
1**	1598.000	34.70	-17.17	54.0	-19.30	AV	148.00	150	Vertical	Pass
2	2390.000	53.13	-12.78	68.2	-15.07	Peak	279.00	150	Vertical	Pass
2**	2390.000	42.41	-12.78	54.0	-11.59	AV	279.00	150	Vertical	Pass
3	4779.000	53.07	-2.79	68.2	-15.13	Peak	156.00	150	Vertical	Pass
3**	4779.000	49.91	-2.79	54.0	-4.09	AV	156.00	150	Vertical	Pass
4	5749.000	109.83	-1.31	--	-84.17	Peak	194.00	150	Vertical	N/A
4**	5749.000	100.60	-1.31	--	100.60	AV	194.00	150	Vertical	N/A
5	8152.712	48.59	-2.77	68.2	-19.61	Peak	313.00	150	Vertical	Pass
5**	8152.712	39.97	-2.77	54.0	-14.03	AV	313.00	150	Vertical	Pass
6	11999.974	52.79	-0.80	68.2	-15.41	Peak	113.00	150	Vertical	Pass
6**	11999.974	44.13	-0.80	54.0	-9.87	AV	113.00	150	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.300	42.62	-17.26	68.2	-25.58	Peak	208.00	150	Horizontal	Pass
1**	1602.300	31.57	-17.26	54.0	-22.43	AV	208.00	150	Horizontal	Pass
2	2390.000	49.95	-12.78	68.2	-18.25	Peak	195.00	150	Horizontal	Pass
2**	2390.000	41.73	-12.78	54.0	-12.27	AV	195.00	150	Horizontal	Pass
3	4129.250	49.63	-3.23	68.2	-18.57	Peak	349.00	150	Horizontal	Pass
3**	4129.250	40.74	-3.23	54.0	-13.26	AV	349.00	150	Horizontal	Pass
4	5781.750	110.20	-1.20	--	-238.80	Peak	349.00	150	Horizontal	N/A
4**	5781.750	101.77	-1.20	--	101.77	AV	349.00	150	Horizontal	N/A
5	8346.750	48.93	-3.52	68.2	-19.27	Peak	98.00	150	Horizontal	Pass
5**	8346.750	39.76	-3.52	54.0	-14.24	AV	98.00	150	Horizontal	Pass
6	11032.637	52.10	-1.35	68.2	-16.10	Peak	336.00	150	Horizontal	Pass
6**	11032.637	42.46	-1.35	54.0	-11.54	AV	336.00	150	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	56.38	-12.78	68.2	-11.82	Peak	145.00	150	Vertical	Pass
1**	2390.000	40.87	-12.78	54.0	-13.13	AV	145.00	150	Vertical	Pass
2	4777.500	54.94	-2.50	68.2	-13.26	Peak	158.00	150	Vertical	Pass
2**	4777.500	50.23	-2.50	54.0	-3.77	AV	158.00	150	Vertical	Pass
3	5782.750	109.15	-1.22	--	-111.85	Peak	221.00	150	Vertical	N/A
3**	5782.750	101.54	-1.22	--	101.54	AV	221.00	150	Vertical	N/A
4	8339.625	50.28	-3.75	68.2	-17.92	Peak	330.00	150	Vertical	Pass
4**	8339.625	39.50	-3.75	54.0	-14.50	AV	330.00	150	Vertical	Pass
5	11962.213	53.32	-0.82	68.2	-14.88	Peak	311.00	150	Vertical	Pass
5**	11962.213	43.32	-0.82	54.0	-10.68	AV	311.00	150	Vertical	Pass
6	15976.125	50.41	-3.18	68.2	-17.79	Peak	53.00	150	Vertical	Pass
6**	15976.125	40.21	-3.18	54.0	-13.79	AV	53.00	150	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	54.99	-12.78	68.2	-13.21	Peak	242.00	150	Horizontal	Pass
1**	2390.000	46.74	-12.78	54.0	-7.26	AV	242.00	150	Horizontal	Pass
2	4186.000	49.97	-2.80	68.2	-18.23	Peak	78.00	150	Horizontal	Pass
2**	4186.000	40.54	-2.80	54.0	-13.46	AV	78.00	150	Horizontal	Pass
3	5823.250	108.64	-1.43	--	-227.36	Peak	336.00	150	Horizontal	N/A
3**	5823.250	101.53	-1.43	--	101.53	AV	336.00	150	Horizontal	N/A
4	8250.325	48.99	-3.39	68.2	-19.21	Peak	1.00	150	Horizontal	Pass
4**	8250.325	40.16	-3.39	54.0	-13.84	AV	1.00	150	Horizontal	Pass
5	11958.887	52.79	-0.82	68.2	-15.41	Peak	360.00	150	Horizontal	Pass
5**	11958.887	44.12	-0.82	54.0	-9.88	AV	360.00	150	Horizontal	Pass
6	15719.925	49.92	-3.76	68.2	-18.28	Peak	169.00	150	Horizontal	Pass
6**	15719.925	40.22	-3.76	54.0	-13.78	AV	169.00	150	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.17	-12.78	68.2	-16.03	Peak	324.00	150	Vertical	Pass
1**	2390.000	45.75	-12.78	54.0	-8.25	AV	324.00	150	Vertical	Pass
2	4789.000	54.37	-2.74	68.2	-13.83	Peak	160.00	150	Vertical	Pass
2**	4789.000	49.65	-2.74	54.0	-4.35	AV	160.00	150	Vertical	Pass
3	5824.000	109.37	-1.37	--	-132.63	Peak	242.00	150	Vertical	N/A
3**	5824.000	101.11	-1.37	--	101.11	AV	242.00	150	Vertical	N/A
4	8345.563	48.64	-3.61	68.2	-19.56	Peak	135.00	150	Vertical	Pass
4**	8345.563	40.51	-3.61	54.0	-13.49	AV	135.00	150	Vertical	Pass
5	11908.300	52.23	-0.99	68.2	-15.97	Peak	95.00	150	Vertical	Pass
5**	11908.300	44.31	-0.99	54.0	-9.69	AV	95.00	150	Vertical	Pass
6	15969.563	49.70	-3.13	68.2	-18.50	Peak	200.00	150	Vertical	Pass
6**	15969.563	40.29	-3.13	54.0	-13.71	AV	200.00	150	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1619.000	44.47	-17.14	68.2	-23.73	Peak	212.00	150	Horizontal	Pass
1**	1619.000	33.01	-17.14	54.0	-20.99	AV	212.00	150	Horizontal	Pass
2	2390.000	55.26	-12.78	68.2	-12.94	Peak	230.00	150	Horizontal	Pass
2**	2390.000	41.01	-12.78	54.0	-12.99	AV	230.00	150	Horizontal	Pass
3	3896.000	49.21	-3.69	68.2	-18.99	Peak	63.00	150	Horizontal	Pass
3**	3896.000	39.63	-3.69	54.0	-14.37	AV	63.00	150	Horizontal	Pass
4	5748.000	107.07	-1.39	--	-230.93	Peak	338.00	150	Horizontal	N/A
4**	5748.000	97.74	-1.39	--	97.74	AV	338.00	150	Horizontal	N/A
5	8296.162	49.17	-3.39	68.2	-19.03	Peak	54.00	150	Horizontal	Pass
5**	8296.162	40.10	-3.39	54.0	-13.90	AV	54.00	150	Horizontal	Pass
6	12003.775	52.72	-0.91	68.2	-15.48	Peak	360.00	150	Horizontal	Pass
6**	12003.775	45.16	-0.91	54.0	-8.84	AV	360.00	150	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1618.900	46.29	-17.15	68.2	-21.91	Peak	145.00	150	Vertical	Pass
1**	1618.900	32.99	-17.15	54.0	-21.01	AV	145.00	150	Vertical	Pass
2	2390.000	57.20	-12.78	68.2	-11.00	Peak	145.00	150	Vertical	Pass
2**	2390.000	41.06	-12.78	54.0	-12.94	AV	145.00	150	Vertical	Pass
3	4789.500	55.50	-2.83	68.2	-12.70	Peak	147.00	150	Vertical	Pass
3**	4789.500	50.98	-2.83	54.0	-3.02	AV	147.00	150	Vertical	Pass
4	5763.750	107.33	-1.12	--	-106.67	Peak	214.00	150	Vertical	N/A
4**	5763.750	98.26	-1.12	--	98.26	AV	214.00	150	Vertical	N/A
5	8171.713	49.20	-2.49	68.2	-19.00	Peak	236.00	150	Vertical	Pass
5**	8171.713	39.92	-2.49	54.0	-14.08	AV	236.00	150	Vertical	Pass
6	11937.988	52.77	-0.87	68.2	-15.43	Peak	355.00	150	Vertical	Pass
6**	11937.988	43.31	-0.87	54.0	-10.69	AV	355.00	150	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1322.100	42.54	-17.04	68.2	-25.66	Peak	180.00	150	Horizontal	Pass
1**	1322.100	31.95	-17.04	54.0	-22.05	AV	180.00	150	Horizontal	Pass
2	2390.000	56.12	-12.78	68.2	-12.08	Peak	242.00	150	Horizontal	Pass
2**	2390.000	44.73	-12.78	54.0	-9.27	AV	242.00	150	Horizontal	Pass
3	3923.250	49.08	-3.75	68.2	-19.12	Peak	178.00	150	Horizontal	Pass
3**	3923.250	39.84	-3.75	54.0	-14.16	AV	178.00	150	Horizontal	Pass
4	5797.750	107.27	-1.31	--	-231.73	Peak	339.00	150	Horizontal	N/A
4**	5797.750	97.98	-1.31	--	97.98	AV	339.00	150	Horizontal	N/A
5	8109.962	49.30	-3.16	68.2	-18.90	Peak	69.00	150	Horizontal	Pass
5**	8109.962	39.85	-3.16	54.0	-14.15	AV	69.00	150	Horizontal	Pass
6	12003.775	52.74	-0.91	68.2	-15.46	Peak	360.00	150	Horizontal	Pass
6**	12003.775	43.71	-0.91	54.0	-10.29	AV	360.00	150	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.400	45.79	-17.22	68.2	-22.41	Peak	148.00	150	Vertical	Pass
1**	1598.400	34.31	-17.22	54.0	-19.69	AV	148.00	150	Vertical	Pass
2	2390.000	51.55	-12.78	68.2	-16.65	Peak	279.00	150	Vertical	Pass
2**	2390.000	46.96	-12.78	54.0	-7.04	AV	279.00	150	Vertical	Pass
3	4783.500	56.12	-2.83	68.2	-12.08	Peak	146.00	150	Vertical	Pass
3**	4783.500	50.83	-2.83	54.0	-3.17	AV	146.00	150	Vertical	Pass
4	5791.500	107.75	-1.19	--	-102.25	Peak	210.00	150	Vertical	N/A
4**	5791.500	98.71	-1.19	--	98.71	AV	210.00	150	Vertical	N/A
5	8137.038	49.82	-2.95	68.2	-18.38	Peak	169.00	150	Vertical	Pass
5**	8137.038	39.80	-2.95	54.0	-14.20	AV	169.00	150	Vertical	Pass
6	11923.262	52.77	-0.93	68.2	-15.43	Peak	206.00	150	Vertical	Pass
6**	11923.262	42.69	-0.93	54.0	-11.31	AV	206.00	150	Vertical	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1560.500	43.13	-17.13	68.2	-25.07	Peak	132.00	150	Horizontal	Pass
1**	1560.500	32.96	-17.13	54.0	-21.04	AV	132.00	150	Horizontal	Pass
2	2390.000	54.65	-12.78	68.2	-13.55	Peak	248.00	150	Horizontal	Pass
2**	2390.000	47.11	-12.78	54.0	-6.89	AV	248.00	150	Horizontal	Pass
3	4686.500	51.91	-2.54	68.2	-16.29	Peak	299.00	150	Horizontal	Pass
3**	4686.500	42.70	-2.54	54.0	-11.30	AV	299.00	150	Horizontal	Pass
4	5766.750	104.54	-0.94	--	-234.46	Peak	339.00	150	Horizontal	N/A
4**	5766.750	94.27	-0.94	--	94.27	AV	339.00	150	Horizontal	N/A
5	8079.325	49.83	-2.52	68.2	-18.37	Peak	360.00	150	Horizontal	Pass
5**	8079.325	40.33	-2.52	54.0	-13.67	AV	360.00	150	Horizontal	Pass
6	11989.526	53.28	-0.81	68.2	-14.92	Peak	34.00	150	Horizontal	Pass
6**	11989.526	44.26	-0.81	54.0	-9.74	AV	34.00	150	Horizontal	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.25	-12.78	68.2	-16.95	Peak	319.00	150	Vertical	Pass
1**	2390.000	40.36	-12.78	54.0	-13.64	AV	319.00	150	Vertical	Pass
2	4796.500	51.33	-2.51	68.2	-16.87	Peak	165.00	150	Vertical	Pass
2**	4796.500	50.83	-2.51	54.0	-3.17	AV	165.00	150	Vertical	Pass
3	5750.750	104.04	-1.25	--	-85.96	Peak	190.00	150	Vertical	N/A
3**	5750.750	94.41	-1.25	--	94.41	AV	190.00	150	Vertical	N/A
4	8101.650	49.84	-2.87	68.2	-18.36	Peak	33.00	150	Vertical	Pass
4**	8101.650	40.65	-2.87	54.0	-13.35	AV	33.00	150	Vertical	Pass
5	11937.275	53.04	-0.87	68.2	-15.16	Peak	15.00	150	Vertical	Pass
5**	11937.275	43.26	-0.87	54.0	-10.74	AV	15.00	150	Vertical	Pass
6	15917.850	49.24	-3.60	68.2	-18.96	Peak	69.00	150	Vertical	Pass
6**	15917.850	39.64	-3.60	54.0	-14.36	AV	69.00	150	Vertical	Pass

Aux. Antenna

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1549.400	43.54	-15.64	68.2	-24.66	Peak	260.00	150	Horizontal	Pass
1**	1549.400	31.31	-15.64	54.0	-22.69	AV	260.00	150	Horizontal	Pass
2	2390.000	53.81	-10.39	68.2	-14.39	Peak	255.00	150	Horizontal	Pass
2**	2390.000	48.93	-10.39	54.0	-5.07	AV	255.00	150	Horizontal	Pass
3	5181.500	111.28	0.12	--	109.28	Peak	2.00	150	Horizontal	N/A
3**	5181.500	103.15	0.12	--	103.15	AV	2.00	150	Horizontal	N/A
4	7630.500	55.85	2.41	68.2	-12.35	Peak	62.00	150	Horizontal	Pass
4**	7630.500	45.73	2.41	54.0	-8.27	AV	62.00	150	Horizontal	Pass
5	12031.563	54.97	1.69	68.2	-13.23	Peak	295.00	150	Horizontal	Pass
5**	12031.563	46.34	1.69	54.0	-7.66	AV	295.00	150	Horizontal	Pass
6	15759.563	53.85	1.11	68.2	-14.35	Peak	276.00	150	Horizontal	Pass
6**	15759.563	43.74	1.11	54.0	-10.26	AV	276.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1579.900	46.30	-15.91	68.2	-21.90	Peak	178.00	150	Vertical	Pass
1**	1579.900	33.22	-15.91	54.0	-20.78	AV	178.00	150	Vertical	Pass
2	2390.000	56.76	-10.39	68.2	-11.44	Peak	172.00	150	Vertical	Pass
2**	2390.000	38.51	-10.39	54.0	-15.49	AV	172.00	150	Vertical	Pass
3	4790.500	55.34	0.76	68.2	-12.86	Peak	186.00	150	Vertical	Pass
3**	4790.500	50.67	0.76	54.0	-3.33	AV	186.00	150	Vertical	Pass
4	5183.500	109.00	0.15	--	-125.00	Peak	234.00	150	Vertical	N/A
4**	5183.500	101.17	0.15	--	101.17	AV	234.00	150	Vertical	N/A
5	7499.000	55.98	1.88	68.2	-12.22	Peak	44.00	150	Vertical	Pass
5**	7499.000	45.35	1.88	54.0	-8.65	AV	44.00	150	Vertical	Pass
6	11298.638	55.57	2.39	68.2	-12.63	Peak	14.00	150	Vertical	Pass
6**	11298.638	46.02	2.39	54.0	-7.98	AV	14.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1535.300	43.09	-15.60	68.2	-25.11	Peak	257.00	150	Horizontal	Pass
1**	1535.300	31.05	-15.60	54.0	-22.95	AV	257.00	150	Horizontal	Pass
2	2390.000	54.62	-10.39	68.2	-13.58	Peak	245.00	150	Horizontal	Pass
2**	2390.000	42.10	-10.39	54.0	-11.90	AV	245.00	150	Horizontal	Pass
3	5224.000	111.73	0.42	--	108.73	Peak	3.00	150	Horizontal	N/A
3**	5224.000	105.10	0.42	--	105.10	AV	3.00	150	Horizontal	N/A
4	7727.750	56.67	2.19	68.2	-11.53	Peak	352.00	150	Horizontal	Pass
4**	7727.750	45.21	2.19	54.0	-8.79	AV	352.00	150	Horizontal	Pass
5	11915.187	55.26	2.40	68.2	-12.94	Peak	83.00	150	Horizontal	Pass
5**	11915.187	45.85	2.40	54.0	-8.15	AV	83.00	150	Horizontal	Pass
6	15959.326	54.62	0.92	68.2	-13.58	Peak	156.00	150	Horizontal	Pass
6**	15959.326	45.26	0.92	54.0	-8.74	AV	156.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1587.400	46.43	-15.83	68.2	-21.77	Peak	187.00	150	Vertical	Pass
1**	1587.400	34.06	-15.83	54.0	-19.94	AV	187.00	150	Vertical	Pass
2	2390.000	54.48	-10.39	68.2	-13.72	Peak	170.00	150	Vertical	Pass
2**	2390.000	45.28	-10.39	54.0	-8.72	AV	170.00	150	Vertical	Pass
3	4790.250	53.88	0.76	68.2	-14.32	Peak	0.00	150	Vertical	Pass
3**	4790.250	50.92	0.76	54.0	-3.08	AV	0.00	150	Vertical	Pass
4	5216.500	109.90	0.35	--	-133.10	Peak	243.00	150	Vertical	N/A
4**	5216.500	102.55	0.35	--	102.55	AV	243.00	150	Vertical	N/A
5	11270.375	55.33	2.03	68.2	-12.87	Peak	241.00	150	Vertical	Pass
5**	11270.375	46.99	2.03	54.0	-7.01	AV	241.00	150	Vertical	Pass
6	15946.200	54.72	0.95	68.2	-13.48	Peak	188.00	150	Vertical	Pass
6**	15946.200	44.57	0.95	54.0	-9.43	AV	188.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.600	44.48	-15.58	68.2	-23.72	Peak	259.00	150	Horizontal	Pass
1**	1544.600	30.69	-15.58	54.0	-23.31	AV	259.00	150	Horizontal	Pass
2	2390.000	49.50	-10.39	68.2	-18.70	Peak	276.00	150	Horizontal	Pass
2**	2390.000	49.93	-10.39	54.0	-4.07	AV	276.00	150	Horizontal	Pass
3	5238.750	111.97	0.16	--	-248.03	Peak	360.00	150	Horizontal	N/A
3**	5238.750	104.40	0.16	--	104.40	AV	360.00	150	Horizontal	N/A
4	7411.500	56.20	2.87	68.2	-12.00	Peak	243.00	150	Horizontal	Pass
4**	7411.500	46.20	2.87	54.0	-7.80	AV	243.00	150	Horizontal	Pass
5	11966.963	55.58	2.64	68.2	-12.62	Peak	101.00	150	Horizontal	Pass
5**	11966.963	46.53	2.64	54.0	-7.47	AV	101.00	150	Horizontal	Pass
6	15759.300	53.78	1.11	68.2	-14.42	Peak	233.00	150	Horizontal	Pass
6**	15759.300	44.98	1.11	54.0	-9.02	AV	233.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1585.700	46.00	-15.86	68.2	-22.20	Peak	183.00	150	Vertical	Pass
1**	1585.700	32.61	-15.86	54.0	-21.39	AV	183.00	150	Vertical	Pass
2	2390.000	52.14	-10.39	68.2	-16.06	Peak	347.00	150	Vertical	Pass
2**	2390.000	44.63	-10.39	54.0	-9.37	AV	347.00	150	Vertical	Pass
3	4792.000	59.77	0.63	68.2	-8.43	Peak	195.00	150	Vertical	Pass
3**	4792.000	50.92	0.63	54.0	-3.08	AV	195.00	150	Vertical	Pass
4	5241.500	108.99	0.12	--	-122.01	Peak	231.00	150	Vertical	N/A
4**	5241.500	101.82	0.12	--	101.82	AV	231.00	150	Vertical	N/A
5	11282.962	55.70	2.19	68.2	-12.50	Peak	240.00	150	Vertical	Pass
5**	11282.962	46.14	2.19	54.0	-7.86	AV	240.00	150	Vertical	Pass
6	15753.000	54.18	1.13	68.2	-14.02	Peak	276.00	150	Vertical	Pass
6**	15753.000	45.26	1.13	54.0	-8.74	AV	276.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1535.000	43.17	-15.60	68.2	-25.03	Peak	255.00	150	Horizontal	Pass
1**	1535.000	31.58	-15.60	54.0	-22.42	AV	255.00	150	Horizontal	Pass
2	2390.000	49.96	-10.39	68.2	-18.24	Peak	267.00	150	Horizontal	Pass
2**	2390.000	46.33	-10.39	54.0	-7.67	AV	267.00	150	Horizontal	Pass
3	5182.250	110.52	0.08	--	110.52	Peak	0.00	150	Horizontal	N/A
3**	5182.250	103.21	0.08	--	103.21	AV	0.00	150	Horizontal	N/A
4	7639.500	56.18	2.50	68.2	-12.02	Peak	90.00	150	Horizontal	Pass
4**	7639.500	45.92	2.50	54.0	-8.08	AV	90.00	150	Horizontal	Pass
5	11877.900	55.86	2.13	68.2	-12.34	Peak	48.00	150	Horizontal	Pass
5**	11877.900	45.16	2.13	54.0	-8.84	AV	48.00	150	Horizontal	Pass
6	15754.575	53.74	1.13	68.2	-14.46	Peak	319.00	150	Horizontal	Pass
6**	15754.575	44.17	1.13	54.0	-9.83	AV	319.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.300	46.04	-15.78	68.2	-22.16	Peak	211.00	150	Vertical	Pass
1**	1602.300	33.68	-15.78	54.0	-20.32	AV	211.00	150	Vertical	Pass
2	2390.000	52.46	-10.39	68.2	-15.74	Peak	182.00	150	Vertical	Pass
2**	2390.000	47.21	-10.39	54.0	-6.79	AV	182.00	150	Vertical	Pass
3	4783.000	57.53	0.90	68.2	-10.67	Peak	183.00	150	Vertical	Pass
3**	4783.000	49.57	0.90	54.0	-4.43	AV	183.00	150	Vertical	Pass
4	5182.500	108.31	0.06	--	-62.69	Peak	171.00	150	Vertical	N/A
4**	5182.500	100.47	0.06	--	100.47	AV	171.00	150	Vertical	N/A
5	11270.850	55.18	2.04	68.2	-13.02	Peak	14.00	150	Vertical	Pass
5**	11270.850	45.95	2.04	54.0	-8.05	AV	14.00	150	Vertical	Pass
6	15968.250	54.42	0.87	68.2	-13.78	Peak	262.00	150	Vertical	Pass
6**	15968.250	44.64	0.87	54.0	-9.36	AV	262.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1553.100	44.25	-15.72	68.2	-23.95	Peak	250.00	150	Horizontal	Pass
1**	1553.100	31.90	-15.72	54.0	-22.10	AV	250.00	150	Horizontal	Pass
2	2390.000	49.95	-10.39	68.2	-18.25	Peak	132.00	150	Horizontal	Pass
2**	2390.000	43.59	-10.39	54.0	-10.41	AV	132.00	150	Horizontal	Pass
3	5217.250	111.53	0.36	--	111.53	Peak	0.00	150	Horizontal	N/A
3**	5217.250	104.06	0.36	--	104.06	AV	0.00	150	Horizontal	N/A
4	7567.250	56.25	2.64	68.2	-11.95	Peak	329.00	150	Horizontal	Pass
4**	7567.250	46.56	2.64	54.0	-7.44	AV	329.00	150	Horizontal	Pass
5	11745.138	55.00	1.80	68.2	-13.20	Peak	65.00	150	Horizontal	Pass
5**	11745.138	45.19	1.80	54.0	-8.81	AV	65.00	150	Horizontal	Pass
6	17794.200	56.28	2.65	68.2	-11.92	Peak	361.00	150	Horizontal	Pass
6**	17794.200	45.83	2.65	54.0	-8.17	AV	361.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1589.200	46.36	-15.83	68.2	-21.84	Peak	182.00	150	Vertical	Pass
1**	1589.200	33.68	-15.83	54.0	-20.32	AV	182.00	150	Vertical	Pass
2	2390.000	51.38	-10.39	68.2	-16.82	Peak	19.00	150	Vertical	Pass
2**	2390.000	45.25	-10.39	54.0	-8.75	AV	19.00	150	Vertical	Pass
3	4775.500	50.67	0.30	68.2	-17.53	Peak	268.00	150	Vertical	Pass
3**	4775.500	50.83	0.30	54.0	-3.17	AV	268.00	150	Vertical	Pass
4	5218.000	109.01	0.44	--	-133.99	Peak	243.00	150	Vertical	N/A
4**	5218.000	102.33	0.44	--	102.33	AV	243.00	150	Vertical	N/A
5	7598.750	56.05	1.78	68.2	-12.15	Peak	65.00	150	Vertical	Pass
5**	7598.750	45.92	1.78	54.0	-8.08	AV	65.00	150	Vertical	Pass
6	11965.062	56.05	2.64	68.2	-12.15	Peak	152.00	150	Vertical	Pass
6**	11965.062	45.99	2.64	54.0	-8.01	AV	152.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1378.600	42.86	-15.71	68.2	-25.34	Peak	246.00	150	Horizontal	Pass
1**	1378.600	31.32	-15.71	54.0	-22.68	AV	246.00	150	Horizontal	Pass
2	2390.000	55.87	-10.39	68.2	-12.33	Peak	264.00	150	Horizontal	Pass
2**	2390.000	42.56	-10.39	54.0	-11.44	AV	264.00	150	Horizontal	Pass
3	5243.500	111.13	0.08	--	-228.87	Peak	340.00	150	Horizontal	N/A
3**	5243.500	103.48	0.08	--	103.48	AV	340.00	150	Horizontal	N/A
4	7712.250	56.68	2.33	68.2	-11.52	Peak	22.00	150	Horizontal	Pass
4**	7712.250	46.02	2.33	54.0	-7.98	AV	22.00	150	Horizontal	Pass
5	11907.588	54.97	2.35	68.2	-13.23	Peak	118.00	150	Horizontal	Pass
5**	11907.588	45.62	2.35	54.0	-8.38	AV	118.00	150	Horizontal	Pass
6	15937.537	54.31	0.87	68.2	-13.89	Peak	277.00	150	Horizontal	Pass
6**	15937.537	44.90	0.87	54.0	-9.10	AV	277.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1589.600	46.71	-15.81	68.2	-21.49	Peak	180.00	150	Vertical	Pass
1**	1589.600	34.79	-15.81	54.0	-19.21	AV	180.00	150	Vertical	Pass
2	2390.000	58.10	-10.39	68.2	-10.10	Peak	163.00	150	Vertical	Pass
2**	2390.000	45.10	-10.39	54.0	-8.90	AV	163.00	150	Vertical	Pass
3	4789.750	56.48	0.76	68.2	-11.72	Peak	197.00	150	Vertical	Pass
3**	4789.750	50.77	0.76	54.0	-3.23	AV	197.00	150	Vertical	Pass
4	5242.250	108.64	0.11	--	-124.36	Peak	233.00	150	Vertical	N/A
4**	5242.250	101.50	0.11	--	101.50	AV	233.00	150	Vertical	N/A
5	11305.050	55.24	2.26	68.2	-12.96	Peak	360.00	150	Vertical	Pass
5**	11305.050	45.95	2.26	54.0	-8.05	AV	360.00	150	Vertical	Pass
6	15925.463	54.07	0.76	68.2	-14.13	Peak	290.00	150	Vertical	Pass
6**	15925.463	44.70	0.76	54.0	-9.30	AV	290.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1488.700	43.58	-15.52	68.2	-24.62	Peak	163.00	150	Horizontal	Pass
1**	1488.700	30.43	-15.52	54.0	-23.57	AV	163.00	150	Horizontal	Pass
2	2390.000	50.19	-10.39	68.2	-18.01	Peak	269.00	150	Horizontal	Pass
2**	2390.000	48.01	-10.39	54.0	-5.99	AV	269.00	150	Horizontal	Pass
3	5199.500	109.10	0.27	--	103.10	Peak	6.00	150	Horizontal	N/A
3**	5199.500	101.74	0.27	--	101.74	AV	6.00	150	Horizontal	N/A
4	7406.750	55.96	2.68	68.2	-12.24	Peak	42.00	150	Horizontal	Pass
4**	7406.750	45.96	2.68	54.0	-8.04	AV	42.00	150	Horizontal	Pass
5	11999.737	55.61	2.63	68.2	-12.59	Peak	0.00	150	Horizontal	Pass
5**	11999.737	46.64	2.63	54.0	-7.36	AV	0.00	150	Horizontal	Pass
6	15951.450	53.90	0.97	68.2	-14.30	Peak	47.00	150	Horizontal	Pass
6**	15951.450	45.35	0.97	54.0	-8.65	AV	47.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1582.900	46.30	-15.90	68.2	-21.90	Peak	192.00	150	Vertical	Pass
1**	1582.900	36.12	-15.90	54.0	-17.88	AV	192.00	150	Vertical	Pass
2	2390.000	54.93	-10.39	68.2	-13.27	Peak	163.00	150	Vertical	Pass
2**	2390.000	48.44	-10.39	54.0	-5.56	AV	163.00	150	Vertical	Pass
3	4781.250	59.27	0.78	68.2	-8.93	Peak	175.00	150	Vertical	Pass
3**	4781.250	50.66	0.78	54.0	-3.34	AV	175.00	150	Vertical	Pass
4	5181.750	104.96	0.11	--	-70.04	Peak	175.00	150	Vertical	N/A
4**	5181.750	97.19	0.11	--	97.19	AV	175.00	150	Vertical	N/A
5	7557.250	55.33	2.62	68.2	-12.87	Peak	360.00	150	Vertical	Pass
5**	7557.250	46.53	2.62	54.0	-7.47	AV	360.00	150	Vertical	Pass
6	11899.750	56.83	2.29	68.2	-11.37	Peak	0.00	150	Vertical	Pass
6**	11899.750	46.07	2.29	54.0	-7.93	AV	0.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1571.700	44.42	-15.87	68.2	-23.78	Peak	163.00	150	Horizontal	Pass
1**	1571.700	32.43	-15.87	54.0	-21.57	AV	163.00	150	Horizontal	Pass
2	2379.600	52.41	-9.49	68.2	-15.79	Peak	256.00	150	Horizontal	Pass
2**	2379.600	42.28	-9.49	54.0	-11.72	AV	256.00	150	Horizontal	Pass
3	5241.750	110.14	0.12	--	107.14	Peak	3.00	150	Horizontal	N/A
3**	5241.750	102.52	0.12	--	102.52	AV	3.00	150	Horizontal	N/A
4	7561.500	56.11	2.71	68.2	-12.09	Peak	268.00	150	Horizontal	Pass
4**	7561.500	46.06	2.71	54.0	-7.94	AV	268.00	150	Horizontal	Pass
5	11945.113	55.46	2.61	68.2	-12.74	Peak	118.00	150	Horizontal	Pass
5**	11945.113	46.27	2.61	54.0	-7.73	AV	118.00	150	Horizontal	Pass
6	15932.812	53.97	0.82	68.2	-14.23	Peak	221.00	150	Horizontal	Pass
6**	15932.812	45.02	0.82	54.0	-8.98	AV	221.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.800	45.30	-15.52	68.2	-22.90	Peak	175.00	150	Vertical	Pass
1**	1543.800	34.24	-15.52	54.0	-19.76	AV	175.00	150	Vertical	Pass
2	2390.000	57.89	-10.39	68.2	-10.31	Peak	169.00	150	Vertical	Pass
2**	2390.000	48.27	-10.39	54.0	-5.73	AV	169.00	150	Vertical	Pass
3	4799.500	56.12	0.36	68.2	-12.08	Peak	185.00	150	Vertical	Pass
3**	4799.500	50.74	0.36	54.0	-3.26	AV	185.00	150	Vertical	Pass
4	5218.500	107.46	0.44	--	-65.54	Peak	173.00	150	Vertical	N/A
4**	5218.500	99.24	0.44	--	99.24	AV	173.00	150	Vertical	N/A
5	7641.500	56.41	2.49	68.2	-11.79	Peak	316.00	150	Vertical	Pass
5**	7641.500	45.88	2.49	54.0	-8.12	AV	316.00	150	Vertical	Pass
6	11303.625	56.11	2.30	68.2	-12.09	Peak	291.00	150	Vertical	Pass
6**	11303.625	45.97	2.30	54.0	-8.03	AV	291.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.800	43.72	-15.69	68.2	-24.48	Peak	156.00	150	Horizontal	Pass
1**	1524.800	32.08	-15.69	54.0	-21.92	AV	156.00	150	Horizontal	Pass
2	2390.000	51.19	-10.39	68.2	-17.01	Peak	145.00	150	Horizontal	Pass
2**	2390.000	49.71	-10.39	54.0	-4.29	AV	145.00	150	Horizontal	Pass
3	4150.500	50.26	-3.02	68.2	-17.94	Peak	244.00	150	Horizontal	Pass
3**	4150.500	39.96	-3.02	54.0	-14.04	AV	244.00	150	Horizontal	Pass
4	5181.750	111.31	0.11	--	107.31	Peak	4.00	150	Horizontal	N/A
4**	5181.750	103.84	0.11	--	103.84	AV	4.00	150	Horizontal	N/A
5	7563.250	55.61	2.75	68.2	-12.59	Peak	124.00	150	Horizontal	Pass
5**	7563.250	46.56	2.75	54.0	-7.44	AV	124.00	150	Horizontal	Pass
6	11989.763	55.12	2.63	68.2	-13.08	Peak	31.00	150	Horizontal	Pass
6**	11989.763	45.60	2.63	54.0	-8.40	AV	31.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.700	45.31	-15.78	68.2	-22.89	Peak	172.00	150	Vertical	Pass
1**	1592.700	34.06	-15.78	54.0	-19.94	AV	172.00	150	Vertical	Pass
2	2390.000	54.34	-10.39	68.2	-13.86	Peak	341.00	150	Vertical	Pass
2**	2390.000	47.22	-10.39	54.0	-6.78	AV	341.00	150	Vertical	Pass
3	4784.000	62.02	0.96	68.2	-6.18	Peak	183.00	150	Vertical	Pass
3**	4784.000	50.79	0.96	54.0	-3.21	AV	183.00	150	Vertical	Pass
4	5182.000	108.51	0.10	--	-63.49	Peak	172.00	150	Vertical	N/A
4**	5182.000	100.33	0.10	--	100.33	AV	172.00	150	Vertical	N/A
5	11878.850	55.83	2.14	68.2	-12.37	Peak	136.00	150	Vertical	Pass
5**	11878.850	46.12	2.14	54.0	-7.88	AV	136.00	150	Vertical	Pass
6	15984.787	54.27	0.76	68.2	-13.93	Peak	276.00	150	Vertical	Pass
6**	15984.787	44.24	0.76	54.0	-9.76	AV	276.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1608.800	45.09	-15.84	68.2	-23.11	Peak	154.00	150	Horizontal	Pass
1**	1608.800	32.01	-15.84	54.0	-21.99	AV	154.00	150	Horizontal	Pass
2	2390.000	56.04	-10.39	68.2	-12.16	Peak	252.00	150	Horizontal	Pass
2**	2390.000	47.31	-10.39	54.0	-6.69	AV	252.00	150	Horizontal	Pass
3	5216.250	111.72	0.35	--	108.72	Peak	3.00	150	Horizontal	N/A
3**	5216.250	104.41	0.35	--	104.41	AV	3.00	150	Horizontal	N/A
4	7460.250	55.34	1.54	68.2	-12.86	Peak	3.00	150	Horizontal	Pass
4**	7460.250	45.24	1.54	54.0	-8.76	AV	3.00	150	Horizontal	Pass
5	11264.912	55.31	1.97	68.2	-12.89	Peak	65.00	150	Horizontal	Pass
5**	11264.912	45.90	1.97	54.0	-8.10	AV	65.00	150	Horizontal	Pass
6	15936.224	53.64	0.86	68.2	-14.56	Peak	312.00	150	Horizontal	Pass
6**	15936.224	44.71	0.86	54.0	-9.29	AV	312.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1589.600	45.34	-15.81	68.2	-22.86	Peak	189.00	150	Vertical	Pass
1**	1589.600	32.81	-15.81	54.0	-21.19	AV	189.00	150	Vertical	Pass
2	2390.000	56.05	-10.39	68.2	-12.15	Peak	160.00	150	Vertical	Pass
2**	2390.000	47.08	-10.39	54.0	-6.92	AV	160.00	150	Vertical	Pass
3	4773.250	53.76	0.15	68.2	-14.44	Peak	197.00	150	Vertical	Pass
3**	4773.250	50.77	0.15	54.0	-3.23	AV	197.00	150	Vertical	Pass
4	5222.750	109.46	0.47	--	-122.54	Peak	232.00	150	Vertical	N/A
4**	5222.750	102.22	0.47	--	102.22	AV	232.00	150	Vertical	N/A
5	7573.000	55.73	2.34	68.2	-12.47	Peak	361.00	150	Vertical	Pass
5**	7573.000	46.76	2.34	54.0	-7.24	AV	361.00	150	Vertical	Pass
6	11891.438	55.03	2.23	68.2	-13.17	Peak	307.00	150	Vertical	Pass
6**	11891.438	46.09	2.23	54.0	-7.91	AV	307.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1588.400	45.13	-15.83	68.2	-23.07	Peak	161.00	150	Horizontal	Pass
1**	1588.400	32.40	-15.83	54.0	-21.60	AV	161.00	150	Horizontal	Pass
2	2390.000	53.48	-10.39	68.2	-14.72	Peak	277.00	150	Horizontal	Pass
2**	2390.000	42.76	-10.39	54.0	-11.24	AV	277.00	150	Horizontal	Pass
3	5236.500	111.44	0.13	--	111.44	Peak	0.00	150	Horizontal	N/A
3**	5236.500	104.09	0.13	--	104.09	AV	0.00	150	Horizontal	N/A
4	7393.750	55.82	2.44	68.2	-12.38	Peak	329.00	150	Horizontal	Pass
4**	7393.750	46.59	2.44	54.0	-7.41	AV	329.00	150	Horizontal	Pass
5	11274.888	55.50	2.09	68.2	-12.70	Peak	84.00	150	Horizontal	Pass
5**	11274.888	46.23	2.09	54.0	-7.77	AV	84.00	150	Horizontal	Pass
6	15751.950	54.26	1.14	68.2	-13.94	Peak	289.00	150	Horizontal	Pass
6**	15751.950	44.97	1.14	54.0	-9.03	AV	289.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1582.200	45.05	-15.81	68.2	-23.15	Peak	179.00	150	Vertical	Pass
1**	1582.200	35.11	-15.81	54.0	-18.89	AV	179.00	150	Vertical	Pass
2	2390.000	54.98	-10.39	68.2	-13.22	Peak	161.00	150	Vertical	Pass
2**	2390.000	43.08	-10.39	54.0	-10.92	AV	161.00	150	Vertical	Pass
3	4778.500	59.15	0.54	68.2	-9.05	Peak	208.00	150	Vertical	Pass
3**	4778.500	50.94	0.54	54.0	-3.06	AV	208.00	150	Vertical	Pass
4	5235.750	108.96	0.18	--	79.96	Peak	29.00	150	Vertical	N/A
4**	5235.750	101.40	0.18	--	101.40	AV	29.00	150	Vertical	N/A
5	7697.000	56.65	2.78	68.2	-11.55	Peak	18.00	150	Vertical	Pass
5**	7697.000	46.27	2.78	54.0	-7.73	AV	18.00	150	Vertical	Pass
6	11952.000	55.49	2.64	68.2	-12.71	Peak	260.00	150	Vertical	Pass
6**	11952.000	46.06	2.64	54.0	-7.94	AV	260.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1604.000	45.74	-15.80	68.2	-22.46	Peak	155.00	150	Horizontal	Pass
1**	1604.000	31.34	-15.80	54.0	-22.66	AV	155.00	150	Horizontal	Pass
2	2390.000	47.50	-10.39	68.2	-20.70	Peak	261.00	150	Horizontal	Pass
2**	2390.000	39.54	-10.39	54.0	-14.46	AV	261.00	150	Horizontal	Pass
3	5178.250	108.44	0.09	--	108.44	Peak	0.00	150	Horizontal	N/A
3**	5178.250	101.18	0.09	--	101.18	AV	0.00	150	Horizontal	N/A
4	7538.250	55.53	2.26	68.2	-12.67	Peak	329.00	150	Horizontal	Pass
4**	7538.250	45.70	2.26	54.0	-8.30	AV	329.00	150	Horizontal	Pass
5	12005.437	55.40	2.47	68.2	-12.80	Peak	65.00	150	Horizontal	Pass
5**	12005.437	46.22	2.47	54.0	-7.78	AV	65.00	150	Horizontal	Pass
6	15738.037	53.74	1.00	68.2	-14.46	Peak	263.00	150	Horizontal	Pass
6**	15738.037	45.46	1.00	54.0	-8.54	AV	263.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1581.000	45.42	-15.77	68.2	-22.78	Peak	172.00	150	Vertical	Pass
1**	1581.000	35.51	-15.77	54.0	-18.49	AV	172.00	150	Vertical	Pass
2	2390.200	54.40	-10.43	68.2	-13.80	Peak	183.00	150	Vertical	Pass
2**	2390.200	50.34	-10.43	54.0	50.34	AV	183.00	150	Vertical	Pass
3	4789.000	54.81	0.86	68.2	-13.39	Peak	219.00	150	Vertical	Pass
3**	4789.000	50.47	0.86	54.0	-3.53	AV	219.00	150	Vertical	Pass
4	5191.500	104.67	0.23	--	-126.33	Peak	231.00	150	Vertical	N/A
4**	5191.500	97.18	0.23	--	97.18	AV	231.00	150	Vertical	N/A
5	7601.500	55.89	2.04	68.2	-12.31	Peak	46.00	150	Vertical	Pass
5**	7601.500	46.28	2.04	54.0	-7.72	AV	46.00	150	Vertical	Pass
6	11886.213	55.76	2.19	68.2	-12.44	Peak	360.00	150	Vertical	Pass
6**	11886.213	45.39	2.19	54.0	-8.61	AV	360.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.000	43.51	-15.80	68.2	-24.69	Peak	162.00	150	Horizontal	Pass
1**	1521.000	34.03	-15.80	54.0	-19.97	AV	162.00	150	Horizontal	Pass
2	2390.000	48.17	-10.39	68.2	-20.03	Peak	267.00	150	Horizontal	Pass
2**	2390.000	42.13	-10.39	54.0	-11.87	AV	267.00	150	Horizontal	Pass
3	5221.250	110.31	0.47	--	110.31	Peak	0.00	150	Horizontal	N/A
3**	5221.250	102.48	0.47	--	102.48	AV	0.00	150	Horizontal	N/A
4	7559.000	55.35	2.71	68.2	-12.85	Peak	352.00	150	Horizontal	Pass
4**	7559.000	46.51	2.71	54.0	-7.49	AV	352.00	150	Horizontal	Pass
5	11296.737	54.93	2.36	68.2	-13.27	Peak	118.00	150	Horizontal	Pass
5**	11296.737	46.13	2.36	54.0	-7.87	AV	118.00	150	Horizontal	Pass
6	15903.674	54.03	0.56	68.2	-14.17	Peak	349.00	150	Horizontal	Pass
6**	15903.674	44.43	0.56	54.0	-9.57	AV	349.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1591.500	45.56	-15.83	68.2	-22.64	Peak	195.00	150	Vertical	Pass
1**	1591.500	34.59	-15.83	54.0	-19.41	AV	195.00	150	Vertical	Pass
2	2390.000	49.64	-10.39	68.2	-18.56	Peak	337.00	150	Vertical	Pass
2**	2390.000	40.00	-10.39	54.0	-14.00	AV	337.00	150	Vertical	Pass
3	4782.000	54.70	0.83	68.2	-13.50	Peak	193.00	150	Vertical	Pass
3**	4782.000	50.25	0.83	54.0	-3.75	AV	193.00	150	Vertical	Pass
4	5220.500	107.69	0.38	--	-120.31	Peak	228.00	150	Vertical	N/A
4**	5220.500	99.83	0.38	--	99.83	AV	228.00	150	Vertical	N/A
5	11308.613	54.74	2.15	68.2	-13.46	Peak	0.00	150	Vertical	Pass
5**	11308.613	46.74	2.15	54.0	-7.26	AV	0.00	150	Vertical	Pass
6	15736.463	54.21	0.98	68.2	-13.99	Peak	230.00	150	Vertical	Pass
6**	15736.463	44.92	0.98	54.0	-9.08	AV	230.00	150	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1554.500	44.37	-15.69	68.2	-23.83	Peak	253.00	150	Horizontal	Pass
1**	1554.500	34.69	-15.69	54.0	-19.31	AV	253.00	150	Horizontal	Pass
2	2390.000	52.92	-10.39	68.2	-15.28	Peak	229.00	150	Horizontal	Pass
2**	2390.000	45.39	-10.39	54.0	-8.61	AV	229.00	150	Horizontal	Pass
3	5194.500	106.95	0.24	--	101.95	Peak	5.00	150	Horizontal	N/A
3**	5194.500	98.29	0.24	--	98.29	AV	5.00	150	Horizontal	N/A
4	7403.750	55.66	2.57	68.2	-12.54	Peak	360.00	150	Horizontal	Pass
4**	7403.750	46.84	2.57	54.0	-7.16	AV	360.00	150	Horizontal	Pass
5	11220.500	55.28	2.06	68.2	-12.92	Peak	342.00	150	Horizontal	Pass
5**	11220.500	44.93	2.06	54.0	-9.07	AV	342.00	150	Horizontal	Pass
6	15763.500	54.94	1.10	68.2	-13.26	Peak	29.00	150	Horizontal	Pass
6**	15763.500	44.95	1.10	54.0	-9.05	AV	29.00	150	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1583.800	46.34	-15.94	68.2	-21.86	Peak	191.00	150	Vertical	Pass
1**	1583.800	32.44	-15.94	54.0	-21.56	AV	191.00	150	Vertical	Pass
2	2390.000	56.28	-10.39	68.2	-11.92	Peak	185.00	150	Vertical	Pass
2**	2390.000	39.44	-10.39	54.0	-14.56	AV	185.00	150	Vertical	Pass
3	4796.750	53.68	0.42	68.2	-14.52	Peak	231.00	150	Vertical	Pass
3**	4796.750	50.74	0.42	54.0	-3.26	AV	231.00	150	Vertical	Pass
4	5224.000	102.89	0.42	--	-140.11	Peak	243.00	150	Vertical	N/A
4**	5224.000	94.92	0.42	--	94.92	AV	243.00	150	Vertical	N/A
5	7634.000	56.13	2.49	68.2	-12.07	Peak	73.00	150	Vertical	Pass
5**	7634.000	46.50	2.49	54.0	-7.50	AV	73.00	150	Vertical	Pass
6	12014.701	55.34	2.19	68.2	-12.86	Peak	291.00	150	Vertical	Pass
6**	12014.701	45.52	2.19	54.0	-8.48	AV	291.00	150	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1583.500	44.84	-15.95	68.2	-23.36	Peak	156.00	150	Horizontal	Pass
1**	1583.500	31.26	-15.95	54.0	-22.74	AV	156.00	150	Horizontal	Pass
2	2390.000	51.65	-10.39	68.2	-16.55	Peak	330.00	150	Horizontal	Pass
2**	2390.000	43.63	-10.39	54.0	-10.37	AV	330.00	150	Horizontal	Pass
3	5175.000	110.38	0.04	--	110.38	Peak	0.00	150	Horizontal	N/A
3**	5175.000	101.96	0.04	--	101.96	AV	0.00	150	Horizontal	N/A
4	7381.750	56.09	2.17	68.2	-12.11	Peak	126.00	150	Horizontal	Pass
4**	7381.750	46.24	2.17	54.0	-7.76	AV	126.00	150	Horizontal	Pass
5	11899.275	55.33	2.29	68.2	-12.87	Peak	0.00	150	Horizontal	Pass
5**	11899.275	46.38	2.29	54.0	-7.62	AV	0.00	150	Horizontal	Pass
6	15948.300	53.97	0.97	68.2	-14.23	Peak	306.00	150	Horizontal	Pass
6**	15948.300	44.28	0.97	54.0	-9.72	AV	306.00	150	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1583.000	45.32	-15.90	68.2	-22.88	Peak	171.00	150	Vertical	Pass
1**	1583.000	33.36	-15.90	54.0	-20.64	AV	171.00	150	Vertical	Pass
2	2390.000	57.30	-10.39	68.2	-10.90	Peak	153.00	150	Vertical	Pass
2**	2390.000	42.82	-10.39	54.0	-11.18	AV	153.00	150	Vertical	Pass
3	4782.500	56.11	0.86	68.2	-12.09	Peak	187.00	150	Vertical	Pass
3**	4782.500	51.67	0.86	54.0	-2.33	AV	187.00	150	Vertical	Pass
4	5175.750	109.06	0.07	--	88.06	Peak	21.00	150	Vertical	N/A
4**	5175.750	99.76	0.07	--	99.76	AV	21.00	150	Vertical	N/A
5	11303.151	55.46	2.31	68.2	-12.74	Peak	324.00	150	Vertical	Pass
5**	11303.151	46.55	2.31	54.0	-7.45	AV	324.00	150	Vertical	Pass
6	15994.500	54.38	0.70	68.2	-13.82	Peak	175.00	150	Vertical	Pass
6**	15994.500	45.44	0.70	54.0	-8.56	AV	175.00	150	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1481.300	43.15	-15.49	68.2	-25.05	Peak	243.00	150	Horizontal	Pass
1**	1481.300	31.70	-15.49	54.0	-22.30	AV	243.00	150	Horizontal	Pass
2	2390.000	52.07	-10.39	68.2	-16.13	Peak	132.00	150	Horizontal	Pass
2**	2390.000	44.49	-10.39	54.0	-9.51	AV	132.00	150	Horizontal	Pass
3	5217.250	112.64	0.36	--	112.64	Peak	0.00	150	Horizontal	N/A
3**	5217.250	105.19	0.36	--	105.19	AV	0.00	150	Horizontal	N/A
4	7403.750	55.40	2.57	68.2	-12.80	Peak	293.00	150	Horizontal	Pass
4**	7403.750	46.37	2.57	54.0	-7.63	AV	293.00	150	Horizontal	Pass
5	11280.825	55.29	2.16	68.2	-12.91	Peak	272.00	150	Horizontal	Pass
5**	11280.825	46.15	2.16	54.0	-7.85	AV	272.00	150	Horizontal	Pass
6	15728.062	54.06	0.87	68.2	-14.14	Peak	247.00	150	Horizontal	Pass
6**	15728.062	44.82	0.87	54.0	-9.18	AV	247.00	150	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1588.600	45.12	-15.85	68.2	-23.08	Peak	188.00	150	Vertical	Pass
1**	1588.600	33.30	-15.85	54.0	-20.70	AV	188.00	150	Vertical	Pass
2	2390.000	52.39	-10.39	68.2	-15.81	Peak	26.00	150	Vertical	Pass
2**	2390.000	50.86	-10.39	54.0	-3.14	AV	26.00	150	Vertical	Pass
3	4789.500	57.52	0.79	68.2	-10.68	Peak	197.00	150	Vertical	Pass
3**	4789.500	50.72	0.79	54.0	-3.28	AV	197.00	150	Vertical	Pass
4	5218.250	109.84	0.45	--	-134.16	Peak	244.00	150	Vertical	N/A
4**	5218.250	101.70	0.45	--	101.70	AV	244.00	150	Vertical	N/A
5	7413.500	55.84	2.91	68.2	-12.36	Peak	293.00	150	Vertical	Pass
5**	7413.500	46.66	2.91	54.0	-7.34	AV	293.00	150	Vertical	Pass
6	11301.250	55.33	2.37	68.2	-12.87	Peak	66.00	150	Vertical	Pass
6**	11301.250	46.43	2.37	54.0	-7.57	AV	66.00	150	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.900	44.04	-15.57	68.2	-24.16	Peak	159.00	150	Horizontal	Pass
1**	1540.900	33.22	-15.57	54.0	-20.78	AV	159.00	150	Horizontal	Pass
2	2390.000	50.79	-10.39	68.2	-17.41	Peak	119.00	150	Horizontal	Pass
2**	2390.000	37.61	-10.39	54.0	-16.39	AV	119.00	150	Horizontal	Pass
3	5235.250	111.69	0.27	--	105.69	Peak	6.00	150	Horizontal	N/A
3**	5235.250	103.53	0.27	--	103.53	AV	6.00	150	Horizontal	N/A
4	9323.588	54.39	2.17	68.2	-13.81	Peak	32.00	150	Horizontal	Pass
4**	9323.588	45.52	2.17	54.0	-8.48	AV	32.00	150	Horizontal	Pass
5	12934.013	55.34	3.67	68.2	-12.86	Peak	228.00	150	Horizontal	Pass
5**	12934.013	45.98	3.67	--	45.98	AV	228.00	150	Horizontal	N/A
6	15922.838	53.71	0.73	68.2	-14.49	Peak	34.00	150	Horizontal	Pass
6**	15922.838	44.62	0.73	54.0	-9.38	AV	34.00	150	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1550.800	44.63	-15.61	68.2	-23.57	Peak	172.00	150	Vertical	Pass
1**	1550.800	32.96	-15.61	54.0	-21.04	AV	172.00	150	Vertical	Pass
2	2394.500	52.79	-10.70	68.2	-15.41	Peak	172.00	150	Vertical	Pass
2**	2394.500	44.02	-10.70	54.0	44.02	AV	172.00	150	Vertical	Pass
3	4785.750	56.25	0.95	68.2	-11.95	Peak	208.00	150	Vertical	Pass
3**	4785.750	50.87	0.95	54.0	-3.13	AV	208.00	150	Vertical	Pass
4	5237.250	110.73	0.16	--	-122.27	Peak	233.00	150	Vertical	N/A
4**	5237.250	101.16	0.16	--	101.16	AV	233.00	150	Vertical	N/A
5	7569.500	56.31	2.50	68.2	-11.89	Peak	292.00	150	Vertical	Pass
5**	7569.500	48.18	2.50	54.0	-5.82	AV	292.00	150	Vertical	Pass
6	11980.500	55.56	2.64	68.2	-12.64	Peak	360.00	150	Vertical	Pass
6**	11980.500	45.54	2.64	54.0	-8.46	AV	360.00	150	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.600	44.61	-15.95	68.2	-23.59	Peak	154.00	150	Horizontal	Pass
1**	1568.600	31.90	-15.95	54.0	-22.10	AV	154.00	150	Horizontal	Pass
2	2390.000	46.52	-10.39	68.2	-21.68	Peak	222.00	150	Horizontal	Pass
2**	2390.000	40.66	-10.39	54.0	-13.34	AV	222.00	150	Horizontal	Pass
3	5183.500	110.44	0.15	--	108.44	Peak	2.00	150	Horizontal	N/A
3**	5183.500	101.35	0.15	--	101.35	AV	2.00	150	Horizontal	N/A
4	7558.000	55.49	2.71	68.2	-12.71	Peak	291.00	150	Horizontal	Pass
4**	7558.000	46.56	2.71	54.0	-7.44	AV	291.00	150	Horizontal	Pass
5	11278.213	56.02	2.13	68.2	-12.18	Peak	66.00	150	Horizontal	Pass
5**	11278.213	45.61	2.13	54.0	-8.39	AV	66.00	150	Horizontal	Pass
6	15729.637	54.18	0.89	68.2	-14.02	Peak	112.00	150	Horizontal	Pass
6**	15729.637	44.50	0.89	54.0	-9.50	AV	112.00	150	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1591.100	44.90	-15.84	68.2	-23.30	Peak	188.00	150	Vertical	Pass
1**	1591.100	32.41	-15.84	54.0	-21.59	AV	188.00	150	Vertical	Pass
2	2390.000	57.20	-10.39	68.2	-11.00	Peak	165.00	150	Vertical	Pass
2**	2390.000	45.15	-10.39	54.0	-8.85	AV	165.00	150	Vertical	Pass
3	4783.750	61.69	0.95	68.2	-6.51	Peak	183.00	150	Vertical	Pass
3**	4783.750	48.69	0.95	54.0	-5.31	AV	183.00	150	Vertical	Pass
4	5196.500	105.27	0.31	--	-125.73	Peak	231.00	150	Vertical	N/A
4**	5196.500	96.89	0.31	--	96.89	AV	231.00	150	Vertical	N/A
5	7401.000	55.61	2.53	68.2	-12.59	Peak	340.00	150	Vertical	Pass
5**	7401.000	46.60	2.53	54.0	-7.40	AV	340.00	150	Vertical	Pass
6	11947.487	55.76	2.62	68.2	-12.44	Peak	171.00	150	Vertical	Pass
6**	11947.487	46.39	2.62	54.0	-7.61	AV	171.00	150	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.100	45.56	-15.84	68.2	-22.64	Peak	158.00	150	Horizontal	Pass
1**	1599.100	31.26	-15.84	54.0	-22.74	AV	158.00	150	Horizontal	Pass
2	2390.000	50.01	-10.39	68.2	-18.19	Peak	245.00	150	Horizontal	Pass
2**	2390.000	40.27	-10.39	54.0	-13.73	AV	245.00	150	Horizontal	Pass
3	5225.750	111.31	0.44	--	111.31	Peak	0.00	150	Horizontal	N/A
3**	5225.750	101.75	0.44	--	101.75	AV	0.00	150	Horizontal	N/A
4	7406.000	55.70	2.67	68.2	-12.50	Peak	316.00	150	Horizontal	Pass
4**	7406.000	45.89	2.67	54.0	-8.11	AV	316.00	150	Horizontal	Pass
5	11267.287	55.84	2.00	68.2	-12.36	Peak	46.00	150	Horizontal	Pass
5**	11267.287	45.99	2.00	54.0	-8.01	AV	46.00	150	Horizontal	Pass
6	15758.775	54.35	1.11	68.2	-13.85	Peak	72.00	150	Horizontal	Pass
6**	15758.775	45.20	1.11	54.0	-8.80	AV	72.00	150	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1583.100	45.78	-15.91	68.2	-22.42	Peak	171.00	150	Vertical	Pass
1**	1583.100	33.58	-15.91	54.0	-20.42	AV	171.00	150	Vertical	Pass
2	2390.000	53.39	-10.39	68.2	-14.81	Peak	147.00	150	Vertical	Pass
2**	2390.000	43.19	-10.39	54.0	-10.81	AV	147.00	150	Vertical	Pass
3	4789.500	57.71	0.79	68.2	-10.49	Peak	184.00	150	Vertical	Pass
3**	4789.500	50.63	0.79	54.0	-3.37	AV	184.00	150	Vertical	Pass
4	5221.250	107.21	0.47	--	-124.79	Peak	232.00	150	Vertical	N/A
4**	5221.250	99.46	0.47	--	99.46	AV	232.00	150	Vertical	N/A
5	7661.500	55.89	2.01	68.2	-12.31	Peak	255.00	150	Vertical	Pass
5**	7661.500	46.14	2.01	54.0	-7.86	AV	255.00	150	Vertical	Pass
6	11925.875	54.98	2.47	68.2	-13.22	Peak	13.00	150	Vertical	Pass
6**	11925.875	45.63	2.47	54.0	-8.37	AV	13.00	150	Vertical	Pass

11ax80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1591.800	44.55	-15.82	68.2	-23.65	Peak	152.00	150	Horizontal	Pass
1**	1591.800	30.43	-15.82	54.0	-23.57	AV	152.00	150	Horizontal	Pass
2	2390.000	50.26	-10.39	68.2	-17.94	Peak	334.00	150	Horizontal	Pass
2**	2390.000	47.80	-10.39	54.0	-6.20	AV	334.00	150	Horizontal	Pass
3	5203.000	108.25	0.28	--	108.25	Peak	0.00	150	Horizontal	N/A
3**	5203.000	98.26	0.28	--	98.26	AV	0.00	150	Horizontal	N/A
4	7374.250	55.87	1.87	68.2	-12.33	Peak	292.00	150	Horizontal	Pass
4**	7374.250	45.76	1.87	54.0	-8.24	AV	292.00	150	Horizontal	Pass
5	11240.925	55.11	1.87	68.2	-13.09	Peak	0.00	150	Horizontal	Pass
5**	11240.925	46.10	1.87	54.0	-7.90	AV	0.00	150	Horizontal	Pass
6	15964.575	54.93	0.89	68.2	-13.27	Peak	156.00	150	Horizontal	Pass
6**	15964.575	45.45	0.89	54.0	-8.55	AV	156.00	150	Horizontal	Pass

11ax80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1578.000	45.98	-15.86	68.2	-22.22	Peak	186.00	150	Vertical	Pass
1**	1578.000	32.84	-15.86	54.0	-21.16	AV	186.00	150	Vertical	Pass
2	2390.000	50.36	-10.39	68.2	-17.84	Peak	162.00	150	Vertical	Pass
2**	2390.000	46.37	-10.39	54.0	-7.63	AV	162.00	150	Vertical	Pass
3	4778.250	55.36	0.53	68.2	-12.84	Peak	197.00	150	Vertical	Pass
3**	4778.250	50.64	0.53	54.0	-3.36	AV	197.00	150	Vertical	Pass
4	5198.000	104.20	0.30	--	74.20	Peak	30.00	150	Vertical	N/A
4**	5198.000	94.78	0.30	--	94.78	AV	30.00	150	Vertical	N/A
5	7430.750	56.05	2.36	68.2	-12.15	Peak	305.00	150	Vertical	Pass
5**	7430.750	46.14	2.36	54.0	-7.86	AV	305.00	150	Vertical	Pass
6	11300.062	55.55	2.40	68.2	-12.65	Peak	239.00	150	Vertical	Pass
6**	11300.062	46.25	2.40	54.0	-7.75	AV	239.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1576.100	44.37	-15.85	68.2	-23.83	Peak	158.00	150	Horizontal	Pass
1**	1576.100	32.51	-15.85	54.0	-21.49	AV	158.00	150	Horizontal	Pass
2	2390.000	55.32	-10.39	68.2	-12.88	Peak	264.00	150	Horizontal	Pass
2**	2390.000	41.94	-10.39	54.0	-12.06	AV	264.00	150	Horizontal	Pass
3	5258.750	112.42	-0.02	--	94.42	Peak	18.00	150	Horizontal	N/A
3**	5258.750	103.94	-0.02	--	103.94	AV	18.00	150	Horizontal	N/A
4	7394.250	55.91	2.41	68.2	-12.29	Peak	281.00	150	Horizontal	Pass
4**	7394.250	46.00	2.41	54.0	-8.00	AV	281.00	150	Horizontal	Pass
5	11270.612	55.43	2.04	68.2	-12.77	Peak	117.00	150	Horizontal	Pass
5**	11270.612	46.56	2.04	54.0	-7.44	AV	117.00	150	Horizontal	Pass
6	15950.137	54.74	0.98	68.2	-13.46	Peak	246.00	150	Horizontal	Pass
6**	15950.137	44.80	0.98	54.0	-9.20	AV	246.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1578.600	45.73	-15.88	68.2	-22.47	Peak	172.00	150	Vertical	Pass
1**	1578.600	34.20	-15.88	54.0	-19.80	AV	172.00	150	Vertical	Pass
2	2390.000	55.49	-10.39	68.2	-12.71	Peak	178.00	150	Vertical	Pass
2**	2390.000	46.29	-10.39	54.0	-7.71	AV	178.00	150	Vertical	Pass
3	4798.000	54.89	0.35	68.2	-13.31	Peak	209.00	150	Vertical	Pass
3**	4798.000	50.76	0.35	54.0	-3.24	AV	209.00	150	Vertical	Pass
4	5257.500	109.85	-0.02	--	-122.15	Peak	232.00	150	Vertical	N/A
4**	5257.500	103.10	-0.02	--	103.10	AV	232.00	150	Vertical	N/A
5	7403.750	56.39	2.57	68.2	-11.81	Peak	114.00	150	Vertical	Pass
5**	7403.750	46.73	2.57	54.0	-7.27	AV	114.00	150	Vertical	Pass
6	11990.713	55.75	2.63	68.2	-12.45	Peak	343.00	150	Vertical	Pass
6**	11990.713	45.92	2.63	54.0	-8.08	AV	343.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.800	45.07	-15.69	68.2	-23.13	Peak	162.00	150	Horizontal	Pass
1**	1524.800	31.41	-15.69	54.0	-22.59	AV	162.00	150	Horizontal	Pass
2	2390.000	52.88	-10.39	68.2	-15.32	Peak	244.00	150	Horizontal	Pass
2**	2390.000	46.49	-10.39	54.0	-7.51	AV	244.00	150	Horizontal	Pass
3	5302.500	111.95	0.27	--	93.95	Peak	18.00	150	Horizontal	N/A
3**	5302.500	104.25	0.27	--	104.25	AV	18.00	150	Horizontal	N/A
4	7406.250	55.89	2.67	68.2	-12.31	Peak	197.00	150	Horizontal	Pass
4**	7406.250	46.03	2.67	54.0	-7.97	AV	197.00	150	Horizontal	Pass
5	11265.625	55.40	1.98	68.2	-12.80	Peak	119.00	150	Horizontal	Pass
5**	11265.625	45.38	1.98	54.0	-8.62	AV	119.00	150	Horizontal	Pass
6	15780.825	53.92	1.04	68.2	-14.28	Peak	53.00	150	Horizontal	Pass
6**	15780.825	44.38	1.04	54.0	-9.62	AV	53.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1585.900	46.37	-15.83	68.2	-21.83	Peak	197.00	150	Vertical	Pass
1**	1585.900	36.09	-15.83	54.0	-17.91	AV	197.00	150	Vertical	Pass
2	2390.000	50.87	-10.39	68.2	-17.33	Peak	20.00	150	Vertical	Pass
2**	2390.000	42.94	-10.39	54.0	-11.06	AV	20.00	150	Vertical	Pass
3	4785.750	58.00	0.95	68.2	-10.20	Peak	186.00	150	Vertical	Pass
3**	4785.750	50.81	0.95	54.0	-3.19	AV	186.00	150	Vertical	Pass
4	5303.500	109.66	0.34	--	-126.34	Peak	236.00	150	Vertical	N/A
4**	5303.500	101.90	0.34	--	101.90	AV	236.00	150	Vertical	N/A
5	7641.250	55.42	2.50	68.2	-12.78	Peak	199.00	150	Vertical	Pass
5**	7641.250	45.93	2.50	54.0	-8.07	AV	199.00	150	Vertical	Pass
6	11959.125	55.74	2.64	68.2	-12.46	Peak	345.00	150	Vertical	Pass
6**	11959.125	45.99	2.64	54.0	-8.01	AV	345.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1483.600	43.76	-15.45	68.2	-24.44	Peak	81.00	150	Horizontal	Pass
1**	1483.600	31.30	-15.45	54.0	-22.70	AV	81.00	150	Horizontal	Pass
2	2390.000	56.85	-10.39	68.2	-11.35	Peak	247.00	150	Horizontal	Pass
2**	2390.000	43.41	-10.39	54.0	-10.59	AV	247.00	150	Horizontal	Pass
3	5324.750	111.10	0.40	--	85.10	Peak	26.00	150	Horizontal	N/A
3**	5324.750	103.66	0.40	--	103.66	AV	26.00	150	Horizontal	N/A
4	7555.500	56.21	2.54	68.2	-11.99	Peak	218.00	150	Horizontal	Pass
4**	7555.500	46.61	2.54	54.0	-7.39	AV	218.00	150	Horizontal	Pass
5	11989.049	55.21	2.63	68.2	-12.99	Peak	360.00	150	Horizontal	Pass
5**	11989.049	45.66	2.63	54.0	-8.34	AV	360.00	150	Horizontal	Pass
6	15954.862	54.72	0.95	68.2	-13.48	Peak	214.00	150	Horizontal	Pass
6**	15954.862	45.11	0.95	54.0	-8.89	AV	214.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1586.400	45.21	-15.81	68.2	-22.99	Peak	183.00	150	Vertical	Pass
1**	1586.400	33.41	-15.81	54.0	-20.59	AV	183.00	150	Vertical	Pass
2	2390.000	52.46	-10.39	68.2	-15.74	Peak	345.00	150	Vertical	Pass
2**	2390.000	39.84	-10.39	54.0	-14.16	AV	345.00	150	Vertical	Pass
3	4786.250	57.91	0.92	68.2	-10.29	Peak	197.00	150	Vertical	Pass
3**	4786.250	50.08	0.92	54.0	-3.92	AV	197.00	150	Vertical	Pass
4	5323.750	106.17	0.46	--	9.17	Peak	97.00	150	Vertical	N/A
4**	5323.750	98.75	0.46	--	98.75	AV	97.00	150	Vertical	N/A
5	11296.975	55.52	2.36	68.2	-12.68	Peak	198.00	150	Vertical	Pass
5**	11296.975	46.97	2.36	54.0	-7.03	AV	198.00	150	Vertical	Pass
6	15960.901	55.11	0.91	68.2	-13.09	Peak	188.00	150	Vertical	Pass
6**	15960.901	45.38	0.91	54.0	-8.62	AV	188.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.800	44.72	-15.58	68.2	-23.48	Peak	158.00	150	Horizontal	Pass
1**	1539.800	33.74	-15.58	54.0	-20.26	AV	158.00	150	Horizontal	Pass
2	2390.000	54.20	-10.39	68.2	-14.00	Peak	268.00	150	Horizontal	Pass
2**	2390.000	43.04	-10.39	54.0	-10.96	AV	268.00	150	Horizontal	Pass
3	5263.250	111.66	-0.03	--	95.66	Peak	16.00	150	Horizontal	N/A
3**	5263.250	103.77	-0.03	--	103.77	AV	16.00	150	Horizontal	N/A
4	7261.500	56.28	2.43	68.2	-11.92	Peak	3.00	150	Horizontal	Pass
4**	7261.500	46.18	2.43	54.0	-7.82	AV	3.00	150	Horizontal	Pass
5	11871.013	55.70	2.08	68.2	-12.50	Peak	293.00	150	Horizontal	Pass
5**	11871.013	45.13	2.08	54.0	-8.87	AV	293.00	150	Horizontal	Pass
6	15531.187	54.55	0.91	68.2	-13.65	Peak	97.00	150	Horizontal	Pass
6**	15531.187	44.09	0.91	54.0	-9.91	AV	97.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.100	46.34	-15.84	68.2	-21.86	Peak	187.00	150	Vertical	Pass
1**	1599.100	31.09	-15.84	54.0	-22.91	AV	187.00	150	Vertical	Pass
2	2390.000	55.75	-10.39	68.2	-12.45	Peak	153.00	150	Vertical	Pass
2**	2390.000	43.46	-10.39	54.0	-10.54	AV	153.00	150	Vertical	Pass
3	4787.000	57.08	0.92	68.2	-11.12	Peak	209.00	150	Vertical	Pass
3**	4787.000	50.11	0.92	54.0	-3.89	AV	209.00	150	Vertical	Pass
4	5256.500	110.23	0.01	--	-122.77	Peak	233.00	150	Vertical	N/A
4**	5256.500	102.08	0.01	--	102.08	AV	233.00	150	Vertical	N/A
5	11298.400	54.85	2.38	68.2	-13.35	Peak	261.00	150	Vertical	Pass
5**	11298.400	46.15	2.38	54.0	-7.85	AV	261.00	150	Vertical	Pass
6	15964.575	54.02	0.89	68.2	-14.18	Peak	276.00	150	Vertical	Pass
6**	15964.575	46.15	0.89	54.0	-7.85	AV	276.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.600	45.14	-15.60	68.2	-23.06	Peak	157.00	150	Horizontal	Pass
1**	1536.600	31.07	-15.60	54.0	-22.93	AV	157.00	150	Horizontal	Pass
2	2390.000	52.12	-10.39	68.2	-16.08	Peak	223.00	150	Horizontal	Pass
2**	2390.000	43.91	-10.39	54.0	-10.09	AV	223.00	150	Horizontal	Pass
3	5304.500	112.35	0.41	--	90.35	Peak	22.00	150	Horizontal	N/A
3**	5304.500	103.91	0.41	--	103.91	AV	22.00	150	Horizontal	N/A
4	7391.500	55.44	2.39	68.2	-12.76	Peak	360.00	150	Horizontal	Pass
4**	7391.500	46.65	2.39	54.0	-7.35	AV	360.00	150	Horizontal	Pass
5	11301.724	55.50	2.35	68.2	-12.70	Peak	327.00	150	Horizontal	Pass
5**	11301.724	45.87	2.35	54.0	-8.13	AV	327.00	150	Horizontal	Pass
6	15730.425	54.74	0.90	68.2	-13.46	Peak	4.00	150	Horizontal	Pass
6**	15730.425	43.90	0.90	54.0	-10.10	AV	4.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.400	46.43	-15.79	68.2	-21.77	Peak	174.00	150	Vertical	Pass
1**	1592.400	33.76	-15.79	54.0	-20.24	AV	174.00	150	Vertical	Pass
2	2390.000	54.57	-10.39	68.2	-13.63	Peak	157.00	150	Vertical	Pass
2**	2390.000	44.47	-10.39	54.0	-9.53	AV	157.00	150	Vertical	Pass
3	4785.250	54.60	0.97	68.2	-13.60	Peak	196.00	150	Vertical	Pass
3**	4785.250	50.73	0.97	54.0	-3.27	AV	196.00	150	Vertical	Pass
4	5298.000	109.47	0.24	--	-121.53	Peak	231.00	150	Vertical	N/A
4**	5298.000	102.61	0.24	--	102.61	AV	231.00	150	Vertical	N/A
5	7404.500	55.54	2.58	68.2	-12.66	Peak	291.00	150	Vertical	Pass
5**	7404.500	46.37	2.58	54.0	-7.63	AV	291.00	150	Vertical	Pass
6	11272.037	55.27	2.06	68.2	-12.93	Peak	360.00	150	Vertical	Pass
6**	11272.037	46.72	2.06	54.0	-7.28	AV	360.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.600	45.62	-15.60	68.2	-22.58	Peak	162.00	150	Horizontal	Pass
1**	1539.600	31.88	-15.60	54.0	-22.12	AV	162.00	150	Horizontal	Pass
2	2390.000	45.59	-10.39	68.2	-22.61	Peak	127.00	150	Horizontal	Pass
2**	2390.000	48.79	-10.39	54.0	-5.21	AV	127.00	150	Horizontal	Pass
3	5323.500	111.25	0.47	--	85.25	Peak	26.00	150	Horizontal	N/A
3**	5323.500	103.59	0.47	--	103.59	AV	26.00	150	Horizontal	N/A
4	7412.750	56.22	2.91	68.2	-11.98	Peak	352.00	150	Horizontal	Pass
4**	7412.750	46.81	2.91	54.0	-7.19	AV	352.00	150	Horizontal	Pass
5	11307.187	55.42	2.20	68.2	-12.78	Peak	133.00	150	Horizontal	Pass
5**	11307.187	45.88	2.20	54.0	-8.12	AV	133.00	150	Horizontal	Pass
6	15731.738	53.86	0.92	68.2	-14.34	Peak	328.00	150	Horizontal	Pass
6**	15731.738	44.86	0.92	54.0	-9.14	AV	328.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1580.700	46.02	-15.83	68.2	-22.18	Peak	197.00	150	Vertical	Pass
1**	1580.700	33.67	-15.83	54.0	-20.33	AV	197.00	150	Vertical	Pass
2	2390.000	50.72	-10.39	68.2	-17.48	Peak	57.00	150	Vertical	Pass
2**	2390.000	44.28	-10.39	54.0	-9.72	AV	57.00	150	Vertical	Pass
3	4787.750	54.20	0.87	68.2	-14.00	Peak	206.00	150	Vertical	Pass
3**	4787.750	50.68	0.87	54.0	-3.32	AV	206.00	150	Vertical	Pass
4	5323.250	106.21	0.46	--	-136.79	Peak	243.00	150	Vertical	N/A
4**	5323.250	98.68	0.46	--	98.68	AV	243.00	150	Vertical	N/A
5	7386.000	55.92	2.30	68.2	-12.28	Peak	255.00	150	Vertical	Pass
5**	7386.000	46.01	2.30	54.0	-7.99	AV	255.00	150	Vertical	Pass
6	11988.813	55.94	2.63	68.2	-12.26	Peak	360.00	150	Vertical	Pass
6**	11988.813	45.63	2.63	54.0	-8.37	AV	360.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.100	47.00	-15.74	68.2	-21.20	Peak	0.00	150	Vertical	Pass
1**	1601.100	36.48	-15.74	54.0	-17.52	AV	0.00	150	Vertical	Pass
2	2390.000	49.89	-10.39	68.2	-18.31	Peak	242.00	150	Vertical	Pass
2**	2390.000	47.13	-10.39	54.0	-6.87	AV	242.00	150	Vertical	Pass
3	5282.000	109.95	0.53	--	93.95	Peak	16.00	150	Vertical	N/A
3**	5282.000	103.12	0.53	--	103.12	AV	16.00	150	Vertical	N/A
4	7389.750	55.77	2.44	68.2	-12.43	Peak	87.00	150	Vertical	Pass
4**	7389.750	45.85	2.44	54.0	-8.15	AV	87.00	150	Vertical	Pass
5	11883.362	55.24	2.17	68.2	-12.96	Peak	49.00	150	Vertical	Pass
5**	11883.362	45.47	2.17	54.0	-8.53	AV	49.00	150	Vertical	Pass
6	15754.838	55.35	1.13	68.2	-12.85	Peak	206.00	150	Vertical	Pass
6**	15754.838	45.04	1.13	54.0	-8.96	AV	206.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1583.500	45.73	-15.95	68.2	-22.47	Peak	179.00	150	Vertical	Pass
1**	1583.500	32.69	-15.95	54.0	-21.31	AV	179.00	150	Vertical	Pass
2	2390.000	55.35	-10.39	68.2	-12.85	Peak	174.00	150	Vertical	Pass
2**	2390.000	48.95	-10.39	54.0	-5.05	AV	174.00	150	Vertical	Pass
3	4773.000	56.78	0.09	68.2	-11.42	Peak	182.00	150	Vertical	Pass
3**	4773.000	50.80	0.09	54.0	-3.20	AV	182.00	150	Vertical	Pass
4	5281.000	107.12	0.46	--	-123.88	Peak	231.00	150	Vertical	N/A
4**	5281.000	99.48	0.46	--	99.48	AV	231.00	150	Vertical	N/A
5	7570.250	55.54	2.49	68.2	-12.66	Peak	49.00	150	Vertical	Pass
5**	7570.250	46.04	2.49	54.0	-7.96	AV	49.00	150	Vertical	Pass
6	11934.662	55.97	2.53	68.2	-12.23	Peak	360.00	150	Vertical	Pass
6**	11934.662	46.07	2.53	54.0	-7.93	AV	360.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1609.400	44.62	-15.87	68.2	-23.58	Peak	302.00	150	Horizontal	Pass
1**	1609.400	33.39	-15.87	54.0	-20.61	AV	302.00	150	Horizontal	Pass
2	2390.000	56.87	-10.39	68.2	-11.33	Peak	261.00	150	Horizontal	Pass
2**	2390.000	47.42	-10.39	54.0	-6.58	AV	261.00	150	Horizontal	Pass
3	5314.500	108.39	0.35	--	81.39	Peak	27.00	150	Horizontal	N/A
3**	5314.500	101.41	0.35	--	101.41	AV	27.00	150	Horizontal	N/A
4	7256.250	56.09	2.54	68.2	-12.11	Peak	87.00	150	Horizontal	Pass
4**	7256.250	45.72	2.54	54.0	-8.28	AV	87.00	150	Horizontal	Pass
5	11942.500	56.11	2.59	68.2	-12.09	Peak	13.00	150	Horizontal	Pass
5**	11942.500	46.40	2.59	54.0	-7.60	AV	13.00	150	Horizontal	Pass
6	16014.713	54.27	0.41	68.2	-13.93	Peak	28.00	150	Horizontal	Pass
6**	16014.713	43.88	0.41	54.0	-10.12	AV	28.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1580.600	45.87	-15.85	68.2	-22.33	Peak	184.00	150	Vertical	Pass
1**	1580.600	34.51	-15.85	54.0	-19.49	AV	184.00	150	Vertical	Pass
2	2390.000	56.26	-10.39	68.2	-11.94	Peak	160.00	150	Vertical	Pass
2**	2390.000	44.80	-10.39	54.0	-9.20	AV	160.00	150	Vertical	Pass
3	4783.000	56.09	0.90	68.2	-12.11	Peak	183.00	150	Vertical	Pass
3**	4783.000	50.92	0.90	54.0	-3.08	AV	183.00	150	Vertical	Pass
4	5300.500	103.63	0.30	--	-139.37	Peak	243.00	150	Vertical	N/A
4**	5300.500	95.84	0.30	--	95.84	AV	243.00	150	Vertical	N/A
5	7390.500	56.04	2.43	68.2	-12.16	Peak	87.00	150	Vertical	Pass
5**	7390.500	46.49	2.43	54.0	-7.51	AV	87.00	150	Vertical	Pass
6	11265.863	54.95	1.98	68.2	-13.25	Peak	47.00	150	Vertical	Pass
6**	11265.863	46.01	1.98	54.0	-7.99	AV	47.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.300	44.19	-15.56	68.2	-24.01	Peak	168.00	150	Horizontal	Pass
1**	1541.300	33.38	-15.56	54.0	-20.62	AV	168.00	150	Horizontal	Pass
2	2390.000	53.43	-10.39	68.2	-14.77	Peak	277.00	150	Horizontal	Pass
2**	2390.000	47.04	-10.39	54.0	-6.96	AV	277.00	150	Horizontal	Pass
3	5257.750	111.68	-0.03	--	88.68	Peak	23.00	150	Horizontal	N/A
3**	5257.750	104.03	-0.03	--	104.03	AV	23.00	150	Horizontal	N/A
4	7564.500	55.79	2.72	68.2	-12.41	Peak	351.00	150	Horizontal	Pass
4**	7564.500	46.63	2.72	54.0	-7.37	AV	351.00	150	Horizontal	Pass
5	11966.012	55.25	2.64	68.2	-12.95	Peak	235.00	150	Horizontal	Pass
5**	11966.012	46.33	2.64	54.0	-7.67	AV	235.00	150	Horizontal	Pass
6	15755.888	53.89	1.12	68.2	-14.31	Peak	91.00	150	Horizontal	Pass
6**	15755.888	45.36	1.12	54.0	-8.64	AV	91.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1611.300	46.05	-15.93	68.2	-22.15	Peak	212.00	150	Vertical	Pass
1**	1611.300	33.20	-15.93	54.0	-20.80	AV	212.00	150	Vertical	Pass
2	2390.000	54.89	-10.39	68.2	-13.31	Peak	176.00	150	Vertical	Pass
2**	2390.000	42.16	-10.39	54.0	-11.84	AV	176.00	150	Vertical	Pass
3	4786.500	53.65	0.92	68.2	-14.55	Peak	31.00	150	Vertical	Pass
3**	4786.500	50.91	0.92	54.0	-3.09	AV	31.00	150	Vertical	Pass
4	5261.500	109.80	-0.01	--	-129.20	Peak	239.00	150	Vertical	N/A
4**	5261.500	102.22	-0.01	--	102.22	AV	239.00	150	Vertical	N/A
5	7564.750	56.08	2.71	68.2	-12.12	Peak	67.00	150	Vertical	Pass
5**	7564.750	46.31	2.71	54.0	-7.69	AV	67.00	150	Vertical	Pass
6	11912.100	55.63	2.38	68.2	-12.57	Peak	65.00	150	Vertical	Pass
6**	11912.100	45.83	2.38	54.0	-8.17	AV	65.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.200	45.32	-15.88	68.2	-22.88	Peak	159.00	150	Horizontal	Pass
1**	1572.200	31.91	-15.88	54.0	-22.09	AV	159.00	150	Horizontal	Pass
2	2390.000	54.59	-10.39	68.2	-13.61	Peak	275.00	150	Horizontal	Pass
2**	2390.000	45.16	-10.39	54.0	-8.84	AV	275.00	150	Horizontal	Pass
3	5296.500	112.15	0.41	--	83.15	Peak	29.00	150	Horizontal	N/A
3**	5296.500	104.18	0.41	--	104.18	AV	29.00	150	Horizontal	N/A
4	7415.500	55.96	3.01	68.2	-12.24	Peak	88.00	150	Horizontal	Pass
4**	7415.500	47.30	3.01	54.0	-6.70	AV	88.00	150	Horizontal	Pass
5	12000.925	55.17	2.60	68.2	-13.03	Peak	310.00	150	Horizontal	Pass
5**	12000.925	46.51	2.60	54.0	-7.49	AV	310.00	150	Horizontal	Pass
6	15942.787	54.49	0.92	68.2	-13.71	Peak	0.00	150	Horizontal	Pass
6**	15942.787	44.34	0.92	54.0	-9.66	AV	0.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.500	47.63	-15.79	68.2	-20.57	Peak	218.00	150	Vertical	Pass
1**	1592.500	33.55	-15.79	54.0	-20.45	AV	218.00	150	Vertical	Pass
2	2390.000	51.95	-10.39	68.2	-16.25	Peak	316.00	150	Vertical	Pass
2**	2390.000	47.19	-10.39	54.0	-6.81	AV	316.00	150	Vertical	Pass
3	4786.000	54.10	0.93	68.2	-14.10	Peak	42.00	150	Vertical	Pass
3**	4786.000	50.32	0.93	54.0	-3.68	AV	42.00	150	Vertical	Pass
4	5303.250	109.00	0.31	--	-136.00	Peak	245.00	150	Vertical	N/A
4**	5303.250	101.26	0.31	--	101.26	AV	245.00	150	Vertical	N/A
5	7563.000	56.03	2.75	68.2	-12.17	Peak	149.00	150	Vertical	Pass
5**	7563.000	47.04	2.75	54.0	-6.96	AV	149.00	150	Vertical	Pass
6	11896.901	55.87	2.27	68.2	-12.33	Peak	360.00	150	Vertical	Pass
6**	11896.901	46.36	2.27	54.0	-7.64	AV	360.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.500	45.25	-15.55	68.2	-22.95	Peak	152.00	150	Horizontal	Pass
1**	1540.500	32.46	-15.55	54.0	-21.54	AV	152.00	150	Horizontal	Pass
2	2390.000	50.43	-10.39	68.2	-17.77	Peak	121.00	150	Horizontal	Pass
2**	2390.000	47.96	-10.39	54.0	-6.04	AV	121.00	150	Horizontal	Pass
3	5322.500	111.44	0.46	--	84.44	Peak	27.00	150	Horizontal	N/A
3**	5322.500	104.31	0.46	--	104.31	AV	27.00	150	Horizontal	N/A
4	7633.250	55.89	2.53	68.2	-12.31	Peak	147.00	150	Horizontal	Pass
4**	7633.250	45.71	2.53	54.0	-8.29	AV	147.00	150	Horizontal	Pass
5	11285.576	55.36	2.22	68.2	-12.84	Peak	31.00	150	Horizontal	Pass
5**	11285.576	46.26	2.22	54.0	-7.74	AV	31.00	150	Horizontal	Pass
6	15956.175	54.46	0.94	68.2	-13.74	Peak	7.00	150	Horizontal	Pass
6**	15956.175	45.49	0.94	54.0	-8.51	AV	7.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.300	46.63	-15.72	68.2	-21.57	Peak	186.00	150	Vertical	Pass
1**	1601.300	34.72	-15.72	54.0	-19.28	AV	186.00	150	Vertical	Pass
2	2390.000	53.21	-10.39	68.2	-14.99	Peak	157.00	150	Vertical	Pass
2**	2390.000	47.70	-10.39	54.0	-6.30	AV	157.00	150	Vertical	Pass
3	4791.250	58.92	0.69	68.2	-9.28	Peak	191.00	150	Vertical	Pass
3**	4791.250	50.95	0.69	54.0	-3.05	AV	191.00	150	Vertical	Pass
4	5322.750	106.48	0.44	--	0.48	Peak	106.00	150	Vertical	N/A
4**	5322.750	98.91	0.44	--	98.91	AV	106.00	150	Vertical	N/A
5	7628.000	56.39	2.36	68.2	-11.81	Peak	203.00	150	Vertical	Pass
5**	7628.000	46.15	2.36	54.0	-7.85	AV	203.00	150	Vertical	Pass
6	12455.262	56.22	2.74	68.2	-11.98	Peak	48.00	150	Vertical	Pass
6**	12455.262	46.31	2.74	54.0	-7.69	AV	48.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1557.400	44.06	-15.78	68.2	-24.14	Peak	156.00	150	Horizontal	Pass
1**	1557.400	36.58	-15.78	54.0	-17.42	AV	156.00	150	Horizontal	Pass
2	2390.000	52.68	-10.39	68.2	-15.52	Peak	127.00	150	Horizontal	Pass
2**	2390.000	43.92	-10.39	54.0	-10.08	AV	127.00	150	Horizontal	Pass
3	5275.500	110.28	0.27	--	-240.72	Peak	351.00	150	Horizontal	N/A
3**	5275.500	102.76	0.27	--	102.76	AV	351.00	150	Horizontal	N/A
4	7600.500	56.31	1.91	68.2	-11.89	Peak	145.00	150	Horizontal	Pass
4**	7600.500	45.86	1.91	54.0	-8.14	AV	145.00	150	Horizontal	Pass
5	11978.125	55.45	2.64	68.2	-12.75	Peak	225.00	150	Horizontal	Pass
5**	11978.125	45.79	2.64	54.0	-8.21	AV	225.00	150	Horizontal	Pass
6	16019.174	54.12	0.34	68.2	-14.08	Peak	292.00	150	Horizontal	Pass
6**	16019.174	44.14	0.34	54.0	-9.86	AV	292.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1606.700	47.27	-15.77	68.2	-20.93	Peak	183.00	150	Vertical	Pass
1**	1606.700	33.65	-15.77	54.0	-20.35	AV	183.00	150	Vertical	Pass
2	2390.000	53.29	-10.39	68.2	-14.91	Peak	147.00	150	Vertical	Pass
2**	2390.000	42.79	-10.39	54.0	-11.21	AV	147.00	150	Vertical	Pass
3	4792.750	52.86	0.60	68.2	-15.34	Peak	26.00	150	Vertical	Pass
3**	4792.750	50.95	0.60	54.0	-3.05	AV	26.00	150	Vertical	Pass
4	5258.500	108.20	-0.03	--	-135.80	Peak	244.00	150	Vertical	N/A
4**	5258.500	100.22	-0.03	--	100.22	AV	244.00	150	Vertical	N/A
5	7391.000	55.92	2.41	68.2	-12.28	Peak	315.00	150	Vertical	Pass
5**	7391.000	46.17	2.41	54.0	-7.83	AV	315.00	150	Vertical	Pass
6	11267.287	55.22	2.00	68.2	-12.98	Peak	136.00	150	Vertical	Pass
6**	11267.287	46.52	2.00	54.0	-7.48	AV	136.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.700	43.48	-15.61	68.2	-24.72	Peak	164.00	150	Horizontal	Pass
1**	1533.700	32.39	-15.61	54.0	-21.61	AV	164.00	150	Horizontal	Pass
2	2390.000	50.21	-10.39	68.2	-17.99	Peak	198.00	150	Horizontal	Pass
2**	2390.000	40.02	-10.39	54.0	-13.98	AV	198.00	150	Horizontal	Pass
3	5317.000	108.60	0.46	--	90.60	Peak	18.00	150	Horizontal	N/A
3**	5317.000	100.75	0.46	--	100.75	AV	18.00	150	Horizontal	N/A
4	7412.500	55.72	2.90	68.2	-12.48	Peak	150.00	150	Horizontal	Pass
4**	7412.500	46.26	2.90	54.0	-7.74	AV	150.00	150	Horizontal	Pass
5	11278.925	54.62	2.14	68.2	-13.58	Peak	65.00	150	Horizontal	Pass
5**	11278.925	44.41	2.14	54.0	-9.59	AV	65.00	150	Horizontal	Pass
6	15730.162	54.95	0.90	68.2	-13.25	Peak	276.00	150	Horizontal	Pass
6**	15730.162	46.50	0.90	54.0	-7.50	AV	276.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1582.600	46.23	-15.86	68.2	-21.97	Peak	194.00	150	Vertical	Pass
1**	1582.600	34.99	-15.86	54.0	-19.01	AV	194.00	150	Vertical	Pass
2	2390.000	50.14	-10.39	68.2	-18.06	Peak	314.00	150	Vertical	Pass
2**	2390.000	39.98	-10.39	54.0	-14.02	AV	314.00	150	Vertical	Pass
3	4784.250	51.72	0.97	68.2	-16.48	Peak	0.00	150	Vertical	Pass
3**	4784.250	50.66	0.97	54.0	-3.34	AV	0.00	150	Vertical	Pass
4	5299.250	103.78	0.34	--	-128.22	Peak	232.00	150	Vertical	N/A
4**	5299.250	96.07	0.34	--	96.07	AV	232.00	150	Vertical	N/A
5	7425.250	55.51	2.83	68.2	-12.69	Peak	208.00	150	Vertical	Pass
5**	7425.250	45.78	2.83	54.0	-8.22	AV	208.00	150	Vertical	Pass
6	11315.262	56.17	1.96	68.2	-12.03	Peak	101.00	150	Vertical	Pass
6**	11315.262	47.01	1.96	54.0	-6.99	AV	101.00	150	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1591.000	43.50	-15.84	68.2	-24.70	Peak	155.00	150	Horizontal	Pass
1**	1591.000	33.06	-15.84	54.0	-20.94	AV	155.00	150	Horizontal	Pass
2	2390.000	53.04	-10.39	68.2	-15.16	Peak	125.00	150	Horizontal	Pass
2**	2390.000	46.87	-10.39	54.0	-7.13	AV	125.00	150	Horizontal	Pass
3	5306.750	105.42	0.36	--	82.42	Peak	23.00	150	Horizontal	N/A
3**	5306.750	98.21	0.36	--	98.21	AV	23.00	150	Horizontal	N/A
4	7641.000	54.98	2.51	68.2	-13.22	Peak	340.00	150	Horizontal	Pass
4**	7641.000	45.10	2.51	54.0	-8.90	AV	340.00	150	Horizontal	Pass
5	11285.338	54.75	2.22	68.2	-13.45	Peak	223.00	150	Horizontal	Pass
5**	11285.338	46.10	2.22	54.0	-7.90	AV	223.00	150	Horizontal	Pass
6	15817.575	54.04	0.66	68.2	-14.16	Peak	311.00	150	Horizontal	Pass
6**	15817.575	43.87	0.66	54.0	-10.13	AV	311.00	150	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1580.600	44.23	-15.85	68.2	-23.97	Peak	180.00	150	Vertical	Pass
1**	1580.600	31.52	-15.85	54.0	-22.48	AV	180.00	150	Vertical	Pass
2	2390.000	51.34	-10.39	68.2	-16.86	Peak	162.00	150	Vertical	Pass
2**	2390.000	40.39	-10.39	54.0	-13.61	AV	162.00	150	Vertical	Pass
3	4782.500	55.48	0.86	68.2	-12.72	Peak	207.00	150	Vertical	Pass
3**	4782.500	50.78	0.86	54.0	-3.22	AV	207.00	150	Vertical	Pass
4	5303.000	100.75	0.29	--	-130.25	Peak	231.00	150	Vertical	N/A
4**	5303.000	92.64	0.29	--	92.64	AV	231.00	150	Vertical	N/A
5	7582.500	55.14	1.81	68.2	-13.06	Peak	40.00	150	Vertical	Pass
5**	7582.500	46.72	1.81	54.0	-7.28	AV	40.00	150	Vertical	Pass
6	13359.526	56.55	5.17	68.2	-11.65	Peak	258.00	150	Vertical	Pass
6**	13359.526	47.17	5.17	54.0	-6.83	AV	258.00	150	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.300	43.86	-15.56	68.2	-24.34	Peak	160.00	150	Horizontal	Pass
1**	1543.300	30.71	-15.56	54.0	-23.29	AV	160.00	150	Horizontal	Pass
2	2390.000	48.73	-10.39	68.2	-19.47	Peak	126.00	150	Horizontal	Pass
2**	2390.000	47.82	-10.39	54.0	-6.18	AV	126.00	150	Horizontal	Pass
3	5259.000	111.15	-0.02	--	111.15	Peak	0.00	150	Horizontal	N/A
3**	5259.000	103.07	-0.02	--	103.07	AV	0.00	150	Horizontal	N/A
4	7488.750	55.34	1.97	68.2	-12.86	Peak	243.00	150	Horizontal	Pass
4**	7488.750	44.89	1.97	54.0	-9.11	AV	243.00	150	Horizontal	Pass
5	11301.963	54.77	2.35	68.2	-13.43	Peak	239.00	150	Horizontal	Pass
5**	11301.963	45.39	2.35	54.0	-8.61	AV	239.00	150	Horizontal	Pass
6	15985.050	54.31	0.76	68.2	-13.89	Peak	224.00	150	Horizontal	Pass
6**	15985.050	44.41	0.76	54.0	-9.59	AV	224.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1567.000	43.82	-15.85	68.2	-24.38	Peak	207.00	150	Vertical	Pass
1**	1567.000	31.43	-15.85	54.0	-22.57	AV	207.00	150	Vertical	Pass
2	2390.000	52.31	-10.39	68.2	-15.89	Peak	348.00	150	Vertical	Pass
2**	2390.000	46.17	-10.39	54.0	-7.83	AV	348.00	150	Vertical	Pass
3	4776.500	55.77	0.39	68.2	-12.43	Peak	170.00	150	Vertical	Pass
3**	4776.500	50.77	0.39	54.0	-3.23	AV	170.00	150	Vertical	Pass
4	5257.250	109.82	-0.01	--	-133.18	Peak	243.00	150	Vertical	N/A
4**	5257.250	100.82	-0.01	--	100.82	AV	243.00	150	Vertical	N/A
5	7427.500	55.37	2.61	68.2	-12.83	Peak	278.00	150	Vertical	Pass
5**	7427.500	46.12	2.61	54.0	-7.88	AV	278.00	150	Vertical	Pass
6	13363.463	55.86	5.14	68.2	-12.34	Peak	44.00	150	Vertical	Pass
6**	13363.463	46.90	5.14	54.0	-7.10	AV	44.00	150	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.73	-10.39	68.2	-16.47	Peak	278.00	150	Horizontal	Pass
1**	2390.000	42.79	-10.39	54.0	-11.21	AV	278.00	150	Horizontal	Pass
2	1565.000	43.77	-15.85	68.2	-24.43	Peak	161.00	150	Horizontal	Pass
2**	1565.000	30.65	-15.85	54.0	-23.35	AV	161.00	150	Horizontal	Pass
3	5300.500	110.94	0.30	--	84.94	Peak	26.00	150	Horizontal	N/A
3**	5300.500	102.34	0.30	--	102.34	AV	26.00	150	Horizontal	N/A
4	7423.750	55.45	2.91	68.2	-12.75	Peak	171.00	150	Horizontal	Pass
4**	7423.750	45.00	2.91	54.0	-9.00	AV	171.00	150	Horizontal	Pass
5	11311.700	54.57	2.07	68.2	-13.63	Peak	343.00	150	Horizontal	Pass
5**	11311.700	45.62	2.07	54.0	-8.38	AV	343.00	150	Horizontal	Pass
6	15957.224	53.55	0.94	68.2	-14.65	Peak	24.00	150	Horizontal	Pass
6**	15957.224	44.00	0.94	54.0	-10.00	AV	24.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.300	44.43	-15.79	68.2	-23.77	Peak	162.00	150	Vertical	Pass
1**	1593.300	32.90	-15.79	54.0	-21.10	AV	162.00	150	Vertical	Pass
2	2390.000	54.50	-10.39	68.2	-13.70	Peak	150.00	150	Vertical	Pass
2**	2390.000	47.23	-10.39	54.0	-6.77	AV	150.00	150	Vertical	Pass
3	4782.750	58.92	0.88	68.2	-9.28	Peak	194.00	150	Vertical	Pass
3**	4782.750	50.71	0.88	54.0	-3.29	AV	194.00	150	Vertical	Pass
4	5302.250	108.58	0.27	--	-62.42	Peak	171.00	150	Vertical	N/A
4**	5302.250	100.18	0.27	--	100.18	AV	171.00	150	Vertical	N/A
5	7545.250	55.29	2.34	68.2	-12.91	Peak	158.00	150	Vertical	Pass
5**	7545.250	46.14	2.34	54.0	-7.86	AV	158.00	150	Vertical	Pass
6	15979.013	53.68	0.80	68.2	-14.52	Peak	23.00	150	Vertical	Pass
6**	15979.013	43.36	0.80	54.0	-10.64	AV	23.00	150	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1587.000	44.41	-15.86	68.2	-23.79	Peak	152.00	150	Horizontal	Pass
1**	1587.000	34.25	-15.86	54.0	-19.75	AV	152.00	150	Horizontal	Pass
2	2390.000	49.62	-10.39	68.2	-18.58	Peak	128.00	150	Horizontal	Pass
2**	2390.000	48.04	-10.39	54.0	-5.96	AV	128.00	150	Horizontal	Pass
3	5316.250	111.12	0.39	--	83.12	Peak	28.00	150	Horizontal	N/A
3**	5316.250	101.64	0.39	--	101.64	AV	28.00	150	Horizontal	N/A
4	7551.500	54.76	2.42	68.2	-13.44	Peak	172.00	150	Horizontal	Pass
4**	7551.500	46.06	2.42	54.0	-7.94	AV	172.00	150	Horizontal	Pass
5	11309.799	54.43	2.12	68.2	-13.77	Peak	65.00	150	Horizontal	Pass
5**	11309.799	46.49	2.12	54.0	-7.51	AV	65.00	150	Horizontal	Pass
6	15978.750	53.50	0.80	68.2	-14.70	Peak	189.00	150	Horizontal	Pass
6**	15978.750	43.54	0.80	54.0	-10.46	AV	189.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1588.000	46.06	-15.79	68.2	-22.14	Peak	166.00	150	Vertical	Pass
1**	1588.000	32.29	-15.79	54.0	-21.71	AV	166.00	150	Vertical	Pass
2	2390.000	56.94	-10.39	68.2	-11.26	Peak	160.00	150	Vertical	Pass
2**	2390.000	44.58	-10.39	54.0	-9.42	AV	160.00	150	Vertical	Pass
3	4789.000	58.89	0.86	68.2	-9.31	Peak	182.00	150	Vertical	Pass
3**	4789.000	50.27	0.86	54.0	-3.73	AV	182.00	150	Vertical	Pass
4	5317.750	105.43	0.52	--	-125.57	Peak	231.00	150	Vertical	N/A
4**	5317.750	98.74	0.52	--	98.74	AV	231.00	150	Vertical	N/A
5	7539.000	54.97	2.31	68.2	-13.23	Peak	328.00	150	Vertical	Pass
5**	7539.000	44.81	2.31	54.0	-9.19	AV	328.00	150	Vertical	Pass
6	11974.088	55.71	2.64	68.2	-12.49	Peak	257.00	150	Vertical	Pass
6**	11974.088	45.14	2.64	54.0	-8.86	AV	257.00	150	Vertical	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	44.48	-15.79	68.2	-23.72	Peak	156.00	150	Horizontal	Pass
1**	1600.100	31.57	-15.79	54.0	-22.43	AV	156.00	150	Horizontal	Pass
2	2390.000	54.14	-10.39	68.2	-14.06	Peak	126.00	150	Horizontal	Pass
2**	2390.000	45.87	-10.39	54.0	-8.13	AV	126.00	150	Horizontal	Pass
3	5278.000	110.90	0.40	--	79.90	Peak	31.00	150	Horizontal	N/A
3**	5278.000	101.85	0.40	--	101.85	AV	31.00	150	Horizontal	N/A
4	7650.000	55.87	2.35	68.2	-12.33	Peak	173.00	150	Horizontal	Pass
4**	7650.000	46.18	2.35	54.0	-7.82	AV	173.00	150	Horizontal	Pass
5	11196.512	54.63	2.15	68.2	-13.57	Peak	273.00	150	Horizontal	Pass
5**	11196.512	45.00	2.15	54.0	-9.00	AV	273.00	150	Horizontal	Pass
6	15959.063	53.81	0.92	68.2	-14.39	Peak	290.00	150	Horizontal	Pass
6**	15959.063	44.44	0.92	54.0	-9.56	AV	290.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1582.800	44.62	-15.89	68.2	-23.58	Peak	173.00	150	Vertical	Pass
1**	1582.800	31.71	-15.89	54.0	-22.29	AV	173.00	150	Vertical	Pass
2	2390.000	57.53	-10.39	68.2	-10.67	Peak	167.00	150	Vertical	Pass
2**	2390.000	42.86	-10.39	54.0	-11.14	AV	167.00	150	Vertical	Pass
3	4782.250	53.39	0.84	68.2	-14.81	Peak	340.00	150	Vertical	Pass
3**	4782.250	50.45	0.84	54.0	-3.55	AV	340.00	150	Vertical	Pass
4	5282.750	106.79	0.44	--	-125.21	Peak	232.00	150	Vertical	N/A
4**	5282.750	97.71	0.44	--	97.71	AV	232.00	150	Vertical	N/A
5	7391.250	55.93	2.40	68.2	-12.27	Peak	292.00	150	Vertical	Pass
5**	7391.250	45.68	2.40	54.0	-8.32	AV	292.00	150	Vertical	Pass
6	15762.187	53.92	1.10	68.2	-14.28	Peak	173.00	150	Vertical	Pass
6**	15762.187	44.41	1.10	54.0	-9.59	AV	173.00	150	Vertical	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.800	44.70	-15.83	68.2	-23.50	Peak	154.00	150	Horizontal	Pass
1**	1595.800	32.28	-15.83	54.0	-21.72	AV	154.00	150	Horizontal	Pass
2	2390.000	54.07	-10.39	68.2	-14.13	Peak	120.00	150	Horizontal	Pass
2**	2390.000	46.25	-10.39	54.0	-7.75	AV	120.00	150	Horizontal	Pass
3	5308.000	107.97	0.34	--	79.97	Peak	28.00	150	Horizontal	N/A
3**	5308.000	98.80	0.34	--	98.80	AV	28.00	150	Horizontal	N/A
4	7641.250	55.69	2.50	68.2	-12.51	Peak	328.00	150	Horizontal	Pass
4**	7641.250	45.89	2.50	54.0	-8.11	AV	328.00	150	Horizontal	Pass
5	11269.900	54.71	2.03	68.2	-13.49	Peak	118.00	150	Horizontal	Pass
5**	11269.900	45.12	2.03	54.0	-8.88	AV	118.00	150	Horizontal	Pass
6	15772.951	53.63	1.06	68.2	-14.57	Peak	290.00	150	Horizontal	Pass
6**	15772.951	44.74	1.06	54.0	-9.26	AV	290.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1585.700	44.01	-15.86	68.2	-24.19	Peak	208.00	150	Vertical	Pass
1**	1585.700	33.86	-15.86	54.0	-20.14	AV	208.00	150	Vertical	Pass
2	2390.000	53.48	-10.39	68.2	-14.72	Peak	26.00	150	Vertical	Pass
2**	2390.000	46.11	-10.39	54.0	-7.89	AV	26.00	150	Vertical	Pass
3	4796.500	57.50	0.43	68.2	-10.70	Peak	186.00	150	Vertical	Pass
3**	4796.500	50.59	0.43	54.0	-3.41	AV	186.00	150	Vertical	Pass
4	5314.500	102.56	0.35	--	-130.44	Peak	233.00	150	Vertical	N/A
4**	5314.500	94.45	0.35	--	94.45	AV	233.00	150	Vertical	N/A
5	7556.000	55.30	2.55	68.2	-12.90	Peak	42.00	150	Vertical	Pass
5**	7556.000	46.01	2.55	54.0	-7.99	AV	42.00	150	Vertical	Pass
6	13339.837	55.91	4.88	68.2	-12.29	Peak	71.00	150	Vertical	Pass
6**	13339.837	47.69	4.88	54.0	-6.31	AV	71.00	150	Vertical	Pass

11ax80 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.300	44.11	-15.79	68.2	-24.09	Peak	154.00	150	Horizontal	Pass
1**	1594.300	32.27	-15.79	54.0	-21.73	AV	154.00	150	Horizontal	Pass
2	2390.000	48.68	-10.39	68.2	-19.52	Peak	118.00	150	Horizontal	Pass
2**	2390.000	48.09	-10.39	54.0	-5.91	AV	118.00	150	Horizontal	Pass
3	5305.500	107.98	0.34	--	93.98	Peak	14.00	150	Horizontal	N/A
3**	5305.500	97.88	0.34	--	97.88	AV	14.00	150	Horizontal	N/A
4	7579.500	54.66	1.99	68.2	-13.54	Peak	244.00	150	Horizontal	Pass
4**	7579.500	45.03	1.99	54.0	-8.97	AV	244.00	150	Horizontal	Pass
5	11180.125	54.23	1.66	68.2	-13.97	Peak	101.00	150	Horizontal	Pass
5**	11180.125	44.84	1.66	54.0	-9.16	AV	101.00	150	Horizontal	Pass
6	15961.687	53.75	0.91	68.2	-14.45	Peak	1.00	150	Horizontal	Pass
6**	15961.687	45.03	0.91	54.0	-8.97	AV	1.00	150	Horizontal	Pass

11ax80 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.300	45.44	-15.79	68.2	-22.76	Peak	166.00	150	Vertical	Pass
1**	1593.300	33.70	-15.79	54.0	-20.30	AV	166.00	150	Vertical	Pass
2	2390.000	47.78	-10.39	68.2	-20.42	Peak	232.00	150	Vertical	Pass
2**	2390.000	43.52	-10.39	54.0	-10.48	AV	232.00	150	Vertical	Pass
3	4794.750	61.34	0.53	68.2	-6.86	Peak	171.00	150	Vertical	Pass
3**	4794.750	50.58	0.53	54.0	-3.42	AV	171.00	150	Vertical	Pass
4	5279.750	103.16	0.42	--	-127.84	Peak	231.00	150	Vertical	N/A
4**	5279.750	92.24	0.42	--	92.24	AV	231.00	150	Vertical	N/A
5	7564.250	55.51	2.73	68.2	-12.69	Peak	122.00	150	Vertical	Pass
5**	7564.250	45.98	2.73	54.0	-8.02	AV	122.00	150	Vertical	Pass
6	11918.513	55.27	2.42	68.2	-12.93	Peak	99.00	150	Vertical	Pass
6**	11918.513	45.65	2.42	54.0	-8.35	AV	99.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1322.800	42.87	-15.52	68.2	-25.33	Peak	128.00	150	Horizontal	Pass
1**	1322.800	31.56	-15.52	54.0	-22.44	AV	128.00	150	Horizontal	Pass
2	2390.000	52.92	-10.39	68.2	-15.28	Peak	134.00	150	Horizontal	Pass
2**	2390.000	44.32	-10.39	54.0	-9.68	AV	134.00	150	Horizontal	Pass
3	5503.000	109.11	0.66	--	93.11	Peak	16.00	150	Horizontal	N/A
3**	5503.000	101.01	0.66	--	101.01	AV	16.00	150	Horizontal	N/A
4	7423.750	55.67	2.91	68.2	-12.53	Peak	328.00	150	Horizontal	Pass
4**	7423.750	46.40	2.91	54.0	-7.60	AV	328.00	150	Horizontal	Pass
5	11278.687	55.03	2.14	68.2	-13.17	Peak	83.00	150	Horizontal	Pass
5**	11278.687	46.26	2.14	54.0	-7.74	AV	83.00	150	Horizontal	Pass
6	15760.088	53.43	1.11	68.2	-14.77	Peak	304.00	150	Horizontal	Pass
6**	15760.088	44.30	1.11	54.0	-9.70	AV	304.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.700	45.55	-15.86	68.2	-22.65	Peak	178.00	150	Vertical	Pass
1**	1584.700	32.98	-15.86	54.0	-21.02	AV	178.00	150	Vertical	Pass
2	2390.000	55.40	-10.39	68.2	-12.80	Peak	161.00	150	Vertical	Pass
2**	2390.000	42.16	-10.39	54.0	-11.84	AV	161.00	150	Vertical	Pass
3	4785.750	55.27	0.95	68.2	-12.93	Peak	196.00	150	Vertical	Pass
3**	4785.750	50.34	0.95	54.0	-3.66	AV	196.00	150	Vertical	Pass
4	5498.250	107.44	0.60	--	-171.56	Peak	279.00	150	Vertical	N/A
4**	5498.250	100.23	0.60	--	100.23	AV	279.00	150	Vertical	N/A
5	7530.000	55.32	1.93	68.2	-12.88	Peak	256.00	150	Vertical	Pass
5**	7530.000	44.36	1.93	54.0	-9.64	AV	256.00	150	Vertical	Pass
6	11914.474	54.66	2.39	68.2	-13.54	Peak	259.00	150	Vertical	Pass
6**	11914.474	45.93	2.39	54.0	-8.07	AV	259.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.600	43.48	-15.70	68.2	-24.72	Peak	167.00	150	Horizontal	Pass
1**	1524.600	30.54	-15.70	54.0	-23.46	AV	167.00	150	Horizontal	Pass
2	2390.000	49.90	-10.39	68.2	-18.30	Peak	96.00	150	Horizontal	Pass
2**	2390.000	46.40	-10.39	54.0	-7.60	AV	96.00	150	Horizontal	Pass
3	5578.750	109.39	0.29	--	57.39	Peak	52.00	150	Horizontal	N/A
3**	5578.750	102.35	0.29	--	102.35	AV	52.00	150	Horizontal	N/A
4	7421.000	56.00	2.99	68.2	-12.20	Peak	147.00	150	Horizontal	Pass
4**	7421.000	45.46	2.99	54.0	-8.54	AV	147.00	150	Horizontal	Pass
5	11952.474	54.67	2.64	68.2	-13.53	Peak	152.00	150	Horizontal	Pass
5**	11952.474	45.35	2.64	54.0	-8.65	AV	152.00	150	Horizontal	Pass
6	15775.838	53.45	1.05	68.2	-14.75	Peak	131.00	150	Horizontal	Pass
6**	15775.838	44.74	1.05	54.0	-9.26	AV	131.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1588.200	46.21	-15.81	68.2	-21.99	Peak	165.00	150	Vertical	Pass
1**	1588.200	33.90	-15.81	54.0	-20.10	AV	165.00	150	Vertical	Pass
2	2390.000	56.50	-10.39	68.2	-11.70	Peak	172.00	150	Vertical	Pass
2**	2390.000	42.62	-10.39	54.0	-11.38	AV	172.00	150	Vertical	Pass
3	4782.000	54.73	0.83	68.2	-13.47	Peak	207.00	150	Vertical	Pass
3**	4782.000	50.28	0.83	54.0	-3.72	AV	207.00	150	Vertical	Pass
4	5582.000	110.38	0.34	--	0.38	Peak	110.00	150	Vertical	N/A
4**	5582.000	103.30	0.34	--	103.30	AV	110.00	150	Vertical	N/A
5	7371.750	55.20	1.77	68.2	-13.00	Peak	339.00	150	Vertical	Pass
5**	7371.750	44.44	1.77	54.0	-9.56	AV	339.00	150	Vertical	Pass
6	11272.037	55.04	2.06	68.2	-13.16	Peak	241.00	150	Vertical	Pass
6**	11272.037	45.95	2.06	54.0	-8.05	AV	241.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.600	43.80	-15.56	68.2	-24.40	Peak	161.00	150	Horizontal	Pass
1**	1540.600	34.42	-15.56	54.0	-19.58	AV	161.00	150	Horizontal	Pass
2	2390.000	55.65	-10.39	68.2	-12.55	Peak	254.00	150	Horizontal	Pass
2**	2390.000	45.25	-10.39	54.0	-8.75	AV	254.00	150	Horizontal	Pass
3	5701.500	105.60	0.37	--	54.60	Peak	51.00	150	Horizontal	N/A
3**	5701.500	97.48	0.37	--	97.48	AV	51.00	150	Horizontal	N/A
4	7569.500	56.50	2.50	68.2	-11.70	Peak	269.00	150	Horizontal	Pass
4**	7569.500	45.69	2.50	54.0	-8.31	AV	269.00	150	Horizontal	Pass
5	11294.363	54.96	2.33	68.2	-13.24	Peak	66.00	150	Horizontal	Pass
5**	11294.363	45.46	2.33	54.0	-8.54	AV	66.00	150	Horizontal	Pass
6	15762.975	53.83	1.10	68.2	-14.37	Peak	1.00	150	Horizontal	Pass
6**	15762.975	44.89	1.10	54.0	-9.11	AV	1.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1606.200	45.12	-15.80	68.2	-23.08	Peak	359.00	150	Vertical	Pass
1**	1606.200	32.65	-15.80	54.0	-21.35	AV	359.00	150	Vertical	Pass
2	2390.000	57.28	-10.39	68.2	-10.92	Peak	172.00	150	Vertical	Pass
2**	2390.000	44.05	-10.39	54.0	-9.95	AV	172.00	150	Vertical	Pass
3	4784.500	53.74	0.98	68.2	-14.46	Peak	208.00	150	Vertical	Pass
3**	4784.500	50.99	0.98	54.0	-3.01	AV	208.00	150	Vertical	Pass
4	5697.750	109.54	0.54	--	-170.46	Peak	280.00	150	Vertical	N/A
4**	5697.750	101.76	0.54	--	101.76	AV	280.00	150	Vertical	N/A
5	7613.250	55.41	2.11	68.2	-12.79	Peak	101.00	150	Vertical	Pass
5**	7613.250	45.56	2.11	54.0	-8.44	AV	101.00	150	Vertical	Pass
6	11936.326	55.16	2.55	68.2	-13.04	Peak	153.00	150	Vertical	Pass
6**	11936.326	45.43	2.55	54.0	-8.57	AV	153.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.300	43.03	-15.52	68.2	-25.17	Peak	160.00	150	Horizontal	Pass
1**	1532.300	30.83	-15.52	54.0	-23.17	AV	160.00	150	Horizontal	Pass
2	2390.000	56.49	-10.39	68.2	-11.71	Peak	255.00	150	Horizontal	Pass
2**	2390.000	43.57	-10.39	54.0	-10.43	AV	255.00	150	Horizontal	Pass
3	5498.250	108.65	0.60	--	92.65	Peak	16.00	150	Horizontal	N/A
3**	5498.250	101.40	0.60	--	101.40	AV	16.00	150	Horizontal	N/A
4	7573.750	56.08	2.29	68.2	-12.12	Peak	88.00	150	Horizontal	Pass
4**	7573.750	45.55	2.29	54.0	-8.45	AV	88.00	150	Horizontal	Pass
5	11449.213	54.69	1.59	68.2	-13.51	Peak	65.00	150	Horizontal	Pass
5**	11449.213	44.61	1.59	54.0	-9.39	AV	65.00	150	Horizontal	Pass
6	15623.326	53.72	0.23	68.2	-14.48	Peak	72.00	150	Horizontal	Pass
6**	15623.326	43.60	0.23	54.0	-10.40	AV	72.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1585.200	46.16	-15.90	68.2	-22.04	Peak	173.00	150	Vertical	Pass
1**	1585.200	34.28	-15.90	54.0	-19.72	AV	173.00	150	Vertical	Pass
2	2390.000	48.85	-10.39	68.2	-19.35	Peak	167.00	150	Vertical	Pass
2**	2390.000	43.63	-10.39	54.0	-10.37	AV	167.00	150	Vertical	Pass
3	4790.750	55.38	0.75	68.2	-12.82	Peak	182.00	150	Vertical	Pass
3**	4790.750	50.67	0.75	54.0	-3.33	AV	182.00	150	Vertical	Pass
4	5495.750	107.21	0.60	--	-171.79	Peak	279.00	150	Vertical	N/A
4**	5495.750	99.24	0.60	--	99.24	AV	279.00	150	Vertical	N/A
5	7421.000	55.20	2.99	68.2	-13.00	Peak	0.00	150	Vertical	Pass
5**	7421.000	45.30	2.99	54.0	-8.70	AV	0.00	150	Vertical	Pass
6	11880.037	55.77	2.15	68.2	-12.43	Peak	47.00	150	Vertical	Pass
6**	11880.037	44.86	2.15	54.0	-9.14	AV	47.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1607.700	44.71	-15.80	68.2	-23.49	Peak	159.00	150	Horizontal	Pass
1**	1607.700	32.10	-15.80	54.0	-21.90	AV	159.00	150	Horizontal	Pass
2	2390.000	50.58	-10.39	68.2	-17.62	Peak	254.00	150	Horizontal	Pass
2**	2390.000	41.88	-10.39	54.0	-12.12	AV	254.00	150	Horizontal	Pass
3	5577.250	109.25	0.29	--	57.25	Peak	52.00	150	Horizontal	N/A
3**	5577.250	101.03	0.29	--	101.03	AV	52.00	150	Horizontal	N/A
4	7415.250	55.77	3.01	68.2	-12.43	Peak	360.00	150	Horizontal	Pass
4**	7415.250	45.65	3.01	54.0	-8.35	AV	360.00	150	Horizontal	Pass
5	11314.787	55.30	1.98	68.2	-12.90	Peak	346.00	150	Horizontal	Pass
5**	11314.787	45.34	1.98	54.0	-8.66	AV	346.00	150	Horizontal	Pass
6	15940.163	54.18	0.89	68.2	-14.02	Peak	319.00	150	Horizontal	Pass
6**	15940.163	44.34	0.89	54.0	-9.66	AV	319.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1564.500	45.16	-15.86	68.2	-23.04	Peak	172.00	150	Vertical	Pass
1**	1564.500	31.15	-15.86	54.0	-22.85	AV	172.00	150	Vertical	Pass
2	2390.000	52.56	-10.39	68.2	-15.64	Peak	27.00	150	Vertical	Pass
2**	2390.000	46.93	-10.39	54.0	-7.07	AV	27.00	150	Vertical	Pass
3	4791.750	57.23	0.65	68.2	-10.97	Peak	202.00	150	Vertical	Pass
3**	4791.750	50.88	0.65	54.0	-3.12	AV	202.00	150	Vertical	Pass
4	5584.500	110.02	0.42	--	5.02	Peak	105.00	150	Vertical	N/A
4**	5584.500	102.77	0.42	--	102.77	AV	105.00	150	Vertical	N/A
5	11946.299	55.23	2.62	68.2	-12.97	Peak	262.00	150	Vertical	Pass
5**	11946.299	44.95	2.62	54.0	-9.05	AV	262.00	150	Vertical	Pass
6	15935.175	53.59	0.85	68.2	-14.61	Peak	216.00	150	Vertical	Pass
6**	15935.175	44.75	0.85	54.0	-9.25	AV	216.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1603.700	44.85	-15.81	68.2	-23.35	Peak	313.00	150	Horizontal	Pass
1**	1603.700	30.83	-15.81	54.0	-23.17	AV	313.00	150	Horizontal	Pass
2	2390.000	54.25	-10.39	68.2	-13.95	Peak	249.00	150	Horizontal	Pass
2**	2390.000	45.22	-10.39	54.0	-8.78	AV	249.00	150	Horizontal	Pass
3	5701.750	104.50	0.40	--	51.50	Peak	53.00	150	Horizontal	N/A
3**	5701.750	97.05	0.40	--	97.05	AV	53.00	150	Horizontal	N/A
4	7266.000	55.15	2.16	68.2	-13.05	Peak	328.00	150	Horizontal	Pass
4**	7266.000	45.10	2.16	54.0	-8.90	AV	328.00	150	Horizontal	Pass
5	11222.162	55.44	2.04	68.2	-12.76	Peak	169.00	150	Horizontal	Pass
5**	11222.162	45.55	2.04	54.0	-8.45	AV	169.00	150	Horizontal	Pass
6	15780.300	53.53	1.04	68.2	-14.67	Peak	277.00	150	Horizontal	Pass
6**	15780.300	44.61	1.04	54.0	-9.39	AV	277.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.800	45.16	-15.87	68.2	-23.04	Peak	169.00	150	Vertical	Pass
1**	1584.800	31.42	-15.87	54.0	-22.58	AV	169.00	150	Vertical	Pass
2	2390.000	50.95	-10.39	68.2	-17.25	Peak	345.00	150	Vertical	Pass
2**	2390.000	46.52	-10.39	54.0	-7.48	AV	345.00	150	Vertical	Pass
3	4761.000	51.47	-0.49	68.2	-16.73	Peak	180.00	150	Vertical	Pass
3**	4761.000	50.94	-0.49	54.0	-3.06	AV	180.00	150	Vertical	Pass
4	5703.500	109.12	0.43	--	-155.88	Peak	265.00	150	Vertical	N/A
4**	5703.500	101.00	0.43	--	101.00	AV	265.00	150	Vertical	N/A
5	7582.750	55.35	1.81	68.2	-12.85	Peak	360.00	150	Vertical	Pass
5**	7582.750	45.26	1.81	54.0	-8.74	AV	360.00	150	Vertical	Pass
6	11310.513	54.74	2.10	68.2	-13.46	Peak	31.00	150	Vertical	Pass
6**	11310.513	45.00	2.10	54.0	-9.00	AV	31.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1548.900	43.38	-15.61	68.2	-24.82	Peak	150.00	150	Horizontal	Pass
1**	1548.900	33.81	-15.61	54.0	-20.19	AV	150.00	150	Horizontal	Pass
2	2390.000	52.82	-10.39	68.2	-15.38	Peak	133.00	150	Horizontal	Pass
2**	2390.000	46.84	-10.39	54.0	-7.16	AV	133.00	150	Horizontal	Pass
3	5498.750	105.80	0.58	--	88.80	Peak	17.00	150	Horizontal	N/A
3**	5498.750	98.49	0.58	--	98.49	AV	17.00	150	Horizontal	N/A
4	7634.500	55.27	2.47	68.2	-12.93	Peak	244.00	150	Horizontal	Pass
4**	7634.500	45.68	2.47	54.0	-8.32	AV	244.00	150	Horizontal	Pass
5	11291.275	54.51	2.29	68.2	-13.69	Peak	0.00	150	Horizontal	Pass
5**	11291.275	45.46	2.29	54.0	-8.54	AV	0.00	150	Horizontal	Pass
6	15758.250	53.80	1.11	68.2	-14.40	Peak	116.00	150	Horizontal	Pass
6**	15758.250	44.19	1.11	54.0	-9.81	AV	116.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.100	44.75	-15.56	68.2	-23.45	Peak	178.00	150	Vertical	Pass
1**	1540.100	32.13	-15.56	54.0	-21.87	AV	178.00	150	Vertical	Pass
2	2390.000	52.97	-10.39	68.2	-15.23	Peak	172.00	150	Vertical	Pass
2**	2390.000	43.23	-10.39	54.0	-10.77	AV	172.00	150	Vertical	Pass
3	4782.750	57.16	0.88	68.2	-11.04	Peak	209.00	150	Vertical	Pass
3**	4782.750	50.78	0.88	54.0	-3.22	AV	209.00	150	Vertical	Pass
4	5521.750	105.28	0.66	--	-150.72	Peak	256.00	150	Vertical	N/A
4**	5521.750	98.00	0.66	--	98.00	AV	256.00	150	Vertical	N/A
5	7653.500	55.48	2.30	68.2	-12.72	Peak	78.00	150	Vertical	Pass
5**	7653.500	45.64	2.30	54.0	-8.36	AV	78.00	150	Vertical	Pass
6	11918.750	56.00	2.42	68.2	-12.20	Peak	238.00	150	Vertical	Pass
6**	11918.750	45.66	2.42	54.0	-8.34	AV	238.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1590.900	44.15	-15.84	68.2	-24.05	Peak	157.00	150	Horizontal	Pass
1**	1590.900	31.37	-15.84	54.0	-22.63	AV	157.00	150	Horizontal	Pass
2	2390.000	47.08	-10.39	68.2	-21.12	Peak	259.00	150	Horizontal	Pass
2**	2390.000	42.08	-10.39	54.0	-11.92	AV	259.00	150	Horizontal	Pass
3	5601.000	106.80	0.72	--	63.80	Peak	43.00	150	Horizontal	N/A
3**	5601.000	98.25	0.72	--	98.25	AV	43.00	150	Horizontal	N/A
4	7387.250	55.12	2.38	68.2	-13.08	Peak	18.00	150	Horizontal	Pass
4**	7387.250	46.47	2.38	54.0	-7.53	AV	18.00	150	Horizontal	Pass
5	11886.213	55.53	2.19	68.2	-12.67	Peak	31.00	150	Horizontal	Pass
5**	11886.213	45.74	2.19	54.0	-8.26	AV	31.00	150	Horizontal	Pass
6	15744.862	53.66	1.08	68.2	-14.54	Peak	333.00	150	Horizontal	Pass
6**	15744.862	43.75	1.08	54.0	-10.25	AV	333.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1589.500	44.84	-15.82	68.2	-23.36	Peak	179.00	150	Vertical	Pass
1**	1589.500	32.73	-15.82	54.0	-21.27	AV	179.00	150	Vertical	Pass
2	2390.000	53.57	-10.39	68.2	-14.63	Peak	346.00	150	Vertical	Pass
2**	2390.000	44.71	-10.39	54.0	-9.29	AV	346.00	150	Vertical	Pass
3	4795.750	52.35	0.43	68.2	-15.85	Peak	360.00	150	Vertical	Pass
3**	4795.750	50.97	0.43	54.0	-3.03	AV	360.00	150	Vertical	Pass
4	5577.500	108.12	0.30	--	-4.88	Peak	113.00	150	Vertical	N/A
4**	5577.500	99.48	0.30	--	99.48	AV	113.00	150	Vertical	N/A
5	7441.250	55.39	1.65	68.2	-12.81	Peak	353.00	150	Vertical	Pass
5**	7441.250	45.05	1.65	54.0	-8.95	AV	353.00	150	Vertical	Pass
6	12023.963	54.88	1.92	68.2	-13.32	Peak	186.00	150	Vertical	Pass
6**	12023.963	44.85	1.92	54.0	-9.15	AV	186.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1591.700	43.61	-15.82	68.2	-24.59	Peak	152.00	150	Horizontal	Pass
1**	1591.700	31.75	-15.82	54.0	-22.25	AV	152.00	150	Horizontal	Pass
2	2390.000	53.56	-10.39	68.2	-14.64	Peak	128.00	150	Horizontal	Pass
2**	2390.000	42.50	-10.39	54.0	-11.50	AV	128.00	150	Horizontal	Pass
3	5673.750	104.32	0.59	--	50.32	Peak	54.00	150	Horizontal	N/A
3**	5673.750	96.27	0.59	--	96.27	AV	54.00	150	Horizontal	N/A
4	7422.250	55.27	2.97	68.2	-12.93	Peak	125.00	150	Horizontal	Pass
4**	7422.250	46.06	2.97	54.0	-7.94	AV	125.00	150	Horizontal	Pass
5	11259.450	55.49	1.90	68.2	-12.71	Peak	273.00	150	Horizontal	Pass
5**	11259.450	44.74	1.90	54.0	-9.26	AV	273.00	150	Horizontal	Pass
6	15825.450	53.64	0.52	68.2	-14.56	Peak	319.00	150	Horizontal	Pass
6**	15825.450	43.75	0.52	54.0	-10.25	AV	319.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1589.500	45.38	-15.82	68.2	-22.82	Peak	188.00	150	Vertical	Pass
1**	1589.500	32.36	-15.82	54.0	-21.64	AV	188.00	150	Vertical	Pass
2	2390.000	55.14	-10.39	68.2	-13.06	Peak	171.00	150	Vertical	Pass
2**	2390.000	49.48	-10.39	54.0	-4.52	AV	171.00	150	Vertical	Pass
3	4779.250	54.64	0.60	68.2	-13.56	Peak	233.00	150	Vertical	Pass
3**	4779.250	50.89	0.60	54.0	-3.11	AV	233.00	150	Vertical	Pass
4	5672.000	107.34	0.66	--	-161.66	Peak	269.00	150	Vertical	N/A
4**	5672.000	100.63	0.66	--	100.63	AV	269.00	150	Vertical	N/A
5	7461.000	55.15	1.62	68.2	-13.05	Peak	233.00	150	Vertical	Pass
5**	7461.000	44.62	1.62	54.0	-9.38	AV	233.00	150	Vertical	Pass
6	11943.213	55.14	2.59	68.2	-13.06	Peak	135.00	150	Vertical	Pass
6**	11943.213	46.13	2.59	54.0	-7.87	AV	135.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.000	44.22	-15.86	68.2	-23.98	Peak	158.00	150	Horizontal	Pass
1**	1575.000	31.76	-15.86	54.0	-22.24	AV	158.00	150	Horizontal	Pass
2	2390.000	52.49	-10.39	68.2	-15.71	Peak	228.00	150	Horizontal	Pass
2**	2390.000	44.08	-10.39	54.0	-9.92	AV	228.00	150	Horizontal	Pass
3	5501.750	108.72	0.67	--	93.72	Peak	15.00	150	Horizontal	N/A
3**	5501.750	100.71	0.67	--	100.71	AV	15.00	150	Horizontal	N/A
4	7628.750	55.41	2.38	68.2	-12.79	Peak	232.00	150	Horizontal	Pass
4**	7628.750	45.03	2.38	54.0	-8.97	AV	232.00	150	Horizontal	Pass
5	11259.450	54.97	1.90	68.2	-13.23	Peak	203.00	150	Horizontal	Pass
5**	11259.450	44.65	1.90	54.0	-9.35	AV	203.00	150	Horizontal	Pass
6	15763.237	53.50	1.10	68.2	-14.70	Peak	204.00	150	Horizontal	Pass
6**	15763.237	44.52	1.10	54.0	-9.48	AV	204.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1609.800	46.28	-15.88	68.2	-21.92	Peak	0.00	150	Vertical	Pass
1**	1609.800	36.20	-15.88	54.0	-17.80	AV	0.00	150	Vertical	Pass
2	3759.000	48.68	-3.06	68.2	-19.52	Peak	109.00	150	Vertical	Pass
2**	3759.000	39.21	-3.06	54.0	-14.79	AV	109.00	150	Vertical	Pass
3	4793.250	54.53	0.60	68.2	-13.67	Peak	25.00	150	Vertical	Pass
3**	4793.250	50.58	0.60	54.0	-3.42	AV	25.00	150	Vertical	Pass
4	5502.500	107.88	0.67	--	-160.12	Peak	268.00	150	Vertical	N/A
4**	5502.500	100.04	0.67	--	100.04	AV	268.00	150	Vertical	N/A
5	7509.000	55.89	1.56	68.2	-12.31	Peak	352.00	150	Vertical	Pass
5**	7509.000	44.88	1.56	54.0	-9.12	AV	352.00	150	Vertical	Pass
6	11941.787	54.98	2.58	68.2	-13.22	Peak	223.00	150	Vertical	Pass
6**	11941.787	45.97	2.58	54.0	-8.03	AV	223.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1557.300	44.16	-15.79	68.2	-24.04	Peak	156.00	150	Horizontal	Pass
1**	1557.300	31.41	-15.79	54.0	-22.59	AV	156.00	150	Horizontal	Pass
2	2390.000	56.76	-10.39	68.2	-11.44	Peak	263.00	150	Horizontal	Pass
2**	2390.000	48.40	-10.39	54.0	-5.60	AV	263.00	150	Horizontal	Pass
3	5576.500	105.88	0.30	--	-254.12	Peak	360.00	150	Horizontal	N/A
3**	5576.500	99.03	0.30	--	99.03	AV	360.00	150	Horizontal	N/A
4	7565.000	55.80	2.70	68.2	-12.40	Peak	256.00	150	Horizontal	Pass
4**	7565.000	45.09	2.70	54.0	-8.91	AV	256.00	150	Horizontal	Pass
5	11273.700	54.32	2.08	68.2	-13.88	Peak	31.00	150	Horizontal	Pass
5**	11273.700	46.11	2.08	54.0	-7.89	AV	31.00	150	Horizontal	Pass
6	15953.549	53.83	0.96	68.2	-14.37	Peak	320.00	150	Horizontal	Pass
6**	15953.549	45.11	0.96	54.0	-8.89	AV	320.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.800	45.93	-15.73	68.2	-22.27	Peak	179.00	150	Vertical	Pass
1**	1601.800	34.30	-15.73	54.0	-19.70	AV	179.00	150	Vertical	Pass
2	2390.000	52.24	-10.39	68.2	-15.96	Peak	144.00	150	Vertical	Pass
2**	2390.000	47.75	-10.39	54.0	-6.25	AV	144.00	150	Vertical	Pass
3	4775.500	56.31	0.30	68.2	-11.89	Peak	185.00	150	Vertical	Pass
3**	4775.500	50.74	0.30	54.0	-3.26	AV	185.00	150	Vertical	Pass
4	5583.750	109.90	0.38	--	-3.10	Peak	113.00	150	Vertical	N/A
4**	5583.750	102.74	0.38	--	102.74	AV	113.00	150	Vertical	N/A
5	7614.000	55.86	2.18	68.2	-12.34	Peak	172.00	150	Vertical	Pass
5**	7614.000	45.01	2.18	54.0	-8.99	AV	172.00	150	Vertical	Pass
6	11941.550	54.67	2.58	68.2	-13.53	Peak	31.00	150	Vertical	Pass
6**	11941.550	44.94	2.58	54.0	-9.06	AV	31.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.800	42.81	-15.48	68.2	-25.39	Peak	219.00	150	Horizontal	Pass
1**	1330.800	30.41	-15.48	54.0	-23.59	AV	219.00	150	Horizontal	Pass
2	2390.000	50.08	-10.39	68.2	-18.12	Peak	208.00	150	Horizontal	Pass
2**	2390.000	45.87	-10.39	54.0	-8.13	AV	208.00	150	Horizontal	Pass
3	5702.250	104.84	0.38	--	50.84	Peak	54.00	150	Horizontal	N/A
3**	5702.250	97.10	0.38	--	97.10	AV	54.00	150	Horizontal	N/A
4	7410.750	55.32	2.85	68.2	-12.88	Peak	90.00	150	Horizontal	Pass
4**	7410.750	45.19	2.85	54.0	-8.81	AV	90.00	150	Horizontal	Pass
5	11448.738	54.79	1.58	68.2	-13.41	Peak	359.00	150	Horizontal	Pass
5**	11448.738	45.79	1.58	54.0	-8.21	AV	359.00	150	Horizontal	Pass
6	15758.513	53.89	1.11	68.2	-14.31	Peak	131.00	150	Horizontal	Pass
6**	15758.513	44.76	1.11	54.0	-9.24	AV	131.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.200	44.64	-15.80	68.2	-23.56	Peak	163.00	150	Vertical	Pass
1**	1594.200	33.83	-15.80	54.0	-20.17	AV	163.00	150	Vertical	Pass
2	2390.000	52.02	-10.39	68.2	-16.18	Peak	341.00	150	Vertical	Pass
2**	2390.000	45.24	-10.39	54.0	-8.76	AV	341.00	150	Vertical	Pass
3	4788.250	54.12	0.84	68.2	-14.08	Peak	196.00	150	Vertical	Pass
3**	4788.250	50.15	0.84	54.0	-3.85	AV	196.00	150	Vertical	Pass
4	5698.000	108.72	0.51	--	-159.28	Peak	268.00	150	Vertical	N/A
4**	5698.000	102.06	0.51	--	102.06	AV	268.00	150	Vertical	N/A
5	7579.250	55.69	2.01	68.2	-12.51	Peak	172.00	150	Vertical	Pass
5**	7579.250	45.56	2.01	54.0	-8.44	AV	172.00	150	Vertical	Pass
6	11955.088	55.38	2.64	68.2	-12.82	Peak	49.00	150	Vertical	Pass
6**	11955.088	45.67	2.64	54.0	-8.33	AV	49.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.400	43.82	-15.87	68.2	-24.38	Peak	162.00	150	Horizontal	Pass
1**	1519.400	32.78	-15.87	54.0	-21.22	AV	162.00	150	Horizontal	Pass
2	2390.000	53.88	-10.39	68.2	-14.32	Peak	245.00	150	Horizontal	Pass
2**	2390.000	46.22	-10.39	54.0	-7.78	AV	245.00	150	Horizontal	Pass
3	5512.500	105.71	0.52	--	87.71	Peak	18.00	150	Horizontal	N/A
3**	5512.500	99.00	0.52	--	99.00	AV	18.00	150	Horizontal	N/A
4	7432.250	55.98	2.24	68.2	-12.22	Peak	0.00	150	Horizontal	Pass
4**	7432.250	46.10	2.24	54.0	-7.90	AV	0.00	150	Horizontal	Pass
5	12476.637	56.02	2.96	68.2	-12.18	Peak	32.00	150	Horizontal	Pass
5**	12476.637	46.25	2.96	54.0	-7.75	AV	32.00	150	Horizontal	Pass
6	15982.687	53.71	0.77	68.2	-14.49	Peak	246.00	150	Horizontal	Pass
6**	15982.687	43.75	0.77	54.0	-10.25	AV	246.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.600	45.86	-15.83	68.2	-22.34	Peak	176.00	150	Vertical	Pass
1**	1595.600	31.15	-15.83	54.0	-22.85	AV	176.00	150	Vertical	Pass
2	2390.000	55.30	-10.39	68.2	-12.90	Peak	163.00	150	Vertical	Pass
2**	2390.000	45.55	-10.39	54.0	-8.45	AV	163.00	150	Vertical	Pass
3	4773.250	51.98	0.15	68.2	-16.22	Peak	178.00	150	Vertical	Pass
3**	4773.250	50.87	0.15	54.0	-3.13	AV	178.00	150	Vertical	Pass
4	5506.500	105.40	0.70	--	-159.60	Peak	265.00	150	Vertical	N/A
4**	5506.500	97.06	0.70	--	97.06	AV	265.00	150	Vertical	N/A
5	7560.500	55.78	2.74	68.2	-12.42	Peak	265.00	150	Vertical	Pass
5**	7560.500	45.69	2.74	54.0	-8.31	AV	265.00	150	Vertical	Pass
6	12013.038	55.07	2.24	68.2	-13.13	Peak	32.00	150	Vertical	Pass
6**	12013.038	44.90	2.24	54.0	-9.10	AV	32.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.600	44.23	-15.52	68.2	-23.97	Peak	162.00	150	Horizontal	Pass
1**	1532.600	31.43	-15.52	54.0	-22.57	AV	162.00	150	Horizontal	Pass
2	2390.000	49.23	-10.39	68.2	-18.97	Peak	196.00	150	Horizontal	Pass
2**	2390.000	45.36	-10.39	54.0	-8.64	AV	196.00	150	Horizontal	Pass
3	5599.250	106.32	0.73	--	53.32	Peak	53.00	150	Horizontal	N/A
3**	5599.250	98.58	0.73	--	98.58	AV	53.00	150	Horizontal	N/A
4	7621.000	55.40	2.21	68.2	-12.80	Peak	3.00	150	Horizontal	Pass
4**	7621.000	46.25	2.21	54.0	-7.75	AV	3.00	150	Horizontal	Pass
5	11301.488	54.73	2.36	68.2	-13.47	Peak	360.00	150	Horizontal	Pass
5**	11301.488	45.73	2.36	54.0	-8.27	AV	360.00	150	Horizontal	Pass
6	15753.787	53.68	1.13	68.2	-14.52	Peak	347.00	150	Horizontal	Pass
6**	15753.787	44.17	1.13	54.0	-9.83	AV	347.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1610.900	45.60	-15.93	68.2	-22.60	Peak	179.00	150	Vertical	Pass
1**	1610.900	33.83	-15.93	54.0	-20.17	AV	179.00	150	Vertical	Pass
2	2390.000	55.39	-10.39	68.2	-12.81	Peak	172.00	150	Vertical	Pass
2**	2390.000	46.15	-10.39	54.0	-7.85	AV	172.00	150	Vertical	Pass
3	4770.250	57.57	-0.08	68.2	-10.63	Peak	190.00	150	Vertical	Pass
3**	4770.250	50.39	-0.08	54.0	-3.61	AV	190.00	150	Vertical	Pass
4	5600.000	108.50	0.72	--	-156.50	Peak	265.00	150	Vertical	N/A
4**	5600.000	100.58	0.72	--	100.58	AV	265.00	150	Vertical	N/A
5	7625.250	54.87	2.28	68.2	-13.33	Peak	141.00	150	Vertical	Pass
5**	7625.250	46.05	2.28	54.0	-7.95	AV	141.00	150	Vertical	Pass
6	11946.776	55.26	2.62	68.2	-12.94	Peak	85.00	150	Vertical	Pass
6**	11946.776	45.37	2.62	54.0	-8.63	AV	85.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1481.300	42.83	-15.49	68.2	-25.37	Peak	247.00	150	Horizontal	Pass
1**	1481.300	30.97	-15.49	54.0	-23.03	AV	247.00	150	Horizontal	Pass
2	2390.000	52.17	-10.39	68.2	-16.03	Peak	113.00	150	Horizontal	Pass
2**	2390.000	45.69	-10.39	54.0	-8.31	AV	113.00	150	Horizontal	Pass
3	5671.500	103.35	0.67	--	52.35	Peak	51.00	150	Horizontal	N/A
3**	5671.500	95.63	0.67	--	95.63	AV	51.00	150	Horizontal	N/A
4	7559.000	55.75	2.71	68.2	-12.45	Peak	26.00	150	Horizontal	Pass
4**	7559.000	45.75	2.71	54.0	-8.25	AV	26.00	150	Horizontal	Pass
5	11938.463	56.01	2.56	68.2	-12.19	Peak	298.00	150	Horizontal	Pass
5**	11938.463	46.02	2.56	54.0	-7.98	AV	298.00	150	Horizontal	Pass
6	15739.088	54.49	1.01	68.2	-13.71	Peak	50.00	150	Horizontal	Pass
6**	15739.088	45.36	1.01	54.0	-8.64	AV	50.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1608.300	45.35	-15.82	68.2	-22.85	Peak	354.00	150	Vertical	Pass
1**	1608.300	34.41	-15.82	54.0	-19.59	AV	354.00	150	Vertical	Pass
2	2390.000	52.75	-10.39	68.2	-15.45	Peak	22.00	150	Vertical	Pass
2**	2390.000	48.34	-10.39	54.0	-5.66	AV	22.00	150	Vertical	Pass
3	4800.000	55.80	0.38	68.2	-12.40	Peak	177.00	150	Vertical	Pass
3**	4800.000	50.83	0.38	54.0	-3.17	AV	177.00	150	Vertical	Pass
4	5665.500	107.24	0.59	--	5.24	Peak	102.00	150	Vertical	N/A
4**	5665.500	100.17	0.59	--	100.17	AV	102.00	150	Vertical	N/A
5	7425.750	55.66	2.81	68.2	-12.54	Peak	0.00	150	Vertical	Pass
5**	7425.750	45.60	2.81	54.0	-8.40	AV	0.00	150	Vertical	Pass
6	11310.750	55.14	2.09	68.2	-13.06	Peak	245.00	150	Vertical	Pass
6**	11310.750	45.01	2.09	54.0	-8.99	AV	245.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1338.900	42.08	-15.61	68.2	-26.12	Peak	216.00	150	Horizontal	Pass
1**	1338.900	30.56	-15.61	54.0	-23.44	AV	216.00	150	Horizontal	Pass
2	2390.000	52.07	-10.39	68.2	-16.13	Peak	204.00	150	Horizontal	Pass
2**	2390.000	39.34	-10.39	54.0	-14.66	AV	204.00	150	Horizontal	Pass
3	5519.250	103.38	0.56	--	87.38	Peak	16.00	150	Horizontal	N/A
3**	5519.250	95.28	0.56	--	95.28	AV	16.00	150	Horizontal	N/A
4	7420.250	55.96	3.04	68.2	-12.24	Peak	116.00	150	Horizontal	Pass
4**	7420.250	46.20	3.04	54.0	-7.80	AV	116.00	150	Horizontal	Pass
5	11896.424	54.65	2.27	68.2	-13.55	Peak	139.00	150	Horizontal	Pass
5**	11896.424	44.83	2.27	54.0	-9.17	AV	139.00	150	Horizontal	Pass
6	15954.338	54.59	0.95	68.2	-13.61	Peak	244.00	150	Horizontal	Pass
6**	15954.338	44.92	0.95	54.0	-9.08	AV	244.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1589.200	45.03	-15.83	68.2	-23.17	Peak	169.00	150	Vertical	Pass
1**	1589.200	32.33	-15.83	54.0	-21.67	AV	169.00	150	Vertical	Pass
2	2390.000	51.88	-10.39	68.2	-16.32	Peak	341.00	150	Vertical	Pass
2**	2390.000	45.07	-10.39	54.0	-8.93	AV	341.00	150	Vertical	Pass
3	4778.250	54.43	0.53	68.2	-13.77	Peak	178.00	150	Vertical	Pass
3**	4778.250	50.44	0.53	54.0	-3.56	AV	178.00	150	Vertical	Pass
4	5550.250	102.82	0.81	--	-162.18	Peak	265.00	150	Vertical	N/A
4**	5550.250	94.70	0.81	--	94.70	AV	265.00	150	Vertical	N/A
5	7571.750	55.23	2.51	68.2	-12.97	Peak	16.00	150	Vertical	Pass
5**	7571.750	45.82	2.51	54.0	-8.18	AV	16.00	150	Vertical	Pass
6	11282.725	54.69	2.19	68.2	-13.51	Peak	316.00	150	Vertical	Pass
6**	11282.725	45.21	2.19	54.0	-8.79	AV	316.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1557.700	44.88	-15.75	68.2	-23.32	Peak	0.00	150	Horizontal	Pass
1**	1557.700	32.13	-15.75	54.0	-21.87	AV	0.00	150	Horizontal	Pass
2	2390.000	55.87	-10.39	68.2	-12.33	Peak	130.00	150	Horizontal	Pass
2**	2390.000	43.06	-10.39	54.0	-10.94	AV	130.00	150	Horizontal	Pass
3	5587.000	103.18	0.41	--	87.18	Peak	16.00	150	Horizontal	N/A
3**	5587.000	95.55	0.41	--	95.55	AV	16.00	150	Horizontal	N/A
4	7405.000	55.65	2.62	68.2	-12.55	Peak	52.00	150	Horizontal	Pass
4**	7405.000	47.00	2.62	54.0	-7.00	AV	52.00	150	Horizontal	Pass
5	12007.812	54.87	2.40	68.2	-13.33	Peak	195.00	150	Horizontal	Pass
5**	12007.812	45.36	2.40	54.0	-8.64	AV	195.00	150	Horizontal	Pass
6	15982.687	54.34	0.77	68.2	-13.86	Peak	214.00	150	Horizontal	Pass
6**	15982.687	44.98	0.77	54.0	-9.02	AV	214.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.500	46.34	-15.79	68.2	-21.86	Peak	175.00	150	Vertical	Pass
1**	1592.500	31.57	-15.79	54.0	-22.43	AV	175.00	150	Vertical	Pass
2	2390.000	51.16	-10.39	68.2	-17.04	Peak	347.00	150	Vertical	Pass
2**	2390.000	46.74	-10.39	54.0	-7.26	AV	347.00	150	Vertical	Pass
3	4788.000	53.99	0.84	68.2	-14.21	Peak	215.00	150	Vertical	Pass
3**	4788.000	50.77	0.84	54.0	-3.23	AV	215.00	150	Vertical	Pass
4	5620.250	105.79	0.43	--	-172.21	Peak	278.00	150	Vertical	N/A
4**	5620.250	97.17	0.43	--	97.17	AV	278.00	150	Vertical	N/A
5	7403.750	55.95	2.57	68.2	-12.25	Peak	203.00	150	Vertical	Pass
5**	7403.750	46.69	2.57	54.0	-7.31	AV	203.00	150	Vertical	Pass
6	11295.787	54.79	2.35	68.2	-13.41	Peak	300.00	150	Vertical	Pass
6**	11295.787	45.56	2.35	54.0	-8.44	AV	300.00	150	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.300	43.95	-15.91	68.2	-24.25	Peak	156.00	150	Horizontal	Pass
1**	1574.300	35.17	-15.91	54.0	-18.83	AV	156.00	150	Horizontal	Pass
2	2390.000	56.70	-10.39	68.2	-11.50	Peak	256.00	150	Horizontal	Pass
2**	2390.000	51.27	-10.39	54.0	-2.73	AV	256.00	150	Horizontal	Pass
3	5503.250	109.69	0.66	--	56.69	Peak	53.00	150	Horizontal	N/A
3**	5503.250	101.15	0.66	--	101.15	AV	53.00	150	Horizontal	N/A
4	7390.500	55.27	2.43	68.2	-12.93	Peak	127.00	150	Horizontal	Pass
4**	7390.500	45.86	2.43	54.0	-8.14	AV	127.00	150	Horizontal	Pass
5	11220.263	54.63	2.06	68.2	-13.57	Peak	264.00	150	Horizontal	Pass
5**	11220.263	44.99	2.06	54.0	-9.01	AV	264.00	150	Horizontal	Pass
6	15754.050	53.84	1.13	68.2	-14.36	Peak	243.00	150	Horizontal	Pass
6**	15754.050	44.94	1.13	54.0	-9.06	AV	243.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1609.000	47.28	-15.85	68.2	-20.92	Peak	181.00	150	Vertical	Pass
1**	1609.000	34.49	-15.85	54.0	-19.51	AV	181.00	150	Vertical	Pass
2	2390.000	50.24	-10.39	68.2	-17.96	Peak	22.00	150	Vertical	Pass
2**	2390.000	42.17	-10.39	54.0	-11.83	AV	22.00	150	Vertical	Pass
3	4785.500	52.42	0.96	68.2	-15.78	Peak	5.00	150	Vertical	Pass
3**	4785.500	50.95	0.96	54.0	-3.05	AV	5.00	150	Vertical	Pass
4	5501.250	107.39	0.65	--	-181.61	Peak	289.00	150	Vertical	N/A
4**	5501.250	100.07	0.65	--	100.07	AV	289.00	150	Vertical	N/A
5	7705.750	55.75	2.74	68.2	-12.45	Peak	190.00	150	Vertical	Pass
5**	7705.750	46.43	2.74	54.0	-7.57	AV	190.00	150	Vertical	Pass
6	11048.787	54.77	1.98	68.2	-13.43	Peak	227.00	150	Vertical	Pass
6**	11048.787	44.66	1.98	54.0	-9.34	AV	227.00	150	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1609.000	45.30	-15.85	68.2	-22.90	Peak	157.00	150	Horizontal	Pass
1**	1609.000	31.54	-15.85	54.0	-22.46	AV	157.00	150	Horizontal	Pass
2	2390.000	55.16	-10.39	68.2	-13.04	Peak	266.00	150	Horizontal	Pass
2**	2390.000	47.28	-10.39	54.0	-6.72	AV	266.00	150	Horizontal	Pass
3	5580.750	108.56	0.30	--	55.56	Peak	53.00	150	Horizontal	N/A
3**	5580.750	100.74	0.30	--	100.74	AV	53.00	150	Horizontal	N/A
4	7646.000	55.57	2.40	68.2	-12.63	Peak	360.00	150	Horizontal	Pass
4**	7646.000	46.04	2.40	54.0	-7.96	AV	360.00	150	Horizontal	Pass
5	12461.200	55.17	2.80	68.2	-13.03	Peak	157.00	150	Horizontal	Pass
5**	12461.200	45.92	2.80	54.0	-8.08	AV	157.00	150	Horizontal	Pass
6	16007.888	53.81	0.53	68.2	-14.39	Peak	333.00	150	Horizontal	Pass
6**	16007.888	43.92	0.53	54.0	-10.08	AV	333.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.800	45.62	-15.98	68.2	-22.58	Peak	0.00	150	Vertical	Pass
1**	1612.800	32.10	-15.98	54.0	-21.90	AV	0.00	150	Vertical	Pass
2	2390.000	54.34	-10.39	68.2	-13.86	Peak	175.00	150	Vertical	Pass
2**	2390.000	47.31	-10.39	54.0	-6.69	AV	175.00	150	Vertical	Pass
3	4784.250	56.30	0.97	68.2	-11.90	Peak	203.00	150	Vertical	Pass
3**	4784.250	50.67	0.97	54.0	-3.33	AV	203.00	150	Vertical	Pass
4	5583.500	111.27	0.36	--	-166.73	Peak	278.00	150	Vertical	N/A
4**	5583.500	102.42	0.36	--	102.42	AV	278.00	150	Vertical	N/A
5	7414.000	55.92	2.94	68.2	-12.28	Peak	240.00	150	Vertical	Pass
5**	7414.000	45.60	2.94	54.0	-8.40	AV	240.00	150	Vertical	Pass
6	11895.238	54.97	2.26	68.2	-13.23	Peak	174.00	150	Vertical	Pass
6**	11895.238	46.31	2.26	54.0	-7.69	AV	174.00	150	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.000	45.06	-15.81	68.2	-23.14	Peak	157.00	150	Horizontal	Pass
1**	1592.000	30.74	-15.81	54.0	-23.26	AV	157.00	150	Horizontal	Pass
2	2390.000	52.19	-10.39	68.2	-16.01	Peak	201.00	150	Horizontal	Pass
2**	2390.000	45.41	-10.39	54.0	-8.59	AV	201.00	150	Horizontal	Pass
3	5698.250	104.42	0.49	--	51.42	Peak	53.00	150	Horizontal	N/A
3**	5698.250	97.35	0.49	--	97.35	AV	53.00	150	Horizontal	N/A
4	7564.750	55.40	2.71	68.2	-12.80	Peak	66.00	150	Horizontal	Pass
4**	7564.750	46.58	2.71	54.0	-7.42	AV	66.00	150	Horizontal	Pass
5	11295.787	54.65	2.35	68.2	-13.55	Peak	263.00	150	Horizontal	Pass
5**	11295.787	46.00	2.35	54.0	-8.00	AV	263.00	150	Horizontal	Pass
6	15927.037	53.48	0.77	68.2	-14.72	Peak	259.00	150	Horizontal	Pass
6**	15927.037	43.48	0.77	54.0	-10.52	AV	259.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1581.400	44.74	-15.76	68.2	-23.46	Peak	173.00	150	Vertical	Pass
1**	1581.400	35.55	-15.76	54.0	-18.45	AV	173.00	150	Vertical	Pass
2	2390.000	48.19	-10.39	68.2	-20.01	Peak	47.00	150	Vertical	Pass
2**	2390.000	44.57	-10.39	54.0	-9.43	AV	47.00	150	Vertical	Pass
3	4796.250	59.24	0.43	68.2	-8.96	Peak	176.00	150	Vertical	Pass
3**	4796.250	50.89	0.43	54.0	-3.11	AV	176.00	150	Vertical	Pass
4	5704.750	108.89	0.31	--	-154.11	Peak	263.00	150	Vertical	N/A
4**	5704.750	99.70	0.31	--	99.70	AV	263.00	150	Vertical	N/A
5	7570.500	55.43	2.47	68.2	-12.77	Peak	226.00	150	Vertical	Pass
5**	7570.500	45.92	2.47	54.0	-8.08	AV	226.00	150	Vertical	Pass
6	12491.362	55.40	3.12	68.2	-12.80	Peak	0.00	150	Vertical	Pass
6**	12491.362	46.15	3.12	54.0	-7.85	AV	0.00	150	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1560.700	46.65	-15.82	68.2	-21.55	Peak	160.00	150	Horizontal	Pass
1**	1560.700	34.70	-15.82	54.0	-19.30	AV	160.00	150	Horizontal	Pass
2	2390.000	52.60	-10.39	68.2	-15.60	Peak	242.00	150	Horizontal	Pass
2**	2390.000	40.99	-10.39	54.0	-13.01	AV	242.00	150	Horizontal	Pass
3	5519.500	106.54	0.56	--	94.54	Peak	12.00	150	Horizontal	N/A
3**	5519.500	98.80	0.56	--	98.80	AV	12.00	150	Horizontal	N/A
4	7219.000	56.76	1.67	68.2	-11.44	Peak	74.00	150	Horizontal	Pass
4**	7219.000	45.76	1.67	54.0	45.76	AV	74.00	150	Horizontal	Pass
5	11990.475	55.00	2.63	68.2	-13.20	Peak	302.00	150	Horizontal	Pass
5**	11990.475	45.71	2.63	54.0	-8.29	AV	302.00	150	Horizontal	Pass
6	15750.112	53.75	1.14	68.2	-14.45	Peak	334.00	150	Horizontal	Pass
6**	15750.112	44.30	1.14	54.0	-9.70	AV	334.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1617.300	45.46	-15.98	68.2	-22.74	Peak	0.00	150	Vertical	Pass
1**	1617.300	33.20	-15.98	54.0	-20.80	AV	0.00	150	Vertical	Pass
2	2390.000	53.67	-10.39	68.2	-14.53	Peak	352.00	150	Vertical	Pass
2**	2390.000	47.04	-10.39	54.0	-6.96	AV	352.00	150	Vertical	Pass
3	4787.500	58.73	0.90	68.2	-9.47	Peak	188.00	150	Vertical	Pass
3**	4787.500	51.42	0.90	54.0	-2.58	AV	188.00	150	Vertical	Pass
4	5517.750	106.00	0.55	--	6.00	Peak	100.00	150	Vertical	N/A
4**	5517.750	96.70	0.55	--	96.70	AV	100.00	150	Vertical	N/A
5	7635.000	54.96	2.49	68.2	-13.24	Peak	361.00	150	Vertical	Pass
5**	7635.000	44.95	2.49	54.0	-9.05	AV	361.00	150	Vertical	Pass
6	11201.738	55.00	2.24	68.2	-13.20	Peak	157.00	150	Vertical	Pass
6**	11201.738	45.08	2.24	54.0	-8.92	AV	157.00	150	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1605.000	44.00	-15.82	68.2	-24.20	Peak	160.00	150	Horizontal	Pass
1**	1605.000	29.97	-15.82	54.0	-24.03	AV	160.00	150	Horizontal	Pass
2	2390.000	48.85	-10.39	68.2	-19.35	Peak	229.00	150	Horizontal	Pass
2**	2390.000	42.98	-10.39	54.0	-11.02	AV	229.00	150	Horizontal	Pass
3	5591.000	107.31	0.51	--	57.31	Peak	50.00	150	Horizontal	N/A
3**	5591.000	98.60	0.51	--	98.60	AV	50.00	150	Horizontal	N/A
4	7390.750	54.62	2.42	68.2	-13.58	Peak	38.00	150	Horizontal	Pass
4**	7390.750	46.52	2.42	54.0	-7.48	AV	38.00	150	Horizontal	Pass
5	11280.825	55.49	2.16	68.2	-12.71	Peak	319.00	150	Horizontal	Pass
5**	11280.825	45.19	2.16	54.0	-8.81	AV	319.00	150	Horizontal	Pass
6	15971.925	53.73	0.84	68.2	-14.47	Peak	124.00	150	Horizontal	Pass
6**	15971.925	44.56	0.84	54.0	-9.44	AV	124.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1614.700	45.95	-16.00	68.2	-22.25	Peak	10.00	150	Vertical	Pass
1**	1614.700	32.08	-16.00	54.0	-21.92	AV	10.00	150	Vertical	Pass
2	2390.000	56.01	-10.39	68.2	-12.19	Peak	176.00	150	Vertical	Pass
2**	2390.000	44.99	-10.39	54.0	-9.01	AV	176.00	150	Vertical	Pass
3	4785.750	52.61	0.95	68.2	-15.59	Peak	176.00	150	Vertical	Pass
3**	4785.750	50.91	0.95	54.0	-3.09	AV	176.00	150	Vertical	Pass
4	5587.000	109.47	0.41	--	-167.53	Peak	277.00	150	Vertical	N/A
4**	5587.000	100.23	0.41	--	100.23	AV	277.00	150	Vertical	N/A
5	7407.000	56.20	2.68	68.2	-12.00	Peak	351.00	150	Vertical	Pass
5**	7407.000	45.77	2.68	54.0	-8.23	AV	351.00	150	Vertical	Pass
6	11986.912	54.86	2.63	68.2	-13.34	Peak	103.00	150	Vertical	Pass
6**	11986.912	45.27	2.63	54.0	-8.73	AV	103.00	150	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.900	45.13	-15.53	68.2	-23.07	Peak	158.00	150	Horizontal	Pass
1**	1543.900	34.04	-15.53	54.0	-19.96	AV	158.00	150	Horizontal	Pass
2	2390.000	53.89	-10.39	68.2	-14.31	Peak	241.00	150	Horizontal	Pass
2**	2390.000	42.06	-10.39	54.0	-11.94	AV	241.00	150	Horizontal	Pass
3	5675.750	104.06	0.62	--	52.06	Peak	52.00	150	Horizontal	N/A
3**	5675.750	95.79	0.62	--	95.79	AV	52.00	150	Horizontal	N/A
4	7394.750	55.83	2.39	68.2	-12.37	Peak	3.00	150	Horizontal	Pass
4**	7394.750	45.75	2.39	54.0	-8.25	AV	3.00	150	Horizontal	Pass
5	12002.825	54.96	2.55	68.2	-13.24	Peak	13.00	150	Horizontal	Pass
5**	12002.825	45.94	2.55	54.0	-8.06	AV	13.00	150	Horizontal	Pass
6	15749.588	53.66	1.14	68.2	-14.54	Peak	166.00	150	Horizontal	Pass
6**	15749.588	44.67	1.14	54.0	-9.33	AV	166.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.900	45.98	-15.86	68.2	-22.22	Peak	168.00	150	Vertical	Pass
1**	1573.900	32.59	-15.86	54.0	-21.41	AV	168.00	150	Vertical	Pass
2	2390.000	51.76	-10.39	68.2	-16.44	Peak	137.00	150	Vertical	Pass
2**	2390.000	48.86	-10.39	54.0	-5.14	AV	137.00	150	Vertical	Pass
3	4775.500	51.91	0.30	68.2	-16.29	Peak	214.00	150	Vertical	Pass
3**	4775.500	50.25	0.30	54.0	-3.75	AV	214.00	150	Vertical	Pass
4	5676.000	107.50	0.61	--	-169.50	Peak	277.00	150	Vertical	N/A
4**	5676.000	99.35	0.61	--	99.35	AV	277.00	150	Vertical	N/A
5	7412.750	55.18	2.91	68.2	-13.02	Peak	90.00	150	Vertical	Pass
5**	7412.750	45.70	2.91	54.0	-8.30	AV	90.00	150	Vertical	Pass
6	11903.787	55.69	2.32	68.2	-12.51	Peak	156.00	150	Vertical	Pass
6**	11903.787	45.25	2.32	54.0	-8.75	AV	156.00	150	Vertical	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1561.000	44.09	-15.85	68.2	-24.11	Peak	155.00	150	Horizontal	Pass
1**	1561.000	31.26	-15.85	54.0	-22.74	AV	155.00	150	Horizontal	Pass
2	2390.000	50.79	-10.39	68.2	-17.41	Peak	276.00	150	Horizontal	Pass
2**	2390.000	49.11	-10.39	54.0	-4.89	AV	276.00	150	Horizontal	Pass
3	5506.750	104.38	0.69	--	52.38	Peak	52.00	150	Horizontal	N/A
3**	5506.750	95.64	0.69	--	95.64	AV	52.00	150	Horizontal	N/A
4	7704.500	55.57	2.72	68.2	-12.63	Peak	314.00	150	Horizontal	Pass
4**	7704.500	45.58	2.72	54.0	-8.42	AV	314.00	150	Horizontal	Pass
5	11290.800	55.14	2.29	68.2	-13.06	Peak	282.00	150	Horizontal	Pass
5**	11290.800	45.76	2.29	54.0	-8.24	AV	282.00	150	Horizontal	Pass
6	15761.138	53.79	1.10	68.2	-14.41	Peak	49.00	150	Horizontal	Pass
6**	15761.138	45.24	1.10	54.0	-8.76	AV	49.00	150	Horizontal	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1587.400	44.54	-15.83	68.2	-23.66	Peak	182.00	150	Vertical	Pass
1**	1587.400	32.27	-15.83	54.0	-21.73	AV	182.00	150	Vertical	Pass
2	2390.000	53.66	-10.39	68.2	-14.54	Peak	175.00	150	Vertical	Pass
2**	2390.000	43.57	-10.39	54.0	-10.43	AV	175.00	150	Vertical	Pass
3	4807.000	50.50	0.48	68.2	-17.70	Peak	113.00	150	Vertical	Pass
3**	4807.000	50.40	0.48	54.0	-3.60	AV	113.00	150	Vertical	Pass
4	5518.250	103.71	0.57	--	-160.29	Peak	264.00	150	Vertical	N/A
4**	5518.250	95.49	0.57	--	95.49	AV	264.00	150	Vertical	N/A
5	7628.750	55.55	2.38	68.2	-12.65	Peak	88.00	150	Vertical	Pass
5**	7628.750	45.44	2.38	54.0	-8.56	AV	88.00	150	Vertical	Pass
6	11299.112	55.70	2.39	68.2	-12.50	Peak	337.00	150	Vertical	Pass
6**	11299.112	46.07	2.39	54.0	-7.93	AV	337.00	150	Vertical	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.600	43.19	-15.59	68.2	-25.01	Peak	167.00	150	Horizontal	Pass
1**	1529.600	32.02	-15.59	54.0	-21.98	AV	167.00	150	Horizontal	Pass
2	2390.000	53.91	-10.39	68.2	-14.29	Peak	263.00	150	Horizontal	Pass
2**	2390.000	43.38	-10.39	54.0	-10.62	AV	263.00	150	Horizontal	Pass
3	5586.250	104.28	0.34	--	53.28	Peak	51.00	150	Horizontal	N/A
3**	5586.250	96.15	0.34	--	96.15	AV	51.00	150	Horizontal	N/A
4	7539.000	55.05	2.31	68.2	-13.15	Peak	176.00	150	Horizontal	Pass
4**	7539.000	45.10	2.31	54.0	-8.90	AV	176.00	150	Horizontal	Pass
5	11227.862	55.03	1.99	68.2	-13.17	Peak	175.00	150	Horizontal	Pass
5**	11227.862	44.65	1.99	54.0	-9.35	AV	175.00	150	Horizontal	Pass
6	15943.050	53.76	0.92	68.2	-14.44	Peak	5.00	150	Horizontal	Pass
6**	15943.050	45.84	0.92	54.0	-8.16	AV	5.00	150	Horizontal	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.400	44.96	-15.87	68.2	-23.24	Peak	214.00	150	Vertical	Pass
1**	1570.400	32.42	-15.87	54.0	-21.58	AV	214.00	150	Vertical	Pass
2	2390.000	47.57	-10.39	68.2	-20.63	Peak	61.00	150	Vertical	Pass
2**	2390.000	45.49	-10.39	54.0	-8.51	AV	61.00	150	Vertical	Pass
3	4782.250	55.20	0.84	68.2	-13.00	Peak	202.00	150	Vertical	Pass
3**	4782.250	50.91	0.84	54.0	-3.09	AV	202.00	150	Vertical	Pass
4	5586.750	106.55	0.39	--	-158.45	Peak	265.00	150	Vertical	N/A
4**	5586.750	96.98	0.39	--	96.98	AV	265.00	150	Vertical	N/A
5	7422.000	55.51	2.97	68.2	-12.69	Peak	115.00	150	Vertical	Pass
5**	7422.000	45.41	2.97	54.0	-8.59	AV	115.00	150	Vertical	Pass
6	12462.625	55.54	2.82	68.2	-12.66	Peak	50.00	150	Vertical	Pass
6**	12462.625	46.21	2.82	54.0	-7.79	AV	50.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.100	43.54	-15.88	68.2	-24.66	Peak	157.00	150	Horizontal	Pass
1**	1572.100	33.20	-15.88	54.0	-20.80	AV	157.00	150	Horizontal	Pass
2	2390.000	50.03	-10.39	68.2	-18.17	Peak	329.00	150	Horizontal	Pass
2**	2390.000	41.16	-10.39	54.0	-12.84	AV	329.00	150	Horizontal	Pass
3	5746.750	105.03	1.16	--	52.03	Peak	53.00	150	Horizontal	N/A
3**	5746.750	97.70	1.16	--	97.70	AV	53.00	150	Horizontal	N/A
4	7411.500	55.39	2.87	68.2	-12.81	Peak	202.00	150	Horizontal	Pass
4**	7411.500	46.11	2.87	54.0	-7.89	AV	202.00	150	Horizontal	Pass
5	11300.300	54.41	2.39	68.2	-13.79	Peak	14.00	150	Horizontal	Pass
5**	11300.300	45.65	2.39	54.0	-8.35	AV	14.00	150	Horizontal	Pass
6	15732.787	53.37	0.93	68.2	-14.83	Peak	237.00	150	Horizontal	Pass
6**	15732.787	44.40	0.93	54.0	-9.60	AV	237.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.500	46.44	-15.79	68.2	-21.76	Peak	174.00	150	Vertical	Pass
1**	1592.500	33.79	-15.79	54.0	-20.21	AV	174.00	150	Vertical	Pass
2	2390.000	55.32	-10.39	68.2	-12.88	Peak	155.00	150	Vertical	Pass
2**	2390.000	44.20	-10.39	54.0	-9.80	AV	155.00	150	Vertical	Pass
3	4773.500	50.86	0.21	68.2	-17.34	Peak	0.00	150	Vertical	Pass
3**	4773.500	50.96	0.21	54.0	-3.04	AV	0.00	150	Vertical	Pass
4	5742.750	110.76	1.01	--	-167.24	Peak	278.00	150	Vertical	N/A
4**	5742.750	102.61	1.01	--	102.61	AV	278.00	150	Vertical	N/A
5	7579.000	55.08	2.03	68.2	-13.12	Peak	227.00	150	Vertical	Pass
5**	7579.000	45.40	2.03	54.0	-8.60	AV	227.00	150	Vertical	Pass
6	11991.425	55.96	2.63	68.2	-12.24	Peak	336.00	150	Vertical	Pass
6**	11991.425	45.04	2.63	54.0	-8.96	AV	336.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1535.700	44.60	-15.59	68.2	-23.60	Peak	160.00	150	Horizontal	Pass
1**	1535.700	31.91	-15.59	54.0	-22.09	AV	160.00	150	Horizontal	Pass
2	2390.000	53.57	-10.39	68.2	-14.63	Peak	275.00	150	Horizontal	Pass
2**	2390.000	42.50	-10.39	54.0	-11.50	AV	275.00	150	Horizontal	Pass
3	5781.500	104.29	1.09	--	-184.71	Peak	289.00	150	Horizontal	N/A
3**	5781.500	96.46	1.09	--	96.46	AV	289.00	150	Horizontal	N/A
4	7695.500	55.96	2.73	68.2	-12.24	Peak	190.00	150	Horizontal	Pass
4**	7695.500	45.44	2.73	54.0	-8.56	AV	190.00	150	Horizontal	Pass
5	11442.326	54.39	1.41	68.2	-13.81	Peak	120.00	150	Horizontal	Pass
5**	11442.326	44.66	1.41	54.0	-9.34	AV	120.00	150	Horizontal	Pass
6	15753.263	54.09	1.13	68.2	-14.11	Peak	360.00	150	Horizontal	Pass
6**	15753.263	44.96	1.13	54.0	-9.04	AV	360.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1581.900	44.50	-15.78	68.2	-23.70	Peak	168.00	150	Vertical	Pass
1**	1581.900	33.16	-15.78	54.0	-20.84	AV	168.00	150	Vertical	Pass
2	2390.000	53.27	-10.39	68.2	-14.93	Peak	34.00	150	Vertical	Pass
2**	2390.000	48.67	-10.39	54.0	-5.33	AV	34.00	150	Vertical	Pass
3	4792.250	56.92	0.60	68.2	-11.28	Peak	190.00	150	Vertical	Pass
3**	4792.250	50.90	0.60	54.0	-3.10	AV	190.00	150	Vertical	Pass
4	5788.000	110.14	1.02	--	-154.86	Peak	265.00	150	Vertical	N/A
4**	5788.000	101.62	1.02	--	101.62	AV	265.00	150	Vertical	N/A
5	7418.750	55.42	3.07	68.2	-12.78	Peak	41.00	150	Vertical	Pass
5**	7418.750	46.73	3.07	54.0	-7.27	AV	41.00	150	Vertical	Pass
6	11920.412	55.95	2.43	68.2	-12.25	Peak	264.00	150	Vertical	Pass
6**	11920.412	45.35	2.43	54.0	-8.65	AV	264.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.000	43.61	-15.59	68.2	-24.59	Peak	160.00	150	Horizontal	Pass
1**	1543.000	33.60	-15.59	54.0	-20.40	AV	160.00	150	Horizontal	Pass
2	2390.000	49.42	-10.39	68.2	-18.78	Peak	217.00	150	Horizontal	Pass
2**	2390.000	44.31	-10.39	54.0	-9.69	AV	217.00	150	Horizontal	Pass
3	5821.500	104.14	1.72	--	-196.86	Peak	301.00	150	Horizontal	N/A
3**	5821.500	96.49	1.72	--	96.49	AV	301.00	150	Horizontal	N/A
4	7419.000	56.08	3.07	68.2	-12.12	Peak	61.00	150	Horizontal	Pass
4**	7419.000	46.68	3.07	54.0	-7.32	AV	61.00	150	Horizontal	Pass
5	11888.825	55.10	2.21	68.2	-13.10	Peak	360.00	150	Horizontal	Pass
5**	11888.825	45.48	2.21	54.0	-8.52	AV	360.00	150	Horizontal	Pass
6	15934.650	54.39	0.84	68.2	-13.81	Peak	244.00	150	Horizontal	Pass
6**	15934.650	43.74	0.84	54.0	-10.26	AV	244.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1582.200	44.89	-15.81	68.2	-23.31	Peak	174.00	150	Vertical	Pass
1**	1582.200	31.42	-15.81	54.0	-22.58	AV	174.00	150	Vertical	Pass
2	2390.000	54.20	-10.39	68.2	-14.00	Peak	180.00	150	Vertical	Pass
2**	2390.000	40.47	-10.39	54.0	-13.53	AV	180.00	150	Vertical	Pass
3	4778.250	56.96	0.53	68.2	-11.24	Peak	190.00	150	Vertical	Pass
3**	4778.250	50.56	0.53	54.0	-3.44	AV	190.00	150	Vertical	Pass
4	5823.500	109.71	1.76	--	-168.29	Peak	278.00	150	Vertical	N/A
4**	5823.500	102.10	1.76	--	102.10	AV	278.00	150	Vertical	N/A
5	7390.250	55.94	2.43	68.2	-12.26	Peak	128.00	150	Vertical	Pass
5**	7390.250	45.83	2.43	54.0	-8.17	AV	128.00	150	Vertical	Pass
6	12522.713	55.28	2.71	68.2	-12.92	Peak	120.00	150	Vertical	Pass
6**	12522.713	45.27	2.71	54.0	-8.73	AV	120.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.800	42.91	-15.53	68.2	-25.29	Peak	163.00	150	Horizontal	Pass
1**	1531.800	34.54	-15.53	54.0	-19.46	AV	163.00	150	Horizontal	Pass
2	2390.000	55.33	-10.39	68.2	-12.87	Peak	251.00	150	Horizontal	Pass
2**	2390.000	42.16	-10.39	54.0	-11.84	AV	251.00	150	Horizontal	Pass
3	5747.500	105.34	1.21	--	-183.66	Peak	289.00	150	Horizontal	N/A
3**	5747.500	97.43	1.21	--	97.43	AV	289.00	150	Horizontal	N/A
4	7399.750	56.36	2.52	68.2	-11.84	Peak	213.00	150	Horizontal	Pass
4**	7399.750	45.14	2.52	54.0	-8.86	AV	213.00	150	Horizontal	Pass
5	11299.350	54.82	2.39	68.2	-13.38	Peak	230.00	150	Horizontal	Pass
5**	11299.350	45.45	2.39	54.0	-8.55	AV	230.00	150	Horizontal	Pass
6	15811.013	54.58	0.78	68.2	-13.62	Peak	5.00	150	Horizontal	Pass
6**	15811.013	44.33	0.78	54.0	-9.67	AV	5.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1580.000	45.43	-15.92	68.2	-22.77	Peak	174.00	150	Vertical	Pass
1**	1580.000	32.85	-15.92	54.0	-21.15	AV	174.00	150	Vertical	Pass
2	2390.000	51.12	-10.39	68.2	-17.08	Peak	314.00	150	Vertical	Pass
2**	2390.000	48.89	-10.39	54.0	-5.11	AV	314.00	150	Vertical	Pass
3	4785.750	55.29	0.95	68.2	-12.91	Peak	360.00	150	Vertical	Pass
3**	4785.750	50.62	0.95	54.0	-3.38	AV	360.00	150	Vertical	Pass
4	5747.750	109.85	1.22	--	-166.15	Peak	276.00	150	Vertical	N/A
4**	5747.750	102.56	1.22	--	102.56	AV	276.00	150	Vertical	N/A
5	7406.750	54.87	2.68	68.2	-13.33	Peak	326.00	150	Vertical	Pass
5**	7406.750	45.52	2.68	54.0	-8.48	AV	326.00	150	Vertical	Pass
6	11914.474	55.01	2.39	68.2	-13.19	Peak	298.00	150	Vertical	Pass
6**	11914.474	45.54	2.39	54.0	-8.46	AV	298.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.800	43.72	-15.52	68.2	-24.48	Peak	167.00	150	Horizontal	Pass
1**	1543.800	31.30	-15.52	54.0	-22.70	AV	167.00	150	Horizontal	Pass
2	2390.000	56.43	-10.39	68.2	-11.77	Peak	249.00	150	Horizontal	Pass
2**	2390.000	48.53	-10.39	54.0	-5.47	AV	249.00	150	Horizontal	Pass
3	5781.000	104.55	1.15	--	-184.45	Peak	289.00	150	Horizontal	N/A
3**	5781.000	96.56	1.15	--	96.56	AV	289.00	150	Horizontal	N/A
4	7410.500	55.16	2.84	68.2	-13.04	Peak	54.00	150	Horizontal	Pass
4**	7410.500	45.84	2.84	54.0	-8.16	AV	54.00	150	Horizontal	Pass
5	11306.237	55.55	2.22	68.2	-12.65	Peak	229.00	150	Horizontal	Pass
5**	11306.237	45.63	2.22	54.0	-8.37	AV	229.00	150	Horizontal	Pass
6	15716.513	53.94	0.73	68.2	-14.26	Peak	229.00	150	Horizontal	Pass
6**	15716.513	44.34	0.73	54.0	-9.66	AV	229.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1576.900	44.78	-15.89	68.2	-23.42	Peak	177.00	150	Vertical	Pass
1**	1576.900	32.36	-15.89	54.0	-21.64	AV	177.00	150	Vertical	Pass
2	2390.000	52.81	-10.39	68.2	-15.39	Peak	183.00	150	Vertical	Pass
2**	2390.000	46.73	-10.39	54.0	-7.27	AV	183.00	150	Vertical	Pass
3	4791.250	54.67	0.69	68.2	-13.53	Peak	190.00	150	Vertical	Pass
3**	4791.250	50.96	0.69	54.0	-3.04	AV	190.00	150	Vertical	Pass
4	5780.750	109.33	1.16	--	-155.67	Peak	265.00	150	Vertical	N/A
4**	5780.750	102.44	1.16	--	102.44	AV	265.00	150	Vertical	N/A
5	7609.500	55.53	2.10	68.2	-12.67	Peak	178.00	150	Vertical	Pass
5**	7609.500	45.48	2.10	54.0	-8.52	AV	178.00	150	Vertical	Pass
6	11952.474	54.95	2.64	68.2	-13.25	Peak	262.00	150	Vertical	Pass
6**	11952.474	46.00	2.64	54.0	-8.00	AV	262.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1515.500	45.10	-15.82	68.2	-23.10	Peak	167.00	150	Horizontal	Pass
1**	1515.500	31.57	-15.82	54.0	-22.43	AV	167.00	150	Horizontal	Pass
2	2390.000	52.91	-10.39	68.2	-15.29	Peak	267.00	150	Horizontal	Pass
2**	2390.000	46.87	-10.39	54.0	-7.13	AV	267.00	150	Horizontal	Pass
3	4824.250	52.39	0.52	68.2	-15.81	Peak	352.00	150	Horizontal	Pass
3**	4824.250	42.86	0.52	54.0	-11.14	AV	352.00	150	Horizontal	Pass
4	5822.000	104.42	1.74	--	-185.58	Peak	290.00	150	Horizontal	N/A
4**	5822.000	96.67	1.74	--	96.67	AV	290.00	150	Horizontal	N/A
5	7411.500	55.13	2.87	68.2	-13.07	Peak	141.00	150	Horizontal	Pass
5**	7411.500	46.63	2.87	54.0	-7.37	AV	141.00	150	Horizontal	Pass
6	11298.400	55.04	2.38	68.2	-13.16	Peak	122.00	150	Horizontal	Pass
6**	11298.400	45.58	2.38	54.0	-8.42	AV	122.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.700	45.02	-15.83	68.2	-23.18	Peak	174.00	150	Vertical	Pass
1**	1598.700	36.02	-15.83	54.0	-17.98	AV	174.00	150	Vertical	Pass
2	2390.000	50.48	-10.39	68.2	-17.72	Peak	35.00	150	Vertical	Pass
2**	2390.000	44.24	-10.39	54.0	-9.76	AV	35.00	150	Vertical	Pass
3	4783.500	53.50	0.93	68.2	-14.70	Peak	176.00	150	Vertical	Pass
3**	4783.500	50.92	0.93	54.0	-3.08	AV	176.00	150	Vertical	Pass
4	5823.750	109.61	1.78	--	-153.39	Peak	263.00	150	Vertical	N/A
4**	5823.750	102.58	1.78	--	102.58	AV	263.00	150	Vertical	N/A
5	10702.750	55.05	1.53	68.2	-13.15	Peak	179.00	150	Vertical	Pass
5**	10702.750	46.33	1.53	54.0	-7.67	AV	179.00	150	Vertical	Pass
6	15739.350	53.27	1.01	68.2	-14.93	Peak	288.00	150	Vertical	Pass
6**	15739.350	43.89	1.01	54.0	-10.11	AV	288.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1538.600	44.62	-15.57	68.2	-23.58	Peak	158.00	150	Horizontal	Pass
1**	1538.600	32.60	-15.57	54.0	-21.40	AV	158.00	150	Horizontal	Pass
2	2390.000	53.72	-10.39	68.2	-14.48	Peak	126.00	150	Horizontal	Pass
2**	2390.000	42.52	-10.39	54.0	-11.48	AV	126.00	150	Horizontal	Pass
3	5750.750	102.31	1.26	--	-199.69	Peak	302.00	150	Horizontal	N/A
3**	5750.750	94.30	1.26	--	94.30	AV	302.00	150	Horizontal	N/A
4	7430.250	54.75	2.39	68.2	-13.45	Peak	290.00	150	Horizontal	Pass
4**	7430.250	44.99	2.39	54.0	-9.01	AV	290.00	150	Horizontal	Pass
5	11311.225	55.24	2.08	68.2	-12.96	Peak	155.00	150	Horizontal	Pass
5**	11311.225	45.94	2.08	54.0	-8.06	AV	155.00	150	Horizontal	Pass
6	15733.576	53.97	0.94	68.2	-14.23	Peak	154.00	150	Horizontal	Pass
6**	15733.576	44.42	0.94	54.0	-9.58	AV	154.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.200	46.12	-15.80	68.2	-22.08	Peak	175.00	150	Vertical	Pass
1**	1595.200	38.30	-15.80	54.0	-15.70	AV	175.00	150	Vertical	Pass
2	2390.000	50.96	-10.39	68.2	-17.24	Peak	345.00	150	Vertical	Pass
2**	2390.000	45.67	-10.39	54.0	-8.33	AV	345.00	150	Vertical	Pass
3	4803.500	54.57	0.43	68.2	-13.63	Peak	188.00	150	Vertical	Pass
3**	4803.500	50.51	0.43	54.0	-3.49	AV	188.00	150	Vertical	Pass
4	5760.250	107.49	1.32	--	-168.51	Peak	276.00	150	Vertical	N/A
4**	5760.250	100.33	1.32	--	100.33	AV	276.00	150	Vertical	N/A
5	7629.500	55.69	2.43	68.2	-12.51	Peak	74.00	150	Vertical	Pass
5**	7629.500	46.03	2.43	54.0	-7.97	AV	74.00	150	Vertical	Pass
6	11039.050	55.67	1.76	68.2	-12.53	Peak	360.00	150	Vertical	Pass
6**	11039.050	44.43	1.76	54.0	-9.57	AV	360.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.300	44.30	-15.53	68.2	-23.90	Peak	151.00	150	Horizontal	Pass
1**	1531.300	31.29	-15.53	54.0	-22.71	AV	151.00	150	Horizontal	Pass
2	2390.000	53.30	-10.39	68.2	-14.90	Peak	125.00	150	Horizontal	Pass
2**	2390.000	49.84	-10.39	54.0	-4.16	AV	125.00	150	Horizontal	Pass
3	5784.500	100.92	1.07	--	-188.08	Peak	289.00	150	Horizontal	N/A
3**	5784.500	94.42	1.07	--	94.42	AV	289.00	150	Horizontal	N/A
4	7578.500	55.33	2.05	68.2	-12.87	Peak	178.00	150	Horizontal	Pass
4**	7578.500	45.96	2.05	54.0	-8.04	AV	178.00	150	Horizontal	Pass
5	11749.650	54.77	1.86	68.2	-13.43	Peak	192.00	150	Horizontal	Pass
5**	11749.650	44.51	1.86	54.0	-9.49	AV	192.00	150	Horizontal	Pass
6	16005.000	53.21	0.58	68.2	-14.99	Peak	110.00	150	Horizontal	Pass
6**	16005.000	43.89	0.58	54.0	-10.11	AV	110.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.100	45.50	-15.82	68.2	-22.70	Peak	173.00	150	Vertical	Pass
1**	1597.100	31.47	-15.82	54.0	-22.53	AV	173.00	150	Vertical	Pass
2	2390.000	52.45	-10.39	68.2	-15.75	Peak	30.00	150	Vertical	Pass
2**	2390.000	39.80	-10.39	54.0	-14.20	AV	30.00	150	Vertical	Pass
3	4798.250	53.83	0.35	68.2	-14.37	Peak	215.00	150	Vertical	Pass
3**	4798.250	50.82	0.35	54.0	-3.18	AV	215.00	150	Vertical	Pass
4	5791.750	106.64	0.99	--	-170.36	Peak	277.00	150	Vertical	N/A
4**	5791.750	99.56	0.99	--	99.56	AV	277.00	150	Vertical	N/A
5	7414.750	55.16	3.00	68.2	-13.04	Peak	351.00	150	Vertical	Pass
5**	7414.750	45.04	3.00	54.0	-8.96	AV	351.00	150	Vertical	Pass
6	11291.513	54.56	2.30	68.2	-13.64	Peak	157.00	150	Vertical	Pass
6**	11291.513	44.76	2.30	54.0	-9.24	AV	157.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1538.700	44.07	-15.58	68.2	-24.13	Peak	161.00	150	Horizontal	Pass
1**	1538.700	31.23	-15.58	54.0	-22.77	AV	161.00	150	Horizontal	Pass
2	2390.000	50.15	-10.39	68.2	-18.05	Peak	275.00	150	Horizontal	Pass
2**	2390.000	48.36	-10.39	54.0	-5.64	AV	275.00	150	Horizontal	Pass
3	5749.500	104.98	1.29	--	50.98	Peak	54.00	150	Horizontal	N/A
3**	5749.500	97.66	1.29	--	97.66	AV	54.00	150	Horizontal	N/A
4	7394.000	54.80	2.43	68.2	-13.40	Peak	240.00	150	Horizontal	Pass
4**	7394.000	45.55	2.43	54.0	-8.45	AV	240.00	150	Horizontal	Pass
5	11268.712	55.44	2.01	68.2	-12.76	Peak	334.00	150	Horizontal	Pass
5**	11268.712	45.59	2.01	54.0	-8.41	AV	334.00	150	Horizontal	Pass
6	15766.651	54.00	1.09	68.2	-14.20	Peak	110.00	150	Horizontal	Pass
6**	15766.651	44.71	1.09	54.0	-9.29	AV	110.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.800	45.40	-15.81	68.2	-22.80	Peak	164.00	150	Vertical	Pass
1**	1597.800	34.38	-15.81	54.0	-19.62	AV	164.00	150	Vertical	Pass
2	2390.000	52.66	-10.39	68.2	-15.54	Peak	158.00	150	Vertical	Pass
2**	2390.000	42.52	-10.39	54.0	-11.48	AV	158.00	150	Vertical	Pass
3	4782.250	53.96	0.84	68.2	-14.24	Peak	202.00	150	Vertical	Pass
3**	4782.250	50.11	0.84	54.0	-3.89	AV	202.00	150	Vertical	Pass
4	5740.000	109.74	0.98	--	-167.26	Peak	277.00	150	Vertical	N/A
4**	5740.000	102.55	0.98	--	102.55	AV	277.00	150	Vertical	N/A
5	7413.000	54.85	2.92	68.2	-13.35	Peak	78.00	150	Vertical	Pass
5**	7413.000	45.37	2.92	54.0	-8.63	AV	78.00	150	Vertical	Pass
6	11946.537	55.34	2.62	68.2	-12.86	Peak	103.00	150	Vertical	Pass
6**	11946.537	45.86	2.62	54.0	-8.14	AV	103.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.600	43.82	-15.52	68.2	-24.38	Peak	169.00	150	Horizontal	Pass
1**	1543.600	30.70	-15.52	54.0	-23.30	AV	169.00	150	Horizontal	Pass
2	2390.000	54.97	-10.39	68.2	-13.23	Peak	263.00	150	Horizontal	Pass
2**	2390.000	46.79	-10.39	54.0	-7.21	AV	263.00	150	Horizontal	Pass
3	5780.750	104.19	1.16	--	-197.81	Peak	302.00	150	Horizontal	N/A
3**	5780.750	96.48	1.16	--	96.48	AV	302.00	150	Horizontal	N/A
4	7399.750	54.96	2.52	68.2	-13.24	Peak	278.00	150	Horizontal	Pass
4**	7399.750	45.89	2.52	54.0	-8.11	AV	278.00	150	Horizontal	Pass
5	11193.425	55.46	2.06	68.2	-12.74	Peak	360.00	150	Horizontal	Pass
5**	11193.425	44.91	2.06	54.0	-9.09	AV	360.00	150	Horizontal	Pass
6	15763.763	53.81	1.10	68.2	-14.39	Peak	260.00	150	Horizontal	Pass
6**	15763.763	44.88	1.10	54.0	-9.12	AV	260.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.700	44.72	-15.90	68.2	-23.48	Peak	172.00	150	Vertical	Pass
1**	1566.700	31.99	-15.90	54.0	-22.01	AV	172.00	150	Vertical	Pass
2	2390.000	55.35	-10.39	68.2	-12.85	Peak	178.00	150	Vertical	Pass
2**	2390.000	48.24	-10.39	54.0	-5.76	AV	178.00	150	Vertical	Pass
3	4788.000	56.43	0.84	68.2	-11.77	Peak	190.00	150	Vertical	Pass
3**	4788.000	50.51	0.84	54.0	-3.49	AV	190.00	150	Vertical	Pass
4	5788.000	109.29	1.02	--	-166.71	Peak	276.00	150	Vertical	N/A
4**	5788.000	101.65	1.02	--	101.65	AV	276.00	150	Vertical	N/A
5	7385.500	54.86	2.26	68.2	-13.34	Peak	338.00	150	Vertical	Pass
5**	7385.500	45.25	2.26	54.0	-8.75	AV	338.00	150	Vertical	Pass
6	12511.549	56.43	2.96	68.2	-11.77	Peak	228.00	150	Vertical	Pass
6**	12511.549	46.24	2.96	54.0	-7.76	AV	228.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1606.400	44.24	-15.78	68.2	-23.96	Peak	151.00	150	Horizontal	Pass
1**	1606.400	30.87	-15.78	54.0	-23.13	AV	151.00	150	Horizontal	Pass
2	2390.000	55.86	-10.39	68.2	-12.34	Peak	247.00	150	Horizontal	Pass
2**	2390.000	44.37	-10.39	54.0	-9.63	AV	247.00	150	Horizontal	Pass
3	5821.500	102.99	1.72	--	-186.01	Peak	289.00	150	Horizontal	N/A
3**	5821.500	95.67	1.72	--	95.67	AV	289.00	150	Horizontal	N/A
4	7421.000	55.62	2.99	68.2	-12.58	Peak	153.00	150	Horizontal	Pass
4**	7421.000	45.08	2.99	54.0	-8.92	AV	153.00	150	Horizontal	Pass
5	11971.237	54.50	2.64	68.2	-13.70	Peak	263.00	150	Horizontal	Pass
5**	11971.237	45.69	2.64	54.0	-8.31	AV	263.00	150	Horizontal	Pass
6	15743.549	53.58	1.06	68.2	-14.62	Peak	126.00	150	Horizontal	Pass
6**	15743.549	44.65	1.06	54.0	-9.35	AV	126.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1615.700	46.69	-16.06	68.2	-21.51	Peak	0.00	150	Vertical	Pass
1**	1615.700	35.17	-16.06	54.0	-18.83	AV	0.00	150	Vertical	Pass
2	2390.000	53.13	-10.39	68.2	-15.07	Peak	153.00	150	Vertical	Pass
2**	2390.000	50.77	-10.39	54.0	-3.23	AV	153.00	150	Vertical	Pass
3	4784.000	57.08	0.96	68.2	-11.12	Peak	190.00	150	Vertical	Pass
3**	4784.000	49.90	0.96	54.0	-4.10	AV	190.00	150	Vertical	Pass
4	5823.500	109.58	1.76	--	-154.42	Peak	264.00	150	Vertical	N/A
4**	5823.500	101.96	1.76	--	101.96	AV	264.00	150	Vertical	N/A
5	7417.500	56.02	3.06	68.2	-12.18	Peak	352.00	150	Vertical	Pass
5**	7417.500	46.63	3.06	54.0	-7.37	AV	352.00	150	Vertical	Pass
6	11916.137	55.45	2.40	68.2	-12.75	Peak	360.00	150	Vertical	Pass
6**	11916.137	46.07	2.40	54.0	-7.93	AV	360.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.700	44.24	-15.59	68.2	-23.96	Peak	162.00	150	Horizontal	Pass
1**	1534.700	31.77	-15.59	54.0	-22.23	AV	162.00	150	Horizontal	Pass
2	2390.000	55.60	-10.39	68.2	-12.60	Peak	251.00	150	Horizontal	Pass
2**	2390.000	47.02	-10.39	54.0	-6.98	AV	251.00	150	Horizontal	Pass
3	5751.750	102.50	1.29	--	-187.50	Peak	290.00	150	Horizontal	N/A
3**	5751.750	94.28	1.29	--	94.28	AV	290.00	150	Horizontal	N/A
4	7648.750	55.70	2.33	68.2	-12.50	Peak	153.00	150	Horizontal	Pass
4**	7648.750	45.54	2.33	54.0	-8.46	AV	153.00	150	Horizontal	Pass
5	11284.150	54.95	2.21	68.2	-13.25	Peak	244.00	150	Horizontal	Pass
5**	11284.150	45.28	2.21	54.0	-8.72	AV	244.00	150	Horizontal	Pass
6	15775.575	54.52	1.06	68.2	-13.68	Peak	243.00	150	Horizontal	Pass
6**	15775.575	45.84	1.06	54.0	-8.16	AV	243.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1377.000	42.15	-15.76	68.2	-26.05	Peak	169.00	150	Vertical	Pass
1**	1377.000	30.80	-15.76	54.0	-23.20	AV	169.00	150	Vertical	Pass
2	2390.000	50.86	-10.39	68.2	-17.34	Peak	55.00	150	Vertical	Pass
2**	2390.000	45.63	-10.39	54.0	-8.37	AV	55.00	150	Vertical	Pass
3	4782.000	58.76	0.83	68.2	-9.44	Peak	188.00	150	Vertical	Pass
3**	4782.000	50.75	0.83	54.0	-3.25	AV	188.00	150	Vertical	Pass
4	5763.500	107.86	1.25	--	-168.14	Peak	276.00	150	Vertical	N/A
4**	5763.500	100.66	1.25	--	100.66	AV	276.00	150	Vertical	N/A
5	11275.362	54.65	2.10	68.2	-13.55	Peak	227.00	150	Vertical	Pass
5**	11275.362	46.10	2.10	54.0	-7.90	AV	227.00	150	Vertical	Pass
6	15755.099	53.64	1.12	68.2	-14.56	Peak	273.00	150	Vertical	Pass
6**	15755.099	44.35	1.12	54.0	-9.65	AV	273.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1550.300	43.65	-15.61	68.2	-24.55	Peak	154.00	150	Horizontal	Pass
1**	1550.300	31.24	-15.61	54.0	-22.76	AV	154.00	150	Horizontal	Pass
2	2390.000	57.39	-10.39	68.2	-10.81	Peak	261.00	150	Horizontal	Pass
2**	2390.000	46.10	-10.39	54.0	-7.90	AV	261.00	150	Horizontal	Pass
3	5783.750	101.57	1.08	--	-187.43	Peak	289.00	150	Horizontal	N/A
3**	5783.750	93.41	1.08	--	93.41	AV	289.00	150	Horizontal	N/A
4	7328.500	55.14	1.64	68.2	-13.06	Peak	0.00	150	Horizontal	Pass
4**	7328.500	45.69	1.64	54.0	-8.31	AV	0.00	150	Horizontal	Pass
5	11922.312	55.18	2.45	68.2	-13.02	Peak	102.00	150	Horizontal	Pass
5**	11922.312	45.45	2.45	54.0	-8.55	AV	102.00	150	Horizontal	Pass
6	15962.738	53.72	0.90	68.2	-14.48	Peak	289.00	150	Horizontal	Pass
6**	15962.738	44.31	0.90	54.0	-9.69	AV	289.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1588.400	45.73	-15.83	68.2	-22.47	Peak	181.00	150	Vertical	Pass
1**	1588.400	33.39	-15.83	54.0	-20.61	AV	181.00	150	Vertical	Pass
2	2390.000	56.36	-10.39	68.2	-11.84	Peak	175.00	150	Vertical	Pass
2**	2390.000	42.89	-10.39	54.0	-11.11	AV	175.00	150	Vertical	Pass
3	4799.500	60.05	0.36	68.2	-8.15	Peak	202.00	150	Vertical	Pass
3**	4799.500	50.87	0.36	54.0	-3.13	AV	202.00	150	Vertical	Pass
4	5784.750	106.42	1.06	--	-158.58	Peak	265.00	150	Vertical	N/A
4**	5784.750	99.71	1.06	--	99.71	AV	265.00	150	Vertical	N/A
5	7562.500	55.07	2.74	68.2	-13.13	Peak	265.00	150	Vertical	Pass
5**	7562.500	46.09	2.74	54.0	-7.91	AV	265.00	150	Vertical	Pass
6	11926.825	54.89	2.48	68.2	-13.31	Peak	68.00	150	Vertical	Pass
6**	11926.825	45.32	2.48	54.0	-8.68	AV	68.00	150	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1610.700	44.45	-15.93	68.2	-23.75	Peak	360.00	150	Horizontal	Pass
1**	1610.700	33.85	-15.93	54.0	-20.15	AV	360.00	150	Horizontal	Pass
2	2390.000	55.79	-10.39	68.2	-12.41	Peak	270.00	150	Horizontal	Pass
2**	2390.000	43.63	-10.39	54.0	-10.37	AV	270.00	150	Horizontal	Pass
3	5750.000	99.65	1.26	--	-190.35	Peak	290.00	150	Horizontal	N/A
3**	5750.000	91.56	1.26	--	91.56	AV	290.00	150	Horizontal	N/A
4	7553.750	55.99	2.53	68.2	-12.21	Peak	253.00	150	Horizontal	Pass
4**	7553.750	45.40	2.53	54.0	-8.60	AV	253.00	150	Horizontal	Pass
5	12509.175	56.00	3.01	68.2	-12.20	Peak	32.00	150	Horizontal	Pass
5**	12509.175	47.10	3.01	54.0	-6.90	AV	32.00	150	Horizontal	Pass
6	15771.375	53.31	1.07	68.2	-14.89	Peak	225.00	150	Horizontal	Pass
6**	15771.375	44.07	1.07	54.0	-9.93	AV	225.00	150	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1590.300	46.04	-15.84	68.2	-22.16	Peak	173.00	150	Vertical	Pass
1**	1590.300	32.17	-15.84	54.0	-21.83	AV	173.00	150	Vertical	Pass
2	2390.000	52.79	-10.39	68.2	-15.41	Peak	148.00	150	Vertical	Pass
2**	2390.000	41.10	-10.39	54.0	-12.90	AV	148.00	150	Vertical	Pass
3	4793.750	56.89	0.53	68.2	-11.31	Peak	187.00	150	Vertical	Pass
3**	4793.750	50.97	0.53	54.0	-3.03	AV	187.00	150	Vertical	Pass
4	5772.250	104.60	1.21	--	-171.40	Peak	276.00	150	Vertical	N/A
4**	5772.250	96.76	1.21	--	96.76	AV	276.00	150	Vertical	N/A
5	7563.250	55.16	2.75	68.2	-13.04	Peak	0.00	150	Vertical	Pass
5**	7563.250	46.64	2.75	54.0	-7.36	AV	0.00	150	Vertical	Pass
6	11299.826	54.72	2.40	68.2	-13.48	Peak	282.00	150	Vertical	Pass
6**	11299.826	45.81	2.40	54.0	-8.19	AV	282.00	150	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.200	43.92	-15.58	68.2	-24.28	Peak	156.00	150	Horizontal	Pass
1**	1533.200	30.84	-15.58	54.0	-23.16	AV	156.00	150	Horizontal	Pass
2	2390.000	55.31	-10.39	68.2	-12.89	Peak	257.00	150	Horizontal	Pass
2**	2390.000	46.09	-10.39	54.0	-7.91	AV	257.00	150	Horizontal	Pass
3	5740.000	106.55	0.98	--	-191.45	Peak	298.00	150	Horizontal	N/A
3**	5740.000	96.65	0.98	--	96.65	AV	298.00	150	Horizontal	N/A
4	7498.000	54.85	1.92	68.2	-13.35	Peak	311.00	150	Horizontal	Pass
4**	7498.000	45.22	1.92	54.0	-8.78	AV	311.00	150	Horizontal	Pass
5	11904.026	54.56	2.32	68.2	-13.64	Peak	192.00	150	Horizontal	Pass
5**	11904.026	45.04	2.32	54.0	-8.96	AV	192.00	150	Horizontal	Pass
6	15771.638	53.93	1.07	68.2	-14.27	Peak	215.00	150	Horizontal	Pass
6**	15771.638	44.76	1.07	54.0	-9.24	AV	215.00	150	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1579.900	45.50	-15.91	68.2	-22.70	Peak	174.00	150	Vertical	Pass
1**	1579.900	31.62	-15.91	54.0	-22.38	AV	174.00	150	Vertical	Pass
2	2390.000	55.69	-10.39	68.2	-12.51	Peak	168.00	150	Vertical	Pass
2**	2390.000	46.95	-10.39	54.0	-7.05	AV	168.00	150	Vertical	Pass
3	4794.250	55.85	0.50	68.2	-12.35	Peak	177.00	150	Vertical	Pass
3**	4794.250	50.79	0.50	54.0	-3.21	AV	177.00	150	Vertical	Pass
4	5749.250	110.55	1.28	--	-154.45	Peak	265.00	150	Vertical	N/A
4**	5749.250	102.12	1.28	--	102.12	AV	265.00	150	Vertical	N/A
5	7575.750	55.58	2.29	68.2	-12.62	Peak	314.00	150	Vertical	Pass
5**	7575.750	45.96	2.29	54.0	-8.04	AV	314.00	150	Vertical	Pass
6	11968.862	55.12	2.64	68.2	-13.08	Peak	0.00	150	Vertical	Pass
6**	11968.862	45.55	2.64	54.0	-8.45	AV	0.00	150	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.400	45.51	-15.98	68.2	-22.69	Peak	155.00	150	Horizontal	Pass
1**	1612.400	32.58	-15.98	54.0	-21.42	AV	155.00	150	Horizontal	Pass
2	2390.000	57.60	-10.39	68.2	-10.60	Peak	250.00	150	Horizontal	Pass
2**	2390.000	40.93	-10.39	54.0	-13.07	AV	250.00	150	Horizontal	Pass
3	5783.750	103.85	1.08	--	-186.15	Peak	290.00	150	Horizontal	N/A
3**	5783.750	95.40	1.08	--	95.40	AV	290.00	150	Horizontal	N/A
4	7407.500	55.25	2.66	68.2	-12.95	Peak	0.00	150	Horizontal	Pass
4**	7407.500	45.85	2.66	54.0	-8.15	AV	0.00	150	Horizontal	Pass
5	11285.812	55.19	2.23	68.2	-13.01	Peak	67.00	150	Horizontal	Pass
5**	11285.812	45.80	2.23	54.0	-8.20	AV	67.00	150	Horizontal	Pass
6	15976.651	53.90	0.81	68.2	-14.30	Peak	94.00	150	Horizontal	Pass
6**	15976.651	44.97	0.81	54.0	-9.03	AV	94.00	150	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1609.200	45.87	-15.86	68.2	-22.33	Peak	181.00	150	Vertical	Pass
1**	1609.200	33.92	-15.86	54.0	-20.08	AV	181.00	150	Vertical	Pass
2	2390.000	58.36	-10.39	68.2	-9.84	Peak	169.00	150	Vertical	Pass
2**	2390.000	48.73	-10.39	54.0	-5.27	AV	169.00	150	Vertical	Pass
3	4797.750	58.84	0.35	68.2	-9.36	Peak	203.00	150	Vertical	Pass
3**	4797.750	50.53	0.35	54.0	-3.47	AV	203.00	150	Vertical	Pass
4	5789.250	111.42	1.01	--	-153.58	Peak	265.00	150	Vertical	N/A
4**	5789.250	100.87	1.01	--	100.87	AV	265.00	150	Vertical	N/A
5	11304.100	55.03	2.28	68.2	-13.17	Peak	35.00	150	Vertical	Pass
5**	11304.100	45.81	2.28	54.0	-8.19	AV	35.00	150	Vertical	Pass
6	15755.888	54.82	1.12	68.2	-13.38	Peak	94.00	150	Vertical	Pass
6**	15755.888	44.25	1.12	54.0	-9.75	AV	94.00	150	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1605.500	45.34	-15.83	68.2	-22.86	Peak	162.00	150	Horizontal	Pass
1**	1605.500	32.01	-15.83	54.0	-21.99	AV	162.00	150	Horizontal	Pass
2	2390.000	51.18	-10.39	68.2	-17.02	Peak	200.00	150	Horizontal	Pass
2**	2390.000	46.59	-10.39	54.0	-7.41	AV	200.00	150	Horizontal	Pass
3	5822.750	104.32	1.74	--	-184.68	Peak	289.00	150	Horizontal	N/A
3**	5822.750	95.87	1.74	--	95.87	AV	289.00	150	Horizontal	N/A
4	7628.250	56.09	2.36	68.2	-12.11	Peak	51.00	150	Horizontal	Pass
4**	7628.250	46.30	2.36	54.0	-7.70	AV	51.00	150	Horizontal	Pass
5	11278.213	54.70	2.13	68.2	-13.50	Peak	85.00	150	Horizontal	Pass
5**	11278.213	45.35	2.13	54.0	-8.65	AV	85.00	150	Horizontal	Pass
6	15504.151	54.27	1.07	68.2	-13.93	Peak	168.00	150	Horizontal	Pass
6**	15504.151	44.28	1.07	54.0	-9.72	AV	168.00	150	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1581.300	45.21	-15.76	68.2	-22.99	Peak	175.00	150	Vertical	Pass
1**	1581.300	32.83	-15.76	54.0	-21.17	AV	175.00	150	Vertical	Pass
2	2390.000	54.68	-10.39	68.2	-13.52	Peak	175.00	150	Vertical	Pass
2**	2390.000	41.94	-10.39	54.0	-12.06	AV	175.00	150	Vertical	Pass
3	4794.250	55.97	0.50	68.2	-12.23	Peak	203.00	150	Vertical	Pass
3**	4794.250	50.46	0.50	54.0	-3.54	AV	203.00	150	Vertical	Pass
4	5822.250	109.84	1.74	--	-155.16	Peak	265.00	150	Vertical	N/A
4**	5822.250	101.85	1.74	--	101.85	AV	265.00	150	Vertical	N/A
5	7722.750	55.90	2.20	68.2	-12.30	Peak	177.00	150	Vertical	Pass
5**	7722.750	45.22	2.20	54.0	-8.78	AV	177.00	150	Vertical	Pass
6	15958.799	54.55	0.93	68.2	-13.65	Peak	140.00	150	Vertical	Pass
6**	15958.799	44.60	0.93	54.0	-9.40	AV	140.00	150	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1514.500	44.27	-15.79	68.2	-23.93	Peak	163.00	150	Horizontal	Pass
1**	1514.500	31.33	-15.79	54.0	-22.67	AV	163.00	150	Horizontal	Pass
2	2390.000	55.28	-10.39	68.2	-12.92	Peak	251.00	150	Horizontal	Pass
2**	2390.000	48.26	-10.39	54.0	-5.74	AV	251.00	150	Horizontal	Pass
3	5750.750	102.44	1.26	--	-187.56	Peak	290.00	150	Horizontal	N/A
3**	5750.750	94.42	1.26	--	94.42	AV	290.00	150	Horizontal	N/A
4	7562.250	55.27	2.73	68.2	-12.93	Peak	352.00	150	Horizontal	Pass
4**	7562.250	46.41	2.73	54.0	-7.59	AV	352.00	150	Horizontal	Pass
5	11278.687	55.11	2.14	68.2	-13.09	Peak	32.00	150	Horizontal	Pass
5**	11278.687	46.63	2.14	54.0	-7.37	AV	32.00	150	Horizontal	Pass
6	15943.050	53.90	0.92	68.2	-14.30	Peak	273.00	150	Horizontal	Pass
6**	15943.050	44.23	0.92	54.0	-9.77	AV	273.00	150	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1591.600	45.56	-15.82	68.2	-22.64	Peak	169.00	150	Vertical	Pass
1**	1591.600	34.18	-15.82	54.0	-19.82	AV	169.00	150	Vertical	Pass
2	2390.000	55.47	-10.39	68.2	-12.73	Peak	163.00	150	Vertical	Pass
2**	2390.000	45.42	-10.39	54.0	-8.58	AV	163.00	150	Vertical	Pass
3	4786.250	58.45	0.92	68.2	-9.75	Peak	203.00	150	Vertical	Pass
3**	4786.250	50.41	0.92	54.0	-3.59	AV	203.00	150	Vertical	Pass
4	5763.250	107.41	1.26	--	-168.59	Peak	276.00	150	Vertical	N/A
4**	5763.250	99.59	1.26	--	99.59	AV	276.00	150	Vertical	N/A
5	7644.500	56.28	2.43	68.2	-11.92	Peak	128.00	150	Vertical	Pass
5**	7644.500	45.87	2.43	54.0	-8.13	AV	128.00	150	Vertical	Pass
6	11279.400	55.33	2.15	68.2	-12.87	Peak	265.00	150	Vertical	Pass
6**	11279.400	46.27	2.15	54.0	-7.73	AV	265.00	150	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.300	43.82	-15.53	68.2	-24.38	Peak	162.00	150	Horizontal	Pass
1**	1531.300	31.67	-15.53	54.0	-22.33	AV	162.00	150	Horizontal	Pass
2	2390.000	58.18	-10.39	68.2	-10.02	Peak	258.00	150	Horizontal	Pass
2**	2390.000	44.32	-10.39	54.0	-9.68	AV	258.00	150	Horizontal	Pass
3	5788.000	101.99	1.02	--	-188.01	Peak	290.00	150	Horizontal	N/A
3**	5788.000	92.37	1.02	--	92.37	AV	290.00	150	Horizontal	N/A
4	7315.500	55.31	1.57	68.2	-12.89	Peak	153.00	150	Horizontal	Pass
4**	7315.500	44.98	1.57	54.0	-9.02	AV	153.00	150	Horizontal	Pass
5	11276.075	54.91	2.11	68.2	-13.29	Peak	266.00	150	Horizontal	Pass
5**	11276.075	45.98	2.11	54.0	-8.02	AV	266.00	150	Horizontal	Pass
6	15939.375	53.79	0.88	68.2	-14.41	Peak	272.00	150	Horizontal	Pass
6**	15939.375	44.45	0.88	54.0	-9.55	AV	272.00	150	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1614.400	45.71	-16.01	68.2	-22.49	Peak	16.00	150	Vertical	Pass
1**	1614.400	33.52	-16.01	54.0	-20.48	AV	16.00	150	Vertical	Pass
2	2390.000	48.23	-10.39	68.2	-19.97	Peak	296.00	150	Vertical	Pass
2**	2390.000	44.22	-10.39	54.0	-9.78	AV	296.00	150	Vertical	Pass
3	4794.750	57.88	0.53	68.2	-10.32	Peak	189.00	150	Vertical	Pass
3**	4794.750	50.36	0.53	54.0	-3.64	AV	189.00	150	Vertical	Pass
4	5802.500	107.57	1.16	--	-156.43	Peak	264.00	150	Vertical	N/A
4**	5802.500	97.92	1.16	--	97.92	AV	264.00	150	Vertical	N/A
5	11278.687	54.65	2.14	68.2	-13.55	Peak	122.00	150	Vertical	Pass
5**	11278.687	45.99	2.14	54.0	-8.01	AV	122.00	150	Vertical	Pass
6	15552.975	53.19	0.77	68.2	-15.01	Peak	318.00	150	Vertical	Pass
6**	15552.975	42.94	0.77	54.0	-11.06	AV	318.00	150	Vertical	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1617.900	44.76	-15.92	68.2	-23.44	Peak	152.00	150	Horizontal	Pass
1**	1617.900	34.44	-15.92	54.0	-19.56	AV	152.00	150	Horizontal	Pass
2	2390.000	52.18	-10.39	68.2	-16.02	Peak	273.00	150	Horizontal	Pass
2**	2390.000	46.87	-10.39	54.0	-7.13	AV	273.00	150	Horizontal	Pass
3	5776.250	100.89	1.19	--	-189.11	Peak	290.00	150	Horizontal	N/A
3**	5776.250	90.08	1.19	--	90.08	AV	290.00	150	Horizontal	N/A
4	7404.250	55.80	2.57	68.2	-12.40	Peak	266.00	150	Horizontal	Pass
4**	7404.250	45.93	2.57	54.0	-8.07	AV	266.00	150	Horizontal	Pass
5	12026.100	54.65	1.85	68.2	-13.55	Peak	14.00	150	Horizontal	Pass
5**	12026.100	44.91	1.85	54.0	-9.09	AV	14.00	150	Horizontal	Pass
6	16005.262	55.18	0.57	68.2	-13.02	Peak	348.00	150	Horizontal	Pass
6**	16005.262	45.94	0.57	54.0	-8.06	AV	348.00	150	Horizontal	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1590.500	46.92	-15.84	68.2	-21.28	Peak	177.00	150	Vertical	Pass
1**	1590.500	34.66	-15.84	54.0	-19.34	AV	177.00	150	Vertical	Pass
2	2390.000	50.58	-10.39	68.2	-17.62	Peak	48.00	150	Vertical	Pass
2**	2390.000	44.30	-10.39	54.0	-9.70	AV	48.00	150	Vertical	Pass
3	4787.500	52.54	0.90	68.2	-15.66	Peak	0.00	150	Vertical	Pass
3**	4787.500	50.71	0.90	54.0	-3.29	AV	0.00	150	Vertical	Pass
4	5766.750	104.87	1.20	--	-160.13	Peak	265.00	150	Vertical	N/A
4**	5766.750	97.85	1.20	--	97.85	AV	265.00	150	Vertical	N/A
5	7612.750	56.09	2.07	68.2	-12.11	Peak	129.00	150	Vertical	Pass
5**	7612.750	45.64	2.07	54.0	-8.36	AV	129.00	150	Vertical	Pass
6	11290.087	55.74	2.28	68.2	-12.46	Peak	336.00	150	Vertical	Pass
6**	11290.087	46.62	2.28	54.0	-7.38	AV	336.00	150	Vertical	Pass

MIMO

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.83	-12.78	68.2	-15.37	Peak	245.00	150	Horizontal	Pass
1**	2390.000	42.72	-12.78	54.0	-11.28	AV	245.00	150	Horizontal	Pass
2	3823.250	49.12	-4.23	68.2	-19.08	Peak	167.00	150	Horizontal	Pass
2**	3823.250	39.68	-4.23	54.0	-14.32	AV	167.00	150	Horizontal	Pass
3	5181.250	114.82	-1.32	--	-210.18	Peak	325.00	150	Horizontal	N/A
3**	5181.250	107.17	-1.32	--	107.17	AV	325.00	150	Horizontal	N/A
4	8257.688	49.02	-3.66	68.2	-19.18	Peak	163.00	150	Horizontal	Pass
4**	8257.688	39.03	-3.66	54.0	-14.97	AV	163.00	150	Horizontal	Pass
5	11997.125	52.71	-0.80	68.2	-15.49	Peak	15.00	150	Horizontal	Pass
5**	11997.125	44.24	-0.80	54.0	-9.76	AV	15.00	150	Horizontal	Pass
6	15953.287	49.98	-2.99	68.2	-18.22	Peak	193.00	150	Horizontal	Pass
6**	15953.287	40.19	-2.99	54.0	-13.81	AV	193.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	53.42	-12.78	68.2	-14.78	Peak	147.00	150	Vertical	Pass
1**	2390.000	43.44	-12.78	54.0	-10.56	AV	147.00	150	Vertical	Pass
2	4789.500	54.95	-2.83	68.2	-13.25	Peak	160.00	150	Vertical	Pass
2**	4789.500	50.49	-2.83	54.0	-3.51	AV	160.00	150	Vertical	Pass
3	5184.000	110.46	-1.45	--	-126.54	Peak	237.00	150	Vertical	N/A
3**	5184.000	102.23	-1.45	--	102.23	AV	237.00	150	Vertical	N/A
4	8054.625	50.76	-2.78	68.2	-17.44	Peak	218.00	150	Vertical	Pass
4**	8054.625	40.67	-2.78	54.0	-13.33	AV	218.00	150	Vertical	Pass
5	11904.975	52.91	-1.00	68.2	-15.29	Peak	107.00	150	Vertical	Pass
5**	11904.975	43.14	-1.00	54.0	-10.86	AV	107.00	150	Vertical	Pass
6	17806.012	51.07	-2.78	68.2	-17.13	Peak	29.00	150	Vertical	Pass
6**	17806.012	41.12	-2.78	54.0	-12.88	AV	29.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	47.70	-12.78	68.2	-20.50	Peak	219.00	150	Horizontal	Pass
1**	2390.000	42.22	-12.78	54.0	-11.78	AV	219.00	150	Horizontal	Pass
2	3987.500	49.55	-3.48	68.2	-18.65	Peak	337.00	150	Horizontal	Pass
2**	3987.500	40.74	-3.48	54.0	-13.26	AV	337.00	150	Horizontal	Pass
3	5222.250	115.12	-1.48	--	-206.88	Peak	322.00	150	Horizontal	N/A
3**	5222.250	108.06	-1.48	--	108.06	AV	322.00	150	Horizontal	N/A
4	8219.925	49.16	-3.59	68.2	-19.04	Peak	318.00	150	Horizontal	Pass
4**	8219.925	39.58	-3.59	54.0	-14.42	AV	318.00	150	Horizontal	Pass
5	11952.000	52.96	-0.82	68.2	-15.24	Peak	111.00	150	Horizontal	Pass
5**	11952.000	44.80	-0.82	54.0	-9.20	AV	111.00	150	Horizontal	Pass
6	15751.425	49.87	-3.15	68.2	-18.33	Peak	191.00	150	Horizontal	Pass
6**	15751.425	39.87	-3.15	54.0	-14.13	AV	191.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	56.24	-12.78	68.2	-11.96	Peak	134.00	150	Vertical	Pass
1**	2390.000	49.83	-12.78	54.0	-4.17	AV	134.00	150	Vertical	Pass
2	4799.250	56.14	-2.48	68.2	-12.06	Peak	153.00	150	Vertical	Pass
2**	4799.250	50.70	-2.48	54.0	-3.30	AV	153.00	150	Vertical	Pass
3	5223.500	110.35	-1.41	--	-82.65	Peak	193.00	150	Vertical	N/A
3**	5223.500	102.61	-1.41	--	102.61	AV	193.00	150	Vertical	N/A
4	8407.787	49.68	-3.17	68.2	-18.52	Peak	279.00	150	Vertical	Pass
4**	8407.787	40.15	-3.17	54.0	-13.85	AV	279.00	150	Vertical	Pass
5	11916.137	52.26	-0.96	68.2	-15.94	Peak	1.00	150	Vertical	Pass
5**	11916.137	43.28	-0.96	54.0	-10.72	AV	1.00	150	Vertical	Pass
6	15975.075	50.44	-3.17	68.2	-17.76	Peak	94.00	150	Vertical	Pass
6**	15975.075	40.89	-3.17	54.0	-13.11	AV	94.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1121.900	43.87	-17.68	68.2	-24.33	Peak	181.00	150	Horizontal	Pass
1**	1121.900	36.09	-17.68	54.0	-17.91	AV	181.00	150	Horizontal	Pass
2	2390.000	53.55	-12.78	68.2	-14.65	Peak	251.00	150	Horizontal	Pass
2**	2390.000	46.15	-12.78	54.0	-7.85	AV	251.00	150	Horizontal	Pass
3	3878.500	49.08	-3.54	68.2	-19.12	Peak	221.00	150	Horizontal	Pass
3**	3878.500	40.11	-3.54	54.0	-13.89	AV	221.00	150	Horizontal	Pass
4	5242.000	115.17	-1.75	--	115.17	Peak	0.00	150	Horizontal	N/A
4**	5242.000	108.08	-1.75	--	108.08	AV	0.00	150	Horizontal	N/A
5	8079.563	50.06	-2.62	68.2	-18.14	Peak	34.00	150	Horizontal	Pass
5**	8079.563	40.99	-2.62	54.0	-13.01	AV	34.00	150	Horizontal	Pass
6	11958.412	52.59	-0.82	68.2	-15.61	Peak	15.00	150	Horizontal	Pass
6**	11958.412	43.38	-0.82	54.0	-10.62	AV	15.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1582.900	45.28	-17.05	68.2	-22.92	Peak	141.00	150	Vertical	Pass
1**	1582.900	32.98	-17.05	54.0	-21.02	AV	141.00	150	Vertical	Pass
2	2387.500	53.53	-12.60	68.2	-14.67	Peak	134.00	150	Vertical	Pass
2**	2387.500	38.20	-12.60	54.0	-15.80	AV	134.00	150	Vertical	Pass
3	4776.000	53.42	-2.63	68.2	-14.78	Peak	144.00	150	Vertical	Pass
3**	4776.000	49.48	-2.63	54.0	-4.52	AV	144.00	150	Vertical	Pass
4	5241.500	110.00	-1.70	--	-86.00	Peak	196.00	150	Vertical	N/A
4**	5241.500	103.41	-1.70	--	103.41	AV	196.00	150	Vertical	N/A
5	8157.225	49.13	-2.55	68.2	-19.07	Peak	35.00	150	Vertical	Pass
5**	8157.225	40.46	-2.55	54.0	-13.54	AV	35.00	150	Vertical	Pass
6	11954.375	52.59	-0.82	68.2	-15.61	Peak	54.00	150	Vertical	Pass
6**	11954.375	43.31	-0.82	54.0	-10.69	AV	54.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	53.39	-12.78	68.2	-14.81	Peak	252.00	150	Horizontal	Pass
1**	2390.000	41.03	-12.78	54.0	-12.97	AV	252.00	150	Horizontal	Pass
2	4131.250	50.07	-3.44	68.2	-18.13	Peak	337.00	150	Horizontal	Pass
2**	4131.250	40.28	-3.44	54.0	-13.72	AV	337.00	150	Horizontal	Pass
3	5198.750	110.30	-2.11	--	-226.70	Peak	337.00	150	Horizontal	N/A
3**	5198.750	102.20	-2.11	--	102.20	AV	337.00	150	Horizontal	N/A
4	8180.025	48.82	-2.63	68.2	-19.38	Peak	223.00	150	Horizontal	Pass
4**	8180.025	39.98	-2.63	54.0	-14.02	AV	223.00	150	Horizontal	Pass
5	11966.963	52.47	-0.81	68.2	-15.73	Peak	359.00	150	Horizontal	Pass
5**	11966.963	43.79	-0.81	54.0	-10.21	AV	359.00	150	Horizontal	Pass
6	15998.701	49.33	-3.37	68.2	-18.87	Peak	49.00	150	Horizontal	Pass
6**	15998.701	40.93	-3.37	54.0	-13.07	AV	49.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	47.95	-12.78	68.2	-20.25	Peak	316.00	150	Vertical	Pass
1**	2390.000	49.50	-12.78	54.0	-4.50	AV	316.00	150	Vertical	Pass
2	4796.500	53.61	-2.51	68.2	-14.59	Peak	169.00	150	Vertical	Pass
2**	4796.500	50.41	-2.51	54.0	-3.59	AV	169.00	150	Vertical	Pass
3	5179.250	106.27	-1.31	--	-127.73	Peak	234.00	150	Vertical	N/A
3**	5179.250	97.49	-1.31	--	97.49	AV	234.00	150	Vertical	N/A
4	8195.937	48.91	-2.69	68.2	-19.29	Peak	241.00	150	Vertical	Pass
4**	8195.937	40.45	-2.69	54.0	-13.55	AV	241.00	150	Vertical	Pass
5	11955.562	52.52	-0.82	68.2	-15.68	Peak	335.00	150	Vertical	Pass
5**	11955.562	43.29	-0.82	54.0	-10.71	AV	335.00	150	Vertical	Pass
6	15732.525	49.68	-3.50	68.2	-18.52	Peak	0.00	150	Vertical	Pass
6**	15732.525	40.36	-3.50	54.0	-13.64	AV	0.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.71	-12.78	68.2	-15.49	Peak	237.00	150	Horizontal	Pass
1**	2390.000	40.82	-12.78	54.0	-13.18	AV	237.00	150	Horizontal	Pass
2	3881.500	49.52	-3.65	68.2	-18.68	Peak	16.00	150	Horizontal	Pass
2**	3881.500	40.08	-3.65	54.0	-13.92	AV	16.00	150	Horizontal	Pass
3	5218.500	112.22	-1.65	--	-247.78	Peak	360.00	150	Horizontal	N/A
3**	5218.500	103.88	-1.65	--	103.88	AV	360.00	150	Horizontal	N/A
4	8141.550	49.53	-2.97	68.2	-18.67	Peak	201.00	150	Horizontal	Pass
4**	8141.550	39.85	-2.97	54.0	-14.15	AV	201.00	150	Horizontal	Pass
5	12004.250	53.18	-0.92	68.2	-15.02	Peak	34.00	150	Horizontal	Pass
5**	12004.250	43.77	-0.92	54.0	-10.23	AV	34.00	150	Horizontal	Pass
6	15966.412	50.77	-3.10	68.2	-17.43	Peak	53.00	150	Horizontal	Pass
6**	15966.412	41.07	-3.10	54.0	-12.93	AV	53.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	49.23	-12.78	68.2	-18.97	Peak	120.00	150	Vertical	Pass
1**	2390.000	49.90	-12.78	54.0	-4.10	AV	120.00	150	Vertical	Pass
2	4796.750	53.49	-2.50	68.2	-14.71	Peak	157.00	150	Vertical	Pass
2**	4796.750	50.38	-2.50	54.0	-3.62	AV	157.00	150	Vertical	Pass
3	5222.000	106.94	-1.45	--	-88.06	Peak	195.00	150	Vertical	N/A
3**	5222.000	98.49	-1.45	--	98.49	AV	195.00	150	Vertical	N/A
4	8156.750	50.17	-2.58	68.2	-18.03	Peak	360.00	150	Vertical	Pass
4**	8156.750	39.56	-2.58	54.0	-14.44	AV	360.00	150	Vertical	Pass
5	11968.625	52.41	-0.81	68.2	-15.79	Peak	360.00	150	Vertical	Pass
5**	11968.625	43.74	-0.81	54.0	-10.26	AV	360.00	150	Vertical	Pass
6	15571.613	49.70	-3.67	68.2	-18.50	Peak	55.00	150	Vertical	Pass
6**	15571.613	40.71	-3.67	54.0	-13.29	AV	55.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1619.900	43.69	-17.11	68.2	-24.51	Peak	214.00	150	Horizontal	Pass
1**	1619.900	34.17	-17.11	54.0	-19.83	AV	214.00	150	Horizontal	Pass
2	2390.000	52.08	-12.78	68.2	-16.12	Peak	102.00	150	Horizontal	Pass
2**	2390.000	49.47	-12.78	54.0	-4.53	AV	102.00	150	Horizontal	Pass
3	4051.000	49.24	-3.78	68.2	-18.96	Peak	286.00	150	Horizontal	Pass
3**	4051.000	39.37	-3.78	54.0	-14.63	AV	286.00	150	Horizontal	Pass
4	5183.750	115.83	-1.42	--	-209.17	Peak	325.00	150	Horizontal	N/A
4**	5183.750	108.56	-1.42	--	108.56	AV	325.00	150	Horizontal	N/A
5	8126.112	48.62	-3.11	68.2	-19.58	Peak	321.00	150	Horizontal	Pass
5**	8126.112	39.82	-3.11	54.0	-14.18	AV	321.00	150	Horizontal	Pass
6	11934.662	52.43	-0.88	68.2	-15.77	Peak	283.00	150	Horizontal	Pass
6**	11934.662	44.05	-0.88	54.0	-9.95	AV	283.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	55.45	-12.78	68.2	-12.75	Peak	146.00	150	Vertical	Pass
1**	2390.000	42.04	-12.78	54.0	-11.96	AV	146.00	150	Vertical	Pass
2	4782.000	57.61	-2.76	68.2	-10.59	Peak	150.00	150	Vertical	Pass
2**	4782.000	50.94	-2.76	54.0	-3.06	AV	150.00	150	Vertical	Pass
3	5175.500	107.66	-1.43	--	-133.34	Peak	241.00	150	Vertical	N/A
3**	5175.500	100.52	-1.43	--	100.52	AV	241.00	150	Vertical	N/A
4	8212.800	48.68	-3.33	68.2	-19.52	Peak	151.00	150	Vertical	Pass
4**	8212.800	39.64	-3.33	54.0	-14.36	AV	151.00	150	Vertical	Pass
5	11926.112	52.91	-0.92	68.2	-15.29	Peak	92.00	150	Vertical	Pass
5**	11926.112	44.04	-0.92	54.0	-9.96	AV	92.00	150	Vertical	Pass
6	17805.224	50.36	-2.76	68.2	-17.84	Peak	33.00	150	Vertical	Pass
6**	17805.224	40.94	-2.76	54.0	-13.06	AV	33.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1555.800	42.52	-17.40	68.2	-25.68	Peak	124.00	150	Horizontal	Pass
1**	1555.800	30.23	-17.40	54.0	-23.77	AV	124.00	150	Horizontal	Pass
2	2390.000	50.25	-12.78	68.2	-17.95	Peak	185.00	150	Horizontal	Pass
2**	2390.000	43.36	-12.78	54.0	-10.64	AV	185.00	150	Horizontal	Pass
3	3957.500	49.05	-4.03	68.2	-19.15	Peak	2.00	150	Horizontal	Pass
3**	3957.500	39.69	-4.03	54.0	-14.31	AV	2.00	150	Horizontal	Pass
4	5223.250	114.68	-1.42	--	-211.32	Peak	326.00	150	Horizontal	N/A
4**	5223.250	108.25	-1.42	--	108.25	AV	326.00	150	Horizontal	N/A
5	8069.825	49.78	-2.15	68.2	-18.42	Peak	15.00	150	Horizontal	Pass
5**	8069.825	40.85	-2.15	54.0	-13.15	AV	15.00	150	Horizontal	Pass
6	11991.425	52.84	-0.80	68.2	-15.36	Peak	213.00	150	Horizontal	Pass
6**	11991.425	43.57	-0.80	54.0	-10.43	AV	213.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.700	46.75	-17.22	68.2	-21.45	Peak	142.00	150	Vertical	Pass
1**	1599.700	33.17	-17.22	54.0	-20.83	AV	142.00	150	Vertical	Pass
2	2390.000	52.11	-12.78	68.2	-16.09	Peak	142.00	150	Vertical	Pass
2**	2390.000	44.33	-12.78	54.0	-9.67	AV	142.00	150	Vertical	Pass
3	4785.250	49.23	-2.64	68.2	-18.97	Peak	351.00	150	Vertical	Pass
3**	4785.250	50.64	-2.64	54.0	-3.36	AV	351.00	150	Vertical	Pass
4	5222.750	109.46	-1.48	--	-90.54	Peak	200.00	150	Vertical	N/A
4**	5222.750	102.29	-1.48	--	102.29	AV	200.00	150	Vertical	N/A
5	8084.075	49.91	-2.56	68.2	-18.29	Peak	177.00	150	Vertical	Pass
5**	8084.075	40.84	-2.56	54.0	-13.16	AV	177.00	150	Vertical	Pass
6	11924.924	52.56	-0.92	68.2	-15.64	Peak	158.00	150	Vertical	Pass
6**	11924.924	43.20	-0.92	54.0	-10.80	AV	158.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1608.300	43.86	-17.26	68.2	-24.34	Peak	114.00	150	Horizontal	Pass
1**	1608.300	30.32	-17.26	54.0	-23.68	AV	114.00	150	Horizontal	Pass
2	2390.000	54.52	-12.78	68.2	-13.68	Peak	240.00	150	Horizontal	Pass
2**	2390.000	44.72	-12.78	54.0	-9.28	AV	240.00	150	Horizontal	Pass
3	4019.250	48.91	-4.03	68.2	-19.29	Peak	46.00	150	Horizontal	Pass
3**	4019.250	39.46	-4.03	54.0	-14.54	AV	46.00	150	Horizontal	Pass
4	5241.250	116.12	-1.68	--	-207.88	Peak	324.00	150	Horizontal	N/A
4**	5241.250	108.01	-1.68	--	108.01	AV	324.00	150	Horizontal	N/A
5	8185.962	49.45	-2.73	68.2	-18.75	Peak	343.00	150	Horizontal	Pass
5**	8185.962	40.50	-2.73	54.0	-13.50	AV	343.00	150	Horizontal	Pass
6	11960.313	53.06	-0.82	68.2	-15.14	Peak	91.00	150	Horizontal	Pass
6**	11960.313	43.74	-0.82	54.0	-10.26	AV	91.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.500	45.56	-17.26	68.2	-22.64	Peak	143.00	150	Vertical	Pass
1**	1602.500	30.96	-17.26	54.0	-23.04	AV	143.00	150	Vertical	Pass
2	2390.000	57.86	-12.78	68.2	-10.34	Peak	143.00	150	Vertical	Pass
2**	2390.000	46.65	-12.78	54.0	-7.35	AV	143.00	150	Vertical	Pass
3	4789.750	57.67	-2.87	68.2	-10.53	Peak	155.00	150	Vertical	Pass
3**	4789.750	50.90	-2.87	54.0	-3.10	AV	155.00	150	Vertical	Pass
4	5242.500	108.37	-1.76	--	-123.63	Peak	232.00	150	Vertical	N/A
4**	5242.500	101.59	-1.76	--	101.59	AV	232.00	150	Vertical	N/A
5	8391.400	49.77	-3.05	68.2	-18.43	Peak	54.00	150	Vertical	Pass
5**	8391.400	39.76	-3.05	54.0	-14.24	AV	54.00	150	Vertical	Pass
6	11953.901	52.54	-0.82	68.2	-15.66	Peak	147.00	150	Vertical	Pass
6**	11953.901	43.83	-0.82	54.0	-10.17	AV	147.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1615.500	44.02	-17.29	68.2	-24.18	Peak	123.00	150	Horizontal	Pass
1**	1615.500	29.46	-17.29	54.0	-24.54	AV	123.00	150	Horizontal	Pass
2	2390.000	52.28	-12.78	68.2	-15.92	Peak	209.00	150	Horizontal	Pass
2**	2390.000	44.43	-12.78	54.0	-9.57	AV	209.00	150	Horizontal	Pass
3	3766.750	49.78	-3.54	68.2	-18.42	Peak	110.00	150	Horizontal	Pass
3**	3766.750	39.79	-3.54	54.0	-14.21	AV	110.00	150	Horizontal	Pass
4	5187.500	110.66	-1.84	--	-214.34	Peak	325.00	150	Horizontal	N/A
4**	5187.500	103.12	-1.84	--	103.12	AV	325.00	150	Horizontal	N/A
5	8199.737	49.67	-3.12	68.2	-18.53	Peak	360.00	150	Horizontal	Pass
5**	8199.737	39.29	-3.12	54.0	-14.71	AV	360.00	150	Horizontal	Pass
6	11924.924	53.00	-0.92	68.2	-15.20	Peak	74.00	150	Horizontal	Pass
6**	11924.924	43.40	-0.92	54.0	-10.60	AV	74.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	56.27	-12.78	68.2	-11.93	Peak	139.00	150	Vertical	Pass
1**	2390.000	48.39	-12.78	54.0	-5.61	AV	139.00	150	Vertical	Pass
2	4795.750	53.17	-2.62	68.2	-15.03	Peak	0.00	150	Vertical	Pass
2**	4795.750	50.51	-2.62	54.0	-3.49	AV	0.00	150	Vertical	Pass
3	5182.250	106.11	-1.26	--	-124.89	Peak	231.00	150	Vertical	N/A
3**	5182.250	97.28	-1.26	--	97.28	AV	231.00	150	Vertical	N/A
4	8326.562	48.49	-3.63	68.2	-19.71	Peak	354.00	150	Vertical	Pass
4**	8326.562	39.87	-3.63	54.0	-14.13	AV	354.00	150	Vertical	Pass
5	11968.388	52.72	-0.81	68.2	-15.48	Peak	220.00	150	Vertical	Pass
5**	11968.388	43.68	-0.81	54.0	-10.32	AV	220.00	150	Vertical	Pass
6	15996.075	49.27	-3.35	68.2	-18.93	Peak	134.00	150	Vertical	Pass
6**	15996.075	41.10	-3.35	54.0	-12.90	AV	134.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	55.27	-12.78	68.2	-12.93	Peak	252.00	150	Horizontal	Pass
1**	2390.000	42.87	-12.78	54.0	-11.13	AV	252.00	150	Horizontal	Pass
2	4021.000	48.97	-4.01	68.2	-19.23	Peak	217.00	150	Horizontal	Pass
2**	4021.000	39.12	-4.01	54.0	-14.88	AV	217.00	150	Horizontal	Pass
3	5221.250	112.39	-1.46	--	-224.61	Peak	337.00	150	Horizontal	N/A
3**	5221.250	104.24	-1.46	--	104.24	AV	337.00	150	Horizontal	N/A
4	8289.037	49.07	-3.60	68.2	-19.13	Peak	149.00	150	Horizontal	Pass
4**	8289.037	39.69	-3.60	54.0	-14.31	AV	149.00	150	Horizontal	Pass
5	11927.537	52.62	-0.91	68.2	-15.58	Peak	132.00	150	Horizontal	Pass
5**	11927.537	42.95	-0.91	54.0	-11.05	AV	132.00	150	Horizontal	Pass
6	17799.188	50.23	-2.63	68.2	-17.97	Peak	266.00	150	Horizontal	Pass
6**	17799.188	42.33	-2.63	54.0	-11.67	AV	266.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.300	45.20	-17.11	68.2	-23.00	Peak	137.00	150	Vertical	Pass
1**	1613.300	33.70	-17.11	54.0	-20.30	AV	137.00	150	Vertical	Pass
2	2390.000	57.61	-12.78	68.2	-10.59	Peak	143.00	150	Vertical	Pass
2**	2390.000	43.67	-12.78	54.0	-10.33	AV	143.00	150	Vertical	Pass
3	4790.000	57.30	-2.81	68.2	-10.90	Peak	147.00	150	Vertical	Pass
3**	4790.000	50.43	-2.81	54.0	-3.57	AV	147.00	150	Vertical	Pass
4	5218.750	106.06	-1.64	--	-92.94	Peak	199.00	150	Vertical	N/A
4**	5218.750	99.24	-1.64	--	99.24	AV	199.00	150	Vertical	N/A
5	8111.862	49.28	-3.20	68.2	-18.92	Peak	164.00	150	Vertical	Pass
5**	8111.862	40.35	-3.20	54.0	-13.65	AV	164.00	150	Vertical	Pass
6	11948.675	52.68	-0.83	68.2	-15.52	Peak	182.00	150	Vertical	Pass
6**	11948.675	43.36	-0.83	54.0	-10.64	AV	182.00	150	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1116.200	43.88	-17.80	68.2	-24.32	Peak	181.00	150	Horizontal	Pass
1**	1116.200	34.53	-17.80	54.0	-19.47	AV	181.00	150	Horizontal	Pass
2	2390.000	51.54	-12.78	68.2	-16.66	Peak	162.00	150	Horizontal	Pass
2**	2390.000	45.40	-12.78	54.0	-8.60	AV	162.00	150	Horizontal	Pass
3	4179.000	50.34	-3.56	68.2	-17.86	Peak	76.00	150	Horizontal	Pass
3**	4179.000	41.00	-3.56	54.0	-13.00	AV	76.00	150	Horizontal	Pass
4	5185.500	107.31	-1.67	--	107.31	Peak	0.00	150	Horizontal	N/A
4**	5185.500	99.41	-1.67	--	99.41	AV	0.00	150	Horizontal	N/A
5	8194.037	49.52	-2.83	68.2	-18.68	Peak	310.00	150	Horizontal	Pass
5**	8194.037	39.79	-2.83	54.0	-14.21	AV	310.00	150	Horizontal	Pass
6	11994.988	53.25	-0.80	68.2	-14.95	Peak	55.00	150	Horizontal	Pass
6**	11994.988	43.87	-0.80	54.0	-10.13	AV	55.00	150	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	53.80	-12.78	68.2	-14.40	Peak	118.00	150	Vertical	Pass
1**	2390.000	44.78	-12.78	54.0	-9.22	AV	118.00	150	Vertical	Pass
2	4800.000	58.16	-2.45	68.2	-10.04	Peak	174.00	150	Vertical	Pass
2**	4800.000	49.38	-2.45	54.0	-4.62	AV	174.00	150	Vertical	Pass
3	5200.000	101.37	-2.02	--	-127.63	Peak	229.00	150	Vertical	N/A
3**	5200.000	93.43	-2.02	--	93.43	AV	229.00	150	Vertical	N/A
4	8134.900	49.22	-2.92	68.2	-18.98	Peak	146.00	150	Vertical	Pass
4**	8134.900	40.35	-2.92	54.0	-13.65	AV	146.00	150	Vertical	Pass
5	11952.950	53.45	-0.82	68.2	-14.75	Peak	360.00	150	Vertical	Pass
5**	11952.950	43.61	-0.82	54.0	-10.39	AV	360.00	150	Vertical	Pass
6	17785.801	50.97	-3.21	68.2	-17.23	Peak	285.00	150	Vertical	Pass
6**	17785.801	40.97	-3.21	54.0	-13.03	AV	285.00	150	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1610.100	43.63	-17.36	68.2	-24.57	Peak	213.00	150	Horizontal	Pass
1**	1610.100	31.37	-17.36	54.0	-22.63	AV	213.00	150	Horizontal	Pass
2	2390.000	53.25	-12.78	68.2	-14.95	Peak	213.00	150	Horizontal	Pass
2**	2390.000	46.95	-12.78	54.0	-7.05	AV	213.00	150	Horizontal	Pass
3	5182.000	113.45	-1.26	--	-223.55	Peak	337.00	150	Horizontal	N/A
3**	5182.000	105.90	-1.26	--	105.90	AV	337.00	150	Horizontal	N/A
4	8193.088	49.32	-2.70	68.2	-18.88	Peak	360.00	150	Horizontal	Pass
4**	8193.088	39.90	-2.70	54.0	-14.10	AV	360.00	150	Horizontal	Pass
5	11997.362	53.08	-0.80	68.2	-15.12	Peak	53.00	150	Horizontal	Pass
5**	11997.362	43.98	-0.80	54.0	-10.02	AV	53.00	150	Horizontal	Pass
6	15997.650	49.99	-3.36	68.2	-18.21	Peak	76.00	150	Horizontal	Pass
6**	15997.650	40.48	-3.36	54.0	-13.52	AV	76.00	150	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.27	-12.78	68.2	-16.93	Peak	280.00	150	Vertical	Pass
1**	2390.000	45.81	-12.78	54.0	-8.19	AV	280.00	150	Vertical	Pass
2	4772.000	51.25	-2.63	68.2	-16.95	Peak	0.00	150	Vertical	Pass
2**	4772.000	49.01	-2.63	54.0	-4.99	AV	0.00	150	Vertical	Pass
3	5181.500	106.94	-1.28	--	-125.06	Peak	232.00	150	Vertical	N/A
3**	5181.500	99.03	-1.28	--	99.03	AV	232.00	150	Vertical	N/A
4	8065.312	49.91	-2.39	68.2	-18.29	Peak	115.00	150	Vertical	Pass
4**	8065.312	40.58	-2.39	54.0	-13.42	AV	115.00	150	Vertical	Pass
5	11933.712	53.08	-0.89	68.2	-15.12	Peak	360.00	150	Vertical	Pass
5**	11933.712	43.42	-0.89	54.0	-10.58	AV	360.00	150	Vertical	Pass
6	16007.888	50.00	-3.55	68.2	-18.20	Peak	344.00	150	Vertical	Pass
6**	16007.888	40.67	-3.55	54.0	-13.33	AV	344.00	150	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1546.600	42.62	-17.12	68.2	-25.58	Peak	130.00	150	Horizontal	Pass
1**	1546.600	29.67	-17.12	54.0	-24.33	AV	130.00	150	Horizontal	Pass
2	2390.000	56.11	-12.78	68.2	-12.09	Peak	241.00	150	Horizontal	Pass
2**	2390.000	48.72	-12.78	54.0	-5.28	AV	241.00	150	Horizontal	Pass
3	5216.000	114.07	-1.61	--	-208.93	Peak	323.00	150	Horizontal	N/A
3**	5216.000	106.47	-1.61	--	106.47	AV	323.00	150	Horizontal	N/A
4	8072.912	49.47	-2.15	68.2	-18.73	Peak	168.00	150	Horizontal	Pass
4**	8072.912	41.51	-2.15	54.0	-12.49	AV	168.00	150	Horizontal	Pass
5	11984.538	52.71	-0.81	68.2	-15.49	Peak	360.00	150	Horizontal	Pass
5**	11984.538	44.10	-0.81	54.0	-9.90	AV	360.00	150	Horizontal	Pass
6	15997.650	49.49	-3.36	68.2	-18.71	Peak	172.00	150	Horizontal	Pass
6**	15997.650	40.43	-3.36	54.0	-13.57	AV	172.00	150	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.65	-12.78	68.2	-17.55	Peak	113.00	150	Vertical	Pass
1**	2390.000	45.88	-12.78	54.0	-8.12	AV	113.00	150	Vertical	Pass
2	4777.250	50.74	-2.54	68.2	-17.46	Peak	142.00	150	Vertical	Pass
2**	4777.250	50.80	-2.54	54.0	-3.20	AV	142.00	150	Vertical	Pass
3	5216.250	108.59	-1.66	--	-98.41	Peak	207.00	150	Vertical	N/A
3**	5216.250	99.34	-1.66	--	99.34	AV	207.00	150	Vertical	N/A
4	8185.250	49.40	-2.83	68.2	-18.80	Peak	52.00	150	Vertical	Pass
4**	8185.250	39.96	-2.83	54.0	-14.04	AV	52.00	150	Vertical	Pass
5	11990.000	52.83	-0.81	68.2	-15.37	Peak	34.00	150	Vertical	Pass
5**	11990.000	44.98	-0.81	54.0	-9.02	AV	34.00	150	Vertical	Pass
6	15690.526	49.81	-4.26	68.2	-18.39	Peak	287.00	150	Vertical	Pass
6**	15690.526	38.92	-4.26	54.0	-15.08	AV	287.00	150	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.02	-12.78	68.2	-18.18	Peak	191.00	150	Horizontal	Pass
1**	2390.000	42.05	-12.78	54.0	-11.95	AV	191.00	150	Horizontal	Pass
2	3886.250	49.12	-3.61	68.2	-19.08	Peak	285.00	150	Horizontal	Pass
2**	3886.250	40.00	-3.61	54.0	-14.00	AV	285.00	150	Horizontal	Pass
3	5244.500	114.84	-1.88	--	114.84	Peak	0.00	150	Horizontal	N/A
3**	5244.500	105.98	-1.88	--	105.98	AV	0.00	150	Horizontal	N/A
4	8072.200	49.99	-2.15	68.2	-18.21	Peak	354.00	150	Horizontal	Pass
4**	8072.200	41.25	-2.15	54.0	-12.75	AV	354.00	150	Horizontal	Pass
5	11938.224	52.76	-0.87	68.2	-15.44	Peak	165.00	150	Horizontal	Pass
5**	11938.224	44.27	-0.87	54.0	-9.73	AV	165.00	150	Horizontal	Pass
6	15607.838	49.16	-4.19	68.2	-19.04	Peak	9.00	150	Horizontal	Pass
6**	15607.838	39.36	-4.19	54.0	-14.64	AV	9.00	150	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.000	45.00	-17.33	68.2	-23.20	Peak	141.00	150	Vertical	Pass
1**	1599.000	34.35	-17.33	54.0	-19.65	AV	141.00	150	Vertical	Pass
2	2390.000	50.52	-12.78	68.2	-17.68	Peak	268.00	150	Vertical	Pass
2**	2390.000	47.89	-12.78	54.0	-6.11	AV	268.00	150	Vertical	Pass
3	4788.000	57.15	-2.61	68.2	-11.05	Peak	165.00	150	Vertical	Pass
3**	4788.000	49.34	-2.61	54.0	-4.66	AV	165.00	150	Vertical	Pass
4	5243.500	108.83	-1.82	--	-93.17	Peak	202.00	150	Vertical	N/A
4**	5243.500	99.99	-1.82	--	99.99	AV	202.00	150	Vertical	N/A
5	8217.550	48.56	-3.24	68.2	-19.64	Peak	360.00	150	Vertical	Pass
5**	8217.550	39.53	-3.24	54.0	-14.47	AV	360.00	150	Vertical	Pass
6	11992.375	52.61	-0.80	68.2	-15.59	Peak	249.00	150	Vertical	Pass
6**	11992.375	44.45	-0.80	54.0	-9.55	AV	249.00	150	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1618.100	45.19	-17.13	68.2	-23.01	Peak	216.00	150	Horizontal	Pass
1**	1618.100	33.32	-17.13	54.0	-20.68	AV	216.00	150	Horizontal	Pass
2	2390.000	54.05	-12.78	68.2	-14.15	Peak	240.00	150	Horizontal	Pass
2**	2390.000	44.67	-12.78	54.0	-9.33	AV	240.00	150	Horizontal	Pass
3	5181.750	109.49	-1.26	--	-214.51	Peak	324.00	150	Horizontal	N/A
3**	5181.750	101.56	-1.26	--	101.56	AV	324.00	150	Horizontal	N/A
4	8196.412	48.62	-2.64	68.2	-19.58	Peak	206.00	150	Horizontal	Pass
4**	8196.412	39.99	-2.64	54.0	-14.01	AV	206.00	150	Horizontal	Pass
5	12006.625	52.65	-0.99	68.2	-15.55	Peak	359.00	150	Horizontal	Pass
5**	12006.625	44.41	-0.99	54.0	-9.59	AV	359.00	150	Horizontal	Pass
6	17799.188	49.84	-2.63	68.2	-18.36	Peak	189.00	150	Horizontal	Pass
6**	17799.188	42.03	-2.63	54.0	-11.97	AV	189.00	150	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	55.31	-12.78	68.2	-12.89	Peak	130.00	150	Vertical	Pass
1**	2390.000	44.69	-12.78	54.0	-9.31	AV	130.00	150	Vertical	Pass
2	4794.500	50.82	-2.62	68.2	-17.38	Peak	138.00	150	Vertical	Pass
2**	4794.500	50.43	-2.62	54.0	-3.57	AV	138.00	150	Vertical	Pass
3	5179.000	103.20	-1.31	--	-134.80	Peak	238.00	150	Vertical	N/A
3**	5179.000	94.85	-1.31	--	94.85	AV	238.00	150	Vertical	N/A
4	8152.950	48.37	-2.75	68.2	-19.83	Peak	196.00	150	Vertical	Pass
4**	8152.950	40.11	-2.75	54.0	-13.89	AV	196.00	150	Vertical	Pass
5	11312.175	52.22	-1.22	68.2	-15.98	Peak	32.00	150	Vertical	Pass
5**	11312.175	42.23	-1.22	54.0	-11.77	AV	32.00	150	Vertical	Pass
6	15946.724	49.04	-3.03	68.2	-19.16	Peak	180.00	150	Vertical	Pass
6**	15946.724	39.53	-3.03	54.0	-14.47	AV	180.00	150	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	53.44	-12.78	68.2	-14.76	Peak	163.00	150	Horizontal	Pass
1**	2390.000	43.92	-12.78	54.0	-10.08	AV	163.00	150	Horizontal	Pass
2	3860.000	50.38	-3.55	68.2	-17.82	Peak	37.00	150	Horizontal	Pass
2**	3860.000	39.72	-3.55	54.0	-14.28	AV	37.00	150	Horizontal	Pass
3	5233.500	110.79	-1.23	--	110.79	Peak	0.00	150	Horizontal	N/A
3**	5233.500	102.43	-1.23	--	102.43	AV	0.00	150	Horizontal	N/A
4	8077.900	49.68	-2.55	68.2	-18.52	Peak	16.00	150	Horizontal	Pass
4**	8077.900	41.33	-2.55	54.0	-12.67	AV	16.00	150	Horizontal	Pass
5	11040.000	52.89	-1.18	68.2	-15.31	Peak	110.00	150	Horizontal	Pass
5**	11040.000	43.33	-1.18	54.0	-10.67	AV	110.00	150	Horizontal	Pass
6	15500.213	49.12	-3.04	68.2	-19.08	Peak	42.00	150	Horizontal	Pass
6**	15500.213	39.71	-3.04	54.0	-14.29	AV	42.00	150	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.08	-12.78	68.2	-16.12	Peak	292.00	150	Vertical	Pass
1**	2390.000	41.39	-12.78	54.0	-12.61	AV	292.00	150	Vertical	Pass
2	4796.000	58.16	-2.59	68.2	-10.04	Peak	156.00	150	Vertical	Pass
2**	4796.000	50.42	-2.59	54.0	-3.58	AV	156.00	150	Vertical	Pass
3	5233.250	105.53	-1.22	--	-89.47	Peak	195.00	150	Vertical	N/A
3**	5233.250	96.38	-1.22	--	96.38	AV	195.00	150	Vertical	N/A
4	8077.900	49.72	-2.55	68.2	-18.48	Peak	73.00	150	Vertical	Pass
4**	8077.900	40.19	-2.55	54.0	-13.81	AV	73.00	150	Vertical	Pass
5	11999.974	52.88	-0.80	68.2	-15.32	Peak	53.00	150	Vertical	Pass
5**	11999.974	43.96	-0.80	54.0	-10.04	AV	53.00	150	Vertical	Pass
6	17799.975	50.38	-2.60	68.2	-17.82	Peak	172.00	150	Vertical	Pass
6**	17799.975	42.09	-2.60	54.0	-11.91	AV	172.00	150	Vertical	Pass

11ax80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.500	54.20	-12.68	68.2	-14.00	Peak	218.00	150	Horizontal	Pass
1**	2388.500	41.96	-12.68	54.0	-12.04	AV	218.00	150	Horizontal	Pass
2	4133.250	49.80	-3.64	68.2	-18.40	Peak	273.00	150	Horizontal	Pass
2**	4133.250	40.18	-3.64	54.0	-13.82	AV	273.00	150	Horizontal	Pass
3	5188.500	106.22	-1.93	--	-218.78	Peak	325.00	150	Horizontal	N/A
3**	5188.500	98.11	-1.93	--	98.11	AV	325.00	150	Horizontal	N/A
4	8258.400	49.33	-3.71	68.2	-18.87	Peak	337.00	150	Horizontal	Pass
4**	8258.400	39.66	-3.71	54.0	-14.34	AV	337.00	150	Horizontal	Pass
5	11963.875	52.41	-0.82	68.2	-15.79	Peak	300.00	150	Horizontal	Pass
5**	11963.875	44.13	-0.82	54.0	-9.87	AV	300.00	150	Horizontal	Pass
6	15975.599	50.13	-3.18	68.2	-18.07	Peak	191.00	150	Horizontal	Pass
6**	15975.599	40.63	-3.18	54.0	-13.37	AV	191.00	150	Horizontal	Pass

11ax80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.87	-12.78	68.2	-15.33	Peak	292.00	150	Vertical	Pass
1**	2390.000	48.85	-12.78	54.0	-5.15	AV	292.00	150	Vertical	Pass
2	4787.500	52.06	-2.67	68.2	-16.14	Peak	162.00	150	Vertical	Pass
2**	4787.500	49.50	-2.67	54.0	-4.50	AV	162.00	150	Vertical	Pass
3	5194.750	100.34	-2.07	--	-149.66	Peak	250.00	150	Vertical	N/A
3**	5194.750	91.56	-2.07	--	91.56	AV	250.00	150	Vertical	N/A
4	8365.037	49.12	-3.71	68.2	-19.08	Peak	360.00	150	Vertical	Pass
4**	8365.037	39.39	-3.71	54.0	-14.61	AV	360.00	150	Vertical	Pass
5	11990.475	53.17	-0.81	68.2	-15.03	Peak	89.00	150	Vertical	Pass
5**	11990.475	43.84	-0.81	54.0	-10.16	AV	89.00	150	Vertical	Pass
6	15998.963	50.10	-3.37	68.2	-18.10	Peak	52.00	150	Vertical	Pass
6**	15998.963	40.58	-3.37	54.0	-13.42	AV	52.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.78	-12.78	68.2	-15.42	Peak	214.00	150	Horizontal	Pass
1**	2390.000	46.90	-12.78	54.0	-7.10	AV	214.00	150	Horizontal	Pass
2	3985.500	49.49	-3.50	68.2	-18.71	Peak	132.00	150	Horizontal	Pass
2**	3985.500	40.42	-3.50	54.0	-13.58	AV	132.00	150	Horizontal	Pass
3	5262.500	115.69	-1.99	--	115.69	Peak	0.00	150	Horizontal	N/A
3**	5262.500	107.63	-1.99	--	107.63	AV	0.00	150	Horizontal	N/A
4	8084.075	49.64	-2.56	68.2	-18.56	Peak	280.00	150	Horizontal	Pass
4**	8084.075	40.09	-2.56	54.0	-13.91	AV	280.00	150	Horizontal	Pass
5	11911.388	52.92	-0.98	68.2	-15.28	Peak	261.00	150	Horizontal	Pass
5**	11911.388	42.29	-0.98	54.0	-11.71	AV	261.00	150	Horizontal	Pass
6	15959.326	49.40	-3.04	68.2	-18.80	Peak	0.00	150	Horizontal	Pass
6**	15959.326	41.39	-3.04	54.0	-12.61	AV	0.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	47.21	-12.78	68.2	-20.99	Peak	0.00	150	Vertical	Pass
1**	2390.000	46.62	-12.78	54.0	-7.38	AV	0.00	150	Vertical	Pass
2	4778.250	54.92	-2.58	68.2	-13.28	Peak	156.00	150	Vertical	Pass
2**	4778.250	49.66	-2.58	54.0	-4.34	AV	156.00	150	Vertical	Pass
3	5257.250	108.28	-2.28	--	-99.72	Peak	208.00	150	Vertical	N/A
3**	5257.250	100.86	-2.28	--	100.86	AV	208.00	150	Vertical	N/A
4	8036.337	50.04	-2.70	68.2	-18.16	Peak	166.00	150	Vertical	Pass
4**	8036.337	41.03	-2.70	54.0	-12.97	AV	166.00	150	Vertical	Pass
5	10999.862	52.96	-2.07	68.2	-15.24	Peak	261.00	150	Vertical	Pass
5**	10999.862	42.87	-2.07	54.0	-11.13	AV	261.00	150	Vertical	Pass
6	17799.449	50.02	-2.62	68.2	-18.18	Peak	305.00	150	Vertical	Pass
6**	17799.449	41.75	-2.62	54.0	-12.25	AV	305.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.000	54.72	-12.70	68.2	-13.48	Peak	229.00	150	Horizontal	Pass
1**	2389.000	45.69	-12.70	54.0	-8.31	AV	229.00	150	Horizontal	Pass
2	4184.750	49.89	-2.84	68.2	-18.31	Peak	71.00	150	Horizontal	Pass
2**	4184.750	40.10	-2.84	54.0	-13.90	AV	71.00	150	Horizontal	Pass
3	5303.750	113.41	-2.10	--	113.41	Peak	0.00	150	Horizontal	N/A
3**	5303.750	106.51	-2.10	--	106.51	AV	0.00	150	Horizontal	N/A
4	8066.500	49.80	-2.61	68.2	-18.40	Peak	15.00	150	Horizontal	Pass
4**	8066.500	40.42	-2.61	54.0	-13.58	AV	15.00	150	Horizontal	Pass
5	11997.838	54.42	-0.80	68.2	-13.78	Peak	15.00	150	Horizontal	Pass
5**	11997.838	44.20	-0.80	54.0	-9.80	AV	15.00	150	Horizontal	Pass
6	15961.950	49.17	-3.06	68.2	-19.03	Peak	102.00	150	Horizontal	Pass
6**	15961.950	40.05	-3.06	54.0	-13.95	AV	102.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	49.39	-12.78	68.2	-18.81	Peak	52.00	150	Vertical	Pass
1**	2390.000	37.63	-12.78	54.0	-16.37	AV	52.00	150	Vertical	Pass
2	4806.750	54.20	-2.41	68.2	-14.00	Peak	151.00	150	Vertical	Pass
2**	4806.750	48.95	-2.41	54.0	-5.05	AV	151.00	150	Vertical	Pass
3	5297.000	107.36	-2.01	--	-93.64	Peak	201.00	150	Vertical	N/A
3**	5297.000	100.68	-2.01	--	100.68	AV	201.00	150	Vertical	N/A
4	8340.575	49.91	-3.63	68.2	-18.29	Peak	141.00	150	Vertical	Pass
4**	8340.575	40.12	-3.63	54.0	-13.88	AV	141.00	150	Vertical	Pass
5	11987.387	52.60	-0.81	68.2	-15.60	Peak	250.00	150	Vertical	Pass
5**	11987.387	43.73	-0.81	54.0	-10.27	AV	250.00	150	Vertical	Pass
6	15736.200	49.76	-3.43	68.2	-18.44	Peak	54.00	150	Vertical	Pass
6**	15736.200	39.87	-3.43	54.0	-14.13	AV	54.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.86	-12.78	68.2	-16.34	Peak	215.00	150	Horizontal	Pass
1**	2390.000	44.86	-12.78	54.0	-9.14	AV	215.00	150	Horizontal	Pass
2	4191.750	49.57	-2.91	68.2	-18.63	Peak	272.00	150	Horizontal	Pass
2**	4191.750	41.09	-2.91	54.0	-12.91	AV	272.00	150	Horizontal	Pass
3	5321.750	113.56	-1.68	--	113.56	Peak	0.00	150	Horizontal	N/A
3**	5321.750	106.17	-1.68	--	106.17	AV	0.00	150	Horizontal	N/A
4	8073.388	49.96	-2.25	68.2	-18.24	Peak	212.00	150	Horizontal	Pass
4**	8073.388	40.23	-2.25	54.0	-13.77	AV	212.00	150	Horizontal	Pass
5	11990.950	53.76	-0.80	68.2	-14.44	Peak	231.00	150	Horizontal	Pass
5**	11990.950	43.90	-0.80	54.0	-10.10	AV	231.00	150	Horizontal	Pass
6	17797.876	49.95	-2.69	68.2	-18.25	Peak	190.00	150	Horizontal	Pass
6**	17797.876	41.04	-2.69	54.0	-12.96	AV	190.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1608.800	46.20	-17.38	68.2	-22.00	Peak	149.00	150	Vertical	Pass
1**	1608.800	31.40	-17.38	54.0	-22.60	AV	149.00	150	Vertical	Pass
2	2390.000	55.73	-12.78	68.2	-12.47	Peak	136.00	150	Vertical	Pass
2**	2390.000	47.92	-12.78	54.0	-6.08	AV	136.00	150	Vertical	Pass
3	4783.500	56.58	-2.83	68.2	-11.62	Peak	149.00	150	Vertical	Pass
3**	4783.500	50.60	-2.83	54.0	-3.40	AV	149.00	150	Vertical	Pass
4	5322.750	105.31	-1.75	--	31.31	Peak	74.00	150	Vertical	N/A
4**	5322.750	98.17	-1.75	--	98.17	AV	74.00	150	Vertical	N/A
5	8383.088	48.36	-3.42	68.2	-19.84	Peak	298.00	150	Vertical	Pass
5**	8383.088	39.15	-3.42	54.0	-14.85	AV	298.00	150	Vertical	Pass
6	11022.425	52.82	-1.57	68.2	-15.38	Peak	90.00	150	Vertical	Pass
6**	11022.425	42.81	-1.57	54.0	-11.19	AV	90.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.600	44.35	-17.37	68.2	-23.85	Peak	124.00	150	Horizontal	Pass
1**	1528.600	35.38	-17.37	54.0	-18.62	AV	124.00	150	Horizontal	Pass
2	2390.000	56.90	-12.78	68.2	-11.30	Peak	230.00	150	Horizontal	Pass
2**	2390.000	43.58	-12.78	54.0	-10.42	AV	230.00	150	Horizontal	Pass
3	4358.000	50.53	-3.31	68.2	-17.67	Peak	60.00	150	Horizontal	Pass
3**	4358.000	40.65	-3.31	54.0	-13.35	AV	60.00	150	Horizontal	Pass
4	5274.750	111.53	-1.70	--	111.53	Peak	0.00	150	Horizontal	N/A
4**	5274.750	103.62	-1.70	--	103.62	AV	0.00	150	Horizontal	N/A
5	11994.037	52.68	-0.80	68.2	-15.52	Peak	128.00	150	Horizontal	Pass
5**	11994.037	43.43	-0.80	54.0	-10.57	AV	128.00	150	Horizontal	Pass
6	15970.088	49.67	-3.13	68.2	-18.53	Peak	103.00	150	Horizontal	Pass
6**	15970.088	41.07	-3.13	54.0	-12.93	AV	103.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1609.100	44.81	-17.43	68.2	-23.39	Peak	143.00	150	Vertical	Pass
1**	1609.100	33.36	-17.43	54.0	-20.64	AV	143.00	150	Vertical	Pass
2	2389.500	56.05	-12.73	68.2	-12.15	Peak	125.00	150	Vertical	Pass
2**	2389.500	40.19	-12.73	54.0	-13.81	AV	125.00	150	Vertical	Pass
3	4819.750	50.48	-2.01	68.2	-17.72	Peak	158.00	150	Vertical	Pass
3**	4819.750	45.39	-2.01	54.0	-8.61	AV	158.00	150	Vertical	Pass
4	5265.750	105.41	-2.02	--	-103.59	Peak	209.00	150	Vertical	N/A
4**	5265.750	97.29	-2.02	--	97.29	AV	209.00	150	Vertical	N/A
5	11961.263	53.13	-0.82	68.2	-15.07	Peak	22.00	150	Vertical	Pass
5**	11961.263	43.57	-0.82	54.0	-10.43	AV	22.00	150	Vertical	Pass
6	15984.000	49.84	-3.25	68.2	-18.36	Peak	349.00	150	Vertical	Pass
6**	15984.000	40.93	-3.25	54.0	-13.07	AV	349.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.200	42.85	-17.49	68.2	-25.35	Peak	247.00	150	Horizontal	Pass
1**	1197.200	30.28	-17.49	54.0	-23.72	AV	247.00	150	Horizontal	Pass
2	2390.000	55.28	-12.78	68.2	-12.92	Peak	223.00	150	Horizontal	Pass
2**	2390.000	46.42	-12.78	54.0	-7.58	AV	223.00	150	Horizontal	Pass
3	4119.250	49.32	-3.30	68.2	-18.88	Peak	133.00	150	Horizontal	Pass
3**	4119.250	40.51	-3.30	54.0	-13.49	AV	133.00	150	Horizontal	Pass
4	5299.750	109.61	-2.05	--	-244.39	Peak	354.00	150	Horizontal	N/A
4**	5299.750	101.91	-2.05	--	101.91	AV	354.00	150	Horizontal	N/A
5	11947.963	52.97	-0.83	68.2	-15.23	Peak	0.00	150	Horizontal	Pass
5**	11947.963	43.67	-0.83	54.0	-10.33	AV	0.00	150	Horizontal	Pass
6	15750.375	49.67	-3.15	68.2	-18.53	Peak	118.00	150	Horizontal	Pass
6**	15750.375	39.74	-3.15	54.0	-14.26	AV	118.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.300	44.29	-17.12	68.2	-23.91	Peak	186.00	150	Vertical	Pass
1**	1593.300	31.52	-17.12	54.0	-22.48	AV	186.00	150	Vertical	Pass
2	2390.000	50.65	-12.78	68.2	-17.55	Peak	15.00	150	Vertical	Pass
2**	2390.000	42.68	-12.78	54.0	-11.32	AV	15.00	150	Vertical	Pass
3	4785.000	52.48	-2.67	68.2	-15.72	Peak	10.00	150	Vertical	Pass
3**	4785.000	50.20	-2.67	54.0	-3.80	AV	10.00	150	Vertical	Pass
4	5321.250	104.72	-1.65	--	-107.28	Peak	212.00	150	Vertical	N/A
4**	5321.250	97.15	-1.65	--	97.15	AV	212.00	150	Vertical	N/A
5	12492.075	53.59	-0.16	68.2	-14.61	Peak	110.00	150	Vertical	Pass
5**	12492.075	43.58	-0.16	54.0	-10.42	AV	110.00	150	Vertical	Pass
6	15926.776	49.35	-3.42	68.2	-18.85	Peak	359.00	150	Vertical	Pass
6**	15926.776	39.63	-3.42	54.0	-14.37	AV	359.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1123.600	43.06	-17.87	68.2	-25.14	Peak	164.00	150	Horizontal	Pass
1**	1123.600	35.36	-17.87	54.0	-18.64	AV	164.00	150	Horizontal	Pass
2	2390.000	55.02	-12.78	68.2	-13.18	Peak	219.00	150	Horizontal	Pass
2**	2390.000	49.32	-12.78	54.0	-4.68	AV	219.00	150	Horizontal	Pass
3	4013.000	49.33	-3.80	68.2	-18.87	Peak	218.00	150	Horizontal	Pass
3**	4013.000	39.39	-3.80	54.0	-14.61	AV	218.00	150	Horizontal	Pass
4	5263.000	114.27	-1.94	--	-245.73	Peak	360.00	150	Horizontal	N/A
4**	5263.000	106.83	-1.94	--	106.83	AV	360.00	150	Horizontal	N/A
5	11998.312	52.88	-0.80	68.2	-15.32	Peak	79.00	150	Horizontal	Pass
5**	11998.312	43.78	-0.80	54.0	-10.22	AV	79.00	150	Horizontal	Pass
6	15987.675	49.51	-3.28	68.2	-18.69	Peak	209.00	150	Horizontal	Pass
6**	15987.675	40.45	-3.28	54.0	-13.55	AV	209.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.100	44.71	-17.13	68.2	-23.49	Peak	181.00	150	Vertical	Pass
1**	1594.100	33.83	-17.13	54.0	-20.17	AV	181.00	150	Vertical	Pass
2	2389.100	56.61	-12.71	68.2	-11.59	Peak	124.00	150	Vertical	Pass
2**	2389.100	45.74	-12.71	54.0	-8.26	AV	124.00	150	Vertical	Pass
3	4794.250	55.11	-2.63	68.2	-13.09	Peak	158.00	150	Vertical	Pass
3**	4794.250	49.98	-2.63	54.0	-4.02	AV	158.00	150	Vertical	Pass
4	5263.250	108.67	-1.92	--	-24.33	Peak	133.00	150	Vertical	N/A
4**	5263.250	100.37	-1.92	--	100.37	AV	133.00	150	Vertical	N/A
5	11951.526	52.88	-0.82	68.2	-15.32	Peak	274.00	150	Vertical	Pass
5**	11951.526	43.09	-0.82	54.0	-10.91	AV	274.00	150	Vertical	Pass
6	15703.650	49.31	-4.09	68.2	-18.89	Peak	185.00	150	Vertical	Pass
6**	15703.650	39.28	-4.09	54.0	-14.72	AV	185.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1121.300	43.30	-17.78	68.2	-24.90	Peak	167.00	150	Horizontal	Pass
1**	1121.300	34.63	-17.78	54.0	-19.37	AV	167.00	150	Horizontal	Pass
2	2389.700	56.99	-12.75	68.2	-11.21	Peak	216.00	150	Horizontal	Pass
2**	2389.700	45.83	-12.75	54.0	-8.17	AV	216.00	150	Horizontal	Pass
3	4200.250	49.78	-3.74	68.2	-18.42	Peak	147.00	150	Horizontal	Pass
3**	4200.250	39.63	-3.74	54.0	-14.37	AV	147.00	150	Horizontal	Pass
4	5295.500	112.65	-2.10	--	-247.35	Peak	360.00	150	Horizontal	N/A
4**	5295.500	104.35	-2.10	--	104.35	AV	360.00	150	Horizontal	N/A
5	11965.776	52.32	-0.82	68.2	-15.88	Peak	274.00	150	Horizontal	Pass
5**	11965.776	44.12	-0.82	54.0	-9.88	AV	274.00	150	Horizontal	Pass
6	15717.300	49.70	-3.81	68.2	-18.50	Peak	91.00	150	Horizontal	Pass
6**	15717.300	40.05	-3.81	54.0	-13.95	AV	91.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1604.800	45.54	-17.09	68.2	-22.66	Peak	148.00	150	Vertical	Pass
1**	1604.800	34.71	-17.09	54.0	-19.29	AV	148.00	150	Vertical	Pass
2	2389.800	57.32	-12.76	68.2	-10.88	Peak	130.00	150	Vertical	Pass
2**	2389.800	42.28	-12.76	54.0	-11.72	AV	130.00	150	Vertical	Pass
3	4780.000	57.59	-2.81	68.2	-10.61	Peak	161.00	150	Vertical	Pass
3**	4780.000	50.78	-2.81	54.0	-3.22	AV	161.00	150	Vertical	Pass
4	5302.250	107.11	-2.05	--	-103.89	Peak	211.00	150	Vertical	N/A
4**	5302.250	100.17	-2.05	--	100.17	AV	211.00	150	Vertical	N/A
5	11886.451	52.83	-1.10	68.2	-15.37	Peak	292.00	150	Vertical	Pass
5**	11886.451	43.02	-1.10	54.0	-10.98	AV	292.00	150	Vertical	Pass
6	15950.925	49.75	-2.97	68.2	-18.45	Peak	182.00	150	Vertical	Pass
6**	15950.925	40.25	-2.97	54.0	-13.75	AV	182.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1120.700	43.08	-17.82	68.2	-25.12	Peak	162.00	150	Horizontal	Pass
1**	1120.700	32.82	-17.82	54.0	-21.18	AV	162.00	150	Horizontal	Pass
2	2389.600	57.07	-12.74	68.2	-11.13	Peak	235.00	150	Horizontal	Pass
2**	2389.600	47.84	-12.74	54.0	-6.16	AV	235.00	150	Horizontal	Pass
3	4145.000	49.61	-3.88	68.2	-18.59	Peak	346.00	150	Horizontal	Pass
3**	4145.000	39.82	-3.88	54.0	-14.18	AV	346.00	150	Horizontal	Pass
4	5321.750	112.35	-1.68	--	-244.65	Peak	357.00	150	Horizontal	N/A
4**	5321.750	106.55	-1.68	--	106.55	AV	357.00	150	Horizontal	N/A
5	11910.200	53.26	-0.98	68.2	-14.94	Peak	287.00	150	Horizontal	Pass
5**	11910.200	43.10	-0.98	54.0	-10.90	AV	287.00	150	Horizontal	Pass
6	15753.263	49.68	-3.15	68.2	-18.52	Peak	172.00	150	Horizontal	Pass
6**	15753.263	39.93	-3.15	54.0	-14.07	AV	172.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1616.100	46.69	-17.28	68.2	-21.51	Peak	160.00	150	Vertical	Pass
1**	1616.100	34.35	-17.28	54.0	-19.65	AV	160.00	150	Vertical	Pass
2	2389.900	55.99	-12.77	68.2	-12.21	Peak	135.00	150	Vertical	Pass
2**	2389.900	42.35	-12.77	54.0	-11.65	AV	135.00	150	Vertical	Pass
3	4801.750	52.45	-2.56	68.2	-15.75	Peak	159.00	150	Vertical	Pass
3**	4801.750	50.30	-2.56	54.0	-3.70	AV	159.00	150	Vertical	Pass
4	5322.750	106.88	-1.75	--	-102.12	Peak	209.00	150	Vertical	N/A
4**	5322.750	99.88	-1.75	--	99.88	AV	209.00	150	Vertical	N/A
5	11964.826	52.41	-0.82	68.2	-15.79	Peak	308.00	150	Vertical	Pass
5**	11964.826	43.45	-0.82	54.0	-10.55	AV	308.00	150	Vertical	Pass
6	15971.925	49.19	-3.15	68.2	-19.01	Peak	353.00	150	Vertical	Pass
6**	15971.925	40.72	-3.15	54.0	-13.28	AV	353.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1122.300	43.09	-17.70	68.2	-25.11	Peak	163.00	150	Horizontal	Pass
1**	1122.300	33.92	-17.70	54.0	-20.08	AV	163.00	150	Horizontal	Pass
2	2388.700	57.28	-12.69	68.2	-10.92	Peak	226.00	150	Horizontal	Pass
2**	2388.700	41.18	-12.69	54.0	-12.82	AV	226.00	150	Horizontal	Pass
3	4001.500	49.36	-3.71	68.2	-18.84	Peak	348.00	150	Horizontal	Pass
3**	4001.500	39.73	-3.71	54.0	-14.27	AV	348.00	150	Horizontal	Pass
4	5274.000	111.48	-1.69	--	-248.52	Peak	360.00	150	Horizontal	N/A
4**	5274.000	103.41	-1.69	--	103.41	AV	360.00	150	Horizontal	N/A
5	11981.213	53.06	-0.81	68.2	-15.14	Peak	0.00	150	Horizontal	Pass
5**	11981.213	43.72	-0.81	54.0	-10.28	AV	0.00	150	Horizontal	Pass
6	15579.487	50.23	-3.79	68.2	-17.97	Peak	312.00	150	Horizontal	Pass
6**	15579.487	39.99	-3.79	54.0	-14.01	AV	312.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.800	44.50	-17.34	68.2	-23.70	Peak	172.00	150	Vertical	Pass
1**	1600.800	33.52	-17.34	54.0	-20.48	AV	172.00	150	Vertical	Pass
2	2389.500	55.13	-12.73	68.2	-13.07	Peak	134.00	150	Vertical	Pass
2**	2389.500	49.51	-12.73	54.0	-4.49	AV	134.00	150	Vertical	Pass
3	4778.500	53.33	-2.67	68.2	-14.87	Peak	201.00	150	Vertical	Pass
3**	4778.500	49.95	-2.67	54.0	-4.05	AV	201.00	150	Vertical	Pass
4	5282.500	104.23	-2.30	--	-108.77	Peak	213.00	150	Vertical	N/A
4**	5282.500	96.02	-2.30	--	96.02	AV	213.00	150	Vertical	N/A
5	11907.350	52.60	-0.99	68.2	-15.60	Peak	73.00	150	Vertical	Pass
5**	11907.350	44.05	-0.99	54.0	-9.95	AV	73.00	150	Vertical	Pass
6	15729.375	49.49	-3.57	68.2	-18.71	Peak	280.00	150	Vertical	Pass
6**	15729.375	40.41	-3.57	54.0	-13.59	AV	280.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1116.200	43.14	-17.80	68.2	-25.06	Peak	167.00	150	Horizontal	Pass
1**	1116.200	31.76	-17.80	54.0	-22.24	AV	167.00	150	Horizontal	Pass
2	2388.500	57.64	-12.68	68.2	-10.56	Peak	236.00	150	Horizontal	Pass
2**	2388.500	40.79	-12.68	54.0	-13.21	AV	236.00	150	Horizontal	Pass
3	3941.750	49.90	-3.96	68.2	-18.30	Peak	245.00	150	Horizontal	Pass
3**	3941.750	40.03	-3.96	54.0	-13.97	AV	245.00	150	Horizontal	Pass
4	5316.000	109.19	-1.68	--	-246.81	Peak	356.00	150	Horizontal	N/A
4**	5316.000	101.02	-1.68	--	101.02	AV	356.00	150	Horizontal	N/A
5	11962.213	52.49	-0.82	68.2	-15.71	Peak	293.00	150	Horizontal	Pass
5**	11962.213	43.50	-0.82	54.0	-10.50	AV	293.00	150	Horizontal	Pass
6	15977.175	49.30	-3.19	68.2	-18.90	Peak	329.00	150	Horizontal	Pass
6**	15977.175	40.41	-3.19	54.0	-13.59	AV	329.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1610.600	44.80	-17.51	68.2	-23.40	Peak	181.00	150	Vertical	Pass
1**	1610.600	33.42	-17.51	54.0	-20.58	AV	181.00	150	Vertical	Pass
2	2389.900	57.13	-12.77	68.2	-11.07	Peak	132.00	150	Vertical	Pass
2**	2389.900	40.08	-12.77	54.0	-13.92	AV	132.00	150	Vertical	Pass
3	4781.250	53.29	-2.80	68.2	-14.91	Peak	183.00	150	Vertical	Pass
3**	4781.250	50.66	-2.80	54.0	-3.34	AV	183.00	150	Vertical	Pass
4	5306.000	103.79	-1.98	--	-104.21	Peak	208.00	150	Vertical	N/A
4**	5306.000	95.14	-1.98	--	95.14	AV	208.00	150	Vertical	N/A
5	12476.401	53.09	-0.32	68.2	-15.11	Peak	166.00	150	Vertical	Pass
5**	12476.401	43.83	-0.32	54.0	-10.17	AV	166.00	150	Vertical	Pass
6	15570.037	49.86	-3.64	68.2	-18.34	Peak	268.00	150	Vertical	Pass
6**	15570.037	39.83	-3.64	54.0	-14.17	AV	268.00	150	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1121.200	43.28	-17.79	68.2	-24.92	Peak	167.00	150	Horizontal	Pass
1**	1121.200	34.08	-17.79	54.0	-19.92	AV	167.00	150	Horizontal	Pass
2	2390.000	57.01	-12.78	68.2	-11.19	Peak	222.00	150	Horizontal	Pass
2**	2390.000	47.77	-12.78	54.0	-6.23	AV	222.00	150	Horizontal	Pass
3	4099.750	50.04	-3.71	68.2	-18.16	Peak	136.00	150	Horizontal	Pass
3**	4099.750	39.59	-3.71	54.0	-14.41	AV	136.00	150	Horizontal	Pass
4	5276.250	105.29	-2.21	--	-254.71	Peak	360.00	150	Horizontal	N/A
4**	5276.250	98.63	-2.21	--	98.63	AV	360.00	150	Horizontal	N/A
5	11921.599	53.73	-0.94	68.2	-14.47	Peak	21.00	150	Horizontal	Pass
5**	11921.599	43.71	-0.94	54.0	-10.29	AV	21.00	150	Horizontal	Pass
6	15972.450	49.86	-3.15	68.2	-18.34	Peak	256.00	150	Horizontal	Pass
6**	15972.450	40.51	-3.15	54.0	-13.49	AV	256.00	150	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.100	56.99	-12.71	68.2	-11.21	Peak	127.00	150	Vertical	Pass
1**	2389.100	46.96	-12.71	54.0	-7.04	AV	127.00	150	Vertical	Pass
2	1604.000	46.04	-17.06	68.2	-22.16	Peak	163.00	150	Vertical	Pass
2**	1604.000	33.48	-17.06	54.0	-20.52	AV	163.00	150	Vertical	Pass
3	4791.750	57.47	-2.61	68.2	-10.73	Peak	175.00	150	Vertical	Pass
3**	4791.750	50.62	-2.61	54.0	-3.38	AV	175.00	150	Vertical	Pass
4	5305.500	99.95	-2.03	--	-113.05	Peak	213.00	150	Vertical	N/A
4**	5305.500	90.88	-2.03	--	90.88	AV	213.00	150	Vertical	N/A
5	12667.825	53.86	-0.46	68.2	-14.34	Peak	55.00	150	Vertical	Pass
5**	12667.825	43.30	-0.46	54.0	-10.70	AV	55.00	150	Vertical	Pass
6	15949.875	50.19	-2.96	68.2	-18.01	Peak	238.00	150	Vertical	Pass
6**	15949.875	40.32	-2.96	54.0	-13.68	AV	238.00	150	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1607.000	45.42	-17.18	68.2	-22.78	Peak	260.00	150	Horizontal	Pass
1**	1607.000	33.19	-17.18	54.0	-20.81	AV	260.00	150	Horizontal	Pass
2	2389.400	57.84	-12.72	68.2	-10.36	Peak	217.00	150	Horizontal	Pass
2**	2389.400	43.55	-12.72	54.0	-10.45	AV	217.00	150	Horizontal	Pass
3	4165.000	49.36	-4.02	68.2	-18.84	Peak	196.00	150	Horizontal	Pass
3**	4165.000	40.30	-4.02	54.0	-13.70	AV	196.00	150	Horizontal	Pass
4	5261.250	114.37	-2.01	--	-245.63	Peak	360.00	150	Horizontal	N/A
4**	5261.250	106.32	-2.01	--	106.32	AV	360.00	150	Horizontal	N/A
5	11997.362	53.40	-0.80	68.2	-14.80	Peak	0.00	150	Horizontal	Pass
5**	11997.362	44.35	-0.80	54.0	-9.65	AV	0.00	150	Horizontal	Pass
6	15988.725	50.71	-3.29	68.2	-17.49	Peak	133.00	150	Horizontal	Pass
6**	15988.725	41.07	-3.29	54.0	-12.93	AV	133.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1604.200	44.97	-17.05	68.2	-23.23	Peak	181.00	150	Vertical	Pass
1**	1604.200	35.06	-17.05	54.0	-18.94	AV	181.00	150	Vertical	Pass
2	2389.500	54.38	-12.73	68.2	-13.82	Peak	125.00	150	Vertical	Pass
2**	2389.500	41.27	-12.73	54.0	-12.73	AV	125.00	150	Vertical	Pass
3	4796.000	53.85	-2.59	68.2	-14.35	Peak	184.00	150	Vertical	Pass
3**	4796.000	50.50	-2.59	54.0	-3.50	AV	184.00	150	Vertical	Pass
4	5258.500	108.44	-2.11	--	-25.56	Peak	134.00	150	Vertical	N/A
4**	5258.500	100.64	-2.11	--	100.64	AV	134.00	150	Vertical	N/A
5	12487.326	53.20	-0.21	68.2	-15.00	Peak	112.00	150	Vertical	Pass
5**	12487.326	43.31	-0.21	54.0	-10.69	AV	112.00	150	Vertical	Pass
6	15971.401	49.29	-3.14	68.2	-18.91	Peak	276.00	150	Vertical	Pass
6**	15971.401	41.44	-3.14	54.0	-12.56	AV	276.00	150	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1118.600	42.66	-17.91	68.2	-25.54	Peak	220.00	150	Horizontal	Pass
1**	1118.600	32.25	-17.91	54.0	-21.75	AV	220.00	150	Horizontal	Pass
2	2389.300	57.51	-12.71	68.2	-10.69	Peak	209.00	150	Horizontal	Pass
2**	2389.300	50.01	-12.71	54.0	-3.99	AV	209.00	150	Horizontal	Pass
3	4122.250	49.60	-3.14	68.2	-18.60	Peak	360.00	150	Horizontal	Pass
3**	4122.250	39.85	-3.14	54.0	-14.15	AV	360.00	150	Horizontal	Pass
4	5302.500	112.95	-2.05	--	-247.05	Peak	360.00	150	Horizontal	N/A
4**	5302.500	105.96	-2.05	--	105.96	AV	360.00	150	Horizontal	N/A
5	11934.188	52.97	-0.89	68.2	-15.23	Peak	309.00	150	Horizontal	Pass
5**	11934.188	43.14	-0.89	54.0	-10.86	AV	309.00	150	Horizontal	Pass
6	15963.525	49.76	-3.08	68.2	-18.44	Peak	217.00	150	Horizontal	Pass
6**	15963.525	40.21	-3.08	54.0	-13.79	AV	217.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1605.000	44.42	-17.11	68.2	-23.78	Peak	162.00	150	Vertical	Pass
1**	1605.000	33.84	-17.11	54.0	-20.16	AV	162.00	150	Vertical	Pass
2	2390.000	54.61	-12.78	68.2	-13.59	Peak	132.00	150	Vertical	Pass
2**	2390.000	42.36	-12.78	54.0	-11.64	AV	132.00	150	Vertical	Pass
3	4793.750	56.36	-2.59	68.2	-11.84	Peak	160.00	150	Vertical	Pass
3**	4793.750	50.32	-2.59	54.0	-3.68	AV	160.00	150	Vertical	Pass
4	5301.250	106.89	-2.10	--	-102.11	Peak	209.00	150	Vertical	N/A
4**	5301.250	99.43	-2.10	--	99.43	AV	209.00	150	Vertical	N/A
5	11029.313	52.88	-1.42	68.2	-15.32	Peak	327.00	150	Vertical	Pass
5**	11029.313	43.36	-1.42	54.0	-10.64	AV	327.00	150	Vertical	Pass
6	15950.401	50.25	-2.97	68.2	-17.95	Peak	179.00	150	Vertical	Pass
6**	15950.401	41.00	-2.97	54.0	-13.00	AV	179.00	150	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1149.800	43.33	-17.91	68.2	-24.87	Peak	205.00	150	Horizontal	Pass
1**	1149.800	37.86	-17.91	54.0	-16.14	AV	205.00	150	Horizontal	Pass
2	2389.300	57.02	-12.71	68.2	-11.18	Peak	229.00	150	Horizontal	Pass
2**	2389.300	48.34	-12.71	54.0	-5.66	AV	229.00	150	Horizontal	Pass
3	4787.000	52.35	-2.71	68.2	-15.85	Peak	350.00	150	Horizontal	Pass
3**	4787.000	42.13	-2.71	54.0	-11.87	AV	350.00	150	Horizontal	Pass
4	5324.500	113.00	-1.55	--	-247.00	Peak	360.00	150	Horizontal	N/A
4**	5324.500	105.45	-1.55	--	105.45	AV	360.00	150	Horizontal	N/A
5	12507.987	53.64	-0.26	68.2	-14.56	Peak	292.00	150	Horizontal	Pass
5**	12507.987	43.58	-0.26	54.0	-10.42	AV	292.00	150	Horizontal	Pass
6	15957.488	49.91	-3.02	68.2	-18.29	Peak	287.00	150	Horizontal	Pass
6**	15957.488	40.12	-3.02	54.0	-13.88	AV	287.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.900	46.45	-17.18	68.2	-21.75	Peak	179.00	150	Vertical	Pass
1**	1597.900	33.08	-17.18	54.0	-20.92	AV	179.00	150	Vertical	Pass
2	2389.500	56.05	-12.73	68.2	-12.15	Peak	135.00	150	Vertical	Pass
2**	2389.500	45.59	-12.73	54.0	-8.41	AV	135.00	150	Vertical	Pass
3	4784.000	57.70	-2.78	68.2	-10.50	Peak	173.00	150	Vertical	Pass
3**	4784.000	50.72	-2.78	54.0	-3.28	AV	173.00	150	Vertical	Pass
4	5324.000	107.99	-1.57	--	-101.01	Peak	209.00	150	Vertical	N/A
4**	5324.000	100.70	-1.57	--	100.70	AV	209.00	150	Vertical	N/A
5	12517.250	53.64	-0.48	68.2	-14.56	Peak	39.00	150	Vertical	Pass
5**	12517.250	43.62	-0.48	54.0	-10.38	AV	39.00	150	Vertical	Pass
6	15983.737	50.18	-3.24	68.2	-18.02	Peak	303.00	150	Vertical	Pass
6**	15983.737	40.39	-3.24	54.0	-13.61	AV	303.00	150	Vertical	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1611.700	44.58	-17.26	68.2	-23.62	Peak	253.00	150	Horizontal	Pass
1**	1611.700	32.44	-17.26	54.0	-21.56	AV	253.00	150	Horizontal	Pass
2	2390.000	56.37	-12.78	68.2	-11.83	Peak	217.00	150	Horizontal	Pass
2**	2390.000	40.81	-12.78	54.0	-13.19	AV	217.00	150	Horizontal	Pass
3	4214.500	49.67	-3.80	68.2	-18.53	Peak	61.00	150	Horizontal	Pass
3**	4214.500	39.60	-3.80	54.0	-14.40	AV	61.00	150	Horizontal	Pass
4	5259.250	111.62	-2.00	--	-227.38	Peak	339.00	150	Horizontal	N/A
4**	5259.250	101.83	-2.00	--	101.83	AV	339.00	150	Horizontal	N/A
5	11935.849	52.97	-0.88	68.2	-15.23	Peak	35.00	150	Horizontal	Pass
5**	11935.849	43.47	-0.88	54.0	-10.53	AV	35.00	150	Horizontal	Pass
6	15920.737	50.12	-3.54	68.2	-18.08	Peak	47.00	150	Horizontal	Pass
6**	15920.737	39.76	-3.54	54.0	-14.24	AV	47.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.400	45.82	-17.26	68.2	-22.38	Peak	164.00	150	Vertical	Pass
1**	1602.400	36.94	-17.26	54.0	-17.06	AV	164.00	150	Vertical	Pass
2	2389.800	57.74	-12.76	68.2	-10.46	Peak	130.00	150	Vertical	Pass
2**	2389.800	42.42	-12.76	54.0	-11.58	AV	130.00	150	Vertical	Pass
3	4779.750	54.77	-2.82	68.2	-13.43	Peak	189.00	150	Vertical	Pass
3**	4779.750	50.63	-2.82	54.0	-3.37	AV	189.00	150	Vertical	Pass
4	5262.750	105.51	-1.97	--	-97.49	Peak	203.00	150	Vertical	N/A
4**	5262.750	96.30	-1.97	--	96.30	AV	203.00	150	Vertical	N/A
5	11927.775	53.62	-0.91	68.2	-14.58	Peak	76.00	150	Vertical	Pass
5**	11927.775	43.96	-0.91	54.0	-10.04	AV	76.00	150	Vertical	Pass
6	15951.713	49.67	-2.98	68.2	-18.53	Peak	243.00	150	Vertical	Pass
6**	15951.713	41.02	-2.98	54.0	-12.98	AV	243.00	150	Vertical	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1615.200	44.15	-17.29	68.2	-24.05	Peak	266.00	150	Horizontal	Pass
1**	1615.200	31.37	-17.29	54.0	-22.63	AV	266.00	150	Horizontal	Pass
2	2390.000	52.06	-12.78	68.2	-16.14	Peak	229.00	150	Horizontal	Pass
2**	2390.000	43.54	-12.78	54.0	-10.46	AV	229.00	150	Horizontal	Pass
3	4080.750	49.54	-3.92	68.2	-18.66	Peak	246.00	150	Horizontal	Pass
3**	4080.750	40.05	-3.92	54.0	-13.95	AV	246.00	150	Horizontal	Pass
4	5316.250	108.78	-1.68	--	-247.22	Peak	356.00	150	Horizontal	N/A
4**	5316.250	100.66	-1.68	--	100.66	AV	356.00	150	Horizontal	N/A
5	11990.950	52.57	-0.80	68.2	-15.63	Peak	92.00	150	Horizontal	Pass
5**	11990.950	43.64	-0.80	54.0	-10.36	AV	92.00	150	Horizontal	Pass
6	16002.113	49.73	-3.43	68.2	-18.47	Peak	73.00	150	Horizontal	Pass
6**	16002.113	40.46	-3.43	54.0	-13.54	AV	73.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.200	44.67	-17.36	68.2	-23.53	Peak	144.00	150	Vertical	Pass
1**	1494.200	30.26	-17.36	54.0	-23.74	AV	144.00	150	Vertical	Pass
2	2390.000	54.87	-12.78	68.2	-13.33	Peak	125.00	150	Vertical	Pass
2**	2390.000	48.15	-12.78	54.0	-5.85	AV	125.00	150	Vertical	Pass
3	4769.000	50.92	-2.33	68.2	-17.28	Peak	211.00	150	Vertical	Pass
3**	4769.000	50.73	-2.33	54.0	-3.27	AV	211.00	150	Vertical	Pass
4	5317.750	103.37	-1.68	--	-107.63	Peak	211.00	150	Vertical	N/A
4**	5317.750	95.11	-1.68	--	95.11	AV	211.00	150	Vertical	N/A
5	11956.037	53.36	-0.82	68.2	-14.84	Peak	274.00	150	Vertical	Pass
5**	11956.037	44.02	-0.82	54.0	-9.98	AV	274.00	150	Vertical	Pass
6	15999.750	49.48	-3.38	68.2	-18.72	Peak	336.00	150	Vertical	Pass
6**	15999.750	40.54	-3.38	54.0	-13.46	AV	336.00	150	Vertical	Pass

11ax80 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1195.300	43.19	-17.56	68.2	-25.01	Peak	247.00	150	Horizontal	Pass
1**	1195.300	33.05	-17.56	54.0	-20.95	AV	247.00	150	Horizontal	Pass
2	2390.000	56.91	-12.78	68.2	-11.29	Peak	216.00	150	Horizontal	Pass
2**	2390.000	46.58	-12.78	54.0	-7.42	AV	216.00	150	Horizontal	Pass
3	4124.250	49.81	-3.30	68.2	-18.39	Peak	283.00	150	Horizontal	Pass
3**	4124.250	39.67	-3.30	54.0	-14.33	AV	283.00	150	Horizontal	Pass
4	5302.750	106.15	-2.05	--	105.15	Peak	1.00	150	Horizontal	N/A
4**	5302.750	96.27	-2.05	--	96.27	AV	1.00	150	Horizontal	N/A
5	12005.200	52.87	-0.95	68.2	-15.33	Peak	110.00	150	Horizontal	Pass
5**	12005.200	43.63	-0.95	54.0	-10.37	AV	110.00	150	Horizontal	Pass
6	15936.224	49.62	-3.24	68.2	-18.58	Peak	75.00	150	Horizontal	Pass
6**	15936.224	40.02	-3.24	54.0	-13.98	AV	75.00	150	Horizontal	Pass

11ax80 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1604.600	45.32	-17.06	68.2	-22.88	Peak	171.00	150	Vertical	Pass
1**	1604.600	33.19	-17.06	54.0	-20.81	AV	171.00	150	Vertical	Pass
2	2389.600	55.94	-12.74	68.2	-12.26	Peak	140.00	150	Vertical	Pass
2**	2389.600	47.29	-12.74	54.0	-6.71	AV	140.00	150	Vertical	Pass
3	4777.750	53.53	-2.46	68.2	-14.67	Peak	177.00	150	Vertical	Pass
3**	4777.750	50.65	-2.46	54.0	-3.35	AV	177.00	150	Vertical	Pass
4	5312.000	100.16	-2.01	--	-101.84	Peak	202.00	150	Vertical	N/A
4**	5312.000	91.74	-2.01	--	91.74	AV	202.00	150	Vertical	N/A
5	11961.737	53.25	-0.82	68.2	-14.95	Peak	50.00	150	Vertical	Pass
5**	11961.737	43.22	-0.82	54.0	-10.78	AV	50.00	150	Vertical	Pass
6	15932.812	50.98	-3.30	68.2	-17.22	Peak	360.00	150	Vertical	Pass
6**	15932.812	40.61	-3.30	54.0	-13.39	AV	360.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1622.200	44.54	-17.15	68.2	-23.66	Peak	266.00	150	Horizontal	Pass
1**	1622.200	32.21	-17.15	54.0	-21.79	AV	266.00	150	Horizontal	Pass
2	2389.300	56.69	-12.71	68.2	-11.51	Peak	217.00	150	Horizontal	Pass
2**	2389.300	47.88	-12.71	54.0	-6.12	AV	217.00	150	Horizontal	Pass
3	4735.500	51.98	-2.44	68.2	-16.22	Peak	233.00	150	Horizontal	Pass
3**	4735.500	42.37	-2.44	54.0	-11.63	AV	233.00	150	Horizontal	Pass
4	5503.500	113.68	-1.02	--	-245.32	Peak	359.00	150	Horizontal	N/A
4**	5503.500	105.42	-1.02	--	105.42	AV	359.00	150	Horizontal	N/A
5	12511.075	53.06	-0.34	68.2	-15.14	Peak	202.00	150	Horizontal	Pass
5**	12511.075	44.86	-0.34	54.0	-9.14	AV	202.00	150	Horizontal	Pass
6	15952.763	49.67	-2.99	68.2	-18.53	Peak	27.00	150	Horizontal	Pass
6**	15952.763	40.77	-2.99	54.0	-13.23	AV	27.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1607.000	45.10	-17.18	68.2	-23.10	Peak	144.00	150	Vertical	Pass
1**	1607.000	34.93	-17.18	54.0	-19.07	AV	144.00	150	Vertical	Pass
2	2389.900	55.05	-12.77	68.2	-13.15	Peak	125.00	150	Vertical	Pass
2**	2389.900	49.87	-12.77	54.0	-4.13	AV	125.00	150	Vertical	Pass
3	4791.500	56.42	-2.61	68.2	-11.78	Peak	160.00	150	Vertical	Pass
3**	4791.500	50.31	-2.61	54.0	-3.69	AV	160.00	150	Vertical	Pass
4	5498.750	109.74	-1.00	--	25.74	Peak	84.00	150	Vertical	N/A
4**	5498.750	102.51	-1.00	--	102.51	AV	84.00	150	Vertical	N/A
5	11897.612	53.17	-1.04	68.2	-15.03	Peak	0.00	150	Vertical	Pass
5**	11897.612	43.20	-1.04	54.0	-10.80	AV	0.00	150	Vertical	Pass
6	15951.713	49.69	-2.98	68.2	-18.51	Peak	313.00	150	Vertical	Pass
6**	15951.713	40.47	-2.98	54.0	-13.53	AV	313.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1120.400	43.41	-17.84	68.2	-24.79	Peak	168.00	150	Horizontal	Pass
1**	1120.400	33.68	-17.84	54.0	-20.32	AV	168.00	150	Horizontal	Pass
2	2390.000	52.90	-12.78	68.2	-15.30	Peak	88.00	150	Horizontal	Pass
2**	2390.000	45.40	-12.78	54.0	-8.60	AV	88.00	150	Horizontal	Pass
3	4051.250	50.37	-3.78	68.2	-17.83	Peak	260.00	150	Horizontal	Pass
3**	4051.250	39.45	-3.78	54.0	-14.55	AV	260.00	150	Horizontal	Pass
4	5577.250	115.21	-0.70	--	-232.79	Peak	348.00	150	Horizontal	N/A
4**	5577.250	108.43	-0.70	--	108.43	AV	348.00	150	Horizontal	N/A
5	11943.451	53.79	-0.85	68.2	-14.41	Peak	110.00	150	Horizontal	Pass
5**	11943.451	43.42	-0.85	54.0	-10.58	AV	110.00	150	Horizontal	Pass
6	15744.338	49.77	-3.26	68.2	-18.43	Peak	103.00	150	Horizontal	Pass
6**	15744.338	39.75	-3.26	54.0	-14.25	AV	103.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1615.500	45.64	-17.29	68.2	-22.56	Peak	162.00	150	Vertical	Pass
1**	1615.500	32.65	-17.29	54.0	-21.35	AV	162.00	150	Vertical	Pass
2	2389.300	56.70	-12.71	68.2	-11.50	Peak	131.00	150	Vertical	Pass
2**	2389.300	40.44	-12.71	54.0	-13.56	AV	131.00	150	Vertical	Pass
3	4770.250	48.77	-2.48	68.2	-19.43	Peak	360.00	150	Vertical	Pass
3**	4770.250	50.29	-2.48	54.0	-3.71	AV	360.00	150	Vertical	Pass
4	5577.500	113.18	-0.70	--	-150.82	Peak	264.00	150	Vertical	N/A
4**	5577.500	105.98	-0.70	--	105.98	AV	264.00	150	Vertical	N/A
5	11866.974	53.03	-1.22	68.2	-15.17	Peak	74.00	150	Vertical	Pass
5**	11866.974	42.72	-1.22	54.0	-11.28	AV	74.00	150	Vertical	Pass
6	15740.925	50.06	-3.33	68.2	-18.14	Peak	278.00	150	Vertical	Pass
6**	15740.925	39.90	-3.33	54.0	-14.10	AV	278.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1122.000	43.27	-17.66	68.2	-24.93	Peak	165.00	150	Horizontal	Pass
1**	1122.000	34.44	-17.66	54.0	-19.56	AV	165.00	150	Horizontal	Pass
2	2390.000	56.61	-12.78	68.2	-11.59	Peak	221.00	150	Horizontal	Pass
2**	2390.000	41.64	-12.78	54.0	-12.36	AV	221.00	150	Horizontal	Pass
3	4230.250	49.69	-4.16	68.2	-18.51	Peak	21.00	150	Horizontal	Pass
3**	4230.250	40.46	-4.16	54.0	-13.54	AV	21.00	150	Horizontal	Pass
4	5697.750	108.73	-0.88	--	87.73	Peak	21.00	150	Horizontal	N/A
4**	5697.750	101.40	-0.88	--	101.40	AV	21.00	150	Horizontal	N/A
5	11953.424	53.27	-0.82	68.2	-14.93	Peak	182.00	150	Horizontal	Pass
5**	11953.424	43.70	-0.82	54.0	-10.30	AV	182.00	150	Horizontal	Pass
6	15978.225	49.23	-3.20	68.2	-18.97	Peak	12.00	150	Horizontal	Pass
6**	15978.225	40.71	-3.20	54.0	-13.29	AV	12.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1614.000	45.16	-17.15	68.2	-23.04	Peak	164.00	150	Vertical	Pass
1**	1614.000	31.94	-17.15	54.0	-22.06	AV	164.00	150	Vertical	Pass
2	2390.000	47.92	-12.78	68.2	-20.28	Peak	158.00	150	Vertical	Pass
2**	2390.000	43.34	-12.78	54.0	-10.66	AV	158.00	150	Vertical	Pass
3	4772.000	55.63	-2.63	68.2	-12.57	Peak	194.00	150	Vertical	Pass
3**	4772.000	50.74	-2.63	54.0	-3.26	AV	194.00	150	Vertical	Pass
4	5695.000	112.15	-0.85	--	-144.85	Peak	257.00	150	Vertical	N/A
4**	5695.000	104.16	-0.85	--	104.16	AV	257.00	150	Vertical	N/A
5	12005.200	53.25	-0.95	68.2	-14.95	Peak	165.00	150	Vertical	Pass
5**	12005.200	44.49	-0.95	54.0	-9.51	AV	165.00	150	Vertical	Pass
6	15672.937	49.76	-4.42	68.2	-18.44	Peak	226.00	150	Vertical	Pass
6**	15672.937	39.36	-4.42	54.0	-14.64	AV	226.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1119.700	42.45	-17.75	68.2	-25.75	Peak	167.00	150	Horizontal	Pass
1**	1119.700	33.26	-17.75	54.0	-20.74	AV	167.00	150	Horizontal	Pass
2	2390.000	50.83	-12.78	68.2	-17.37	Peak	222.00	150	Horizontal	Pass
2**	2390.000	47.64	-12.78	54.0	-6.36	AV	222.00	150	Horizontal	Pass
3	4968.250	53.27	-1.60	68.2	-14.93	Peak	135.00	150	Horizontal	Pass
3**	4968.250	43.42	-1.60	54.0	-10.58	AV	135.00	150	Horizontal	Pass
4	5499.250	111.66	-1.04	--	-248.34	Peak	360.00	150	Horizontal	N/A
4**	5499.250	102.92	-1.04	--	102.92	AV	360.00	150	Horizontal	N/A
5	11939.888	52.72	-0.86	68.2	-15.48	Peak	148.00	150	Horizontal	Pass
5**	11939.888	43.59	-0.86	54.0	-10.41	AV	148.00	150	Horizontal	Pass
6	15970.612	49.47	-3.13	68.2	-18.73	Peak	195.00	150	Horizontal	Pass
6**	15970.612	40.64	-3.13	54.0	-13.36	AV	195.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.800	44.86	-17.05	68.2	-23.34	Peak	162.00	150	Vertical	Pass
1**	1612.800	36.10	-17.05	54.0	-17.90	AV	162.00	150	Vertical	Pass
2	2390.000	53.68	-12.78	68.2	-14.52	Peak	137.00	150	Vertical	Pass
2**	2390.000	46.80	-12.78	54.0	-7.20	AV	137.00	150	Vertical	Pass
3	4781.500	54.76	-2.79	68.2	-13.44	Peak	160.00	150	Vertical	Pass
3**	4781.500	50.54	-2.79	54.0	-3.46	AV	160.00	150	Vertical	Pass
4	5518.750	108.65	-0.76	--	24.65	Peak	84.00	150	Vertical	N/A
4**	5518.750	101.73	-0.76	--	101.73	AV	84.00	150	Vertical	N/A
5	11962.213	53.22	-0.82	68.2	-14.98	Peak	186.00	150	Vertical	Pass
5**	11962.213	43.53	-0.82	54.0	-10.47	AV	186.00	150	Vertical	Pass
6	15983.475	50.13	-3.24	68.2	-18.07	Peak	282.00	150	Vertical	Pass
6**	15983.475	40.97	-3.24	54.0	-13.03	AV	282.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1120.100	42.90	-17.80	68.2	-25.30	Peak	167.00	150	Horizontal	Pass
1**	1120.100	34.25	-17.80	54.0	-19.75	AV	167.00	150	Horizontal	Pass
2	2389.500	57.77	-12.73	68.2	-10.43	Peak	216.00	150	Horizontal	Pass
2**	2389.500	44.71	-12.73	54.0	-9.29	AV	216.00	150	Horizontal	Pass
3	4200.250	49.61	-3.74	68.2	-18.59	Peak	360.00	150	Horizontal	Pass
3**	4200.250	40.31	-3.74	54.0	-13.69	AV	360.00	150	Horizontal	Pass
4	5581.500	111.59	-1.03	--	-227.41	Peak	339.00	150	Horizontal	N/A
4**	5581.500	103.41	-1.03	--	103.41	AV	339.00	150	Horizontal	N/A
5	11948.438	53.07	-0.83	68.2	-15.13	Peak	344.00	150	Horizontal	Pass
5**	11948.438	44.04	-0.83	54.0	-9.96	AV	344.00	150	Horizontal	Pass
6	16001.063	50.08	-3.40	68.2	-18.12	Peak	355.00	150	Horizontal	Pass
6**	16001.063	40.73	-3.40	54.0	-13.27	AV	355.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1605.800	44.95	-17.18	68.2	-23.25	Peak	157.00	150	Vertical	Pass
1**	1605.800	33.24	-17.18	54.0	-20.76	AV	157.00	150	Vertical	Pass
2	2389.200	54.95	-12.71	68.2	-13.25	Peak	126.00	150	Vertical	Pass
2**	2389.200	40.43	-12.71	54.0	-13.57	AV	126.00	150	Vertical	Pass
3	4796.500	55.11	-2.51	68.2	-13.09	Peak	165.00	150	Vertical	Pass
3**	4796.500	50.43	-2.51	54.0	-3.57	AV	165.00	150	Vertical	Pass
4	5581.500	111.82	-1.03	--	-145.18	Peak	257.00	150	Vertical	N/A
4**	5581.500	103.99	-1.03	--	103.99	AV	257.00	150	Vertical	N/A
5	12441.962	53.21	-0.68	68.2	-14.99	Peak	309.00	150	Vertical	Pass
5**	12441.962	43.40	-0.68	54.0	-10.60	AV	309.00	150	Vertical	Pass
6	15981.375	50.03	-3.22	68.2	-18.17	Peak	197.00	150	Vertical	Pass
6**	15981.375	40.79	-3.22	54.0	-13.21	AV	197.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	55.75	-12.78	68.2	-12.45	Peak	221.00	150	Horizontal	Pass
1**	2390.000	49.83	-12.78	54.0	-4.17	AV	221.00	150	Horizontal	Pass
2	3856.250	49.23	-3.59	68.2	-18.97	Peak	23.00	150	Horizontal	Pass
2**	3856.250	40.36	-3.59	54.0	-13.64	AV	23.00	150	Horizontal	Pass
3	5663.750	108.23	-1.12	--	85.23	Peak	23.00	150	Horizontal	N/A
3**	5663.750	100.45	-1.12	--	100.45	AV	23.00	150	Horizontal	N/A
4	8037.287	51.07	-2.59	68.2	-17.13	Peak	344.00	150	Horizontal	Pass
4**	8037.287	40.65	-2.59	54.0	-13.35	AV	344.00	150	Horizontal	Pass
5	11991.900	53.02	-0.80	68.2	-15.18	Peak	145.00	150	Horizontal	Pass
5**	11991.900	44.22	-0.80	54.0	-9.78	AV	145.00	150	Horizontal	Pass
6	15990.300	50.06	-3.30	68.2	-18.14	Peak	199.00	150	Horizontal	Pass
6**	15990.300	40.76	-3.30	54.0	-13.24	AV	199.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.500	44.98	-17.24	68.2	-23.22	Peak	327.00	150	Vertical	Pass
1**	1584.500	32.23	-17.24	54.0	-21.77	AV	327.00	150	Vertical	Pass
2	2390.000	55.76	-12.78	68.2	-12.44	Peak	122.00	150	Vertical	Pass
2**	2390.000	44.65	-12.78	54.0	-9.35	AV	122.00	150	Vertical	Pass
3	4774.500	55.17	-2.59	68.2	-13.03	Peak	158.00	150	Vertical	Pass
3**	4774.500	50.59	-2.59	54.0	-3.41	AV	158.00	150	Vertical	Pass
4	5665.750	111.76	-0.96	--	-134.24	Peak	246.00	150	Vertical	N/A
4**	5665.750	104.17	-0.96	--	104.17	AV	246.00	150	Vertical	N/A
5	8255.075	48.97	-3.73	68.2	-19.23	Peak	113.00	150	Vertical	Pass
5**	8255.075	40.12	-3.73	54.0	-13.88	AV	113.00	150	Vertical	Pass
6	11997.125	53.83	-0.80	68.2	-14.37	Peak	131.00	150	Vertical	Pass
6**	11997.125	44.05	-0.80	54.0	-9.95	AV	131.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	53.00	-12.78	68.2	-15.20	Peak	227.00	150	Horizontal	Pass
1**	2390.000	42.26	-12.78	54.0	-11.74	AV	227.00	150	Horizontal	Pass
2	4189.500	49.52	-2.99	68.2	-18.68	Peak	270.00	150	Horizontal	Pass
2**	4189.500	40.13	-2.99	54.0	-13.87	AV	270.00	150	Horizontal	Pass
3	5500.500	111.60	-1.02	--	-239.40	Peak	351.00	150	Horizontal	N/A
3**	5500.500	103.32	-1.02	--	103.32	AV	351.00	150	Horizontal	N/A
4	8074.575	49.85	-2.27	68.2	-18.35	Peak	150.00	150	Horizontal	Pass
4**	8074.575	41.78	-2.27	54.0	-12.22	AV	150.00	150	Horizontal	Pass
5	11753.687	53.11	-1.31	68.2	-15.09	Peak	305.00	150	Horizontal	Pass
5**	11753.687	44.06	-1.31	54.0	-9.94	AV	305.00	150	Horizontal	Pass
6	17801.812	50.80	-2.65	68.2	-17.40	Peak	201.00	150	Horizontal	Pass
6**	17801.812	41.24	-2.65	54.0	-12.76	AV	201.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	56.75	-12.78	68.2	-11.45	Peak	127.00	150	Vertical	Pass
1**	2390.000	40.92	-12.78	54.0	-13.08	AV	127.00	150	Vertical	Pass
2	4784.000	55.34	-2.78	68.2	-12.86	Peak	159.00	150	Vertical	Pass
2**	4784.000	50.25	-2.78	54.0	-3.75	AV	159.00	150	Vertical	Pass
3	5502.750	110.20	-0.97	--	-147.80	Peak	258.00	150	Vertical	N/A
3**	5502.750	102.88	-0.97	--	102.88	AV	258.00	150	Vertical	N/A
4	8120.175	49.94	-2.88	68.2	-18.26	Peak	274.00	150	Vertical	Pass
4**	8120.175	40.85	-2.88	54.0	-13.15	AV	274.00	150	Vertical	Pass
5	11928.724	53.62	-0.91	68.2	-14.58	Peak	16.00	150	Vertical	Pass
5**	11928.724	42.94	-0.91	54.0	-11.06	AV	16.00	150	Vertical	Pass
6	15961.950	49.58	-3.06	68.2	-18.62	Peak	124.00	150	Vertical	Pass
6**	15961.950	40.20	-3.06	54.0	-13.80	AV	124.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1608.500	43.56	-17.31	68.2	-24.64	Peak	127.00	150	Horizontal	Pass
1**	1608.500	32.82	-17.31	54.0	-21.18	AV	127.00	150	Horizontal	Pass
2	2390.000	50.31	-12.78	68.2	-17.89	Peak	65.00	150	Horizontal	Pass
2**	2390.000	40.80	-12.78	54.0	-13.20	AV	65.00	150	Horizontal	Pass
3	4989.250	53.47	-1.55	68.2	-14.73	Peak	238.00	150	Horizontal	Pass
3**	4989.250	43.53	-1.55	54.0	-10.47	AV	238.00	150	Horizontal	Pass
4	5576.250	113.03	-0.70	--	-225.97	Peak	339.00	150	Horizontal	N/A
4**	5576.250	105.48	-0.70	--	105.48	AV	339.00	150	Horizontal	N/A
5	8097.612	49.68	-2.96	68.2	-18.52	Peak	48.00	150	Horizontal	Pass
5**	8097.612	40.33	-2.96	54.0	-13.67	AV	48.00	150	Horizontal	Pass
6	11908.775	53.89	-0.99	68.2	-14.31	Peak	290.00	150	Horizontal	Pass
6**	11908.775	44.16	-0.99	54.0	-9.84	AV	290.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1604.200	44.83	-17.05	68.2	-23.37	Peak	161.00	150	Vertical	Pass
1**	1604.200	35.32	-17.05	54.0	-18.68	AV	161.00	150	Vertical	Pass
2	2390.000	53.95	-12.78	68.2	-14.25	Peak	114.00	150	Vertical	Pass
2**	2390.000	48.38	-12.78	54.0	-5.62	AV	114.00	150	Vertical	Pass
3	4782.500	51.39	-2.80	68.2	-16.81	Peak	149.00	150	Vertical	Pass
3**	4782.500	50.98	-2.80	54.0	-3.02	AV	149.00	150	Vertical	Pass
4	5577.500	112.93	-0.70	--	-134.07	Peak	247.00	150	Vertical	N/A
4**	5577.500	105.79	-0.70	--	105.79	AV	247.00	150	Vertical	N/A
5	8281.200	49.67	-3.46	68.2	-18.53	Peak	71.00	150	Vertical	Pass
5**	8281.200	40.74	-3.46	54.0	-13.26	AV	71.00	150	Vertical	Pass
6	11949.625	52.78	-0.82	68.2	-15.42	Peak	53.00	150	Vertical	Pass
6**	11949.625	43.81	-0.82	54.0	-10.19	AV	53.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.96	-12.78	68.2	-15.24	Peak	245.00	150	Horizontal	Pass
1**	2390.000	44.59	-12.78	54.0	-9.41	AV	245.00	150	Horizontal	Pass
2	4124.000	49.06	-3.27	68.2	-19.14	Peak	126.00	150	Horizontal	Pass
2**	4124.000	40.48	-3.27	54.0	-13.52	AV	126.00	150	Horizontal	Pass
3	5697.000	108.29	-0.79	--	-237.71	Peak	346.00	150	Horizontal	N/A
3**	5697.000	100.72	-0.79	--	100.72	AV	346.00	150	Horizontal	N/A
4	8216.125	49.67	-3.26	68.2	-18.53	Peak	35.00	150	Horizontal	Pass
4**	8216.125	40.84	-3.26	54.0	-13.16	AV	35.00	150	Horizontal	Pass
5	12469.512	53.73	-0.39	68.2	-14.47	Peak	207.00	150	Horizontal	Pass
5**	12469.512	43.85	-0.39	54.0	-10.15	AV	207.00	150	Horizontal	Pass
6	15495.224	49.71	-3.06	68.2	-18.49	Peak	338.00	150	Horizontal	Pass
6**	15495.224	40.90	-3.06	54.0	-13.10	AV	338.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	53.08	-12.78	68.2	-15.12	Peak	142.00	150	Vertical	Pass
1**	2390.000	44.20	-12.78	54.0	-9.80	AV	142.00	150	Vertical	Pass
2	4777.000	53.87	-2.58	68.2	-14.33	Peak	182.00	150	Vertical	Pass
2**	4777.000	50.79	-2.58	54.0	-3.21	AV	182.00	150	Vertical	Pass
3	5696.750	110.32	-0.77	--	-148.68	Peak	259.00	150	Vertical	N/A
3**	5696.750	102.84	-0.77	--	102.84	AV	259.00	150	Vertical	N/A
4	8373.112	49.85	-3.55	68.2	-18.35	Peak	78.00	150	Vertical	Pass
4**	8373.112	39.18	-3.55	54.0	-14.82	AV	78.00	150	Vertical	Pass
5	11998.788	52.74	-0.80	68.2	-15.46	Peak	0.00	150	Vertical	Pass
5**	11998.788	44.34	-0.80	54.0	-9.66	AV	0.00	150	Vertical	Pass
6	16003.162	49.52	-3.45	68.2	-18.68	Peak	360.00	150	Vertical	Pass
6**	16003.162	41.19	-3.45	54.0	-12.81	AV	360.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.05	-12.78	68.2	-16.15	Peak	251.00	150	Horizontal	Pass
1**	2390.000	45.36	-12.78	54.0	-8.64	AV	251.00	150	Horizontal	Pass
2	4187.500	49.93	-2.94	68.2	-18.27	Peak	166.00	150	Horizontal	Pass
2**	4187.500	40.30	-2.94	54.0	-13.70	AV	166.00	150	Horizontal	Pass
3	5514.250	109.72	-0.84	--	-237.28	Peak	347.00	150	Horizontal	N/A
3**	5514.250	101.27	-0.84	--	101.27	AV	347.00	150	Horizontal	N/A
4	8381.662	49.50	-3.41	68.2	-18.70	Peak	65.00	150	Horizontal	Pass
4**	8381.662	39.84	-3.41	54.0	-14.16	AV	65.00	150	Horizontal	Pass
5	11932.287	52.67	-0.89	68.2	-15.53	Peak	327.00	150	Horizontal	Pass
5**	11932.287	43.92	-0.89	54.0	-10.08	AV	327.00	150	Horizontal	Pass
6	15986.362	49.95	-3.27	68.2	-18.25	Peak	113.00	150	Horizontal	Pass
6**	15986.362	40.36	-3.27	54.0	-13.64	AV	113.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.800	44.58	-17.10	68.2	-23.62	Peak	330.00	150	Vertical	Pass
1**	1573.800	36.86	-17.10	54.0	-17.14	AV	330.00	150	Vertical	Pass
2	2390.000	52.55	-12.78	68.2	-15.65	Peak	119.00	150	Vertical	Pass
2**	2390.000	43.93	-12.78	54.0	-10.07	AV	119.00	150	Vertical	Pass
3	4801.000	53.66	-2.50	68.2	-14.54	Peak	157.00	150	Vertical	Pass
3**	4801.000	50.71	-2.50	54.0	-3.29	AV	157.00	150	Vertical	Pass
4	5519.750	108.40	-0.65	--	-134.60	Peak	243.00	150	Vertical	N/A
4**	5519.750	98.92	-0.65	--	98.92	AV	243.00	150	Vertical	N/A
5	8260.063	49.09	-3.63	68.2	-19.11	Peak	0.00	150	Vertical	Pass
5**	8260.063	39.96	-3.63	54.0	-14.04	AV	0.00	150	Vertical	Pass
6	11999.263	53.67	-0.80	68.2	-14.53	Peak	95.00	150	Vertical	Pass
6**	11999.263	44.25	-0.80	54.0	-9.75	AV	95.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	57.12	-12.78	68.2	-11.08	Peak	229.00	150	Horizontal	Pass
1**	2390.000	43.50	-12.78	54.0	-10.50	AV	229.00	150	Horizontal	Pass
2	4191.500	49.61	-2.88	68.2	-18.59	Peak	113.00	150	Horizontal	Pass
2**	4191.500	40.32	-2.88	54.0	-13.68	AV	113.00	150	Horizontal	Pass
3	5578.250	109.35	-0.77	--	-248.65	Peak	358.00	150	Horizontal	N/A
3**	5578.250	102.31	-0.77	--	102.31	AV	358.00	150	Horizontal	N/A
4	8396.388	49.52	-3.41	68.2	-18.68	Peak	174.00	150	Horizontal	Pass
4**	8396.388	40.03	-3.41	54.0	-13.97	AV	174.00	150	Horizontal	Pass
5	11913.763	52.61	-0.97	68.2	-15.59	Peak	251.00	150	Horizontal	Pass
5**	11913.763	43.69	-0.97	54.0	-10.31	AV	251.00	150	Horizontal	Pass
6	17768.212	49.53	-3.98	68.2	-18.67	Peak	126.00	150	Horizontal	Pass
6**	17768.212	40.59	-3.98	54.0	-13.41	AV	126.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	54.88	-12.78	68.2	-13.32	Peak	126.00	150	Vertical	Pass
1**	2390.000	41.94	-12.78	54.0	-12.06	AV	126.00	150	Vertical	Pass
2	4784.000	55.10	-2.78	68.2	-13.10	Peak	163.00	150	Vertical	Pass
2**	4784.000	49.84	-2.78	54.0	-4.16	AV	163.00	150	Vertical	Pass
3	5583.750	110.29	-1.08	--	-144.71	Peak	255.00	150	Vertical	N/A
3**	5583.750	101.94	-1.08	--	101.94	AV	255.00	150	Vertical	N/A
4	8122.550	49.65	-3.29	68.2	-18.55	Peak	136.00	150	Vertical	Pass
4**	8122.550	39.65	-3.29	54.0	-14.35	AV	136.00	150	Vertical	Pass
5	11928.487	52.76	-0.91	68.2	-15.44	Peak	80.00	150	Vertical	Pass
5**	11928.487	43.42	-0.91	54.0	-10.58	AV	80.00	150	Vertical	Pass
6	15573.188	50.10	-3.69	68.2	-18.10	Peak	230.00	150	Vertical	Pass
6**	15573.188	41.35	-3.69	54.0	-12.65	AV	230.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1609.700	44.73	-17.36	68.2	-23.47	Peak	124.00	150	Horizontal	Pass
1**	1609.700	35.24	-17.36	54.0	-18.76	AV	124.00	150	Horizontal	Pass
2	2390.000	54.72	-12.78	68.2	-13.48	Peak	237.00	150	Horizontal	Pass
2**	2390.000	46.37	-12.78	54.0	-7.63	AV	237.00	150	Horizontal	Pass
3	5667.000	108.72	-1.19	--	-235.28	Peak	344.00	150	Horizontal	N/A
3**	5667.000	100.73	-1.19	--	100.73	AV	344.00	150	Horizontal	N/A
4	8091.438	50.18	-2.85	68.2	-18.02	Peak	202.00	150	Horizontal	Pass
4**	8091.438	40.28	-2.85	54.0	-13.72	AV	202.00	150	Horizontal	Pass
5	11972.901	52.57	-0.81	68.2	-15.63	Peak	184.00	150	Horizontal	Pass
5**	11972.901	43.04	-0.81	54.0	-10.96	AV	184.00	150	Horizontal	Pass
6	15991.349	49.98	-3.31	68.2	-18.22	Peak	190.00	150	Horizontal	Pass
6**	15991.349	40.30	-3.31	54.0	-13.70	AV	190.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	53.88	-12.78	68.2	-14.32	Peak	138.00	150	Vertical	Pass
1**	2390.000	42.97	-12.78	54.0	-11.03	AV	138.00	150	Vertical	Pass
2	4778.500	52.83	-2.67	68.2	-15.37	Peak	213.00	150	Vertical	Pass
2**	4778.500	50.37	-2.67	54.0	-3.63	AV	213.00	150	Vertical	Pass
3	5663.750	109.48	-1.12	--	-143.52	Peak	253.00	150	Vertical	N/A
3**	5663.750	101.85	-1.12	--	101.85	AV	253.00	150	Vertical	N/A
4	8110.200	49.07	-3.16	68.2	-19.13	Peak	199.00	150	Vertical	Pass
4**	8110.200	40.85	-3.16	54.0	-13.15	AV	199.00	150	Vertical	Pass
5	11914.000	52.56	-0.97	68.2	-15.64	Peak	327.00	150	Vertical	Pass
5**	11914.000	43.03	-0.97	54.0	-10.97	AV	327.00	150	Vertical	Pass
6	15981.901	50.00	-3.23	68.2	-18.20	Peak	127.00	150	Vertical	Pass
6**	15981.901	40.71	-3.23	54.0	-13.29	AV	127.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	53.32	-12.78	68.2	-14.88	Peak	56.00	150	Horizontal	Pass
1**	2390.000	46.26	-12.78	54.0	-7.74	AV	56.00	150	Horizontal	Pass
2	4194.000	49.31	-3.22	68.2	-18.89	Peak	61.00	150	Horizontal	Pass
2**	4194.000	41.15	-3.22	54.0	-12.85	AV	61.00	150	Horizontal	Pass
3	5543.500	105.65	-0.37	--	-254.35	Peak	360.00	150	Horizontal	N/A
3**	5543.500	96.88	-0.37	--	96.88	AV	360.00	150	Horizontal	N/A
4	8156.275	49.15	-2.63	68.2	-19.05	Peak	96.00	150	Horizontal	Pass
4**	8156.275	40.33	-2.63	54.0	-13.67	AV	96.00	150	Horizontal	Pass
5	11912.100	53.72	-0.97	68.2	-14.48	Peak	303.00	150	Horizontal	Pass
5**	11912.100	43.34	-0.97	54.0	-10.66	AV	303.00	150	Horizontal	Pass
6	17799.975	50.35	-2.60	68.2	-17.85	Peak	210.00	150	Horizontal	Pass
6**	17799.975	41.51	-2.60	54.0	-12.49	AV	210.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1609.200	45.80	-17.43	68.2	-22.40	Peak	157.00	150	Vertical	Pass
1**	1609.200	32.97	-17.43	54.0	-21.03	AV	157.00	150	Vertical	Pass
2	2390.000	49.63	-12.78	68.2	-18.57	Peak	182.00	150	Vertical	Pass
2**	2390.000	45.40	-12.78	54.0	-8.60	AV	182.00	150	Vertical	Pass
3	4787.500	55.96	-2.67	68.2	-12.24	Peak	165.00	150	Vertical	Pass
3**	4787.500	50.63	-2.67	54.0	-3.37	AV	165.00	150	Vertical	Pass
4	5537.500	104.58	-0.73	--	-150.42	Peak	255.00	150	Vertical	N/A
4**	5537.500	96.17	-0.73	--	96.17	AV	255.00	150	Vertical	N/A
5	8384.275	49.12	-3.56	68.2	-19.08	Peak	138.00	150	Vertical	Pass
5**	8384.275	39.00	-3.56	54.0	-15.00	AV	138.00	150	Vertical	Pass
6	12006.625	53.88	-0.99	68.2	-14.32	Peak	138.00	150	Vertical	Pass
6**	12006.625	43.47	-0.99	54.0	-10.53	AV	138.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	53.49	-12.78	68.2	-14.71	Peak	96.00	150	Horizontal	Pass
1**	2390.000	48.87	-12.78	54.0	-5.13	AV	96.00	150	Horizontal	Pass
2	3988.000	48.84	-3.49	68.2	-19.36	Peak	10.00	150	Horizontal	Pass
2**	3988.000	40.17	-3.49	54.0	-13.83	AV	10.00	150	Horizontal	Pass
3	5613.250	106.77	-1.09	--	-239.23	Peak	346.00	150	Horizontal	N/A
3**	5613.250	99.43	-1.09	--	99.43	AV	346.00	150	Horizontal	N/A
4	8217.550	48.79	-3.24	68.2	-19.41	Peak	0.00	150	Horizontal	Pass
4**	8217.550	40.42	-3.24	54.0	-13.58	AV	0.00	150	Horizontal	Pass
5	11915.425	52.55	-0.96	68.2	-15.65	Peak	327.00	150	Horizontal	Pass
5**	11915.425	43.46	-0.96	54.0	-10.54	AV	327.00	150	Horizontal	Pass
6	17946.188	49.71	-2.98	68.2	-18.49	Peak	268.00	150	Horizontal	Pass
6**	17946.188	40.13	-2.98	54.0	-13.87	AV	268.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.100	44.59	-17.17	68.2	-23.61	Peak	155.00	150	Vertical	Pass
1**	1612.100	32.71	-17.17	54.0	-21.29	AV	155.00	150	Vertical	Pass
2	2390.000	51.80	-12.78	68.2	-16.40	Peak	124.00	150	Vertical	Pass
2**	2390.000	46.15	-12.78	54.0	-7.85	AV	124.00	150	Vertical	Pass
3	4783.750	50.20	-2.80	68.2	-18.00	Peak	358.00	150	Vertical	Pass
3**	4783.750	49.88	-2.80	54.0	-4.12	AV	358.00	150	Vertical	Pass
4	5620.250	107.33	-0.54	--	-150.67	Peak	258.00	150	Vertical	N/A
4**	5620.250	100.51	-0.54	--	100.51	AV	258.00	150	Vertical	N/A
5	8389.025	49.87	-3.16	68.2	-18.33	Peak	42.00	150	Vertical	Pass
5**	8389.025	39.46	-3.16	54.0	-14.54	AV	42.00	150	Vertical	Pass
6	11943.451	52.60	-0.85	68.2	-15.60	Peak	158.00	150	Vertical	Pass
6**	11943.451	43.70	-0.85	54.0	-10.30	AV	158.00	150	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	57.19	-12.78	68.2	-11.01	Peak	239.00	150	Horizontal	Pass
1**	2390.000	45.50	-12.78	54.0	-8.50	AV	239.00	150	Horizontal	Pass
2	3992.000	49.83	-3.45	68.2	-18.37	Peak	293.00	150	Horizontal	Pass
2**	3992.000	40.51	-3.45	54.0	-13.49	AV	293.00	150	Horizontal	Pass
3	5498.000	111.81	-1.07	--	-232.19	Peak	344.00	150	Horizontal	N/A
3**	5498.000	103.75	-1.07	--	103.75	AV	344.00	150	Horizontal	N/A
4	8215.175	49.72	-3.38	68.2	-18.48	Peak	271.00	150	Horizontal	Pass
4**	8215.175	40.25	-3.38	54.0	-13.75	AV	271.00	150	Horizontal	Pass
5	11988.813	53.01	-0.81	68.2	-15.19	Peak	289.00	150	Horizontal	Pass
5**	11988.813	43.89	-0.81	54.0	-10.11	AV	289.00	150	Horizontal	Pass
6	15568.201	50.70	-3.61	68.2	-17.50	Peak	360.00	150	Horizontal	Pass
6**	15568.201	39.50	-3.61	54.0	-14.50	AV	360.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.65	-12.78	68.2	-16.55	Peak	135.00	150	Vertical	Pass
1**	2390.000	47.68	-12.78	54.0	-6.32	AV	135.00	150	Vertical	Pass
2	4775.000	53.11	-2.56	68.2	-15.09	Peak	192.00	150	Vertical	Pass
2**	4775.000	49.31	-2.56	54.0	-4.69	AV	192.00	150	Vertical	Pass
3	5496.250	111.03	-0.96	--	-144.97	Peak	256.00	150	Vertical	N/A
3**	5496.250	101.66	-0.96	--	101.66	AV	256.00	150	Vertical	N/A
4	8214.463	49.30	-3.40	68.2	-18.90	Peak	0.00	150	Vertical	Pass
4**	8214.463	40.34	-3.40	54.0	-13.66	AV	0.00	150	Vertical	Pass
5	11981.924	52.84	-0.81	68.2	-15.36	Peak	252.00	150	Vertical	Pass
5**	11981.924	43.43	-0.81	54.0	-10.57	AV	252.00	150	Vertical	Pass
6	15983.737	50.07	-3.24	68.2	-18.13	Peak	220.00	150	Vertical	Pass
6**	15983.737	40.38	-3.24	54.0	-13.62	AV	220.00	150	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	48.15	-12.78	68.2	-20.05	Peak	71.00	150	Horizontal	Pass
1**	2390.000	48.13	-12.78	54.0	-5.87	AV	71.00	150	Horizontal	Pass
2	4062.000	49.91	-3.80	68.2	-18.29	Peak	126.00	150	Horizontal	Pass
2**	4062.000	39.96	-3.80	54.0	-14.04	AV	126.00	150	Horizontal	Pass
3	5583.750	112.23	-1.08	--	-247.77	Peak	360.00	150	Horizontal	N/A
3**	5583.750	104.57	-1.08	--	104.57	AV	360.00	150	Horizontal	N/A
4	8089.538	49.83	-2.95	68.2	-18.37	Peak	307.00	150	Horizontal	Pass
4**	8089.538	41.05	-2.95	54.0	-12.95	AV	307.00	150	Horizontal	Pass
5	11995.700	52.79	-0.80	68.2	-15.41	Peak	78.00	150	Horizontal	Pass
5**	11995.700	44.02	-0.80	54.0	-9.98	AV	78.00	150	Horizontal	Pass
6	15730.688	49.49	-3.54	68.2	-18.71	Peak	1.00	150	Horizontal	Pass
6**	15730.688	41.10	-3.54	54.0	-12.90	AV	1.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.26	-12.78	68.2	-15.94	Peak	123.00	150	Vertical	Pass
1**	2390.000	45.13	-12.78	54.0	-8.87	AV	123.00	150	Vertical	Pass
2	4782.750	51.98	-2.83	68.2	-16.22	Peak	190.00	150	Vertical	Pass
2**	4782.750	50.07	-2.83	54.0	-3.93	AV	190.00	150	Vertical	Pass
3	5583.250	113.32	-1.17	--	-140.68	Peak	254.00	150	Vertical	N/A
3**	5583.250	105.09	-1.17	--	105.09	AV	254.00	150	Vertical	N/A
4	8057.713	49.75	-2.39	68.2	-18.45	Peak	288.00	150	Vertical	Pass
4**	8057.713	41.04	-2.39	54.0	-12.96	AV	288.00	150	Vertical	Pass
5	11985.724	52.30	-0.81	68.2	-15.90	Peak	0.00	150	Vertical	Pass
5**	11985.724	43.45	-0.81	54.0	-10.55	AV	0.00	150	Vertical	Pass
6	17804.175	50.09	-2.73	68.2	-18.11	Peak	247.00	150	Vertical	Pass
6**	17804.175	41.69	-2.73	54.0	-12.31	AV	247.00	150	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1620.400	44.29	-17.10	68.2	-23.91	Peak	115.00	150	Horizontal	Pass
1**	1620.400	33.03	-17.10	54.0	-20.97	AV	115.00	150	Horizontal	Pass
2	2390.000	52.34	-12.78	68.2	-15.86	Peak	209.00	150	Horizontal	Pass
2**	2390.000	43.94	-12.78	54.0	-10.06	AV	209.00	150	Horizontal	Pass
3	5697.250	108.25	-0.83	--	-237.75	Peak	346.00	150	Horizontal	N/A
3**	5697.250	99.39	-0.83	--	99.39	AV	346.00	150	Horizontal	N/A
4	8135.612	49.54	-2.90	68.2	-18.66	Peak	0.00	150	Horizontal	Pass
4**	8135.612	40.03	-2.90	54.0	-13.97	AV	0.00	150	Horizontal	Pass
5	11909.012	53.35	-0.99	68.2	-14.85	Peak	70.00	150	Horizontal	Pass
5**	11909.012	43.90	-0.99	54.0	-10.10	AV	70.00	150	Horizontal	Pass
6	17813.363	50.03	-3.01	68.2	-18.17	Peak	334.00	150	Horizontal	Pass
6**	17813.363	40.41	-3.01	54.0	-13.59	AV	334.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	54.79	-12.78	68.2	-13.41	Peak	296.00	150	Vertical	Pass
1**	2390.000	46.00	-12.78	54.0	-8.00	AV	296.00	150	Vertical	Pass
2	4783.500	53.37	-2.83	68.2	-14.83	Peak	183.00	150	Vertical	Pass
2**	4783.500	50.43	-2.83	54.0	-3.57	AV	183.00	150	Vertical	Pass
3	5703.000	110.29	-0.91	--	-139.71	Peak	250.00	150	Vertical	N/A
3**	5703.000	101.17	-0.91	--	101.17	AV	250.00	150	Vertical	N/A
4	8045.837	50.49	-2.95	68.2	-17.71	Peak	114.00	150	Vertical	Pass
4**	8045.837	40.38	-2.95	54.0	-13.62	AV	114.00	150	Vertical	Pass
5	12493.737	53.91	-0.14	68.2	-14.29	Peak	54.00	150	Vertical	Pass
5**	12493.737	44.05	-0.14	54.0	-9.95	AV	54.00	150	Vertical	Pass
6	15993.187	50.29	-3.32	68.2	-17.91	Peak	231.00	150	Vertical	Pass
6**	15993.187	40.57	-3.32	54.0	-13.43	AV	231.00	150	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.48	-12.78	68.2	-17.72	Peak	87.00	150	Horizontal	Pass
1**	2390.000	45.50	-12.78	54.0	-8.50	AV	87.00	150	Horizontal	Pass
2	4681.250	51.31	-2.65	68.2	-16.89	Peak	206.00	150	Horizontal	Pass
2**	4681.250	42.45	-2.65	54.0	-11.55	AV	206.00	150	Horizontal	Pass
3	5517.500	108.95	-0.79	--	-242.05	Peak	351.00	150	Horizontal	N/A
3**	5517.500	100.01	-0.79	--	100.01	AV	351.00	150	Horizontal	N/A
4	8214.224	49.10	-3.41	68.2	-19.10	Peak	360.00	150	Horizontal	Pass
4**	8214.224	39.66	-3.41	54.0	-14.34	AV	360.00	150	Horizontal	Pass
5	11997.125	53.11	-0.80	68.2	-15.09	Peak	0.00	150	Horizontal	Pass
5**	11997.125	43.91	-0.80	54.0	-10.09	AV	0.00	150	Horizontal	Pass
6	15972.450	49.44	-3.15	68.2	-18.76	Peak	212.00	150	Horizontal	Pass
6**	15972.450	41.59	-3.15	54.0	-12.41	AV	212.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.08	-12.78	68.2	-18.12	Peak	296.00	150	Vertical	Pass
1**	2390.000	40.33	-12.78	54.0	-13.67	AV	296.00	150	Vertical	Pass
2	4793.250	57.70	-2.50	68.2	-10.50	Peak	180.00	150	Vertical	Pass
2**	4793.250	50.92	-2.50	54.0	-3.08	AV	180.00	150	Vertical	Pass
3	5519.250	107.58	-0.73	--	-136.42	Peak	244.00	150	Vertical	N/A
3**	5519.250	98.08	-0.73	--	98.08	AV	244.00	150	Vertical	N/A
4	8139.650	49.36	-2.89	68.2	-18.84	Peak	0.00	150	Vertical	Pass
4**	8139.650	40.17	-2.89	54.0	-13.83	AV	0.00	150	Vertical	Pass
5	12511.313	53.94	-0.34	68.2	-14.26	Peak	99.00	150	Vertical	Pass
5**	12511.313	43.78	-0.34	54.0	-10.22	AV	99.00	150	Vertical	Pass
6	15992.925	50.82	-3.32	68.2	-17.38	Peak	95.00	150	Vertical	Pass
6**	15992.925	40.24	-3.32	54.0	-13.76	AV	95.00	150	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1614.600	44.13	-17.21	68.2	-24.07	Peak	124.00	150	Horizontal	Pass
1**	1614.600	33.48	-17.21	54.0	-20.52	AV	124.00	150	Horizontal	Pass
2	2390.000	50.60	-12.78	68.2	-17.60	Peak	173.00	150	Horizontal	Pass
2**	2390.000	49.36	-12.78	54.0	-4.64	AV	173.00	150	Horizontal	Pass
3	3906.250	49.29	-3.68	68.2	-18.91	Peak	9.00	150	Horizontal	Pass
3**	3906.250	39.47	-3.68	54.0	-14.53	AV	9.00	150	Horizontal	Pass
4	5580.000	110.05	-0.87	--	-231.95	Peak	342.00	150	Horizontal	N/A
4**	5580.000	101.78	-0.87	--	101.78	AV	342.00	150	Horizontal	N/A
5	8296.637	49.45	-3.34	68.2	-18.75	Peak	221.00	150	Horizontal	Pass
5**	8296.637	40.49	-3.34	54.0	-13.51	AV	221.00	150	Horizontal	Pass
6	11914.474	52.51	-0.96	68.2	-15.69	Peak	79.00	150	Horizontal	Pass
6**	11914.474	43.44	-0.96	54.0	-10.56	AV	79.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.65	-12.78	68.2	-16.55	Peak	151.00	150	Vertical	Pass
1**	2390.000	44.74	-12.78	54.0	-9.26	AV	151.00	150	Vertical	Pass
2	4777.250	50.80	-2.54	68.2	-17.40	Peak	360.00	150	Vertical	Pass
2**	4777.250	49.90	-2.54	54.0	-4.10	AV	360.00	150	Vertical	Pass
3	5594.750	110.05	-1.05	--	-145.95	Peak	256.00	150	Vertical	N/A
3**	5594.750	101.01	-1.05	--	101.01	AV	256.00	150	Vertical	N/A
4	8123.262	50.14	-2.92	68.2	-18.06	Peak	267.00	150	Vertical	Pass
4**	8123.262	40.27	-2.92	54.0	-13.73	AV	267.00	150	Vertical	Pass
5	11280.588	52.03	-1.15	68.2	-16.17	Peak	344.00	150	Vertical	Pass
5**	11280.588	42.42	-1.15	54.0	-11.58	AV	344.00	150	Vertical	Pass
6	15985.838	50.20	-3.26	68.2	-18.00	Peak	157.00	150	Vertical	Pass
6**	15985.838	40.86	-3.26	54.0	-13.14	AV	157.00	150	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.60	-12.78	68.2	-16.60	Peak	252.00	150	Horizontal	Pass
1**	2390.000	47.37	-12.78	54.0	-6.63	AV	252.00	150	Horizontal	Pass
2	3926.500	49.39	-3.98	68.2	-18.81	Peak	124.00	150	Horizontal	Pass
2**	3926.500	39.77	-3.98	54.0	-14.23	AV	124.00	150	Horizontal	Pass
3	5672.750	107.45	-1.04	--	-232.55	Peak	340.00	150	Horizontal	N/A
3**	5672.750	97.82	-1.04	--	97.82	AV	340.00	150	Horizontal	N/A
4	8315.400	49.29	-3.70	68.2	-18.91	Peak	166.00	150	Horizontal	Pass
4**	8315.400	38.97	-3.70	54.0	-15.03	AV	166.00	150	Horizontal	Pass
5	12002.113	52.95	-0.86	68.2	-15.25	Peak	148.00	150	Horizontal	Pass
5**	12002.113	43.70	-0.86	54.0	-10.30	AV	148.00	150	Horizontal	Pass
6	15990.038	50.22	-3.30	68.2	-17.98	Peak	146.00	150	Horizontal	Pass
6**	15990.038	40.50	-3.30	54.0	-13.50	AV	146.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.700	45.22	-17.24	68.2	-22.98	Peak	163.00	150	Vertical	Pass
1**	1602.700	33.66	-17.24	54.0	-20.34	AV	163.00	150	Vertical	Pass
2	2390.000	49.93	-12.78	68.2	-18.27	Peak	262.00	150	Vertical	Pass
2**	2390.000	38.59	-12.78	54.0	-15.41	AV	262.00	150	Vertical	Pass
3	4771.000	53.51	-2.73	68.2	-14.69	Peak	171.00	150	Vertical	Pass
3**	4771.000	50.34	-2.73	54.0	-3.66	AV	171.00	150	Vertical	Pass
4	5674.000	108.57	-0.90	--	11.57	Peak	97.00	150	Vertical	N/A
4**	5674.000	100.20	-0.90	--	100.20	AV	97.00	150	Vertical	N/A
5	8073.625	49.77	-2.21	68.2	-18.43	Peak	132.00	150	Vertical	Pass
5**	8073.625	41.62	-2.21	54.0	-12.38	AV	132.00	150	Vertical	Pass
6	11952.950	52.60	-0.82	68.2	-15.60	Peak	327.00	150	Vertical	Pass
6**	11952.950	43.41	-0.82	54.0	-10.59	AV	327.00	150	Vertical	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	55.14	-12.78	68.2	-13.06	Peak	222.00	150	Horizontal	Pass
1**	2390.000	46.73	-12.78	54.0	-7.27	AV	222.00	150	Horizontal	Pass
2	4689.250	51.75	-2.55	68.2	-16.45	Peak	62.00	150	Horizontal	Pass
2**	4689.250	42.75	-2.55	54.0	-11.25	AV	62.00	150	Horizontal	Pass
3	5543.500	105.81	-0.37	--	-247.19	Peak	353.00	150	Horizontal	N/A
3**	5543.500	96.71	-0.37	--	96.71	AV	353.00	150	Horizontal	N/A
4	8106.163	49.12	-3.03	68.2	-19.08	Peak	344.00	150	Horizontal	Pass
4**	8106.163	39.58	-3.03	54.0	-14.42	AV	344.00	150	Horizontal	Pass
5	11997.600	52.82	-0.80	68.2	-15.38	Peak	78.00	150	Horizontal	Pass
5**	11997.600	43.46	-0.80	54.0	-10.54	AV	78.00	150	Horizontal	Pass
6	16001.588	49.26	-3.42	68.2	-18.94	Peak	71.00	150	Horizontal	Pass
6**	16001.588	40.03	-3.42	54.0	-13.97	AV	71.00	150	Horizontal	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.11	-12.78	68.2	-18.09	Peak	308.00	150	Vertical	Pass
1**	2390.000	41.23	-12.78	54.0	-12.77	AV	308.00	150	Vertical	Pass
2	4771.750	54.39	-2.66	68.2	-13.81	Peak	181.00	150	Vertical	Pass
2**	4771.750	48.75	-2.66	54.0	-5.25	AV	181.00	150	Vertical	Pass
3	5528.000	104.34	-0.64	--	-154.66	Peak	259.00	150	Vertical	N/A
3**	5528.000	96.44	-0.64	--	96.44	AV	259.00	150	Vertical	N/A
4	8196.412	49.25	-2.64	68.2	-18.95	Peak	62.00	150	Vertical	Pass
4**	8196.412	40.28	-2.64	54.0	-13.72	AV	62.00	150	Vertical	Pass
5	11976.463	52.92	-0.81	68.2	-15.28	Peak	229.00	150	Vertical	Pass
5**	11976.463	43.75	-0.81	54.0	-10.25	AV	229.00	150	Vertical	Pass
6	15735.937	49.13	-3.43	68.2	-19.07	Peak	264.00	150	Vertical	Pass
6**	15735.937	40.62	-3.43	54.0	-13.38	AV	264.00	150	Vertical	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.28	-12.78	68.2	-15.92	Peak	155.00	150	Horizontal	Pass
1**	2390.000	48.64	-12.78	54.0	-5.36	AV	155.00	150	Horizontal	Pass
2	3910.000	49.31	-3.57	68.2	-18.89	Peak	246.00	150	Horizontal	Pass
2**	3910.000	40.56	-3.57	54.0	-13.44	AV	246.00	150	Horizontal	Pass
3	5598.750	107.48	-0.83	--	-229.52	Peak	337.00	150	Horizontal	N/A
3**	5598.750	97.80	-0.83	--	97.80	AV	337.00	150	Horizontal	N/A
4	8065.075	51.09	-2.37	68.2	-17.11	Peak	251.00	150	Horizontal	Pass
4**	8065.075	40.93	-2.37	54.0	-13.07	AV	251.00	150	Horizontal	Pass
5	11910.438	52.89	-0.98	68.2	-15.31	Peak	251.00	150	Horizontal	Pass
5**	11910.438	43.47	-0.98	54.0	-10.53	AV	251.00	150	Horizontal	Pass
6	15753.000	49.73	-3.15	68.2	-18.47	Peak	288.00	150	Horizontal	Pass
6**	15753.000	39.55	-3.15	54.0	-14.45	AV	288.00	150	Horizontal	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.400	45.16	-17.22	68.2	-23.04	Peak	164.00	150	Vertical	Pass
1**	1598.400	31.35	-17.22	54.0	-22.65	AV	164.00	150	Vertical	Pass
2	2390.000	51.70	-12.78	68.2	-16.50	Peak	258.00	150	Vertical	Pass
2**	2390.000	42.06	-12.78	54.0	-11.94	AV	258.00	150	Vertical	Pass
3	4785.250	53.37	-2.64	68.2	-14.83	Peak	217.00	150	Vertical	Pass
3**	4785.250	50.70	-2.64	54.0	-3.30	AV	217.00	150	Vertical	Pass
4	5616.750	107.72	-0.75	--	-147.28	Peak	255.00	150	Vertical	N/A
4**	5616.750	98.52	-0.75	--	98.52	AV	255.00	150	Vertical	N/A
5	8393.062	49.29	-3.04	68.2	-18.91	Peak	137.00	150	Vertical	Pass
5**	8393.062	40.30	-3.04	54.0	-13.70	AV	137.00	150	Vertical	Pass
6	11968.862	52.77	-0.81	68.2	-15.43	Peak	4.00	150	Vertical	Pass
6**	11968.862	43.33	-0.81	54.0	-10.67	AV	4.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.800	53.21	-12.61	68.2	-14.99	Peak	216.00	150	Horizontal	Pass
1**	2387.800	40.01	-12.61	54.0	-13.99	AV	216.00	150	Horizontal	Pass
2	4161.750	48.91	-4.17	68.2	-19.29	Peak	103.00	150	Horizontal	Pass
2**	4161.750	40.01	-4.17	54.0	-13.99	AV	103.00	150	Horizontal	Pass
3	5746.500	109.89	-1.25	--	-227.11	Peak	337.00	150	Horizontal	N/A
3**	5746.500	103.91	-1.25	--	103.91	AV	337.00	150	Horizontal	N/A
4	8054.388	49.86	-2.82	68.2	-18.34	Peak	73.00	150	Horizontal	Pass
4**	8054.388	41.03	-2.82	54.0	-12.97	AV	73.00	150	Horizontal	Pass
5	11911.862	52.44	-0.98	68.2	-15.76	Peak	264.00	150	Horizontal	Pass
5**	11911.862	43.01	-0.98	54.0	-10.99	AV	264.00	150	Horizontal	Pass
6	15750.112	49.42	-3.15	68.2	-18.78	Peak	206.00	150	Horizontal	Pass
6**	15750.112	39.83	-3.15	54.0	-14.17	AV	206.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2400.700	54.70	-12.93	68.2	-13.50	Peak	145.00	150	Vertical	Pass
1**	2400.700	39.71	-12.93	--	39.71	AV	145.00	150	Vertical	N/A
2	4770.500	50.17	-2.58	68.2	-18.03	Peak	231.00	150	Vertical	Pass
2**	4770.500	50.42	-2.58	54.0	-3.58	AV	231.00	150	Vertical	Pass
3	5741.750	112.16	-1.19	--	-118.84	Peak	231.00	150	Vertical	N/A
3**	5741.750	105.37	-1.19	--	105.37	AV	231.00	150	Vertical	N/A
4	8116.137	49.53	-3.33	68.2	-18.67	Peak	345.00	150	Vertical	Pass
4**	8116.137	39.70	-3.33	54.0	-14.30	AV	345.00	150	Vertical	Pass
5	11930.863	53.66	-0.90	68.2	-14.54	Peak	55.00	150	Vertical	Pass
5**	11930.863	43.50	-0.90	54.0	-10.50	AV	55.00	150	Vertical	Pass
6	15982.425	50.02	-3.23	68.2	-18.18	Peak	250.00	150	Vertical	Pass
6**	15982.425	40.83	-3.23	54.0	-13.17	AV	250.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.66	-12.78	68.2	-16.54	Peak	89.00	150	Horizontal	Pass
1**	2390.000	40.48	-12.78	54.0	-13.52	AV	89.00	150	Horizontal	Pass
2	4769.500	51.12	-2.37	68.2	-17.08	Peak	62.00	150	Horizontal	Pass
2**	4769.500	42.62	-2.37	54.0	-11.38	AV	62.00	150	Horizontal	Pass
3	5788.750	110.63	-1.21	--	-226.37	Peak	337.00	150	Horizontal	N/A
3**	5788.750	103.10	-1.21	--	103.10	AV	337.00	150	Horizontal	N/A
4	8193.325	49.17	-2.72	68.2	-19.03	Peak	116.00	150	Horizontal	Pass
4**	8193.325	39.96	-2.72	54.0	-14.04	AV	116.00	150	Horizontal	Pass
5	11956.037	53.86	-0.82	68.2	-14.34	Peak	264.00	150	Horizontal	Pass
5**	11956.037	43.98	-0.82	54.0	-10.02	AV	264.00	150	Horizontal	Pass
6	15569.250	49.78	-3.63	68.2	-18.42	Peak	143.00	150	Horizontal	Pass
6**	15569.250	40.38	-3.63	54.0	-13.62	AV	143.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.21	-12.78	68.2	-16.99	Peak	307.00	150	Vertical	Pass
1**	2390.000	45.43	-12.78	54.0	-8.57	AV	307.00	150	Vertical	Pass
2	4780.000	53.30	-2.81	68.2	-14.90	Peak	150.00	150	Vertical	Pass
2**	4780.000	50.57	-2.81	54.0	-3.43	AV	150.00	150	Vertical	Pass
3	5781.000	110.64	-1.05	--	-79.36	Peak	190.00	150	Vertical	N/A
3**	5781.000	103.98	-1.05	--	103.98	AV	190.00	150	Vertical	N/A
4	8076.000	50.07	-2.55	68.2	-18.13	Peak	244.00	150	Vertical	Pass
4**	8076.000	41.15	-2.55	54.0	-12.85	AV	244.00	150	Vertical	Pass
5	11999.263	53.23	-0.80	68.2	-14.97	Peak	207.00	150	Vertical	Pass
5**	11999.263	43.31	-0.80	54.0	-10.69	AV	207.00	150	Vertical	Pass
6	15980.588	49.46	-3.22	68.2	-18.74	Peak	245.00	150	Vertical	Pass
6**	15980.588	40.50	-3.22	54.0	-13.50	AV	245.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.46	-12.78	68.2	-16.74	Peak	60.00	150	Horizontal	Pass
1**	2390.000	45.54	-12.78	54.0	-8.46	AV	60.00	150	Horizontal	Pass
2	3864.500	48.90	-3.76	68.2	-19.30	Peak	286.00	150	Horizontal	Pass
2**	3864.500	40.49	-3.76	54.0	-13.51	AV	286.00	150	Horizontal	Pass
3	5823.250	108.68	-1.43	--	-190.32	Peak	299.00	150	Horizontal	N/A
3**	5823.250	100.87	-1.43	--	100.87	AV	299.00	150	Horizontal	N/A
4	8185.487	48.99	-2.82	68.2	-19.21	Peak	1.00	150	Horizontal	Pass
4**	8185.487	39.96	-2.82	54.0	-14.04	AV	1.00	150	Horizontal	Pass
5	11853.674	52.91	-1.30	68.2	-15.29	Peak	72.00	150	Horizontal	Pass
5**	11853.674	42.76	-1.30	54.0	-11.24	AV	72.00	150	Horizontal	Pass
6	15966.151	49.15	-3.10	68.2	-19.05	Peak	77.00	150	Horizontal	Pass
6**	15966.151	40.55	-3.10	54.0	-13.45	AV	77.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	45.55	-12.78	68.2	-22.65	Peak	325.00	150	Vertical	Pass
1**	2390.000	46.40	-12.78	54.0	-7.60	AV	325.00	150	Vertical	Pass
2	4798.000	51.11	-2.50	68.2	-17.09	Peak	165.00	150	Vertical	Pass
2**	4798.000	50.87	-2.50	54.0	-3.13	AV	165.00	150	Vertical	Pass
3	5820.250	110.26	-1.20	--	-107.74	Peak	218.00	150	Vertical	N/A
3**	5820.250	102.64	-1.20	--	102.64	AV	218.00	150	Vertical	N/A
4	8393.300	48.96	-3.06	68.2	-19.24	Peak	311.00	150	Vertical	Pass
4**	8393.300	39.89	-3.06	54.0	-14.11	AV	311.00	150	Vertical	Pass
5	11948.200	52.65	-0.83	68.2	-15.55	Peak	52.00	150	Vertical	Pass
5**	11948.200	43.77	-0.83	54.0	-10.23	AV	52.00	150	Vertical	Pass
6	15972.975	50.37	-3.15	68.2	-17.83	Peak	35.00	150	Vertical	Pass
6**	15972.975	40.47	-3.15	54.0	-13.53	AV	35.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	55.31	-12.78	68.2	-12.89	Peak	240.00	150	Horizontal	Pass
1**	2390.000	45.38	-12.78	54.0	-8.62	AV	240.00	150	Horizontal	Pass
2	4688.000	52.18	-2.51	68.2	-16.02	Peak	62.00	150	Horizontal	Pass
2**	4688.000	42.50	-2.51	54.0	-11.50	AV	62.00	150	Horizontal	Pass
3	5767.250	105.79	-0.95	--	-165.21	Peak	271.00	150	Horizontal	N/A
3**	5767.250	98.79	-0.95	--	98.79	AV	271.00	150	Horizontal	N/A
4	8231.088	48.57	-3.67	68.2	-19.63	Peak	360.00	150	Horizontal	Pass
4**	8231.088	39.61	-3.67	54.0	-14.39	AV	360.00	150	Horizontal	Pass
5	11192.475	52.22	-1.19	68.2	-15.98	Peak	74.00	150	Horizontal	Pass
5**	11192.475	42.99	-1.19	54.0	-11.01	AV	74.00	150	Horizontal	Pass
6	15966.151	50.12	-3.10	68.2	-18.08	Peak	148.00	150	Horizontal	Pass
6**	15966.151	40.97	-3.10	54.0	-13.03	AV	148.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	49.09	-12.78	68.2	-19.11	Peak	315.00	150	Vertical	Pass
1**	2390.000	45.72	-12.78	54.0	-8.28	AV	315.00	150	Vertical	Pass
2	4790.000	57.71	-2.81	68.2	-10.49	Peak	155.00	150	Vertical	Pass
2**	4790.000	50.25	-2.81	54.0	-3.75	AV	155.00	150	Vertical	Pass
3	5764.000	107.91	-1.12	--	-125.09	Peak	233.00	150	Vertical	N/A
3**	5764.000	101.32	-1.12	--	101.32	AV	233.00	150	Vertical	N/A
4	8282.150	48.78	-3.61	68.2	-19.42	Peak	285.00	150	Vertical	Pass
4**	8282.150	39.91	-3.61	54.0	-14.09	AV	285.00	150	Vertical	Pass
5	10948.088	52.33	-1.76	68.2	-15.87	Peak	227.00	150	Vertical	Pass
5**	10948.088	42.29	-1.76	54.0	-11.71	AV	227.00	150	Vertical	Pass
6	15990.038	48.98	-3.30	68.2	-19.22	Peak	38.00	150	Vertical	Pass
6**	15990.038	40.07	-3.30	54.0	-13.93	AV	38.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	53.89	-12.78	68.2	-14.31	Peak	240.00	150	Horizontal	Pass
1**	2390.000	43.86	-12.78	54.0	-10.14	AV	240.00	150	Horizontal	Pass
2	4684.750	51.47	-2.51	68.2	-16.73	Peak	255.00	150	Horizontal	Pass
2**	4684.750	42.05	-2.51	54.0	-11.95	AV	255.00	150	Horizontal	Pass
3	5789.500	105.35	-1.17	--	-218.65	Peak	324.00	150	Horizontal	N/A
3**	5789.500	97.45	-1.17	--	97.45	AV	324.00	150	Horizontal	N/A
4	8107.588	50.12	-2.97	68.2	-18.08	Peak	360.00	150	Horizontal	Pass
4**	8107.588	39.99	-2.97	54.0	-14.01	AV	360.00	150	Horizontal	Pass
5	11992.375	53.51	-0.80	68.2	-14.69	Peak	360.00	150	Horizontal	Pass
5**	11992.375	43.82	-0.80	54.0	-10.18	AV	360.00	150	Horizontal	Pass
6	15569.250	49.21	-3.63	68.2	-18.99	Peak	206.00	150	Horizontal	Pass
6**	15569.250	39.98	-3.63	54.0	-14.02	AV	206.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	49.58	-12.78	68.2	-18.62	Peak	0.00	150	Vertical	Pass
1**	2390.000	41.72	-12.78	54.0	-12.28	AV	0.00	150	Vertical	Pass
2	4776.500	53.52	-2.63	68.2	-14.68	Peak	152.00	150	Vertical	Pass
2**	4776.500	49.89	-2.63	54.0	-4.11	AV	152.00	150	Vertical	Pass
3	5799.250	108.78	-1.22	--	-125.22	Peak	234.00	150	Vertical	N/A
3**	5799.250	100.96	-1.22	--	100.96	AV	234.00	150	Vertical	N/A
4	8196.888	49.90	-2.82	68.2	-18.30	Peak	313.00	150	Vertical	Pass
4**	8196.888	40.46	-2.82	54.0	-13.54	AV	313.00	150	Vertical	Pass
5	11985.487	52.70	-0.81	68.2	-15.50	Peak	194.00	150	Vertical	Pass
5**	11985.487	43.24	-0.81	54.0	-10.76	AV	194.00	150	Vertical	Pass
6	15941.737	49.07	-3.13	68.2	-19.13	Peak	13.00	150	Vertical	Pass
6**	15941.737	40.34	-3.13	54.0	-13.66	AV	13.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	49.52	-12.78	68.2	-18.68	Peak	260.00	150	Horizontal	Pass
1**	2390.000	40.04	-12.78	54.0	-13.96	AV	260.00	150	Horizontal	Pass
2	4204.500	48.93	-3.98	68.2	-19.27	Peak	232.00	150	Horizontal	Pass
2**	4204.500	40.20	-3.98	54.0	-13.80	AV	232.00	150	Horizontal	Pass
3	5740.250	109.82	-1.20	--	-227.18	Peak	337.00	150	Horizontal	N/A
3**	5740.250	100.98	-1.20	--	100.98	AV	337.00	150	Horizontal	N/A
4	8223.725	49.67	-3.45	68.2	-18.53	Peak	278.00	150	Horizontal	Pass
4**	8223.725	39.55	-3.45	54.0	-14.45	AV	278.00	150	Horizontal	Pass
5	11947.487	53.30	-0.83	68.2	-14.90	Peak	184.00	150	Horizontal	Pass
5**	11947.487	43.44	-0.83	54.0	-10.56	AV	184.00	150	Horizontal	Pass
6	15566.888	50.32	-3.59	68.2	-17.88	Peak	360.00	150	Horizontal	Pass
6**	15566.888	40.77	-3.59	54.0	-13.23	AV	360.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	57.77	-12.78	68.2	-10.43	Peak	141.00	150	Vertical	Pass
1**	2390.000	45.22	-12.78	54.0	-8.78	AV	141.00	150	Vertical	Pass
2	4785.250	54.59	-2.64	68.2	-13.61	Peak	0.00	150	Vertical	Pass
2**	4785.250	50.85	-2.64	54.0	-3.15	AV	0.00	150	Vertical	Pass
3	5747.250	111.98	-1.35	--	-113.02	Peak	225.00	150	Vertical	N/A
3**	5747.250	103.56	-1.35	--	103.56	AV	225.00	150	Vertical	N/A
4	8228.000	49.14	-3.79	68.2	-19.06	Peak	182.00	150	Vertical	Pass
4**	8228.000	38.96	-3.79	54.0	-15.04	AV	182.00	150	Vertical	Pass
5	11989.287	52.64	-0.81	68.2	-15.56	Peak	73.00	150	Vertical	Pass
5**	11989.287	43.34	-0.81	54.0	-10.66	AV	73.00	150	Vertical	Pass
6	15422.513	49.79	-3.03	68.2	-18.41	Peak	78.00	150	Vertical	Pass
6**	15422.513	39.63	-3.03	54.0	-14.37	AV	78.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.200	43.26	-17.18	68.2	-24.94	Peak	222.00	150	Horizontal	Pass
1**	1584.200	32.90	-17.18	54.0	-21.10	AV	222.00	150	Horizontal	Pass
2	2390.000	49.58	-12.78	68.2	-18.62	Peak	100.00	150	Horizontal	Pass
2**	2390.000	37.14	-12.78	54.0	-16.86	AV	100.00	150	Horizontal	Pass
3	3903.750	48.81	-3.57	68.2	-19.39	Peak	302.00	150	Horizontal	Pass
3**	3903.750	39.88	-3.57	54.0	-14.12	AV	302.00	150	Horizontal	Pass
4	5782.250	108.39	-1.25	--	-230.61	Peak	339.00	150	Horizontal	N/A
4**	5782.250	101.10	-1.25	--	101.10	AV	339.00	150	Horizontal	N/A
5	8218.500	48.43	-3.31	68.2	-19.77	Peak	193.00	150	Horizontal	Pass
5**	8218.500	40.01	-3.31	54.0	-13.99	AV	193.00	150	Horizontal	Pass
6	11934.662	52.80	-0.88	68.2	-15.40	Peak	14.00	150	Horizontal	Pass
6**	11934.662	43.30	-0.88	54.0	-10.70	AV	14.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.97	-12.78	68.2	-16.23	Peak	115.00	150	Vertical	Pass
1**	2390.000	40.96	-12.78	54.0	-13.04	AV	115.00	150	Vertical	Pass
2	4773.250	50.70	-2.58	68.2	-17.50	Peak	170.00	150	Vertical	Pass
2**	4773.250	50.96	-2.58	54.0	-3.04	AV	170.00	150	Vertical	Pass
3	5783.750	110.90	-1.13	--	-123.10	Peak	234.00	150	Vertical	N/A
3**	5783.750	104.01	-1.13	--	104.01	AV	234.00	150	Vertical	N/A
4	8292.125	49.99	-3.54	68.2	-18.21	Peak	127.00	150	Vertical	Pass
4**	8292.125	39.73	-3.54	54.0	-14.27	AV	127.00	150	Vertical	Pass
5	11975.037	53.25	-0.81	68.2	-14.95	Peak	352.00	150	Vertical	Pass
5**	11975.037	43.52	-0.81	54.0	-10.48	AV	352.00	150	Vertical	Pass
6	15977.700	49.96	-3.19	68.2	-18.24	Peak	80.00	150	Vertical	Pass
6**	15977.700	40.37	-3.19	54.0	-13.63	AV	80.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.07	-12.78	68.2	-16.13	Peak	97.00	150	Horizontal	Pass
1**	2390.000	50.56	-12.78	54.0	-3.44	AV	97.00	150	Horizontal	Pass
2	4164.500	49.18	-3.99	68.2	-19.02	Peak	93.00	150	Horizontal	Pass
2**	4164.500	39.67	-3.99	54.0	-14.33	AV	93.00	150	Horizontal	Pass
3	5827.500	109.05	-1.28	--	-226.95	Peak	336.00	150	Horizontal	N/A
3**	5827.500	101.02	-1.28	--	101.02	AV	336.00	150	Horizontal	N/A
4	8173.138	49.00	-2.51	68.2	-19.20	Peak	356.00	150	Horizontal	Pass
4**	8173.138	40.84	-2.51	54.0	-13.16	AV	356.00	150	Horizontal	Pass
5	11961.500	52.82	-0.82	68.2	-15.38	Peak	299.00	150	Horizontal	Pass
5**	11961.500	43.69	-0.82	54.0	-10.31	AV	299.00	150	Horizontal	Pass
6	15958.799	49.85	-3.04	68.2	-18.35	Peak	106.00	150	Horizontal	Pass
6**	15958.799	40.59	-3.04	54.0	-13.41	AV	106.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	57.68	-12.78	68.2	-10.52	Peak	142.00	150	Vertical	Pass
1**	2390.000	43.82	-12.78	54.0	-10.18	AV	142.00	150	Vertical	Pass
2	4795.750	60.16	-2.62	68.2	-8.04	Peak	147.00	150	Vertical	Pass
2**	4795.750	50.73	-2.62	54.0	-3.27	AV	147.00	150	Vertical	Pass
3	5821.750	110.50	-1.43	--	-126.50	Peak	237.00	150	Vertical	N/A
3**	5821.750	102.75	-1.43	--	102.75	AV	237.00	150	Vertical	N/A
4	8060.562	49.29	-2.53	68.2	-18.91	Peak	149.00	150	Vertical	Pass
4**	8060.562	41.12	-2.53	54.0	-12.88	AV	149.00	150	Vertical	Pass
5	11048.075	52.14	-1.00	68.2	-16.06	Peak	260.00	150	Vertical	Pass
5**	11048.075	42.88	-1.00	54.0	-11.12	AV	260.00	150	Vertical	Pass
6	15967.462	49.68	-3.11	68.2	-18.52	Peak	34.00	150	Vertical	Pass
6**	15967.462	40.56	-3.11	54.0	-13.44	AV	34.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.44	-12.78	68.2	-16.76	Peak	100.00	150	Horizontal	Pass
1**	2390.000	43.92	-12.78	54.0	-10.08	AV	100.00	150	Horizontal	Pass
2	4212.750	49.25	-3.77	68.2	-18.95	Peak	190.00	150	Horizontal	Pass
2**	4212.750	39.97	-3.77	54.0	-14.03	AV	190.00	150	Horizontal	Pass
3	5747.500	106.55	-1.35	--	-232.45	Peak	339.00	150	Horizontal	N/A
3**	5747.500	100.36	-1.35	--	100.36	AV	339.00	150	Horizontal	N/A
4	8338.912	49.38	-3.71	68.2	-18.82	Peak	360.00	150	Horizontal	Pass
4**	8338.912	39.94	-3.71	54.0	-14.06	AV	360.00	150	Horizontal	Pass
5	11298.875	51.65	-0.91	68.2	-16.55	Peak	319.00	150	Horizontal	Pass
5**	11298.875	43.15	-0.91	54.0	-10.85	AV	319.00	150	Horizontal	Pass
6	17801.550	49.38	-2.64	68.2	-18.82	Peak	53.00	150	Horizontal	Pass
6**	17801.550	40.92	-2.64	54.0	-13.08	AV	53.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	57.85	-12.78	68.2	-10.35	Peak	140.00	150	Vertical	Pass
1**	2390.000	43.60	-12.78	54.0	-10.40	AV	140.00	150	Vertical	Pass
2	4785.750	55.15	-2.63	68.2	-13.05	Peak	178.00	150	Vertical	Pass
2**	4785.750	50.98	-2.63	54.0	-3.02	AV	178.00	150	Vertical	Pass
3	5764.000	109.89	-1.12	--	-129.11	Peak	239.00	150	Vertical	N/A
3**	5764.000	101.07	-1.12	--	101.07	AV	239.00	150	Vertical	N/A
4	8226.100	49.01	-3.68	68.2	-19.19	Peak	105.00	150	Vertical	Pass
4**	8226.100	39.65	-3.68	54.0	-14.35	AV	105.00	150	Vertical	Pass
5	11910.912	52.99	-0.98	68.2	-15.21	Peak	177.00	150	Vertical	Pass
5**	11910.912	44.29	-0.98	54.0	-9.71	AV	177.00	150	Vertical	Pass
6	15942.525	50.33	-3.11	68.2	-17.87	Peak	0.00	150	Vertical	Pass
6**	15942.525	39.95	-3.11	54.0	-14.05	AV	0.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	54.41	-12.78	68.2	-13.79	Peak	98.00	150	Horizontal	Pass
1**	2390.000	46.97	-12.78	54.0	-7.03	AV	98.00	150	Horizontal	Pass
2	3918.500	49.23	-3.68	68.2	-18.97	Peak	0.00	150	Horizontal	Pass
2**	3918.500	40.58	-3.68	54.0	-13.42	AV	0.00	150	Horizontal	Pass
3	5784.250	106.49	-1.17	--	-231.51	Peak	338.00	150	Horizontal	N/A
3**	5784.250	97.13	-1.17	--	97.13	AV	338.00	150	Horizontal	N/A
4	8268.375	50.05	-3.84	68.2	-18.15	Peak	34.00	150	Horizontal	Pass
4**	8268.375	39.98	-3.84	54.0	-14.02	AV	34.00	150	Horizontal	Pass
5	11914.713	52.51	-0.96	68.2	-15.69	Peak	126.00	150	Horizontal	Pass
5**	11914.713	42.87	-0.96	54.0	-11.13	AV	126.00	150	Horizontal	Pass
6	15990.038	49.65	-3.30	68.2	-18.55	Peak	267.00	150	Horizontal	Pass
6**	15990.038	40.63	-3.30	54.0	-13.37	AV	267.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.200	45.57	-17.13	68.2	-22.63	Peak	175.00	150	Vertical	Pass
1**	1594.200	33.58	-17.13	54.0	-20.42	AV	175.00	150	Vertical	Pass
2	2390.000	52.65	-12.78	68.2	-15.55	Peak	291.00	150	Vertical	Pass
2**	2390.000	43.54	-12.78	54.0	-10.46	AV	291.00	150	Vertical	Pass
3	4795.750	56.52	-2.62	68.2	-11.68	Peak	165.00	150	Vertical	Pass
3**	4795.750	50.89	-2.62	54.0	-3.11	AV	165.00	150	Vertical	Pass
4	5798.000	109.66	-1.29	--	-129.34	Peak	239.00	150	Vertical	N/A
4**	5798.000	101.53	-1.29	--	101.53	AV	239.00	150	Vertical	N/A
5	8397.813	49.69	-3.34	68.2	-18.51	Peak	246.00	150	Vertical	Pass
5**	8397.813	40.31	-3.34	54.0	-13.69	AV	246.00	150	Vertical	Pass
6	12479.725	54.54	-0.28	68.2	-13.66	Peak	228.00	150	Vertical	Pass
6**	12479.725	43.60	-0.28	54.0	-10.40	AV	228.00	150	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.21	-12.78	68.2	-17.99	Peak	117.00	150	Horizontal	Pass
1**	2390.000	43.61	-12.78	54.0	-10.39	AV	117.00	150	Horizontal	Pass
2	4219.750	48.79	-3.65	68.2	-19.41	Peak	93.00	150	Horizontal	Pass
2**	4219.750	39.95	-3.65	54.0	-14.05	AV	93.00	150	Horizontal	Pass
3	5777.500	102.45	-0.82	--	-234.55	Peak	337.00	150	Horizontal	N/A
3**	5777.500	95.89	-0.82	--	95.89	AV	337.00	150	Horizontal	N/A
4	8203.537	49.74	-3.07	68.2	-18.46	Peak	191.00	150	Horizontal	Pass
4**	8203.537	40.55	-3.07	54.0	-13.45	AV	191.00	150	Horizontal	Pass
5	11967.674	53.70	-0.81	68.2	-14.50	Peak	56.00	150	Horizontal	Pass
5**	11967.674	43.07	-0.81	54.0	-10.93	AV	56.00	150	Horizontal	Pass
6	15583.425	49.84	-3.85	68.2	-18.36	Peak	235.00	150	Horizontal	Pass
6**	15583.425	41.08	-3.85	54.0	-12.92	AV	235.00	150	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	54.12	-12.78	68.2	-14.08	Peak	131.00	150	Vertical	Pass
1**	2390.000	41.20	-12.78	54.0	-12.80	AV	131.00	150	Vertical	Pass
2	4791.000	54.16	-2.59	68.2	-14.04	Peak	337.00	150	Vertical	Pass
2**	4791.000	49.88	-2.59	54.0	-4.12	AV	337.00	150	Vertical	Pass
3	5762.500	105.92	-1.12	--	-128.08	Peak	234.00	150	Vertical	N/A
3**	5762.500	97.22	-1.12	--	97.22	AV	234.00	150	Vertical	N/A
4	8253.887	49.47	-3.61	68.2	-18.73	Peak	36.00	150	Vertical	Pass
4**	8253.887	39.43	-3.61	54.0	-14.57	AV	36.00	150	Vertical	Pass
5	12001.162	52.78	-0.83	68.2	-15.42	Peak	232.00	150	Vertical	Pass
5**	12001.162	43.63	-0.83	54.0	-10.37	AV	232.00	150	Vertical	Pass
6	15571.350	49.65	-3.66	68.2	-18.55	Peak	191.00	150	Vertical	Pass
6**	15571.350	40.49	-3.66	54.0	-13.51	AV	191.00	150	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.54	-12.78	68.2	-17.66	Peak	104.00	150	Horizontal	Pass
1**	2390.000	42.17	-12.78	54.0	-11.83	AV	104.00	150	Horizontal	Pass
2	4187.750	49.86	-2.96	68.2	-18.34	Peak	153.00	150	Horizontal	Pass
2**	4187.750	41.21	-2.96	54.0	-12.79	AV	153.00	150	Horizontal	Pass
3	5744.000	108.95	-1.29	--	-227.05	Peak	336.00	150	Horizontal	N/A
3**	5744.000	100.92	-1.29	--	100.92	AV	336.00	150	Horizontal	N/A
4	8366.700	49.95	-3.98	68.2	-18.25	Peak	74.00	150	Horizontal	Pass
4**	8366.700	39.94	-3.98	54.0	-14.06	AV	74.00	150	Horizontal	Pass
5	11901.887	52.83	-1.02	68.2	-15.37	Peak	224.00	150	Horizontal	Pass
5**	11901.887	43.75	-1.02	54.0	-10.25	AV	224.00	150	Horizontal	Pass
6	15738.299	49.61	-3.38	68.2	-18.59	Peak	264.00	150	Horizontal	Pass
6**	15738.299	40.27	-3.38	54.0	-13.73	AV	264.00	150	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2398.400	54.18	-13.02	68.2	-14.02	Peak	123.00	150	Vertical	Pass
1**	2398.400	43.45	-13.02	--	43.45	AV	123.00	150	Vertical	N/A
2	4783.250	55.80	-2.85	68.2	-12.40	Peak	150.00	150	Vertical	Pass
2**	4783.250	50.08	-2.85	54.0	-3.92	AV	150.00	150	Vertical	Pass
3	5747.750	111.60	-1.36	--	-129.40	Peak	241.00	150	Vertical	N/A
3**	5747.750	106.13	-1.36	--	106.13	AV	241.00	150	Vertical	N/A
4	8120.413	49.66	-2.92	68.2	-18.54	Peak	298.00	150	Vertical	Pass
4**	8120.413	40.95	-2.92	54.0	-13.05	AV	298.00	150	Vertical	Pass
5	11925.638	53.11	-0.92	68.2	-15.09	Peak	360.00	150	Vertical	Pass
5**	11925.638	43.74	-0.92	54.0	-10.26	AV	360.00	150	Vertical	Pass
6	15997.125	49.75	-3.36	68.2	-18.45	Peak	152.00	150	Vertical	Pass
6**	15997.125	40.71	-3.36	54.0	-13.29	AV	152.00	150	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	55.06	-12.78	68.2	-13.14	Peak	248.00	150	Horizontal	Pass
1**	2390.000	43.55	-12.78	54.0	-10.45	AV	248.00	150	Horizontal	Pass
2	4191.750	49.71	-2.91	68.2	-18.49	Peak	182.00	150	Horizontal	Pass
2**	4191.750	40.38	-2.91	54.0	-13.62	AV	182.00	150	Horizontal	Pass
3	5787.000	108.44	-1.23	--	-216.56	Peak	325.00	150	Horizontal	N/A
3**	5787.000	99.99	-1.23	--	99.99	AV	325.00	150	Horizontal	N/A
4	8145.587	49.64	-3.00	68.2	-18.56	Peak	224.00	150	Horizontal	Pass
4**	8145.587	40.42	-3.00	54.0	-13.58	AV	224.00	150	Horizontal	Pass
5	12482.813	54.09	-0.25	68.2	-14.11	Peak	264.00	150	Horizontal	Pass
5**	12482.813	43.52	-0.25	54.0	-10.48	AV	264.00	150	Horizontal	Pass
6	15747.225	49.71	-3.20	68.2	-18.49	Peak	151.00	150	Horizontal	Pass
6**	15747.225	40.04	-3.20	54.0	-13.96	AV	151.00	150	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	55.00	-12.78	68.2	-13.20	Peak	292.00	150	Vertical	Pass
1**	2390.000	46.70	-12.78	54.0	-7.30	AV	292.00	150	Vertical	Pass
2	4779.500	57.48	-2.82	68.2	-10.72	Peak	158.00	150	Vertical	Pass
2**	4779.500	50.83	-2.82	54.0	-3.17	AV	158.00	150	Vertical	Pass
3	5789.000	111.30	-1.20	--	-123.70	Peak	235.00	150	Vertical	N/A
3**	5789.000	103.92	-1.20	--	103.92	AV	235.00	150	Vertical	N/A
4	8196.650	49.38	-2.69	68.2	-18.82	Peak	204.00	150	Vertical	Pass
4**	8196.650	41.04	-2.69	54.0	-12.96	AV	204.00	150	Vertical	Pass
5	11178.225	51.93	-1.48	68.2	-16.27	Peak	298.00	150	Vertical	Pass
5**	11178.225	42.54	-1.48	54.0	-11.46	AV	298.00	150	Vertical	Pass
6	15966.151	50.09	-3.10	68.2	-18.11	Peak	99.00	150	Vertical	Pass
6**	15966.151	41.23	-3.10	54.0	-12.77	AV	99.00	150	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.000	54.40	-12.70	68.2	-13.80	Peak	213.00	150	Horizontal	Pass
1**	2389.000	38.14	-12.70	54.0	-15.86	AV	213.00	150	Horizontal	Pass
2	4216.250	49.60	-3.57	68.2	-18.60	Peak	194.00	150	Horizontal	Pass
2**	4216.250	40.25	-3.57	54.0	-13.75	AV	194.00	150	Horizontal	Pass
3	5830.000	108.67	-1.27	--	-228.33	Peak	337.00	150	Horizontal	N/A
3**	5830.000	99.33	-1.27	--	99.33	AV	337.00	150	Horizontal	N/A
4	8195.225	49.42	-2.78	68.2	-18.78	Peak	72.00	150	Horizontal	Pass
4**	8195.225	39.63	-2.78	54.0	-14.37	AV	72.00	150	Horizontal	Pass
5	11953.662	52.78	-0.82	68.2	-15.42	Peak	127.00	150	Horizontal	Pass
5**	11953.662	43.62	-0.82	54.0	-10.38	AV	127.00	150	Horizontal	Pass
6	15984.263	49.85	-3.25	68.2	-18.35	Peak	306.00	150	Horizontal	Pass
6**	15984.263	40.56	-3.25	54.0	-13.44	AV	306.00	150	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.23	-12.78	68.2	-15.97	Peak	157.00	150	Vertical	Pass
1**	2390.000	42.21	-12.78	54.0	-11.79	AV	157.00	150	Vertical	Pass
2	4797.750	57.29	-2.50	68.2	-10.91	Peak	147.00	150	Vertical	Pass
2**	4797.750	50.59	-2.50	54.0	-3.41	AV	147.00	150	Vertical	Pass
3	5829.500	111.79	-1.36	--	-123.21	Peak	235.00	150	Vertical	N/A
3**	5829.500	102.23	-1.36	--	102.23	AV	235.00	150	Vertical	N/A
4	8096.663	49.11	-2.95	68.2	-19.09	Peak	336.00	150	Vertical	Pass
4**	8096.663	39.76	-2.95	54.0	-14.24	AV	336.00	150	Vertical	Pass
5	11306.000	53.10	-1.06	68.2	-15.10	Peak	72.00	150	Vertical	Pass
5**	11306.000	42.45	-1.06	54.0	-11.55	AV	72.00	150	Vertical	Pass
6	15585.263	49.20	-3.88	68.2	-19.00	Peak	33.00	150	Vertical	Pass
6**	15585.263	40.30	-3.88	54.0	-13.70	AV	33.00	150	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.18	-12.78	68.2	-17.02	Peak	60.00	150	Horizontal	Pass
1**	2390.000	43.14	-12.78	54.0	-10.86	AV	60.00	150	Horizontal	Pass
2	4185.250	49.60	-2.86	68.2	-18.60	Peak	78.00	150	Horizontal	Pass
2**	4185.250	40.64	-2.86	54.0	-13.36	AV	78.00	150	Horizontal	Pass
3	5766.500	105.55	-0.93	--	-232.45	Peak	338.00	150	Horizontal	N/A
3**	5766.500	97.20	-0.93	--	97.20	AV	338.00	150	Horizontal	N/A
4	8121.838	50.05	-3.25	68.2	-18.15	Peak	262.00	150	Horizontal	Pass
4**	8121.838	39.69	-3.25	54.0	-14.31	AV	262.00	150	Horizontal	Pass
5	11302.200	52.63	-0.95	68.2	-15.57	Peak	243.00	150	Horizontal	Pass
5**	11302.200	42.93	-0.95	54.0	-11.07	AV	243.00	150	Horizontal	Pass
6	15973.238	50.12	-3.16	68.2	-18.08	Peak	131.00	150	Horizontal	Pass
6**	15973.238	41.29	-3.16	54.0	-12.71	AV	131.00	150	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	54.87	-12.78	68.2	-13.33	Peak	301.00	150	Vertical	Pass
1**	2390.000	46.85	-12.78	54.0	-7.15	AV	301.00	150	Vertical	Pass
2	4784.500	52.26	-2.73	68.2	-15.94	Peak	360.00	150	Vertical	Pass
2**	4784.500	49.95	-2.73	54.0	-4.05	AV	360.00	150	Vertical	Pass
3	5758.500	108.91	-1.09	--	-140.09	Peak	249.00	150	Vertical	N/A
3**	5758.500	99.58	-1.09	--	99.58	AV	249.00	150	Vertical	N/A
4	8389.500	49.43	-3.13	68.2	-18.77	Peak	91.00	150	Vertical	Pass
4**	8389.500	40.66	-3.13	54.0	-13.34	AV	91.00	150	Vertical	Pass
5	11909.724	52.77	-0.98	68.2	-15.43	Peak	321.00	150	Vertical	Pass
5**	11909.724	44.57	-0.98	54.0	-9.43	AV	321.00	150	Vertical	Pass
6	15576.075	49.48	-3.74	68.2	-18.72	Peak	134.00	150	Vertical	Pass
6**	15576.075	40.07	-3.74	54.0	-13.93	AV	134.00	150	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.600	43.47	-17.20	68.2	-24.73	Peak	219.00	150	Horizontal	Pass
1**	1574.600	33.57	-17.20	54.0	-20.43	AV	219.00	150	Horizontal	Pass
2	4011.000	49.68	-3.76	68.2	-18.52	Peak	9.00	150	Horizontal	Pass
2**	4011.000	39.65	-3.76	54.0	-14.35	AV	9.00	150	Horizontal	Pass
3	5786.250	106.72	-1.19	--	-168.28	Peak	275.00	150	Horizontal	N/A
3**	5786.250	98.27	-1.19	--	98.27	AV	275.00	150	Horizontal	N/A
4	8180.975	49.51	-2.65	68.2	-18.69	Peak	68.00	150	Horizontal	Pass
4**	8180.975	39.66	-2.65	54.0	-14.34	AV	68.00	150	Horizontal	Pass
5	12002.113	53.10	-0.86	68.2	-15.10	Peak	33.00	150	Horizontal	Pass
5**	12002.113	43.45	-0.86	54.0	-10.55	AV	33.00	150	Horizontal	Pass
6	15936.224	50.27	-3.24	68.2	-17.93	Peak	290.00	150	Horizontal	Pass
6**	15936.224	40.18	-3.24	54.0	-13.82	AV	290.00	150	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	54.26	-12.78	68.2	-13.94	Peak	132.00	150	Vertical	Pass
1**	2390.000	47.39	-12.78	54.0	-6.61	AV	132.00	150	Vertical	Pass
2	4781.500	56.16	-2.79	68.2	-12.04	Peak	171.00	150	Vertical	Pass
2**	4781.500	49.89	-2.79	54.0	-4.11	AV	171.00	150	Vertical	Pass
3	5802.500	109.37	-1.06	--	-137.63	Peak	247.00	150	Vertical	N/A
3**	5802.500	100.95	-1.06	--	100.95	AV	247.00	150	Vertical	N/A
4	8377.150	49.74	-3.33	68.2	-18.46	Peak	164.00	150	Vertical	Pass
4**	8377.150	40.01	-3.33	54.0	-13.99	AV	164.00	150	Vertical	Pass
5	12007.576	52.78	-1.01	68.2	-15.42	Peak	316.00	150	Vertical	Pass
5**	12007.576	43.88	-1.01	54.0	-10.12	AV	316.00	150	Vertical	Pass
6	15572.400	49.92	-3.68	68.2	-18.28	Peak	107.00	150	Vertical	Pass
6**	15572.400	40.61	-3.68	54.0	-13.39	AV	107.00	150	Vertical	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.01	-12.78	68.2	-16.19	Peak	93.00	150	Horizontal	Pass
1**	2390.000	43.12	-12.78	54.0	-10.88	AV	93.00	150	Horizontal	Pass
2	3884.250	48.90	-3.60	68.2	-19.30	Peak	90.00	150	Horizontal	Pass
2**	3884.250	40.66	-3.60	54.0	-13.34	AV	90.00	150	Horizontal	Pass
3	5798.250	102.40	-1.29	--	-235.60	Peak	338.00	150	Horizontal	N/A
3**	5798.250	93.81	-1.29	--	93.81	AV	338.00	150	Horizontal	N/A
4	8058.187	50.60	-2.40	68.2	-17.60	Peak	260.00	150	Horizontal	Pass
4**	8058.187	40.74	-2.40	54.0	-13.26	AV	260.00	150	Horizontal	Pass
5	11950.338	52.94	-0.82	68.2	-15.26	Peak	129.00	150	Horizontal	Pass
5**	11950.338	43.35	-0.82	54.0	-10.65	AV	129.00	150	Horizontal	Pass
6	15996.075	50.25	-3.35	68.2	-17.95	Peak	75.00	150	Horizontal	Pass
6**	15996.075	41.84	-3.35	54.0	-12.16	AV	75.00	150	Horizontal	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	55.04	-12.78	68.2	-13.16	Peak	131.00	150	Vertical	Pass
1**	2390.000	49.20	-12.78	54.0	-4.80	AV	131.00	150	Vertical	Pass
2	4773.750	49.29	-2.62	68.2	-18.91	Peak	4.00	150	Vertical	Pass
2**	4773.750	51.49	-2.62	54.0	-2.51	AV	4.00	150	Vertical	Pass
3	5772.000	105.29	-0.91	--	-137.71	Peak	243.00	150	Vertical	N/A
3**	5772.000	98.83	-0.91	--	98.83	AV	243.00	150	Vertical	N/A
4	8196.650	49.03	-2.69	68.2	-19.17	Peak	16.00	150	Vertical	Pass
4**	8196.650	40.23	-2.69	54.0	-13.77	AV	16.00	150	Vertical	Pass
5	11950.576	53.53	-0.82	68.2	-14.67	Peak	169.00	150	Vertical	Pass
5**	11950.576	44.54	-0.82	54.0	-9.46	AV	169.00	150	Vertical	Pass
6	15584.213	49.31	-3.86	68.2	-18.89	Peak	12.00	150	Vertical	Pass
6**	15584.213	39.83	-3.86	54.0	-14.17	AV	12.00	150	Vertical	Pass

Simultaneous transmission

MAIN antenna: 5G 802.11n20 mode + AUX antenna: BLE mode and 5G 802.11n20 mode

30 MHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.600	42.53	-17.89	68.2	-25.67	Peak	269.00	150	Horizontal	Pass
1**	1197.600	32.47	-17.89	54.0	-21.53	AV	269.00	150	Horizontal	Pass
2	2402.200	96.88	-13.33	--	--	Peak	323.00	150	Horizontal	N/A
2**	2402.200	96.21	-13.33	--	--	AV	323.00	150	Horizontal	N/A
3	5176.250	111.39	-2.63	--	--	Peak	360.00	150	Horizontal	N/A
3**	5176.250	104.03	-2.63	--	--	AV	360.00	150	Horizontal	N/A
4	7557.000	52.60	-0.64	68.2	-15.60	Peak	132.00	150	Horizontal	Pass
4**	7557.000	43.14	-0.64	54.0	-10.86	AV	132.00	150	Horizontal	Pass
5	11227.625	49.60	-4.15	68.2	-18.60	Peak	265.00	150	Horizontal	Pass
5**	11227.625	39.06	-4.15	54.0	-14.94	AV	265.00	150	Horizontal	Pass
6	15714.150	51.01	-0.19	68.2	-17.19	Peak	168.00	150	Horizontal	Pass
6**	15714.150	41.92	-0.19	54.0	-12.08	AV	168.00	150	Horizontal	Pass

30 MHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1681.800	46.19	-17.64	68.2	-22.01	Peak	171.00	150	Vertical	Pass
1**	1681.800	35.20	-17.64	54.0	-18.80	AV	171.00	150	Vertical	Pass
2	2402.300	99.89	-13.32	--	--	Peak	347.00	150	Vertical	N/A
2**	2402.300	99.21	-13.32	--	--	AV	347.00	150	Vertical	N/A
3	4786.000	50.22	-3.79	68.2	-17.98	Peak	359.00	150	Vertical	Pass
3**	4786.000	49.56	-3.79	54.0	-4.44	AV	359.00	150	Vertical	Pass
4	5175.500	108.51	-2.60	--	--	Peak	269.00	150	Vertical	N/A
4**	5175.500	100.58	-2.60	--	--	AV	269.00	150	Vertical	N/A
5	7516.250	52.61	0.94	68.2	-15.59	Peak	12.00	150	Vertical	Pass
5**	7516.250	43.93	0.94	54.0	-10.07	AV	12.00	150	Vertical	Pass
6	15830.175	51.61	-0.74	68.2	-16.59	Peak	192.00	150	Vertical	Pass
6**	15830.175	41.84	-0.74	54.0	-12.16	AV	192.00	150	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Main Antenna/Aux. Antenna

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass

	802.11ax(HE20) (SU)	High	Pass
		Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass

MIMO


Test Band	Mode	Channel	Verdict
U-NII-1	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
U-NII-2A	802.11n(HT20)	Middle	Pass
		Low	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass

		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass
U-NII-2C	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
U-NII-3	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass

Test Data and Plots


Main Antenna

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.88	4.71	68.2	-10.32	Peak	16.00	150	Horizontal	Pass
1**	5150.000	47.98	4.71	54.0	-6.02	AV	16.00	150	Horizontal	Pass
2	5144.150	58.77	4.68	68.2	-9.43	Peak	20.00	150	Horizontal	Pass
2**	5144.150	47.36	4.68	54.0	-6.64	AV	20.00	150	Horizontal	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.43	4.25	68.2	-11.77	Peak	9.00	150	Horizontal	Pass
1**	5350.000	45.98	4.25	54.0	-8.02	AV	9.00	150	Horizontal	Pass
2	5375.483	59.01	4.52	68.2	-9.19	Peak	7.00	150	Horizontal	Pass
2**	5375.483	46.04	4.52	54.0	-7.96	AV	7.00	150	Horizontal	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.36	4.71	68.2	-9.84	Peak	11.00	150	Horizontal	Pass
1**	5150.000	48.09	4.71	54.0	-5.91	AV	11.00	150	Horizontal	Pass
2	5146.750	58.74	4.84	68.2	-9.46	Peak	3.00	150	Horizontal	Pass
2**	5146.750	47.69	4.84	54.0	-6.31	AV	3.00	150	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.13	4.25	68.2	-12.07	Peak	12.00	150	Horizontal	Pass
1**	5350.000	45.94	4.25	54.0	-8.06	AV	12.00	150	Horizontal	Pass
2	5387.217	57.48	4.91	68.2	-10.72	Peak	13.00	150	Horizontal	Pass
2**	5387.217	45.92	4.91	54.0	-8.08	AV	13.00	150	Horizontal	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.11	4.71	68.2	-9.09	Peak	17.00	150	Horizontal	Pass
1**	5150.000	49.43	4.71	54.0	-4.57	AV	17.00	150	Horizontal	Pass
2	5149.025	60.11	4.71	68.2	-8.09	Peak	4.00	150	Horizontal	Pass
2**	5149.025	49.42	4.71	54.0	-4.58	AV	4.00	150	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.37	4.25	68.2	-10.83	Peak	3.00	150	Horizontal	Pass
1**	5350.000	46.11	4.25	54.0	-7.89	AV	3.00	150	Horizontal	Pass
2	5362.833	58.08	4.10	68.2	-10.12	Peak	11.00	150	Horizontal	Pass
2**	5362.833	45.83	4.10	54.0	-8.17	AV	11.00	150	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.80	4.71	68.2	-10.40	Peak	13.00	150	Horizontal	Pass
1**	5150.000	47.96	4.71	54.0	-6.04	AV	13.00	150	Horizontal	Pass
2	5146.425	58.82	4.85	68.2	-9.38	Peak	22.00	150	Horizontal	Pass
2**	5146.425	48.08	4.85	54.0	-5.92	AV	22.00	150	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.08	4.25	68.2	-11.12	Peak	21.00	150	Horizontal	Pass
1**	5350.000	46.17	4.25	54.0	-7.83	AV	21.00	150	Horizontal	Pass
2	5364.850	57.60	4.07	68.2	-10.60	Peak	1.00	150	Horizontal	Pass
2**	5364.850	45.83	4.07	54.0	-8.17	AV	1.00	150	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.06	4.71	68.2	-8.14	Peak	9.00	150	Horizontal	Pass
1**	5150.000	48.65	4.71	54.0	-5.35	AV	9.00	150	Horizontal	Pass
2	5148.700	60.52	4.77	68.2	-7.68	Peak	18.00	150	Horizontal	Pass
2**	5148.700	48.67	4.77	54.0	-5.33	AV	18.00	150	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.49	4.25	68.2	-11.71	Peak	8.00	150	Horizontal	Pass
1**	5350.000	46.04	4.25	54.0	-7.96	AV	8.00	150	Horizontal	Pass
2	5353.850	58.11	4.15	68.2	-10.09	Peak	9.00	150	Horizontal	Pass
2**	5353.850	46.26	4.15	54.0	-7.74	AV	9.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.65	4.71	68.2	-9.55	Peak	17.00	150	Horizontal	Pass
1**	5150.000	49.83	4.71	54.0	-4.17	AV	17.00	150	Horizontal	Pass
2	5129.200	62.36	5.01	68.2	-5.84	Peak	16.00	150	Horizontal	Pass
2**	5129.200	49.30	5.01	54.0	-4.70	AV	16.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.57	4.25	68.2	-11.63	Peak	9.00	150	Horizontal	Pass
1**	5350.000	46.26	4.25	54.0	-7.74	AV	9.00	150	Horizontal	Pass
2	5407.384	58.45	4.54	68.2	-9.75	Peak	10.00	150	Horizontal	Pass
2**	5407.384	46.15	4.54	54.0	-7.85	AV	10.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.19	4.71	68.2	-11.01	Peak	3.00	150	Horizontal	Pass
1**	5150.000	48.19	4.71	54.0	-5.81	AV	3.00	150	Horizontal	Pass
2	5149.675	58.74	4.69	68.2	-9.46	Peak	15.00	150	Horizontal	Pass
2**	5149.675	47.90	4.69	54.0	-6.10	AV	15.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.46	4.25	68.2	-11.74	Peak	18.00	150	Horizontal	Pass
1**	5350.000	45.93	4.25	54.0	-8.07	AV	18.00	150	Horizontal	Pass
2	5375.300	58.00	4.51	68.2	-10.20	Peak	11.00	150	Horizontal	Pass
2**	5375.300	45.93	4.51	54.0	-8.07	AV	11.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.15	4.71	68.2	-9.05	Peak	4.00	150	Horizontal	Pass
1**	5150.000	48.46	4.71	54.0	-5.54	AV	4.00	150	Horizontal	Pass
2	5148.700	60.08	4.77	68.2	-8.12	Peak	19.00	150	Horizontal	Pass
2**	5148.700	48.56	4.77	54.0	-5.44	AV	19.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.74	4.25	68.2	-11.46	Peak	8.00	150	Horizontal	Pass
1**	5350.000	46.25	4.25	54.0	-7.75	AV	8.00	150	Horizontal	Pass
2	5362.650	57.54	4.10	68.2	-10.66	Peak	21.00	150	Horizontal	Pass
2**	5362.650	45.81	4.10	54.0	-8.19	AV	21.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.70	4.71	68.2	-8.50	Peak	22.00	150	Horizontal	Pass
1**	5150.000	49.70	4.71	54.0	-4.30	AV	22.00	150	Horizontal	Pass
2	5145.775	62.35	4.83	68.2	-5.85	Peak	1.00	150	Horizontal	Pass
2**	5145.775	50.02	4.83	54.0	-3.98	AV	1.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.06	4.25	68.2	-11.14	Peak	7.00	150	Horizontal	Pass
1**	5350.000	46.43	4.25	54.0	-7.57	AV	7.00	150	Horizontal	Pass
2	5371.450	57.97	4.39	68.2	-10.23	Peak	13.00	150	Horizontal	Pass
2**	5371.450	45.91	4.39	54.0	-8.09	AV	13.00	150	Horizontal	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.62	4.71	68.2	-11.58	Peak	11.00	150	Horizontal	Pass
1**	5150.000	46.61	4.71	54.0	-7.39	AV	11.00	150	Horizontal	Pass
2	5137.650	57.57	4.74	68.2	-10.63	Peak	21.00	150	Horizontal	Pass
2**	5137.650	46.28	4.74	54.0	-7.72	AV	21.00	150	Horizontal	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.51	4.25	68.2	-9.69	Peak	10.00	150	Horizontal	Pass
1**	5350.000	46.96	4.25	54.0	-7.04	AV	10.00	150	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.20	4.71	68.2	-12.00	Peak	11.00	150	Horizontal	Pass
1**	5150.000	46.33	4.71	54.0	-7.67	AV	11.00	150	Horizontal	Pass
2	5127.250	57.23	4.75	68.2	-10.97	Peak	4.00	150	Horizontal	Pass
2**	5127.250	46.17	4.75	54.0	-7.83	AV	4.00	150	Horizontal	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.94	4.25	68.2	-11.26	Peak	21.00	150	Horizontal	Pass
1**	5350.000	46.82	4.25	54.0	-7.18	AV	21.00	150	Horizontal	Pass
2	5353.483	58.30	4.24	68.2	-9.90	Peak	5.00	150	Horizontal	Pass
2**	5353.483	46.64	4.24	54.0	-7.36	AV	5.00	150	Horizontal	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.99	4.71	68.2	-11.21	Peak	11.00	150	Horizontal	Pass
1**	5150.000	47.80	4.71	54.0	-6.20	AV	11.00	150	Horizontal	Pass
2	5148.050	59.72	4.81	68.2	-8.48	Peak	20.00	150	Horizontal	Pass
2**	5148.050	47.62	4.81	54.0	-6.38	AV	20.00	150	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.39	4.25	68.2	-11.81	Peak	11.00	150	Horizontal	Pass
1**	5350.000	46.82	4.25	54.0	-7.18	AV	11.00	150	Horizontal	Pass
2	5361.000	58.03	4.07	68.2	-10.17	Peak	5.00	150	Horizontal	Pass
2**	5361.000	46.24	4.07	54.0	-7.76	AV	5.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.34	4.71	68.2	-12.86	Peak	21.00	150	Horizontal	Pass
1**	5150.000	46.74	4.71	54.0	-7.26	AV	21.00	150	Horizontal	Pass
2	5049.250	57.65	4.68	68.2	-10.55	Peak	7.00	150	Horizontal	Pass
2**	5049.250	45.99	4.68	54.0	-8.01	AV	7.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.71	4.25	68.2	-10.49	Peak	19.00	150	Horizontal	Pass
1**	5350.000	46.97	4.25	54.0	-7.03	AV	19.00	150	Horizontal	Pass
2	5353.483	58.24	4.24	68.2	-9.96	Peak	18.00	150	Horizontal	Pass
2**	5353.483	46.75	4.24	54.0	-7.25	AV	18.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	57.31	4.69	68.2	-10.89	Peak	3.00	150	Horizontal	Pass
1**	5149.675	47.41	4.69	54.0	-6.59	AV	3.00	150	Horizontal	Pass
2	5074.925	58.02	5.05	68.2	-10.18	Peak	8.00	150	Horizontal	Pass
2**	5074.925	46.36	5.05	54.0	-7.64	AV	8.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.61	4.25	68.2	-10.59	Peak	3.00	150	Horizontal	Pass
1**	5350.000	46.55	4.25	54.0	-7.45	AV	3.00	150	Horizontal	Pass
2	5350.183	59.24	4.25	68.2	-8.96	Peak	3.00	150	Horizontal	Pass
2**	5350.183	46.70	4.25	54.0	-7.30	AV	3.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.08	4.71	68.2	-10.12	Peak	19.00	150	Horizontal	Pass
1**	5150.000	48.13	4.71	54.0	-5.87	AV	19.00	150	Horizontal	Pass
2	5145.125	58.62	4.68	68.2	-9.58	Peak	4.00	150	Horizontal	Pass
2**	5145.125	47.56	4.68	54.0	-6.44	AV	4.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.77	4.25	68.2	-8.43	Peak	16.00	150	Horizontal	Pass
1**	5350.000	47.77	4.25	54.0	-6.23	AV	16.00	150	Horizontal	Pass
2	5352.383	61.61	4.28	68.2	-6.59	Peak	13.00	150	Horizontal	Pass
2**	5352.383	47.90	4.28	54.0	-6.10	AV	13.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.25	4.71	68.2	-11.95	Peak	9.00	150	Horizontal	Pass
1**	5150.000	46.59	4.71	54.0	-7.41	AV	9.00	150	Horizontal	Pass
2	5132.450	57.53	4.66	68.2	-10.67	Peak	18.00	150	Horizontal	Pass
2**	5132.450	46.47	4.66	54.0	-7.53	AV	18.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.41	4.25	68.2	-10.79	Peak	16.00	150	Horizontal	Pass
1**	5350.000	46.86	4.25	54.0	-7.14	AV	16.00	150	Horizontal	Pass
2	5350.183	58.53	4.25	68.2	-9.67	Peak	8.00	150	Horizontal	Pass
2**	5350.183	46.90	4.25	54.0	-7.10	AV	8.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.48	4.71	68.2	-10.72	Peak	14.00	150	Horizontal	Pass
1**	5150.000	47.90	4.71	54.0	-6.10	AV	14.00	150	Horizontal	Pass
2	5146.425	58.51	4.85	68.2	-9.69	Peak	6.00	150	Horizontal	Pass
2**	5146.425	47.70	4.85	54.0	-6.30	AV	6.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.19	4.25	68.2	-11.01	Peak	8.00	150	Horizontal	Pass
1**	5350.000	46.72	4.25	54.0	-7.28	AV	8.00	150	Horizontal	Pass
2	5351.650	58.42	4.17	68.2	-9.78	Peak	22.00	150	Horizontal	Pass
2**	5351.650	46.40	4.17	54.0	-7.60	AV	22.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.72	4.71	68.2	-10.48	Peak	1.00	150	Horizontal	Pass
1**	5150.000	48.25	4.71	54.0	-5.75	AV	1.00	150	Horizontal	Pass
2	5147.400	58.86	4.81	68.2	-9.34	Peak	22.00	150	Horizontal	Pass
2**	5147.400	47.63	4.81	54.0	-6.37	AV	22.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.98	4.25	68.2	-10.22	Peak	22.00	150	Horizontal	Pass
1**	5350.000	47.62	4.25	54.0	-6.38	AV	22.00	150	Horizontal	Pass
2	5353.667	59.15	4.20	68.2	-9.05	Peak	21.00	150	Horizontal	Pass
2**	5353.667	47.84	4.20	54.0	-6.16	AV	21.00	150	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.69	4.67	68.2	-11.51	Peak	11.00	150	Vertical	Pass
1**	5460.000	46.15	4.67	54.0	-7.85	AV	11.00	150	Vertical	Pass
2	5470.000	56.59	4.75	68.2	-11.61	Peak	16.00	150	Vertical	Pass
2**	5470.000	46.33	4.75	--	46.33	AV	16.00	150	Vertical	N/A
3	5463.600	58.09	4.79	68.2	-10.11	Peak	12.00	150	Vertical	Pass
3**	5463.600	46.35	4.79	--	46.35	AV	12.00	150	Vertical	N/A
4	5446.400	57.85	4.73	68.2	-10.35	Peak	20.00	150	Vertical	Pass
4**	5446.400	46.05	4.73	54.0	-7.95	AV	20.00	150	Vertical	Pass

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.77	5.03	68.2	-6.43	Peak	22.00	150	Vertical	Pass
2	5725.209	62.70	5.05	68.2	-5.50	Peak	12.00	150	Vertical	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.83	4.75	68.2	-9.37	Peak	5.00	150	Vertical	Pass
1**	5470.000	48.08	4.75	--	48.08	AV	5.00	150	Vertical	N/A
2	5469.200	61.23	4.72	68.2	-6.97	Peak	15.00	150	Vertical	Pass
2**	5469.200	47.90	4.72	--	47.90	AV	15.00	150	Vertical	N/A
3	5460.000	58.00	4.67	68.2	-10.20	Peak	3.00	150	Vertical	Pass
3**	5460.000	46.98	4.67	54.0	-7.02	AV	3.00	150	Vertical	Pass
4	5458.600	58.66	4.72	68.2	-9.54	Peak	10.00	150	Vertical	Pass
4**	5458.600	46.86	4.72	54.0	-7.14	AV	10.00	150	Vertical	Pass

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.56	5.03	68.2	-6.64	Peak	7.00	150	Vertical	Pass
2	5728.958	62.83	4.80	68.2	-5.37	Peak	15.00	150	Vertical	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	63.70	4.75	68.2	-4.50	Peak	13.00	150	Vertical	Pass
1**	5470.000	50.20	4.75	--	50.20	AV	13.00	150	Vertical	N/A
2	5469.600	64.98	4.71	68.2	-3.22	Peak	9.00	150	Vertical	Pass
2**	5469.600	49.79	4.71	--	49.79	AV	9.00	150	Vertical	N/A
3	5460.000	57.74	4.67	68.2	-10.46	Peak	19.00	150	Vertical	Pass
3**	5460.000	46.96	4.67	54.0	-7.04	AV	19.00	150	Vertical	Pass
4	5452.800	58.73	4.66	68.2	-9.47	Peak	14.00	150	Vertical	Pass
4**	5452.800	46.48	4.66	54.0	-7.52	AV	14.00	150	Vertical	Pass

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.78	5.03	68.2	-6.42	Peak	10.00	150	Vertical	Pass
2	5738.334	63.23	4.81	68.2	-4.97	Peak	5.00	150	Vertical	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.16	4.75	68.2	-10.04	Peak	12.00	150	Vertical	Pass
1**	5470.000	47.50	4.75	--	47.50	AV	12.00	150	Vertical	N/A
2	5469.600	59.50	4.71	68.2	-8.70	Peak	1.00	150	Vertical	Pass
2**	5469.600	47.48	4.71	--	47.48	AV	1.00	150	Vertical	N/A
3	5460.000	57.04	4.67	68.2	-11.16	Peak	6.00	150	Vertical	Pass
3**	5460.000	46.85	4.67	54.0	-7.15	AV	6.00	150	Vertical	Pass
4	5458.400	58.34	4.74	68.2	-9.86	Peak	18.00	150	Vertical	Pass
4**	5458.400	46.70	4.74	54.0	-7.30	AV	18.00	150	Vertical	Pass

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.74	5.03	68.2	-5.46	Peak	13.00	150	Vertical	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	62.93	4.75	68.2	-5.27	Peak	5.00	150	Vertical	Pass
1**	5470.000	50.62	4.75	--	50.62	AV	5.00	150	Vertical	N/A
2	5469.200	66.37	4.72	68.2	-1.83	Peak	11.00	150	Vertical	Pass
2**	5469.200	50.45	4.72	--	50.45	AV	11.00	150	Vertical	N/A
3	5460.000	57.53	4.67	68.2	-10.67	Peak	2.00	150	Vertical	Pass
3**	5460.000	47.10	4.67	54.0	-6.90	AV	2.00	150	Vertical	Pass
4	5457.800	60.04	4.79	68.2	-8.16	Peak	5.00	150	Vertical	Pass
4**	5457.800	46.83	4.79	54.0	-7.17	AV	5.00	150	Vertical	Pass

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.72	5.03	68.2	-6.48	Peak	11.00	150	Vertical	Pass
2	5726.667	64.34	5.04	68.2	-3.86	Peak	13.00	150	Vertical	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.35	4.67	68.2	-9.85	Peak	12.00	150	Vertical	Pass
1**	5460.000	47.96	4.67	54.0	-6.04	AV	12.00	150	Vertical	Pass
2	5470.000	58.65	4.75	68.2	-9.55	Peak	3.00	150	Vertical	Pass
2**	5470.000	48.23	4.75	--	48.23	AV	3.00	150	Vertical	N/A
3	5463.000	60.39	4.73	68.2	-7.81	Peak	20.00	150	Vertical	Pass
3**	5463.000	48.24	4.73	--	48.24	AV	20.00	150	Vertical	N/A
4	5446.600	60.47	4.74	68.2	-7.73	Peak	7.00	150	Vertical	Pass
4**	5446.600	47.42	4.74	54.0	-6.58	AV	7.00	150	Vertical	Pass

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	64.35	5.03	68.2	-3.85	Peak	15.00	150	Vertical	Pass
2	5728.542	65.82	4.83	68.2	-2.38	Peak	10.00	150	Vertical	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.93	4.75	68.2	-9.27	Peak	20.00	150	Vertical	Pass
1**	5470.000	47.71	4.75	--	47.71	AV	20.00	150	Vertical	N/A
2	5460.000	56.62	4.67	68.2	-11.58	Peak	3.00	150	Vertical	Pass
2**	5460.000	46.90	4.67	54.0	-7.10	AV	3.00	150	Vertical	Pass
3	5464.000	59.15	4.79	68.2	-9.05	Peak	12.00	150	Vertical	Pass
3**	5464.000	47.34	4.79	--	47.34	AV	12.00	150	Vertical	N/A
4	5459.200	58.44	4.73	68.2	-9.76	Peak	17.00	150	Vertical	Pass
4**	5459.200	46.97	4.73	54.0	-7.03	AV	17.00	150	Vertical	Pass

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.66	5.03	68.2	-6.54	Peak	22.00	150	Vertical	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.00	4.67	68.2	-10.20	Peak	16.00	150	Vertical	Pass
1**	5460.000	47.68	4.67	54.0	-6.32	AV	16.00	150	Vertical	Pass
2	5470.000	58.50	4.75	68.2	-9.70	Peak	2.00	150	Vertical	Pass
2**	5470.000	48.22	4.75	--	48.22	AV	2.00	150	Vertical	N/A
3	5464.400	59.91	4.81	68.2	-8.29	Peak	16.00	150	Vertical	Pass
3**	5464.400	48.01	4.81	--	48.01	AV	16.00	150	Vertical	N/A
4	5437.600	59.29	5.04	68.2	-8.91	Peak	16.00	150	Vertical	Pass
4**	5437.600	46.88	5.04	54.0	-7.12	AV	16.00	150	Vertical	Pass

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.36	5.03	68.2	-6.84	Peak	14.00	150	Vertical	Pass
2	5728.542	62.05	4.83	68.2	-6.15	Peak	12.00	150	Vertical	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.95	4.75	68.2	-10.25	Peak	19.00	150	Vertical	Pass
1**	5470.000	47.71	4.75	--	47.71	AV	19.00	150	Vertical	N/A
2	5447.000	60.63	4.72	68.2	-7.57	Peak	22.00	150	Vertical	Pass
2**	5447.000	47.33	4.72	54.0	-6.67	AV	22.00	150	Vertical	Pass
3	5460.000	58.28	4.67	68.2	-9.92	Peak	9.00	150	Vertical	Pass
3**	5460.000	47.54	4.67	54.0	-6.46	AV	9.00	150	Vertical	Pass
4	5465.000	60.01	4.77	68.2	-8.19	Peak	3.00	150	Vertical	Pass
4**	5465.000	47.78	4.77	--	47.78	AV	3.00	150	Vertical	N/A

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	64.59	5.03	68.2	-3.61	Peak	17.00	150	Vertical	Pass
2	5731.875	64.97	4.92	68.2	-3.23	Peak	8.00	150	Vertical	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.93	4.94	68.2	-10.27	Peak	2.00	150	Vertical	Pass
2	5636.666	59.39	5.82	68.2	-8.81	Peak	11.00	150	Vertical	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.96	4.99	68.2	-11.24	Peak	15.00	150	Vertical	Pass
2	5942.750	58.64	5.06	68.2	-9.56	Peak	9.00	150	Vertical	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.37	4.94	68.2	-10.83	Peak	5.00	150	Vertical	Pass
2	5640.208	59.55	5.46	68.2	-8.65	Peak	14.00	150	Vertical	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.95	4.99	68.2	-11.25	Peak	16.00	150	Vertical	Pass
2	5941.250	58.94	5.08	68.2	-9.26	Peak	20.00	150	Vertical	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	59.64	4.94	68.2	-8.56	Peak	19.00	150	Vertical	Pass
2	5635.000	61.59	5.85	68.2	-6.61	Peak	16.00	150	Vertical	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.65	4.99	68.2	-10.55	Peak	5.00	150	Vertical	Pass
2	5961.750	58.90	5.99	68.2	-9.30	Peak	18.00	150	Vertical	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.34	4.94	68.2	-10.86	Peak	22.00	150	Vertical	Pass
2	5638.959	59.07	5.61	68.2	-9.13	Peak	2.00	150	Vertical	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.99	4.99	68.2	-11.21	Peak	14.00	150	Vertical	Pass
2	5946.500	59.70	5.15	68.2	-8.50	Peak	7.00	150	Vertical	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	59.91	4.94	68.2	-8.29	Peak	14.00	150	Vertical	Pass
2	5640.000	61.01	5.46	68.2	-7.19	Peak	1.00	150	Vertical	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.61	4.99	68.2	-10.59	Peak	18.00	150	Vertical	Pass
2	5942.000	59.18	5.03	68.2	-9.02	Peak	22.00	150	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5609.584	64.13	4.76	68.2	-4.07	Peak	226.00	150	Vertical	Pass
2	5650.000	64.26	4.91	68.2	-3.94	Peak	159.00	150	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.86	4.99	68.2	-9.34	Peak	8.00	150	Vertical	Pass
2	5939.250	60.64	5.08	68.2	-7.56	Peak	16.00	150	Vertical	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.51	4.94	68.2	-10.69	Peak	8.00	150	Vertical	Pass
2	5626.875	59.29	5.62	68.2	-8.91	Peak	11.00	150	Vertical	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.63	4.99	68.2	-11.57	Peak	4.00	150	Vertical	Pass
2	5941.000	59.12	5.11	68.2	-9.08	Peak	9.00	150	Vertical	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	60.86	4.94	68.2	-7.34	Peak	20.00	150	Vertical	Pass
2	5634.375	61.98	5.83	68.2	-6.22	Peak	9.00	150	Vertical	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.71	4.99	68.2	-11.49	Peak	11.00	150	Vertical	Pass
2	5930.500	58.56	5.06	68.2	-9.64	Peak	13.00	150	Vertical	Pass

U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.250	64.34	5.31	68.2	-3.86	Peak	251.00	150	Vertical	Pass
2	5650.000	62.57	4.91	68.2	-5.63	Peak	262.00	150	Vertical	Pass


U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.51	4.99	68.2	-9.69	Peak	14.00	150	Vertical	Pass
2	5946.500	60.41	5.15	68.2	-7.79	Peak	19.00	150	Vertical	Pass


Aux. Antenna

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.36	5.91	68.2	-9.84	Peak	4.00	150	Horizontal	Pass
1**	5150.000	48.54	5.91	54.0	-5.46	AV	4.00	150	Horizontal	Pass
2	5142.200	59.70	5.92	68.2	-8.50	Peak	3.00	150	Horizontal	Pass
2**	5142.200	48.79	5.92	54.0	-5.21	AV	3.00	150	Horizontal	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.19	6.70	68.2	-11.01	Peak	8.00	150	Horizontal	Pass
1**	5350.000	46.32	6.70	54.0	-7.68	Peak	8.00	150	Horizontal	Pass
2.	5352.750	59.29	6.81	68.2	-8.91	Peak	9.00	150	Horizontal	Pass
2**	5352.750	46.10	6.81	54.0	-7.90	AV	9.00	150	Horizontal	Pass

U-NII-1 11n20 CH36



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.66	5.91	68.2	-9.54	Peak	6.00	150	Horizontal	Pass
1**	5150.000	48.86	5.91	54.0	-5.14	AV	6.00	150	Horizontal	Pass
2	5078.500	60.62	6.39	68.2	-7.58	Peak	13.00	150	Horizontal	Pass
2**	5078.500	47.13	6.39	54.0	-6.87	AV	13.00	150	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.77	6.70	68.2	-10.43	Peak	1.00	150	Horizontal	Pass
1**	5350.000	47.01	6.70	54.0	-6.99	AV	1.00	150	Horizontal	Pass
2	5376.766	60.34	7.27	68.2	-7.86	Peak	11.00	150	Horizontal	Pass
2**	5376.766	47.33	7.27	54.0	-6.67	AV	11.00	150	Horizontal	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.03	5.91	68.2	-6.17	Peak	15.00	150	Horizontal	Pass
1**	5150.000	50.20	5.91	54.0	-3.80	AV	15.00	150	Horizontal	Pass
2	5149.675	61.03	5.93	68.2	-7.17	Peak	15.00	150	Horizontal	Pass
2**	5149.675	50.46	5.93	54.0	-3.54	AV	15.00	150	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.32	6.70	68.2	-9.88	Peak	12.00	150	Horizontal	Pass
1**	5350.000	47.50	6.70	54.0	-6.50	AV	12.00	150	Horizontal	Pass
2	5390.883	60.39	6.75	68.2	-7.81	Peak	8.00	150	Horizontal	Pass
2**	5390.883	47.58	6.75	54.0	-6.42	AV	8.00	150	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.95	5.91	68.2	-9.25	Peak	1.00	150	Horizontal	Pass
1**	5150.000	49.40	5.91	54.0	-4.60	AV	1.00	150	Horizontal	Pass
2	5107.750	60.13	6.23	68.2	-8.07	Peak	5.00	150	Horizontal	Pass
2**	5107.750	48.02	6.23	54.0	-5.98	AV	5.00	150	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.72	6.70	68.2	-10.48	Peak	10.00	150	Horizontal	Pass
1**	5350.000	47.07	6.70	54.0	-6.93	AV	10.00	150	Horizontal	Pass
2	5384.834	60.01	7.04	68.2	-8.19	Peak	1.00	150	Horizontal	Pass
2**	5384.834	47.17	7.04	54.0	-6.83	AV	1.00	150	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	61.53	5.91	68.2	-6.67	Peak	15.00	150	Horizontal	Pass
1**	5150.000	49.76	5.91	54.0	-4.24	AV	15.00	150	Horizontal	Pass
2	5149.025	61.92	5.95	68.2	-6.28	Peak	15.00	150	Horizontal	Pass
2**	5149.025	49.64	5.95	54.0	-4.36	AV	15.00	150	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.47	6.70	68.2	-8.73	Peak	8.00	150	Horizontal	Pass
1**	5350.000	47.29	6.70	54.0	-6.71	AV	8.00	150	Horizontal	Pass
2	5405.183	59.69	6.58	68.2	-8.51	Peak	3.00	150	Horizontal	Pass
2**	5405.183	46.79	6.58	54.0	-7.21	AV	3.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5132.125	63.66	3.62	68.2	-4.54	Peak	359.00	150	Horizontal	Pass
1**	5132.125	50.54	3.62	54.0	-3.46	AV	359.00	150	Horizontal	Pass
2	5150.000	61.98	3.94	68.2	-6.22	Peak	360.00	150	Horizontal	Pass
2**	5150.000	52.97	3.94	54.0	-1.03	AV	360.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.59	6.70	68.2	-8.61	Peak	2.00	150	Horizontal	Pass
1**	5350.000	48.02	6.70	54.0	-5.98	AV	2.00	150	Horizontal	Pass
2	5376.400	61.20	7.24	68.2	-7.00	Peak	9.00	150	Horizontal	Pass
2**	5376.400	47.75	7.24	54.0	-6.25	AV	9.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.13	5.91	68.2	-9.07	Peak	15.00	150	Horizontal	Pass
1**	5150.000	49.43	5.91	54.0	-4.57	AV	15.00	150	Horizontal	Pass
2	5139.925	59.79	5.90	68.2	-8.41	Peak	6.00	150	Horizontal	Pass
2**	5139.925	48.65	5.90	54.0	-5.35	AV	6.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.27	6.70	68.2	-9.93	Peak	9.00	150	Horizontal	Pass
1**	5350.000	47.18	6.70	54.0	-6.82	AV	9.00	150	Horizontal	Pass
2	5374.750	59.81	7.32	68.2	-8.39	Peak	3.00	150	Horizontal	Pass
2**	5374.750	47.31	7.32	54.0	-6.69	AV	3.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	61.96	5.91	68.2	-6.24	Peak	15.00	150	Horizontal	Pass
1**	5150.000	50.93	5.91	54.0	-3.07	AV	15.00	150	Horizontal	Pass
2	5148.700	64.08	5.95	68.2	-4.12	Peak	15.00	150	Horizontal	Pass
2**	5148.700	50.50	5.95	54.0	-3.50	AV	15.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.39	6.70	68.2	-9.81	Peak	13.00	150	Horizontal	Pass
1**	5350.000	47.34	6.70	54.0	-6.66	AV	13.00	150	Horizontal	Pass
2	5445.334	59.78	6.74	68.2	-8.42	Peak	15.00	150	Horizontal	Pass
2**	5445.334	47.28	6.74	54.0	-6.72	AV	15.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.75	3.94	68.2	-7.45	Peak	360.00	150	Horizontal	Pass
1**	5150.000	52.36	3.94	54.0	-1.64	AV	360.00	150	Horizontal	Pass
2	5129.850	62.72	4.10	68.2	-5.48	Peak	333.00	150	Horizontal	Pass
2**	5129.850	50.31	4.10	54.0	-3.69	AV	333.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.16	6.70	68.2	-10.04	Peak	10.00	150	Horizontal	Pass
1**	5350.000	47.73	6.70	54.0	-6.27	AV	10.00	150	Horizontal	Pass
2	5433.783	60.09	6.87	68.2	-8.11	Peak	15.00	150	Horizontal	Pass
2**	5433.783	46.95	6.87	54.0	-7.05	AV	15.00	150	Horizontal	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.10	5.91	68.2	-11.10	Peak	1.00	150	Horizontal	Pass
1**	5150.000	47.49	5.91	54.0	-6.51	AV	1.00	150	Horizontal	Pass
2	5098.650	59.16	6.47	68.2	-9.04	Peak	5.00	150	Horizontal	Pass
2**	5098.650	47.84	6.47	54.0	-6.16	AV	5.00	150	Horizontal	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.53	6.70	68.2	-10.67	Peak	4.00	150	Horizontal	Pass
1**	5350.000	47.18	6.70	54.0	-6.82	AV	4.00	150	Horizontal	Pass
2	5440.567	59.92	6.87	68.2	-8.28	Peak	4.00	150	Horizontal	Pass
2**	5440.567	47.40	6.87	54.0	-6.60	AV	4.00	150	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.68	5.91	68.2	-10.52	Peak	14.00	150	Horizontal	Pass
1**	5150.000	47.46	5.91	54.0	-6.54	AV	14.00	150	Horizontal	Pass
2	5117.825	59.33	6.24	68.2	-8.87	Peak	7.00	150	Horizontal	Pass
2**	5117.825	47.93	6.24	54.0	-6.07	AV	7.00	150	Horizontal	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.99	6.70	68.2	-10.21	Peak	12.00	150	Horizontal	Pass
1**	5350.000	47.11	6.70	54.0	-6.89	AV	12.00	150	Horizontal	Pass
2	5403.350	60.12	6.58	68.2	-8.08	Peak	15.00	150	Horizontal	Pass
2**	5403.350	46.60	6.58	54.0	-7.40	AV	15.00	150	Horizontal	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.53	5.91	68.2	-10.67	Peak	13.00	150	Horizontal	Pass
1**	5150.000	48.26	5.91	54.0	-5.74	AV	13.00	150	Horizontal	Pass
2	4815.575	59.11	6.84	68.2	-9.09	Peak	9.00	150	Horizontal	Pass
2**	4815.575	46.73	6.84	54.0	-7.27	AV	9.00	150	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.56	6.70	68.2	-7.64	Peak	6.00	150	Horizontal	Pass
1**	5350.000	48.39	6.70	54.0	-5.61	AV	6.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.13	5.91	68.2	-10.07	Peak	15.00	150	Horizontal	Pass
1**	5150.000	49.14	5.91	54.0	-4.86	AV	15.00	150	Horizontal	Pass
2	5149.025	60.20	5.95	68.2	-8.00	Peak	10.00	150	Horizontal	Pass
2**	5149.025	49.23	5.95	54.0	-4.77	AV	10.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.19	6.70	68.2	-10.01	Peak	11.00	150	Horizontal	Pass
1**	5350.000	47.18	6.70	54.0	-6.82	AV	11.00	150	Horizontal	Pass
2	5374.933	59.50	7.31	68.2	-8.70	Peak	14.00	150	Horizontal	Pass
2**	5374.933	47.23	7.31	54.0	-6.77	AV	14.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.26	5.91	68.2	-9.94	Peak	3.00	150	Horizontal	Pass
1**	5150.000	48.28	5.91	54.0	-5.72	AV	3.00	150	Horizontal	Pass
2	5068.750	59.41	6.16	68.2	-8.79	Peak	9.00	150	Horizontal	Pass
2**	5068.750	47.81	6.16	54.0	-6.19	AV	9.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.25	6.70	68.2	-8.95	Peak	4.00	150	Horizontal	Pass
1**	5350.000	48.37	6.70	54.0	-5.63	AV	4.00	150	Horizontal	Pass
2	5445.334	60.52	6.74	68.2	-7.68	Peak	11.00	150	Horizontal	Pass
2**	5445.334	47.42	6.74	54.0	-6.58	AV	11.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.25	5.91	68.2	-10.95	Peak	15.00	150	Horizontal	Pass
1**	5150.000	47.92	5.91	54.0	-6.08	AV	15.00	150	Horizontal	Pass
2	5118.800	59.45	6.21	68.2	-8.75	Peak	6.00	150	Horizontal	Pass
2**	5118.800	48.20	6.21	54.0	-5.80	AV	6.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.32	6.70	68.2	-7.88	Peak	15.00	150	Horizontal	Pass
1**	5350.000	48.59	6.70	54.0	-5.41	AV	15.00	150	Horizontal	Pass
2	5356.417	60.48	6.99	68.2	-7.72	Peak	4.00	150	Horizontal	Pass
2**	5356.417	48.34	6.99	54.0	-5.66	AV	4.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.92	5.91	68.2	-10.28	Peak	6.00	150	Horizontal	Pass
1**	5150.000	47.72	5.91	54.0	-6.28	AV	6.00	150	Horizontal	Pass
2	5099.950	59.79	6.40	68.2	-8.41	Peak	5.00	150	Horizontal	Pass
2**	5099.950	47.81	6.40	54.0	-6.19	AV	5.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.29	6.70	68.2	-9.91	Peak	8.00	150	Horizontal	Pass
1**	5350.000	47.76	6.70	54.0	-6.24	AV	8.00	150	Horizontal	Pass
2	5362.100	60.30	7.21	68.2	-7.90	Peak	13.00	150	Horizontal	Pass
2**	5362.100	47.25	7.21	54.0	-6.75	AV	13.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.37	5.91	68.2	-9.83	Peak	4.00	150	Horizontal	Pass
1**	5150.000	48.45	5.91	54.0	-5.55	AV	4.00	150	Horizontal	Pass
2	4986.525	59.17	6.88	68.2	-9.03	Peak	9.00	150	Horizontal	Pass
2**	4986.525	47.79	6.88	54.0	-6.21	AV	9.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.00	6.70	68.2	-10.20	Peak	5.00	150	Horizontal	Pass
1**	5350.000	47.96	6.70	54.0	-6.04	AV	5.00	150	Horizontal	Pass
2	5431.400	60.31	6.78	68.2	-7.89	Peak	7.00	150	Horizontal	Pass
2**	5431.400	46.64	6.78	54.0	-7.36	AV	7.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.58	5.91	68.2	-10.62	Peak	6.00	150	Horizontal	Pass
1**	5150.000	47.93	5.91	54.0	-6.07	AV	6.00	150	Horizontal	Pass
2	5120.750	59.71	6.27	68.2	-8.49	Peak	7.00	150	Horizontal	Pass
2**	5120.750	48.11	6.27	54.0	-5.89	AV	7.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.11	6.70	68.2	-9.09	Peak	13.00	150	Horizontal	Pass
1**	5350.000	48.62	6.70	54.0	-5.38	AV	13.00	150	Horizontal	Pass
2	5369.067	61.70	7.27	68.2	-6.50	Peak	5.00	150	Horizontal	Pass
2**	5369.067	48.50	7.27	54.0	-5.50	AV	5.00	150	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	61.12	6.44	68.2	-7.08	Peak	13.00	150	Horizontal	Pass
1**	5470.000	50.53	6.44	--	50.53	AV	13.00	150	Horizontal	N/A
2	5460.000	59.38	6.51	68.2	-8.82	Peak	9.00	150	Horizontal	Pass
2**	5460.000	48.64	6.51	54.0	-5.36	AV	9.00	150	Horizontal	Pass
3	5468.000	61.66	6.43	68.2	-6.54	Peak	1.00	150	Horizontal	Pass
3**	5468.000	49.85	6.43	--	49.85	AV	1.00	150	Horizontal	N/A
4	5455.800	60.07	6.50	68.2	-8.13	Peak	1.00	150	Horizontal	Pass
4**	5455.800	47.79	6.50	54.0	-6.21	AV	1.00	150	Horizontal	Pass

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.50	6.61	68.2	-9.70	Peak	14.00	150	Horizontal	Pass
2	5755.209	60.60	7.34	68.2	-7.60	Peak	15.00	150	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	61.21	6.44	68.2	-6.99	Peak	9.00	150	Horizontal	Pass
1**	5470.000	50.68	6.44	--	50.68	AV	9.00	150	Horizontal	N/A
2	5460.000	60.68	6.51	68.2	-7.52	Peak	7.00	150	Horizontal	Pass
2**	5460.000	48.98	6.51	54.0	-5.02	AV	7.00	150	Horizontal	Pass
3	5468.600	61.99	6.48	68.2	-6.21	Peak	15.00	150	Horizontal	Pass
3**	5468.600	50.42	6.48	--	50.42	AV	15.00	150	Horizontal	N/A
4	5457.800	60.72	6.53	68.2	-7.48	Peak	13.00	150	Horizontal	Pass
4**	5457.800	48.69	6.53	54.0	-5.31	AV	13.00	150	Horizontal	Pass

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.45	6.61	68.2	-8.75	Peak	7.00	150	Horizontal	Pass
2	5834.584	60.83	7.76	68.2	-7.37	Peak	7.00	150	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	61.16	6.44	68.2	-7.04	Peak	6.00	150	Horizontal	Pass
1**	5470.000	50.82	6.44	--	50.82	AV	6.00	150	Horizontal	N/A
2.	5460.000	60.85	6.51	68.2	-7.15	Peak	2.00	150	Horizontal	Pass
2**	5460.000	50.13	6.51	54.0	-3.87	AV	2.00	150	Horizontal	Pass
3	5468.800	62.40	6.50	68.2	-5.80	Peak	5.00	150	Horizontal	Pass
3**	5468.800	50.94	6.50	--	50.94	AV	5.00	150	Horizontal	N/A
4	5459.400	61.39	6.50	68.2	-6.81	Peak	6.00	150	Horizontal	Pass
4**	5459.400	50.00	6.50	54.0	-4.00	AV	6.00	150	Horizontal	Pass

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.06	6.61	68.2	-10.14	Peak	4.00	150	Horizontal	Pass
2	5761.041	60.36	7.30	68.2	-7.84	Peak	9.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	60.60	6.44	68.2	-7.60	Peak	4.00	150	Horizontal	Pass
1**	5470.000	50.44	6.44	--	50.44	AV	4.00	150	Horizontal	N/A
2	5460.000	59.44	6.51	68.2	-8.76	Peak	15.00	150	Horizontal	Pass
2**	5460.000	48.77	6.51	54.0	-5.23	AV	15.00	150	Horizontal	Pass
3	5467.200	62.17	6.44	68.2	-6.03	Peak	5.00	150	Horizontal	Pass
3**	5467.200	50.06	6.44	--	50.06	AV	5.00	150	Horizontal	N/A
4	5445.000	61.09	6.76	68.2	-7.11	Peak	7.00	150	Horizontal	Pass
4**	5445.000	47.78	6.76	54.0	-6.22	AV	7.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.51	6.61	68.2	-9.69	Peak	7.00	150	Horizontal	Pass
2	5755.000	60.90	7.34	68.2	-7.30	Peak	12.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	61.84	6.44	68.2	-6.36	Peak	5.00	150	Horizontal	Pass
1**	5470.000	50.83	6.44	--	50.83	AV	5.00	150	Horizontal	N/A
2	5460.000	60.42	6.51	68.2	-7.78	Peak	3.00	150	Horizontal	Pass
2**	5460.000	50.01	6.51	54.0	-3.99	AV	3.00	150	Horizontal	Pass
3	5463.400	62.31	6.52	68.2	-5.89	Peak	3.00	150	Horizontal	Pass
3**	5463.400	50.52	6.52	--	50.52	AV	3.00	150	Horizontal	N/A
4	5456.400	61.51	6.53	68.2	-6.69	Peak	11.00	150	Horizontal	Pass
4**	5456.400	49.55	6.53	54.0	-4.45	AV	11.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.27	6.61	68.2	-9.93	Peak	15.00	150	Horizontal	Pass
2	5827.916	60.57	7.82	68.2	-7.63	Peak	15.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	60.51	3.80	68.2	-7.69	Peak	17.00	150	Horizontal	Pass
1**	5470.000	50.48	3.80	--	--	AV	17.00	150	Horizontal	N/A
2	5460.000	63.33	4.23	68.2	-4.87	Peak	20.00	150	Horizontal	Pass
2**	5460.000	50.04	4.23	54.0	-3.96	AV	20.00	150	Horizontal	Pass
3	5461.000	65.05	4.14	68.2	-3.15	Peak	0.00	150	Horizontal	Pass
3**	5461.000	50.34	4.14	--	--	AV	0.00	150	Horizontal	N/A
4	5434.200	64.15	4.84	68.2	-4.05	Peak	17.00	150	Horizontal	Pass
4**	5434.200	50.38	4.84	54.0	-3.62	AV	17.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.60	6.61	68.2	-6.60	Peak	2.00	150	Horizontal	Pass
2	5725.209	63.35	6.62	68.2	-4.85	Peak	14.00	150	Horizontal	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.91	4.67	68.2	-9.29	Peak	9.00	150	Horizontal	Pass
1**	5460.000	47.97	4.67	54.0	-6.03	AV	9.00	150	Horizontal	Pass
2	5470.000	59.25	4.75	68.2	-8.95	Peak	19.00	150	Horizontal	Pass
2**	5470.000	49.44	4.75	--	49.44	AV	19.00	150	Horizontal	N/A
3	5465.800	61.31	4.74	68.2	-6.89	Peak	12.00	150	Horizontal	Pass
3**	5465.800	48.67	4.74	--	48.67	AV	12.00	150	Horizontal	N/A
4	5458.800	60.06	4.72	68.2	-8.14	Peak	21.00	150	Horizontal	Pass
4**	5458.800	47.84	4.72	54.0	-6.16	AV	21.00	150	Horizontal	Pass

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.76	5.03	68.2	-8.44	Peak	5.00	150	Horizontal	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5354.800	59.22	3.62	68.2	-8.98	Peak	228.00	150	Horizontal	Pass
1**	5354.800	46.75	3.62	54.0	-7.25	AV	228.00	150	Horizontal	Pass
2	5460.000	57.60	4.23	68.2	-10.60	Peak	360.00	150	Horizontal	Pass
2**	5460.000	47.81	4.23	54.0	-6.19	AV	360.00	150	Horizontal	Pass
3	5469.400	61.32	3.81	68.2	-6.88	Peak	50.00	150	Horizontal	Pass
3**	5469.400	48.56	3.81	--	--	AV	50.00	150	Horizontal	N/A
4	5470.000	60.06	3.80	68.2	-8.14	Peak	360.00	150	Horizontal	Pass
4**	5470.000	48.51	3.80	--	--	AV	360.00	150	Horizontal	N/A

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.63	5.03	68.2	-9.57	Peak	2.00	150	Horizontal	Pass
2	5730.208	59.81	4.79	68.2	-8.39	Peak	8.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.400	63.88	4.28	68.2	-4.32	Peak	11.00	150	Horizontal	Pass
1**	5459.400	51.38	4.28	54.0	-2.62	AV	11.00	150	Horizontal	Pass
2	5460.000	61.47	4.23	68.2	-6.73	Peak	19.00	150	Horizontal	Pass
2**	5460.000	51.29	4.23	54.0	-2.71	AV	19.00	150	Horizontal	Pass
3	5467.400	64.73	3.96	68.2	-3.47	Peak	44.00	150	Horizontal	Pass
3**	5467.400	51.76	3.96	--	51.76	AV	44.00	150	Horizontal	N/A
4	5470.000	63.36	3.80	68.2	-4.84	Peak	0.00	150	Horizontal	Pass
4**	5470.000	51.42	3.80	--	51.42	AV	0.00	150	Horizontal	N/A

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.35	5.03	68.2	-4.85	Peak	22.00	150	Horizontal	Pass
2	5730.417	63.58	4.84	68.2	-4.62	Peak	11.00	150	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.18	4.94	68.2	-11.02	Peak	6.00	150	Horizontal	Pass
2	5623.541	58.89	5.52	68.2	-9.31	Peak	16.00	150	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.01	4.99	68.2	-11.19	Peak	21.00	150	Horizontal	Pass
2	5971.000	59.01	5.91	68.2	-9.19	Peak	12.00	150	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.73	4.94	68.2	-11.47	Peak	12.00	150	Horizontal	Pass
2	5631.250	59.82	5.71	68.2	-8.38	Peak	7.00	150	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.01	4.99	68.2	-11.19	Peak	3.00	150	Horizontal	Pass
2	5961.750	59.09	5.99	68.2	-9.11	Peak	3.00	150	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.13	4.94	68.2	-10.07	Peak	14.00	150	Horizontal	Pass
2	5637.500	60.22	5.73	68.2	-7.98	Peak	1.00	150	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.73	4.99	68.2	-11.47	Peak	17.00	150	Horizontal	Pass
2	5967.750	59.10	6.11	68.2	-9.10	Peak	5.00	150	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.62	4.94	68.2	-10.58	Peak	1.00	150	Horizontal	Pass
2	5628.959	59.10	5.85	68.2	-9.10	Peak	8.00	150	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.65	4.99	68.2	-11.55	Peak	18.00	150	Horizontal	Pass
2	5943.750	58.51	5.08	68.2	-9.69	Peak	14.00	150	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.27	4.94	68.2	-9.93	Peak	12.00	150	Horizontal	Pass
2	5639.375	59.32	5.53	68.2	-8.88	Peak	7.00	150	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.18	4.99	68.2	-11.02	Peak	1.00	150	Horizontal	Pass
2	5942.500	58.78	5.03	68.2	-9.42	Peak	1.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	65.59	4.94	68.2	-2.61	Peak	22.00	150	Horizontal	Pass
2	5648.542	66.58	4.89	68.2	-1.62	Peak	22.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	59.81	4.99	68.2	-8.39	Peak	21.00	150	Horizontal	Pass
2	5941.250	60.50	5.08	68.2	-7.70	Peak	14.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.11	4.94	68.2	-11.09	Peak	1.00	150	Horizontal	Pass
2	5623.333	59.29	5.52	68.2	-8.91	Peak	20.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.07	4.99	68.2	-11.13	Peak	11.00	150	Horizontal	Pass
2	5939.750	59.02	5.10	68.2	-9.18	Peak	3.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.78	4.94	68.2	-9.42	Peak	1.00	150	Horizontal	Pass
2	5635.625	59.78	5.91	68.2	-8.42	Peak	15.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.59	4.99	68.2	-10.61	Peak	15.00	150	Horizontal	Pass
2	5930.500	58.64	5.06	68.2	-9.56	Peak	2.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	64.75	4.94	68.2	-3.45	Peak	14.00	150	Horizontal	Pass
2	5642.292	65.53	5.18	68.2	-2.67	Peak	11.00	150	Horizontal	Pass


U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.53	4.99	68.2	-9.67	Peak	15.00	150	Horizontal	Pass
2	5926.250	61.31	4.94	68.2	-6.89	Peak	9.00	150	Horizontal	Pass


MIMO

U-NII-1 11n20 CH36



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.76	4.71	68.2	-9.44	Peak	1.00	150	Horizontal	Pass
1**	5150.000	48.91	4.71	54.0	-5.09	AV	1.00	150	Horizontal	Pass
2	5149.675	60.78	4.69	68.2	-7.42	Peak	19.00	150	Horizontal	Pass
2**	5149.675	48.67	4.69	54.0	-5.33	AV	19.00	150	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.58	4.25	68.2	-10.62	Peak	11.00	150	Horizontal	Pass
1**	5350.000	47.57	4.25	54.0	-6.43	AV	11.00	150	Horizontal	Pass
2	5356.783	59.34	4.11	68.2	-8.86	Peak	6.00	150	Horizontal	Pass
2**	5356.783	47.60	4.11	54.0	-6.40	AV	6.00	150	Horizontal	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.21	4.71	68.2	-10.99	Peak	11.00	150	Horizontal	Pass
1**	5150.000	48.62	4.71	54.0	-5.38	AV	11.00	150	Horizontal	Pass
2	5149.350	59.44	4.67	68.2	-8.76	Peak	22.00	150	Horizontal	Pass
2**	5149.350	48.33	4.67	54.0	-5.67	AV	22.00	150	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.97	4.25	68.2	-9.23	Peak	5.00	150	Horizontal	Pass
1**	5350.000	47.99	4.25	54.0	-6.01	AV	5.00	150	Horizontal	Pass
2	5359.900	59.94	4.18	68.2	-8.26	Peak	22.00	150	Horizontal	Pass
2**	5359.900	47.74	4.18	54.0	-6.26	AV	22.00	150	Horizontal	Pass

U-NII-1 11ac20 CH36



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.49	4.71	68.2	-8.71	Peak	21.00	150	Horizontal	Pass
1**	5150.000	48.81	4.71	54.0	-5.19	AV	21.00	150	Horizontal	Pass
2	5148.050	61.68	4.81	68.2	-6.52	Peak	10.00	150	Horizontal	Pass
2**	5148.050	48.64	4.81	54.0	-5.36	AV	10.00	150	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.183	57.57	4.25	68.2	-10.63	Peak	17.00	150	Horizontal	Pass
1**	5350.183	47.62	4.25	54.0	-6.38	AV	17.00	150	Horizontal	Pass
2	5355.867	59.48	4.10	68.2	-8.72	Peak	3.00	150	Horizontal	Pass
2**	5355.867	47.81	4.10	54.0	-6.19	AV	3.00	150	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.08	4.71	68.2	-9.12	Peak	20.00	150	Horizontal	Pass
1**	5150.000	48.69	4.71	54.0	-5.31	AV	20.00	150	Horizontal	Pass
2	5146.425	59.31	4.85	68.2	-8.89	Peak	17.00	150	Horizontal	Pass
2**	5146.425	48.05	4.85	54.0	-5.95	AV	17.00	150	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.19	4.25	68.2	-9.01	Peak	5.00	150	Horizontal	Pass
1**	5350.000	47.89	4.25	54.0	-6.11	AV	5.00	150	Horizontal	Pass
2	5353.850	59.43	4.15	68.2	-8.77	Peak	21.00	150	Horizontal	Pass
2**	5353.850	47.86	4.15	54.0	-6.14	AV	21.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.07	4.71	68.2	-8.13	Peak	7.00	150	Horizontal	Pass
1**	5150.000	50.71	4.71	54.0	-3.29	AV	7.00	150	Horizontal	Pass
2	5129.200	64.17	5.01	68.2	-4.03	Peak	1.00	150	Horizontal	Pass
2**	5129.200	49.21	5.01	54.0	-4.79	AV	1.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.59	4.25	68.2	-10.61	Peak	9.00	150	Horizontal	Pass
1**	5350.000	46.95	4.25	54.0	-7.05	AV	9.00	150	Horizontal	Pass
2	5371.083	59.29	4.35	68.2	-8.91	Peak	1.00	150	Horizontal	Pass
2**	5371.083	46.65	4.35	54.0	-7.35	AV	1.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.24	4.71	68.2	-8.96	Peak	20.00	150	Horizontal	Pass
1**	5150.000	48.71	4.71	54.0	-5.29	AV	20.00	150	Horizontal	Pass
2	5147.075	61.95	4.83	68.2	-6.25	Peak	22.00	150	Horizontal	Pass
2**	5147.075	48.31	4.83	54.0	-5.69	AV	22.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.96	4.25	68.2	-9.24	Peak	18.00	150	Horizontal	Pass
1**	5350.000	47.66	4.25	54.0	-6.34	AV	18.00	150	Horizontal	Pass
2	5352.383	59.52	4.28	68.2	-8.68	Peak	22.00	150	Horizontal	Pass
2**	5352.383	47.76	4.28	54.0	-6.24	AV	22.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.51	4.71	68.2	-10.69	Peak	2.00	150	Horizontal	Pass
1**	5150.000	48.25	4.71	54.0	-5.75	AV	2.00	150	Horizontal	Pass
2	5149.675	59.03	4.69	68.2	-9.17	Peak	13.00	150	Horizontal	Pass
2**	5149.675	48.27	4.69	54.0	-5.73	AV	13.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.78	4.25	68.2	-10.42	Peak	20.00	150	Horizontal	Pass
1**	5350.000	47.57	4.25	54.0	-6.43	AV	20.00	150	Horizontal	Pass
2	5359.900	59.56	4.18	68.2	-8.64	Peak	8.00	150	Horizontal	Pass
2**	5359.900	47.38	4.18	54.0	-6.62	AV	8.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.46	4.71	68.2	-8.74	Peak	8.00	150	Horizontal	Pass
1**	5150.000	50.12	4.71	54.0	-3.88	AV	8.00	150	Horizontal	Pass
2	5131.800	62.99	4.66	68.2	-5.21	Peak	18.00	150	Horizontal	Pass
2**	5131.800	48.64	4.66	54.0	-5.36	AV	18.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.68	4.25	68.2	-10.52	Peak	16.00	150	Horizontal	Pass
1**	5350.000	46.98	4.25	54.0	-7.02	AV	16.00	150	Horizontal	Pass
2	5359.533	58.92	4.26	68.2	-9.28	Peak	18.00	150	Horizontal	Pass
2**	5359.533	47.02	4.26	54.0	-6.98	AV	18.00	150	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.73	4.71	68.2	-12.47	Peak	4.00	150	Vertical	Pass
1**	5150.000	46.14	4.71	54.0	-7.86	AV	4.00	150	Vertical	Pass
2	4776.250	58.57	3.34	68.2	-9.63	Peak	4.00	150	Vertical	Pass
2**	4776.250	45.26	3.34	54.0	-8.74	AV	4.00	150	Vertical	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.98	4.25	68.2	-9.22	Peak	8.00	150	Horizontal	Pass
1**	5350.000	48.52	4.25	54.0	-5.48	AV	8.00	150	Horizontal	Pass
2	5352.200	60.56	4.25	68.2	-7.64	Peak	22.00	150	Horizontal	Pass
2**	5352.200	48.21	4.25	54.0	-5.79	AV	22.00	150	Horizontal	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.00	4.71	68.2	-12.20	Peak	16.00	150	Horizontal	Pass
1**	5150.000	46.24	4.71	54.0	-7.76	AV	16.00	150	Horizontal	Pass
2	5138.300	57.17	4.67	68.2	-11.03	Peak	21.00	150	Horizontal	Pass
2**	5138.300	46.05	4.67	54.0	-7.95	AV	21.00	150	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.87	4.25	68.2	-8.33	Peak	18.00	150	Horizontal	Pass
1**	5350.000	50.09	4.25	54.0	-3.91	AV	18.00	150	Horizontal	Pass
2	5351.650	61.39	4.17	68.2	-6.81	Peak	7.00	150	Horizontal	Pass
2**	5351.650	49.78	4.17	54.0	-4.22	AV	7.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH52



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.66	4.71	68.2	-10.54	Peak	4.00	150	Horizontal	Pass
1**	5150.000	46.96	4.71	54.0	-7.04	AV	4.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.83	4.25	68.2	-7.37	Peak	12.00	150	Horizontal	Pass
1**	5350.000	48.47	4.25	54.0	-5.53	AV	12.00	150	Horizontal	Pass
2	5351.283	61.09	4.20	68.2	-7.11	Peak	1.00	150	Horizontal	Pass
2**	5351.283	48.44	4.20	54.0	-5.56	AV	1.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	56.75	4.69	68.2	-11.45	Peak	6.00	150	Horizontal	Pass
1**	5149.675	46.18	4.69	54.0	-7.82	AV	6.00	150	Horizontal	Pass
2	4959.225	57.20	4.20	68.2	-11.00	Peak	10.00	150	Horizontal	Pass
2**	4959.225	45.94	4.20	54.0	-8.06	AV	10.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.78	4.25	68.2	-7.42	Peak	12.00	150	Horizontal	Pass
1**	5350.000	49.82	4.25	54.0	-4.18	AV	12.00	150	Horizontal	Pass
2	5359.350	61.38	4.30	68.2	-6.82	Peak	9.00	150	Horizontal	Pass
2**	5359.350	48.65	4.30	54.0	-5.35	AV	9.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.97	4.71	68.2	-12.23	Peak	14.00	150	Horizontal	Pass
1**	5150.000	46.53	4.71	54.0	-7.47	AV	14.00	150	Horizontal	Pass
2	5149.350	57.58	4.67	68.2	-10.62	Peak	4.00	150	Horizontal	Pass
2**	5149.350	46.50	4.67	54.0	-7.50	AV	4.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.12	4.25	68.2	-9.08	Peak	11.00	150	Horizontal	Pass
1**	5350.000	49.27	4.25	54.0	-4.73	AV	11.00	150	Horizontal	Pass
2	5354.400	60.99	4.02	68.2	-7.21	Peak	12.00	150	Horizontal	Pass
2**	5354.400	48.95	4.02	54.0	-5.05	AV	12.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.36	4.71	68.2	-10.84	Peak	18.00	150	Horizontal	Pass
1**	5150.000	46.87	4.71	54.0	-7.13	AV	18.00	150	Horizontal	Pass
2	5016.750	58.24	4.50	68.2	-9.96	Peak	12.00	150	Horizontal	Pass
2**	5016.750	46.63	4.50	54.0	-7.37	AV	12.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.39	4.25	68.2	-7.81	Peak	21.00	150	Horizontal	Pass
1**	5350.000	49.09	4.25	54.0	-4.91	AV	21.00	150	Horizontal	Pass
2	5358.433	61.51	4.19	68.2	-6.69	Peak	22.00	150	Horizontal	Pass
2**	5358.433	48.04	4.19	54.0	-5.96	AV	22.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.41	4.71	68.2	-11.79	Peak	22.00	150	Horizontal	Pass
1**	5150.000	46.23	4.71	54.0	-7.77	AV	22.00	150	Horizontal	Pass
2	4837.025	56.95	3.79	68.2	-11.25	Peak	11.00	150	Horizontal	Pass
2**	4837.025	45.02	3.79	54.0	-8.98	AV	11.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.38	4.25	68.2	-7.82	Peak	7.00	150	Horizontal	Pass
1**	5350.000	49.78	4.25	54.0	-4.22	AV	7.00	150	Horizontal	Pass
2	5350.183	62.46	4.25	68.2	-5.74	Peak	15.00	150	Horizontal	Pass
2**	5350.183	49.80	4.25	54.0	-4.20	AV	15.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.75	4.71	68.2	-12.45	Peak	2.00	150	Horizontal	Pass
1**	5150.000	46.47	4.71	54.0	-7.53	AV	2.00	150	Horizontal	Pass
2	5092.800	58.17	5.10	68.2	-10.03	Peak	22.00	150	Horizontal	Pass
2**	5092.800	46.23	5.10	54.0	-7.77	AV	22.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.06	4.25	68.2	-9.14	Peak	22.00	150	Horizontal	Pass
1**	5350.000	48.91	4.25	54.0	-5.09	AV	22.00	150	Horizontal	Pass
2	5354.033	60.95	4.11	68.2	-7.25	Peak	5.00	150	Horizontal	Pass
2**	5354.033	48.82	4.11	54.0	-5.18	AV	5.00	150	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	57.22	4.67	68.2	-10.98	Peak	2.00	150	Horizontal	Pass
1**	5460.000	46.78	4.67	54.0	-7.22	AV	2.00	150	Horizontal	Pass
2	5470.000	59.09	4.75	68.2	-9.11	Peak	18.00	150	Horizontal	Pass
2**	5470.000	47.98	4.75	--	47.98	AV	18.00	150	Horizontal	N/A
3	5468.600	60.17	4.76	68.2	-8.03	Peak	2.00	150	Horizontal	Pass
3**	5468.600	47.67	4.76	--	47.67	AV	2.00	150	Horizontal	N/A
4	5456.000	58.31	4.75	68.2	-9.89	Peak	4.00	150	Horizontal	Pass
4**	5456.000	46.70	4.75	54.0	-7.30	AV	4.00	150	Horizontal	Pass

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.79	5.03	68.2	-9.41	Peak	20.00	150	Horizontal	Pass
2	5803.542	60.52	4.98	68.2	-7.68	Peak	4.00	150	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	59.50	4.75	68.2	-8.70	Peak	14.00	150	Horizontal	Pass
1**	5470.000	49.20	4.75	--	49.20	AV	14.00	150	Horizontal	N/A
2	5460.000	58.54	4.67	68.2	-9.66	Peak	19.00	150	Horizontal	Pass
2**	5460.000	48.16	4.67	54.0	-5.84	AV	19.00	150	Horizontal	Pass
3	5469.800	60.71	4.70	68.2	-7.49	Peak	7.00	150	Horizontal	Pass
3**	5469.800	49.39	4.70	--	49.39	AV	7.00	150	Horizontal	N/A
4	5454.600	60.84	4.82	68.2	-7.36	Peak	3.00	150	Horizontal	Pass
4**	5454.600	47.86	4.82	54.0	-6.14	AV	3.00	150	Horizontal	Pass

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.59	5.03	68.2	-8.61	Peak	18.00	150	Horizontal	Pass
2	5726.667	60.56	5.04	68.2	-7.64	Peak	3.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	57.12	4.67	68.2	-11.08	Peak	2.00	150	Horizontal	Pass
1**	5460.000	46.89	4.67	54.0	-7.11	AV	2.00	150	Horizontal	Pass
2	5470.000	59.54	4.75	68.2	-8.66	Peak	5.00	150	Horizontal	Pass
2**	5470.000	47.32	4.75	--	47.32	AV	5.00	150	Horizontal	N/A
3	5468.400	60.09	4.79	68.2	-8.11	Peak	9.00	150	Horizontal	Pass
3**	5468.400	47.13	4.79	--	47.13	AV	9.00	150	Horizontal	N/A
4	5449.000	58.64	4.67	68.2	-9.56	Peak	1.00	150	Horizontal	Pass
4**	5449.000	46.44	4.67	54.0	-7.56	AV	1.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.44	5.03	68.2	-9.76	Peak	22.00	150	Horizontal	Pass
2	5804.167	60.61	4.86	68.2	-7.59	Peak	1.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	61.31	4.75	68.2	-6.89	Peak	1.00	150	Horizontal	Pass
1**	5470.000	48.89	4.75	--	48.89	AV	1.00	150	Horizontal	N/A
2	5460.000	59.63	4.67	68.2	-8.57	Peak	22.00	150	Horizontal	Pass
2**	5460.000	48.03	4.67	54.0	-5.97	AV	22.00	150	Horizontal	Pass
3	5456.000	61.34	4.75	68.2	-6.86	Peak	12.00	150	Horizontal	Pass
3**	5456.000	48.03	4.75	54.0	-5.97	AV	12.00	150	Horizontal	Pass
4	5462.600	60.86	4.70	68.2	-7.34	Peak	7.00	150	Horizontal	Pass
4**	5462.600	48.24	4.70	--	48.24	AV	7.00	150	Horizontal	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.93	5.03	68.2	-9.27	Peak	17.00	150	Horizontal	Pass
2	5726.042	60.66	5.05	68.2	-7.54	Peak	4.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	59.36	4.75	68.2	-8.84	Peak	10.00	150	Horizontal	Pass
1**	5470.000	49.21	4.75	--	49.21	AV	10.00	150	Horizontal	N/A
2	5460.000	60.00	4.67	68.2	-8.20	Peak	22.00	150	Horizontal	Pass
2**	5460.000	48.55	4.67	54.0	-5.45	AV	22.00	150	Horizontal	Pass
3	5467.000	61.05	4.76	68.2	-7.15	Peak	3.00	150	Horizontal	Pass
3**	5467.000	49.37	4.76	--	49.37	AV	3.00	150	Horizontal	N/A
4	5448.600	65.30	4.75	68.2	-2.90	Peak	14.00	150	Horizontal	Pass
4**	5448.600	47.91	4.75	54.0	-6.09	AV	14.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.05	5.03	68.2	-8.15	Peak	22.00	150	Horizontal	Pass
2	5725.209	61.35	5.05	68.2	-6.85	Peak	17.00	150	Horizontal	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.31	4.75	68.2	-9.89	Peak	10.00	150	Horizontal	Pass
1**	5470.000	47.57	4.75	--	47.57	AV	10.00	150	Horizontal	N/A
2	5468.800	59.37	4.74	68.2	-8.83	Peak	15.00	150	Horizontal	Pass
2**	5468.800	47.24	4.74	--	47.24	AV	15.00	150	Horizontal	N/A
3	5460.000	57.52	4.67	68.2	-10.68	Peak	8.00	150	Horizontal	Pass
3**	5460.000	46.75	4.67	54.0	-7.25	AV	8.00	150	Horizontal	Pass
4	5428.400	58.52	4.71	68.2	-9.68	Peak	14.00	150	Horizontal	Pass
4**	5428.400	46.28	4.71	54.0	-7.72	AV	14.00	150	Horizontal	Pass

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.45	5.03	68.2	-9.75	Peak	3.00	150	Horizontal	Pass
2	5808.542	60.21	4.73	68.2	-7.99	Peak	3.00	150	Horizontal	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.44	4.75	68.2	-9.76	Peak	7.00	150	Horizontal	Pass
1**	5470.000	48.32	4.75	--	48.32	AV	7.00	150	Horizontal	N/A
2	5468.200	61.15	4.81	68.2	-7.05	Peak	15.00	150	Horizontal	Pass
2**	5468.200	48.32	4.81	--	48.32	AV	15.00	150	Horizontal	N/A
3	5460.000	58.62	4.67	68.2	-9.58	Peak	8.00	150	Horizontal	Pass
3**	5460.000	47.76	4.67	54.0	-6.24	AV	8.00	150	Horizontal	Pass
4	5456.800	60.28	4.90	68.2	-7.92	Peak	6.00	150	Horizontal	Pass
4**	5456.800	47.86	4.90	54.0	-6.14	AV	6.00	150	Horizontal	Pass

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.43	5.03	68.2	-8.77	Peak	15.00	150	Horizontal	Pass
2	5740.625	60.66	4.78	68.2	-7.54	Peak	9.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	59.48	4.75	68.2	-8.72	Peak	14.00	150	Horizontal	Pass
1**	5470.000	49.43	4.75	--	49.43	AV	14.00	150	Horizontal	N/A
2	5460.000	59.77	4.67	68.2	-8.43	Peak	17.00	150	Horizontal	Pass
2**	5460.000	48.83	4.67	54.0	-5.17	AV	17.00	150	Horizontal	Pass
3	5467.600	62.08	4.76	68.2	-6.12	Peak	16.00	150	Horizontal	Pass
3**	5467.600	49.47	4.76	--	49.47	AV	16.00	150	Horizontal	N/A
4	5447.200	63.29	4.67	68.2	-4.91	Peak	2.00	150	Horizontal	Pass
4**	5447.200	47.91	4.67	54.0	-6.09	AV	2.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.72	5.03	68.2	-8.48	Peak	9.00	150	Horizontal	Pass
2	5738.750	60.50	4.82	68.2	-7.70	Peak	15.00	150	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.23	4.94	68.2	-10.97	Peak	15.00	150	Vertical	Pass
2	5634.375	60.27	5.83	68.2	-7.93	Peak	9.00	150	Vertical	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.56	4.99	68.2	-11.64	Peak	15.00	150	Vertical	Pass
2	5925.500	59.21	5.01	68.2	-8.99	Peak	22.00	150	Vertical	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.917	60.46	4.92	68.2	-7.74	Peak	268.00	150	Vertical	Pass
2	5650.000	59.08	4.91	68.2	-9.12	Peak	270.00	150	Vertical	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	59.70	4.99	68.2	-8.50	Peak	11.00	150	Vertical	Pass
2	5937.250	60.36	4.99	68.2	-7.84	Peak	4.00	150	Vertical	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.40	4.94	68.2	-10.80	Peak	15.00	150	Vertical	Pass
2	5644.583	59.27	4.99	68.2	-8.93	Peak	14.00	150	Vertical	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.05	4.99	68.2	-11.15	Peak	2.00	150	Vertical	Pass
2	5958.750	59.04	5.84	68.2	-9.16	Peak	12.00	150	Vertical	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	63.24	4.94	68.2	-4.96	Peak	5.00	150	Vertical	Pass
2	5647.917	64.05	4.92	68.2	-4.15	Peak	22.00	150	Vertical	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.29	4.99	68.2	-10.91	Peak	11.00	150	Vertical	Pass
2	5942.000	59.23	5.03	68.2	-8.97	Peak	6.00	150	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	63.76	4.94	68.2	-4.44	Peak	12.00	150	Vertical	Pass
2	5647.500	64.82	4.98	68.2	-3.38	Peak	9.00	150	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	59.25	4.99	68.2	-8.95	Peak	15.00	150	Vertical	Pass
2	5930.500	60.11	5.06	68.2	-8.09	Peak	20.00	150	Vertical	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.51	4.94	68.2	-10.69	Peak	3.00	150	Vertical	Pass
2	5622.084	59.49	5.64	68.2	-8.71	Peak	20.00	150	Vertical	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.63	4.99	68.2	-11.57	Peak	22.00	150	Vertical	Pass
2	5931.000	58.79	5.00	68.2	-9.41	Peak	10.00	150	Vertical	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	62.17	4.94	68.2	-6.03	Peak	16.00	150	Vertical	Pass
2	5647.291	62.84	4.98	68.2	-5.36	Peak	14.00	150	Vertical	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.74	4.99	68.2	-10.46	Peak	15.00	150	Vertical	Pass
2	5940.500	58.92	5.14	68.2	-9.28	Peak	9.00	150	Vertical	Pass

U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	63.07	4.94	68.2	-5.13	Peak	21.00	150	Vertical	Pass
2	5649.584	64.55	4.95	68.2	-3.65	Peak	1.00	150	Vertical	Pass

U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	59.01	4.99	68.2	-9.19	Peak	18.00	150	Vertical	Pass
2	5937.750	60.13	5.02	68.2	-8.07	Peak	12.00	150	Vertical	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document "BL-SZ21C1014-AR.PDF".

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document "BL-SZ21C1014-AW.PDF".

ANNEX D EUT INTERNAL PHOTOS

Please refer the document "BL-SZ21C1014-AI.PDF".

--END OF REPORT--