


5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 30
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.45494G	55.95	74.00	-18.05	50.47	3	Horizontal	329	1.48	-	38.99	11.80	45.31			
AV	11.42707G	42.56	54.00	-11.44	37.09	3	Horizontal	329	1.48	-	39.05	11.78	45.36			
PK	17.17143G	60.02	68.20	-8.18	49.96	3	Horizontal	338	1.82	-	41.24	13.99	45.17			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 24
01-U-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	63.19	74.00	-10.81	55.28	3	Vertical	187	1.80	-	33.54	6.84	32.47
AV	5.46G	49.82	54.00	-4.18	41.89	3	Vertical	187	1.80	-	33.56	6.84	32.47
PK	5.4662G	64.67	68.20	-3.53	56.69	3	Vertical	187	1.80	-	33.60	6.85	32.47
PK	5.5172G	116.03	Inf	-Inf	107.71	3	Vertical	187	1.80	-	33.83	6.95	32.46
AV	5.523G	102.97	Inf	-Inf	94.62	3	Vertical	187	1.80	-	33.85	6.96	32.46

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 24
01-U-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4578G	70.15	74.00	-3.85	62.23	3	Horizontal	265	2.54	-	33.55	6.84	32.47			
AV	5.4592G	47.13	54.00	-6.87	39.20	3	Horizontal	265	2.54	-	33.56	6.84	32.47			
PK	5.467G	61.33	68.20	-6.87	53.35	3	Horizontal	265	2.54	-	33.60	6.85	32.47			
PK	5.4924G	108.07	Inf	-Inf	99.88	3	Horizontal	265	2.54	-	33.75	6.90	32.46			
AV	5.4916G	92.72	Inf	-Inf	84.53	3	Horizontal	265	2.54	-	33.75	6.90	32.46			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 24
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01217G	55.24	74.00	-18.76	50.83	3	Vertical	107	1.61	-	39.08	11.35	46.02			
AV	11.03347G	41.58	54.00	-12.42	37.17	3	Vertical	107	1.61	-	39.03	11.37	45.99			
PK	16.54173G	57.74	68.20	-10.46	49.93	3	Vertical	155	1.69	-	39.60	13.81	45.60			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 24
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02813G	55.34	74.00	-18.66	50.92	3	Horizontal	201	1.40	-	39.04	11.37	45.99			
AV	11.03188G	41.64	54.00	-12.36	37.22	3	Horizontal	201	1.40	-	39.04	11.37	45.99			
PK	16.51659G	56.95	68.20	-11.25	49.16	3	Horizontal	353	1.83	-	39.60	13.80	45.61			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 26
01-U-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.35G	58.97	74.00	-15.03	51.66	3	Vertical	181	1.80	-	33.10	6.71	32.50			
AV	5.35G	47.23	54.00	-6.77	39.92	3	Vertical	181	1.80	-	33.10	6.71	32.50			
PK	5.4496G	63.12	74.00	-10.88	55.27	3	Vertical	181	1.80	-	33.50	6.82	32.47			
PK	5.468G	64.28	68.20	-3.92	56.28	3	Vertical	181	1.80	-	33.61	6.86	32.47			
AV	5.46G	50.00	54.00	-4.00	42.07	3	Vertical	181	1.80	-	33.56	6.84	32.47			
PK	5.552G	114.95	Inf	-Inf	106.50	3	Vertical	181	1.80	-	33.90	7.01	32.46			
AV	5.5316G	104.63	Inf	-Inf	96.26	3	Vertical	181	1.80	-	33.86	6.97	32.46			
PK	5.7412G	61.49	68.20	-6.71	52.56	3	Vertical	181	1.80	-	34.10	7.28	32.45			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 26
01-U-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.35G	58.07	74.00	-15.93	50.76	3	Horizontal	265	3.00	-	33.10	6.71	32.50			
AV	5.35G	45.71	54.00	-8.29	38.40	3	Horizontal	265	3.00	-	33.10	6.71	32.50			
PK	5.4416G	60.47	74.00	-13.53	52.66	3	Horizontal	265	3.00	-	33.47	6.81	32.47			
PK	5.4644G	60.25	68.20	-7.95	52.28	3	Horizontal	265	3.00	-	33.59	6.85	32.47			
AV	5.46G	47.03	54.00	-6.97	39.10	3	Horizontal	265	3.00	-	33.56	6.84	32.47			
PK	5.5484G	106.79	Inf	-Inf	98.35	3	Horizontal	265	3.00	-	33.90	7.00	32.46			
AV	5.5424G	93.68	Inf	-Inf	85.27	3	Horizontal	265	3.00	-	33.88	6.99	32.46			
PK	5.7456G	61.42	68.20	-6.78	52.49	3	Horizontal	265	3.00	-	34.10	7.28	32.45			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 26
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10306G	55.53	74.00	-18.47	50.97	3	Vertical	293	1.80	-	38.99	11.45	45.88			
AV	11.0892G	41.56	54.00	-12.44	37.03	3	Vertical	293	1.80	-	39.00	11.43	45.90			
PK	16.64844G	57.83	68.20	-10.37	49.79	3	Vertical	313	1.87	-	39.79	13.84	45.59			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5550MHz_TX

EUT_Y_2TX
Setting 26
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09637G	55.22	74.00	-18.78	50.67	3	Horizontal	26	1.85	-	39.00	11.44	45.89			
AV	11.08992G	41.62	54.00	-12.38	37.09	3	Horizontal	26	1.85	-	39.00	11.43	45.90			
PK	16.65849G	57.26	68.20	-10.94	49.21	3	Horizontal	255	1.79	-	39.80	13.84	45.59			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 25
01-U-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.423G	60.82	74.00	-13.18	53.14	3	Vertical	183	1.80	-	33.39	6.77	32.48
PK	5.462G	61.13	68.20	-7.07	53.19	3	Vertical	183	1.80	-	33.57	6.84	32.47
AV	5.4455G	47.65	54.00	-6.35	39.83	3	Vertical	183	1.80	-	33.48	6.81	32.47
PK	5.6655G	114.25	Inf	-Inf	105.49	3	Vertical	183	1.80	-	34.03	7.18	32.45
AV	5.6675G	105.84	Inf	-Inf	97.07	3	Vertical	183	1.80	-	34.04	7.18	32.45
PK	5.7275G	65.33	68.20	-2.87	56.42	3	Vertical	183	1.80	-	34.10	7.26	32.45

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 25
01-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4265G	60.46	74.00	-13.54	52.75	3	Horizontal	64	2.81	-	33.41	6.78	32.48			
PK	5.4695G	59.72	68.20	-8.48	51.71	3	Horizontal	64	2.81	-	33.62	6.86	32.47			
AV	5.4575G	46.58	54.00	-7.42	38.66	3	Horizontal	64	2.81	-	33.55	6.84	32.47			
PK	5.6625G	106.47	Inf	-Inf	97.72	3	Horizontal	64	2.81	-	34.02	7.18	32.45			
AV	5.6595G	93.70	Inf	-Inf	84.96	3	Horizontal	64	2.81	-	34.02	7.17	32.45			
PK	5.8785G	62.14	68.20	-6.06	52.50	3	Horizontal	64	2.81	-	34.67	7.41	32.44			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 25
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.35035G	56.00	74.00	-18.00	50.68	3	Vertical	129	1.36	-	39.10	11.70	45.48			
AV	11.34789G	42.38	54.00	-11.62	37.07	3	Vertical	129	1.36	-	39.10	11.69	45.48			
PK	17.02497G	59.23	68.20	-8.97	50.02	3	Vertical	300	1.85	-	40.75	13.95	45.49			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Y_2TX
Setting 25
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.32905G	55.80	74.00	-18.20	50.57	3	Horizontal	77	1.42	-	39.06	11.68	45.51			
AV	11.34537G	42.35	54.00	-11.65	37.06	3	Horizontal	77	1.42	-	39.09	11.69	45.49			
PK	17.01978G	58.55	68.20	-9.65	49.38	3	Horizontal	329	1.81	-	40.72	13.95	45.50			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 26
01-U-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4484G	60.68	74.00	-13.32	52.84	3	Vertical	81	1.80	-	33.49	6.82	32.47			
PK	5.4682G	60.24	68.20	-7.96	52.24	3	Vertical	81	1.80	-	33.61	6.86	32.47			
AV	5.4586G	47.57	54.00	-6.43	39.65	3	Vertical	81	1.80	-	33.55	6.84	32.47			
PK	5.7082G	115.73	Inf	-Inf	106.84	3	Vertical	81	1.80	-	34.10	7.24	32.45			
AV	5.7004G	103.47	Inf	-Inf	94.59	3	Vertical	81	1.80	-	34.10	7.23	32.45			
PK	5.9836G	62.78	68.20	-5.42	52.50	3	Vertical	81	1.80	-	35.23	7.49	32.44			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 26
01-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4322G	59.76	74.00	-14.24	52.02	3	Horizontal	260	2.60	-	33.43	6.79	32.48			
PK	5.4688G	59.78	68.20	-8.42	51.78	3	Horizontal	260	2.60	-	33.61	6.86	32.47			
AV	5.4574G	46.55	54.00	-7.45	38.64	3	Horizontal	260	2.60	-	33.54	6.84	32.47			
PK	5.7034G	107.90	Inf	-Inf	99.02	3	Horizontal	260	2.60	-	34.10	7.23	32.45			
AV	5.7286G	94.28	Inf	-Inf	85.37	3	Horizontal	260	2.60	-	34.10	7.26	32.45			
PK	5.9122G	62.47	68.20	-5.73	52.61	3	Horizontal	260	2.60	-	34.87	7.43	32.44			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 26
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42978G	55.86	74.00	-18.14	50.39	3	Vertical	301	1.57	-	39.04	11.78	45.35			
AV	11.42117G	42.74	54.00	-11.26	37.28	3	Vertical	301	1.57	-	39.06	11.77	45.37			
PK	17.1168G	59.22	68.20	-8.98	49.41	3	Vertical	233	1.81	-	41.13	13.97	45.29			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 26
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41634G	56.39	74.00	-17.61	50.93	3	Horizontal	212	1.65	-	39.07	11.76	45.37			
AV	11.40734G	42.53	54.00	-11.47	37.07	3	Horizontal	212	1.65	-	39.09	11.76	45.39			
PK	17.12409G	58.68	68.20	-9.52	48.82	3	Horizontal	189	1.74	-	41.15	13.98	45.27			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 24
01-U-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.296G	61.23	68.20	-6.97	54.07	3	Vertical	191	1.80	-	32.99	6.68	32.51			
AV	5.35G	47.22	54.00	-6.78	39.91	3	Vertical	191	1.80	-	33.10	6.71	32.50			
PK	5.447G	63.99	74.00	-10.01	56.15	3	Vertical	191	1.80	-	33.49	6.82	32.47			
PK	5.462G	65.44	68.20	-2.76	57.50	3	Vertical	191	1.80	-	33.57	6.84	32.47			
AV	5.4595G	51.29	54.00	-2.71	43.36	3	Vertical	191	1.80	-	33.56	6.84	32.47			
PK	5.498G	109.86	Inf	-Inf	101.62	3	Vertical	191	1.80	-	33.79	6.91	32.46			
AV	5.5285G	97.14	Inf	-Inf	88.77	3	Vertical	191	1.80	-	33.86	6.97	32.46			
PK	5.737G	61.69	68.20	-6.51	52.77	3	Vertical	191	1.80	-	34.10	7.27	32.45			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 24
01-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.324G	59.71	68.20	-8.49	52.47	3	Horizontal	82	1.80	-	33.05	6.69	32.50			
PK	5.4525G	60.66	74.00	-13.34	52.78	3	Horizontal	82	1.80	-	33.52	6.83	32.47			
AV	5.4585G	47.02	54.00	-6.98	39.10	3	Horizontal	82	1.80	-	33.55	6.84	32.47			
PK	5.4645G	60.04	68.20	-8.16	52.07	3	Horizontal	82	1.80	-	33.59	6.85	32.47			
PK	5.492G	98.91	Inf	-Inf	90.72	3	Horizontal	82	1.80	-	33.75	6.90	32.46			
AV	5.4955G	85.46	Inf	-Inf	77.24	3	Horizontal	82	1.80	-	33.77	6.91	32.46			
PK	5.768G	61.13	68.20	-7.07	52.13	3	Horizontal	82	1.80	-	34.14	7.31	32.45			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 24
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06171G	55.44	74.00	-18.56	50.98	3	Vertical	276	1.47	-	39.00	11.40	45.94			
AV	11.06489G	41.64	54.00	-12.36	37.17	3	Vertical	276	1.47	-	39.00	11.41	45.94			
PK	16.58721G	57.94	68.20	-10.26	50.12	3	Vertical	230	1.50	-	39.60	13.82	45.60			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5530MHz_TX

EUT_Y_2TX
Setting 24
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05154G	55.47	74.00	-18.53	51.04	3	Horizontal	7	1.60	-	39.00	11.39	45.96			
AV	11.05844G	41.60	54.00	-12.40	37.15	3	Horizontal	7	1.60	-	39.00	11.40	45.95			
PK	16.60374G	56.79	68.20	-11.41	48.95	3	Horizontal	358	1.69	-	39.61	13.83	45.60			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 26
01-U-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.442G	62.86	74.00	-11.14	55.05	3	Vertical	25	1.53	-	33.47	6.81	32.47
PK	5.4635G	63.99	68.20	-4.21	56.03	3	Vertical	25	1.53	-	33.58	6.85	32.47
AV	5.459G	50.29	54.00	-3.71	42.37	3	Vertical	25	1.53	-	33.55	6.84	32.47
PK	5.617G	113.02	Inf	-Inf	104.43	3	Vertical	25	1.53	-	33.93	7.12	32.46
AV	5.6025G	107.77	Inf	-Inf	99.22	3	Vertical	25	1.53	-	33.91	7.10	32.46
PK	5.73G	67.20	68.20	-1.00	58.29	3	Vertical	25	1.53	-	34.10	7.26	32.45

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
Setting 26
01-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.386G	60.29	74.00	-13.71	52.82	3	Horizontal	233	2.96	-	33.24	6.72	32.49			
PK	5.462G	60.33	68.20	-7.87	52.39	3	Horizontal	233	2.96	-	33.57	6.84	32.47			
AV	5.46G	46.98	54.00	-7.02	39.05	3	Horizontal	233	2.96	-	33.56	6.84	32.47			
PK	5.5755G	101.77	Inf	-Inf	93.28	3	Horizontal	233	2.96	-	33.90	7.05	32.46			
AV	5.646G	88.47	Inf	-Inf	79.77	3	Horizontal	233	2.96	-	33.99	7.16	32.45			
PK	5.741G	61.89	68.20	-6.31	52.96	3	Horizontal	233	2.96	-	34.10	7.28	32.45			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 26
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22753G	55.13	74.00	-18.87	50.38	3	Vertical	36	1.93	-	38.86	11.57	45.68			
AV	11.23074G	41.48	54.00	-12.52	36.71	3	Vertical	36	1.93	-	38.86	11.58	45.67			
PK	16.83627G	58.14	68.20	-10.06	49.46	3	Vertical	315	1.35	-	40.35	13.89	45.56			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 26
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22981G	55.25	74.00	-18.75	50.49	3	Horizontal	66	1.39	-	38.86	11.57	45.67			
AV	11.23281G	41.84	54.00	-12.16	37.06	3	Horizontal	66	1.39	-	38.87	11.58	45.67			
PK	16.8411G	57.99	68.20	-10.21	49.30	3	Horizontal	45	1.65	-	40.36	13.89	45.56			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 26
01-U-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44G	61.10	74.00	-12.90	53.31	3	Vertical	186	1.80	-	33.46	6.80	32.47
PK	5.4665G	61.27	68.20	-6.93	53.29	3	Vertical	186	1.80	-	33.60	6.85	32.47
AV	5.4595G	48.60	54.00	-5.40	40.67	3	Vertical	186	1.80	-	33.56	6.84	32.47
PK	5.652G	113.02	Inf	-Inf	104.30	3	Vertical	186	1.80	-	34.00	7.17	32.45
AV	5.672G	106.89	Inf	-Inf	98.11	3	Vertical	186	1.80	-	34.04	7.19	32.45
PK	5.928G	63.23	68.20	-4.97	53.25	3	Vertical	186	1.80	-	34.97	7.45	32.44

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 26
01-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	60.20	74.00	-13.80	52.29	3	Horizontal	267	2.60	-	33.54	6.84	32.47
AV	5.4595G	46.95	54.00	-7.05	39.02	3	Horizontal	267	2.60	-	33.56	6.84	32.47
PK	5.4685G	60.76	68.20	-7.44	52.76	3	Horizontal	267	2.60	-	33.61	6.86	32.47
PK	5.6585G	105.67	Inf	-Inf	96.93	3	Horizontal	267	2.60	-	34.02	7.17	32.45
AV	5.6585G	92.72	Inf	-Inf	83.98	3	Horizontal	267	2.60	-	34.02	7.17	32.45
PK	5.9385G	62.76	68.20	-5.44	52.72	3	Horizontal	267	2.60	-	35.03	7.45	32.44

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 26
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39425G	55.91	74.00	-18.09	50.48	3	Vertical	246	1.65	-	39.10	11.74	45.41			
AV	11.37271G	42.38	54.00	-11.62	37.00	3	Vertical	246	1.65	-	39.10	11.72	45.44			
PK	17.05776G	58.66	68.20	-9.54	49.19	3	Vertical	346	1.60	-	40.93	13.96	45.42			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 26
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39287G	56.08	74.00	-17.92	50.65	3	Horizontal	269	1.35	-	39.10	11.74	45.41			
AV	11.39272G	42.52	54.00	-11.48	37.09	3	Horizontal	269	1.35	-	39.10	11.74	45.41			
PK	17.06373G	58.18	68.20	-10.02	48.67	3	Horizontal	267	1.63	-	40.95	13.96	45.40			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 22
01-U-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3492G	62.26	68.20	-5.94	54.96	3	Vertical	185	1.80	-	33.10	6.70	32.50			
PK	5.4464G	66.20	74.00	-7.80	58.36	3	Vertical	185	1.80	-	33.49	6.82	32.47			
AV	5.4446G	52.14	54.00	-1.86	44.32	3	Vertical	185	1.80	-	33.48	6.81	32.47			
PK	5.4638G	66.42	68.20	-1.78	58.46	3	Vertical	185	1.80	-	33.58	6.85	32.47			
PK	5.4992G	107.24	Inf	-Inf	98.99	3	Vertical	185	1.80	-	33.80	6.91	32.46			
AV	5.5928G	101.92	Inf	-Inf	93.39	3	Vertical	185	1.80	-	33.90	7.09	32.46			
PK	5.7278G	64.20	68.20	-4.00	55.29	3	Vertical	185	1.80	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 22
01-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.345G	60.54	68.20	-7.66	53.25	3	Horizontal	86	1.80	-	33.09	6.70	32.50				
PK	5.4428G	61.83	74.00	-12.17	54.02	3	Horizontal	86	1.80	-	33.47	6.81	32.47				
AV	5.4386G	48.09	54.00	-5.91	40.31	3	Horizontal	86	1.80	-	33.45	6.80	32.47				
PK	5.4626G	60.12	68.20	-8.08	52.16	3	Horizontal	86	1.80	-	33.58	6.85	32.47				
PK	5.4944G	94.75	Inf	-Inf	86.54	3	Horizontal	86	1.80	-	33.77	6.90	32.46				
AV	5.498G	91.31	Inf	-Inf	83.07	3	Horizontal	86	1.80	-	33.79	6.91	32.46				
PK	5.8382G	61.81	68.20	-6.39	52.45	3	Horizontal	86	1.80	-	34.43	7.38	32.45				

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 22
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13409G	54.44	74.00	-19.56	49.93	3	Vertical	278	1.80	-	38.86	11.48	45.83			
AV	11.12614G	41.31	54.00	-12.69	36.78	3	Vertical	278	1.80	-	38.90	11.47	45.84			
PK	16.69758G	57.38	68.20	-10.82	49.31	3	Vertical	297	1.97	-	39.80	13.85	45.58			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


5570MHz_TX

EUT_Y_2TX
Setting 22
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14219G	54.46	74.00	-19.54	49.95	3	Horizontal	95	1.42	-	38.83	11.49	45.81			
AV	11.14408G	41.31	54.00	-12.69	36.81	3	Horizontal	95	1.42	-	38.82	11.49	45.81			
PK	16.69947G	57.67	68.20	-10.53	49.60	3	Horizontal	85	1.93	-	39.80	13.85	45.58			

5.47-5.725GHz_be240,BF_240MHz_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
Setting 21
01-U-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3316G	65.32	68.20	-2.88	58.06	3	Vertical	190	1.80	-	33.06	6.70	32.50			
AV	5.35G	50.03	54.00	-3.97	42.72	3	Vertical	190	1.80	-	33.10	6.71	32.50			
PK	5.4572G	64.60	74.00	-9.40	56.69	3	Vertical	190	1.80	-	33.54	6.84	32.47			
AV	5.4436G	51.16	54.00	-2.84	43.35	3	Vertical	190	1.80	-	33.47	6.81	32.47			
PK	5.4692G	66.40	68.20	-1.80	58.39	3	Vertical	190	1.80	-	33.62	6.86	32.47			
PK	5.4932G	103.44	Inf	-Inf	95.24	3	Vertical	190	1.80	-	33.76	6.90	32.46			
AV	5.5988G	99.10	Inf	-Inf	90.56	3	Vertical	190	1.80	-	33.90	7.10	32.46			
PK	5.628G	66.87	68.20	-1.33	57.34	3	Vertical	190	1.80	-	34.58	7.40	32.45			

5.47-5.725GHz_be240,BF_240MHz_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 21
01-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3116G	63.26	68.20	-4.94	56.06	3	Horizontal	86	1.80	-	33.02	6.69	32.51
PK	5.442G	60.87	74.00	-13.13	53.06	3	Horizontal	86	1.80	-	33.47	6.81	32.47
AV	5.4436G	46.98	54.00	-7.02	39.17	3	Horizontal	86	1.80	-	33.47	6.81	32.47
PK	5.4684G	60.07	68.20	-8.13	52.07	3	Horizontal	86	1.80	-	33.61	6.86	32.47
PK	5.542G	90.68	Inf	-Inf	82.27	3	Horizontal	86	1.80	-	33.88	6.99	32.46
AV	5.6012G	77.89	Inf	-Inf	69.35	3	Horizontal	86	1.80	-	33.90	7.10	32.46
PK	5.9292G	63.44	68.20	-4.76	53.45	3	Horizontal	86	1.80	-	34.98	7.45	32.44

5.47-5.725GHz_be240,BF_240MHz_Nss1,(MCS0)_2TX


5610MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 21
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.20977G	54.38	74.00	-19.62	49.71	3	Vertical	341	1.94	-	38.82	11.55	45.70			
AV	11.22189G	41.11	54.00	-12.89	36.38	3	Vertical	341	1.94	-	38.84	11.57	45.68			
PK	16.84092G	58.29	68.20	-9.91	49.60	3	Vertical	172	1.47	-	40.36	13.89	45.56			

5.47-5.725GHz_be240,BF_240MHz_Nss1,(MCS0)_2TX


5610MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 21
01-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.23323G	54.54	74.00	-19.46	49.76	3	Horizontal	293	2.00	-	38.87	11.58	45.67			
AV	11.22498G	41.13	54.00	-12.87	36.39	3	Horizontal	293	2.00	-	38.85	11.57	45.68			
PK	16.82634G	58.18	68.20	-10.02	49.54	3	Horizontal	240	1.82	-	40.31	13.89	45.56			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 25.5
01-U-S-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.652G	68.38	69.68	-1.30	59.66	3	Vertical	184	1.80	-	34.00	7.17	32.45			
PK	5.7375G	120.93	Inf	-Inf	112.01	3	Vertical	184	1.80	-	34.10	7.27	32.45			
AV	5.7425G	110.68	Inf	-Inf	101.75	3	Vertical	184	1.80	-	34.10	7.28	32.45			
PK	5.971G	63.37	68.20	-4.83	53.15	3	Vertical	184	1.80	-	35.18	7.48	32.44			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX

EUT_Y_2TX
Setting 25.5
01-U-S-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6325G	62.02	68.20	-6.18	53.36	3	Horizontal	264	2.68	-	33.97	7.14	32.45			
PK	5.7375G	114.57	Inf	-Inf	105.65	3	Horizontal	264	2.68	-	34.10	7.27	32.45			
AV	5.738G	103.44	Inf	-Inf	94.52	3	Horizontal	264	2.68	-	34.10	7.27	32.45			
PK	5.9465G	62.71	68.20	-5.49	52.61	3	Horizontal	264	2.68	-	35.08	7.46	32.44			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX

EUT_Y_2TX
Setting 25.5
01-U-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49265G	58.39	74.00	-15.61	52.89	3	Vertical	48	1.80	-	38.91	11.84	45.25			
AV	11.48775G	43.46	54.00	-10.54	37.96	3	Vertical	48	1.80	-	38.92	11.84	45.26			
PK	17.23531G	60.20	68.20	-8.00	49.79	3	Vertical	216	1.45	-	41.44	14.01	45.04			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 25.5
01-U-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4896G	57.11	74.00	-16.89	51.61	3	Horizontal	34	1.63	-	38.92	11.84	45.26			
AV	11.4897G	43.41	54.00	-10.59	37.91	3	Horizontal	34	1.63	-	38.92	11.84	45.26			
PK	17.23499G	60.16	68.20	-8.04	49.75	3	Horizontal	92	1.36	-	41.44	14.01	45.04			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 27
01-U-S-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6505G	67.35	68.57	-1.22	58.64	3	Vertical	185	1.80	-	34.00	7.16	32.45				
PK	5.7925G	122.96	Inf	-Inf	113.88	3	Vertical	185	1.80	-	34.19	7.34	32.45				
AV	5.7875G	111.93	Inf	-Inf	102.87	3	Vertical	185	1.80	-	34.18	7.33	32.45				
PK	6.0055G	63.57	68.20	-4.63	53.20	3	Vertical	185	1.80	-	35.31	7.50	32.44				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 27
01-U-S-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.5935G	61.68	68.20	-6.52	53.15	3	Horizontal	79	1.80	-	33.90	7.09	32.46				
PK	5.7795G	111.87	Inf	-Inf	102.84	3	Horizontal	79	1.80	-	34.16	7.32	32.45				
AV	5.7795G	100.91	Inf	-Inf	91.88	3	Horizontal	79	1.80	-	34.16	7.32	32.45				
PK	5.961G	62.83	68.20	-5.37	52.66	3	Horizontal	79	1.80	-	35.14	7.47	32.44				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX

EUT_Y_2TX
Setting 27
01-U-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56655G	58.32	74.00	-15.68	52.69	3	Vertical	81	1.80	-	38.97	11.92	45.26			
AV	11.5679G	44.78	54.00	-9.22	39.16	3	Vertical	81	1.80	-	38.96	11.92	45.26			
PK	17.35462G	61.00	68.20	-7.20	49.92	3	Vertical	193	1.45	-	41.82	14.04	44.78			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX

EUT_Y_2TX
Setting 27
01-U-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56992G	56.81	74.00	-17.19	51.19	3	Horizontal	126	1.57	-	38.96	11.92	45.26			
AV	11.57022G	43.52	54.00	-10.48	37.90	3	Horizontal	126	1.57	-	38.96	11.92	45.26			
PK	17.3552G	61.14	68.20	-7.06	50.06	3	Horizontal	50	1.72	-	41.82	14.04	44.78			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 25.5
01-C-S-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6175G	62.11	68.20	-6.09	53.52	3	Vertical	192	1.80	-	33.93	7.12	32.46				
PK	5.8235G	120.69	Inf	-Inf	111.43	3	Vertical	192	1.80	-	34.34	7.37	32.45				
AV	5.818G	110.18	Inf	-Inf	100.96	3	Vertical	192	1.80	-	34.31	7.36	32.45				
PK	5.924G	64.58	68.94	-4.36	54.64	3	Vertical	192	1.80	-	34.94	7.44	32.44				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 25.5
01-C-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.649G	61.19	68.20	-7.01	52.48	3	Horizontal	80	1.80	-	34.00	7.16	32.45			
PK	5.83G	111.69	Inf	-Inf	102.39	3	Horizontal	80	1.80	-	34.38	7.37	32.45			
AV	5.82G	101.10	Inf	-Inf	91.86	3	Horizontal	80	1.80	-	34.32	7.37	32.45			
PK	5.925G	63.29	68.20	-4.91	53.34	3	Horizontal	80	1.80	-	34.95	7.44	32.44			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 25.5
01-U-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64435G	58.45	74.00	-15.55	52.82	3	Vertical	83	1.80	-	38.90	12.00	45.27			
AV	11.6498G	44.64	54.00	-9.36	39.02	3	Vertical	83	1.80	-	38.90	12.00	45.28			
PK	17.47543G	61.55	68.20	-6.65	50.09	3	Vertical	175	1.44	-	41.90	14.08	44.52			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX

EUT_Y_2TX
Setting 25.5
01-U-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64981G	57.56	74.00	-16.44	51.94	3	Horizontal	54	1.80	-	38.90	12.00	45.28			
AV	11.65003G	43.93	54.00	-10.07	38.31	3	Horizontal	54	1.80	-	38.90	12.00	45.28			
PK	17.47472G	61.76	68.20	-6.44	50.30	3	Horizontal	237	1.85	-	41.90	14.08	44.52			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 28
01-U-S-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6455G	64.21	68.20	-3.99	55.51	3	Vertical	184	1.80	-	33.99	7.16	32.45			
PK	5.738G	120.60	Inf	-Inf	111.68	3	Vertical	184	1.80	-	34.10	7.27	32.45			
AV	5.737G	109.09	Inf	-Inf	100.17	3	Vertical	184	1.80	-	34.10	7.27	32.45			
PK	5.9455G	63.07	68.20	-5.13	52.98	3	Vertical	184	1.80	-	35.07	7.46	32.44			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5745MHz_TX

EUT_Y_2TX
Setting 28
01-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.62G	61.20	68.20	-7.00	52.60	3	Horizontal	275	1.80	-	33.94	7.12	32.46
PK	5.7465G	108.74	Inf	-Inf	99.81	3	Horizontal	275	1.80	-	34.10	7.28	32.45
AV	5.7435G	96.11	Inf	-Inf	87.18	3	Horizontal	275	1.80	-	34.10	7.28	32.45
PK	5.9385G	62.61	68.20	-5.59	52.57	3	Horizontal	275	1.80	-	35.03	7.45	32.44

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5745MHz_TX

EUT_Y_2TX
Setting 28
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.47548G	56.93	74.00	-17.07	51.44	3	Vertical	128	1.48	-	38.95	11.82	45.28			
AV	11.47992G	42.65	54.00	-11.35	37.15	3	Vertical	128	1.48	-	38.94	11.83	45.27			
PK	17.24106G	59.87	68.20	-8.33	49.42	3	Vertical	95	1.50	-	41.46	14.01	45.02			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5745MHz_TX

EUT_Y_2TX
Setting 28
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.483555G	56.15	74.00	-17.85	50.66	3	Horizontal	248	1.42	-	38.93	11.83	45.27			
AV	11.48067G	42.70	54.00	-11.30	37.20	3	Horizontal	248	1.42	-	38.94	11.83	45.27			
PK	17.22225G	59.66	68.20	-8.54	49.33	3	Horizontal	335	1.93	-	41.39	14.00	45.06			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 29
01-U-S-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.6395G	62.65	68.20	-5.55	53.97	3	Vertical	186	1.80	-	33.98	7.15	32.45
PK	5.776G	122.41	Inf	-Inf	113.39	3	Vertical	186	1.80	-	34.15	7.32	32.45
AV	5.7865G	109.19	Inf	-Inf	100.14	3	Vertical	186	1.80	-	34.17	7.33	32.45
PK	5.9495G	63.12	68.20	-5.08	53.00	3	Vertical	186	1.80	-	35.10	7.46	32.44

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 29
01-U-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.5555G	61.03	68.20	-7.17	52.57	3	Horizontal	90	1.80	-	33.90	7.02	32.46				
PK	5.787G	110.27	Inf	-Inf	101.22	3	Horizontal	90	1.80	-	34.17	7.33	32.45				
AV	5.777G	97.27	Inf	-Inf	88.25	3	Horizontal	90	1.80	-	34.15	7.32	32.45				
PK	6.032G	62.74	68.20	-5.46	52.31	3	Horizontal	90	1.80	-	35.36	7.51	32.44				

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 29
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57879G	57.08	74.00	-16.92	51.47	3	Vertical	287	1.86	-	38.94	11.93	45.26			
AV	11.56355G	43.16	54.00	-10.84	37.54	3	Vertical	287	1.86	-	38.97	11.91	45.26			
PK	17.36928G	61.14	68.20	-7.06	49.96	3	Vertical	121	1.47	-	41.88	14.05	44.75			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5785MHz_TX

EUT_Y_2TX
Setting 29
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57594G	57.28	74.00	-16.72	51.66	3	Horizontal	341	1.70	-	38.95	11.93	45.26			
AV	11.57144G	42.99	54.00	-11.01	37.37	3	Horizontal	341	1.70	-	38.96	11.92	45.26			
PK	17.36664G	61.47	68.20	-6.73	50.31	3	Horizontal	353	1.98	-	41.87	14.05	44.76			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 28
01-U-S-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6305G	62.32	68.20	-5.88	53.67	3	Vertical	188.2	1.80	-	33.96	7.14	32.45			
PK	5.816G	120.65	Inf	-Inf	111.44	3	Vertical	188.2	1.80	-	34.30	7.36	32.45			
AV	5.816G	107.44	Inf	-Inf	98.23	3	Vertical	188.2	1.80	-	34.30	7.36	32.45			
PK	5.929G	64.37	68.20	-3.83	54.39	3	Vertical	188.2	1.80	-	34.97	7.45	32.44			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 28
01-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.575G	61.64	68.20	-6.56	53.15	3	Horizontal	93	1.80	-	33.90	7.05	32.46				
PK	5.8255G	110.08	Inf	-Inf	100.81	3	Horizontal	93	1.80	-	34.35	7.37	32.45				
AV	5.8165G	96.50	Inf	-Inf	87.29	3	Horizontal	93	1.80	-	34.30	7.36	32.45				
PK	5.9685G	63.33	68.20	-4.87	53.12	3	Horizontal	93	1.80	-	35.17	7.48	32.44				

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5825MHz_TX

EUT_Y_2TX
Setting 28
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65438G	57.25	74.00	-16.75	51.62	3	Vertical	156	1.43	-	38.90	12.01	45.28			
AV	11.64295G	43.42	54.00	-10.58	37.79	3	Vertical	156	1.43	-	38.90	12.00	45.27			
PK	17.48727G	61.95	68.20	-6.25	50.52	3	Vertical	81	1.51	-	41.85	14.08	44.50			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5825MHz_TX

EUT_Y_2TX
Setting 28
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64241G	57.59	74.00	-16.41	51.96	3	Horizontal	247	1.84	-	38.90	12.00	45.27			
AV	11.63977G	43.47	54.00	-10.53	37.85	3	Horizontal	247	1.84	-	38.90	11.99	45.27			
PK	17.47173G	61.14	68.20	-7.06	49.68	3	Horizontal	55	1.92	-	41.91	14.08	44.53			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 26
01-U-S-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.647G	65.32	68.20	-2.88	56.62	3	Vertical	186	1.80	-	33.99	7.16	32.45			
PK	5.7475G	115.50	Inf	-Inf	106.57	3	Vertical	186	1.80	-	34.10	7.28	32.45			
AV	5.763G	106.69	Inf	-Inf	97.71	3	Vertical	186	1.80	-	34.13	7.30	32.45			
PK	5.996G	63.00	68.20	-5.20	52.66	3	Vertical	186	1.80	-	35.28	7.50	32.44			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 26
01-U-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.5875G	61.15	68.20	-7.05	52.63	3	Horizontal	260	2.69	-	33.90	7.08	32.46				
PK	5.744G	107.56	Inf	-Inf	98.63	3	Horizontal	260	2.69	-	34.10	7.28	32.45				
AV	5.7365G	94.67	Inf	-Inf	85.75	3	Horizontal	260	2.69	-	34.10	7.27	32.45				
PK	5.9275G	62.57	68.20	-5.63	52.59	3	Horizontal	260	2.69	-	34.97	7.45	32.44				

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 26
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51654G	56.41	74.00	-17.59	50.85	3	Vertical	83	1.84	-	38.93	11.87	45.24			
AV	11.51774G	42.66	54.00	-11.34	37.09	3	Vertical	83	1.84	-	38.94	11.87	45.24			
PK	17.25747G	59.93	68.20	-8.27	49.38	3	Vertical	99	1.85	-	41.53	14.01	44.99			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5755MHz_TX

EUT_Y_2TX
Setting 26
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49659G	56.20	74.00	-17.80	50.69	3	Horizontal	280	1.73	-	38.91	11.85	45.25			
AV	11.51681G	42.70	54.00	-11.30	37.14	3	Horizontal	280	1.73	-	38.93	11.87	45.24			
PK	17.27442G	59.95	68.20	-8.25	49.28	3	Horizontal	118	1.47	-	41.60	14.02	44.95			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 26
01-U-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	62.36	68.20	-5.84	53.66	3	Vertical	182	1.80	-	33.99	7.16	32.45
PK	5.7845G	115.97	Inf	-Inf	106.92	3	Vertical	182	1.80	-	34.17	7.33	32.45
AV	5.792G	107.05	Inf	-Inf	97.98	3	Vertical	182	1.80	-	34.18	7.34	32.45
PK	5.9355G	63.09	68.20	-5.11	53.07	3	Vertical	182	1.80	-	35.01	7.45	32.44

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 26
01-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6305G	60.95	68.20	-7.25	52.30	3	Horizontal	89	1.80	-	33.96	7.14	32.45
PK	5.7775G	105.18	Inf	-Inf	96.15	3	Horizontal	89	1.80	-	34.16	7.32	32.45
AV	5.8125G	91.49	Inf	-Inf	82.30	3	Horizontal	89	1.80	-	34.28	7.36	32.45
PK	6.014G	63.35	68.20	-4.85	52.95	3	Horizontal	89	1.80	-	35.33	7.51	32.44

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 26
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.587G	56.35	74.00	-17.65	50.74	3	Vertical	260	1.41	-	38.93	11.94	45.26			
AV	11.60113G	42.99	54.00	-11.01	37.40	3	Vertical	260	1.41	-	38.90	11.95	45.26			
PK	17.38026G	60.88	68.20	-7.32	49.64	3	Vertical	41	1.73	-	41.92	14.05	44.73			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_Y_2TX
Setting 26
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59348G	56.50	74.00	-17.50	50.90	3	Horizontal	154	1.96	-	38.91	11.95	45.26			
AV	11.59816G	42.93	54.00	-11.07	37.34	3	Horizontal	154	1.96	-	38.90	11.95	45.26			
PK	17.39085G	60.48	68.20	-7.72	49.17	3	Horizontal	217	1.39	-	41.96	14.05	44.70			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 26
01-U-S-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.637G	67.10	68.20	-1.10	58.43	3	Vertical	85	1.80	-	33.97	7.15	32.45				
PK	5.7635G	110.65	Inf	-Inf	101.67	3	Vertical	85	1.80	-	34.13	7.30	32.45				
AV	5.7385G	98.16	Inf	-Inf	89.24	3	Vertical	85	1.80	-	34.10	7.27	32.45				
PK	5.927G	65.17	68.20	-3.03	55.20	3	Vertical	85	1.80	-	34.96	7.45	32.44				

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 26
01-U-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.629G	61.19	68.20	-7.01	52.54	3	Horizontal	259	1.06	-	33.96	7.14	32.45			
PK	5.759G	101.78	Inf	-Inf	92.81	3	Horizontal	259	1.06	-	34.12	7.30	32.45			
AV	5.7485G	88.45	Inf	-Inf	79.51	3	Horizontal	259	1.06	-	34.10	7.29	32.45			
PK	5.941G	63.53	68.20	-4.67	53.46	3	Horizontal	259	1.06	-	35.05	7.46	32.44			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 26
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56194G	56.52	74.00	-17.48	50.88	3	Vertical	264	1.61	-	38.98	11.91	45.25			
AV	11.56245G	43.05	54.00	-10.95	37.41	3	Vertical	264	1.61	-	38.98	11.91	45.25			
PK	17.32308G	60.80	68.20	-7.40	49.87	3	Vertical	120	1.74	-	41.75	14.03	44.85			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX



EUT_Y_2TX
Setting 26
01-U-G-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54574G	56.35	74.00	-17.65	50.71	3	Horizontal	350	1.89	-	38.99	11.90	45.25			
AV	11.54442G	42.81	54.00	-11.19	37.17	3	Horizontal	350	1.89	-	38.99	11.90	45.25			
PK	17.33352G	60.33	68.20	-7.87	49.35	3	Horizontal	174	1.79	-	41.77	14.04	44.83			



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.29357G	31.42	54.00	-22.58	Vertical


Mode 1



EUT Y
Power AC120V/60Hz
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	1.29436G	45.22	74.00	-28.78	-6.74	3	Vertical	274	1.00	-	51.96	25.60	4.47	36.81		
AV	1.29357G	31.42	54.00	-22.58	-6.74	3	Vertical	274	1.00	"Worst"	38.16	25.60	4.47	36.81		

Mode 1



EUT Y
Power AC120V/60Hz
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	1.29603G	37.08	74.00	-36.92	-6.74	3	Horizontal	345	2.97	-	43.82	25.60	4.47	36.81		
AV	1.2876G	25.19	54.00	-28.81	-6.74	3	Horizontal	345	2.97	"Worst"	31.93	25.60	4.47	36.81		