


Gandini 21044577




### FINAL RESULT TABLE

| MAX PEAK   |            |           | AVERAGE    |            |           |
|------------|------------|-----------|------------|------------|-----------|
| Freq Hz    | Lev dBuV/m | Margin dB | Freq Hz    | Lev dBuV/m | Margin dB |
| 1106750000 | +53,40     | -20,58    | 1099500000 | +39,05     | -14,93    |
| 1197250000 | +53,95     | -20,03    | 1245500000 | +39,71     | -14,27    |
| 1383500000 | +54,80     | -19,18    | 1350000000 | +40,04     | -13,94    |
| 1466000000 | +55,14     | -18,84    | 1551750000 | +40,76     | -13,22    |
| 1720000000 | +56,22     | -17,76    | 1726250000 | +41,96     | -12,02    |
| 1930000000 | +57,20     | -16,78    | 1920000000 | +42,92     | -11,06    |
| 2132750000 | +58,20     | -15,78    | 2148250000 | +43,71     | -10,27    |
| 2405000000 | +60,18     | -13,80    | 2407750000 | +44,76     | -9,22     |
| 2489500000 | +59,55     | -14,43    | 2490000000 | +45,17     | -8,81     |
| 2997750000 | +62,14     | -11,84    | 2996000000 | +47,66     | -6,32     |

21044577\_2

Gandini 21044578




FINAL RESULT TABLE

| MAX PEAK   |            |           | AVERAGE    |            |           |
|------------|------------|-----------|------------|------------|-----------|
| Freq Hz    | Lev dBuV/m | Margin dB | Freq Hz    | Lev dBuV/m | Margin dB |
| 1103500000 | +53,55     | -20,43    | 1100250000 | +39,04     | -14,94    |
| 1187500000 | +53,92     | -20,06    | 1245500000 | +39,72     | -14,26    |
| 1378500000 | +54,54     | -19,44    | 1349750000 | +40,04     | -13,94    |
| 1550250000 | +55,11     | -18,87    | 1551500000 | +40,75     | -13,23    |
| 1714000000 | +56,56     | -17,42    | 1730500000 | +41,95     | -12,03    |
| 1910750000 | +57,95     | -16,03    | 1919250000 | +42,92     | -11,06    |
| 2093750000 | +58,60     | -15,38    | 2148250000 | +43,71     | -10,27    |
| 2408250000 | +64,92     | -9,06     | 2444000000 | +44,90     | -9,08     |
| 2444000000 | +59,14     | -14,84    | 2670000000 | +45,64     | -8,34     |
| 2955500000 | +62,07     | -11,91    | 2995500000 | +47,65     | -6,33     |

21044578\_2


Gandini 21044580


**FINAL RESULT TABLE**

| MAX PEAK   |            |           | AVERAGE    |            |           |
|------------|------------|-----------|------------|------------|-----------|
| Freq Hz    | Lev dBuV/m | Margin dB | Freq Hz    | Lev dBuV/m | Margin dB |
| 1110250000 | +52,87     | -21,11    | 1100250000 | +39,05     | -14,93    |
| 1244000000 | +53,86     | -20,12    | 1244250000 | +39,71     | -14,27    |
| 1291750000 | +54,40     | -19,58    | 1351000000 | +40,02     | -13,96    |
| 1542500000 | +55,00     | -18,98    | 1551500000 | +40,73     | -13,25    |
| 1715000000 | +56,14     | -17,84    | 1729750000 | +41,93     | -12,05    |
| 1930750000 | +57,07     | -16,91    | 1919750000 | +42,91     | -11,07    |
| 2095250000 | +57,78     | -16,20    | 2153500000 | +43,70     | -10,28    |
| 2345500000 | +58,22     | -15,76    | 2343750000 | +44,30     | -9,68     |
| 2455250000 | +59,48     | -14,50    | 2442500000 | +44,90     | -9,08     |
| 2576000000 | +59,96     | -14,02    | 2670750000 | +45,64     | -8,34     |
| 2975750000 | +62,18     | -11,80    | 2995500000 | +47,65     | -6,33     |

21044580\_2

Gandini 21044581




### FINAL RESULT TABLE

#### QUASI PEAK

| Freq Hz   | Lev dBuV/m | Margin dB |
|-----------|------------|-----------|
| 358470000 | +19,66     | -26,36    |
| 438510000 | +22,07     | -23,95    |
| 534450000 | +23,25     | -22,77    |
| 660870000 | +24,88     | -21,14    |
| 807390000 | +26,91     | -19,11    |
| 997140000 | +29,69     | -24,29    |

21044581\_2

Gandini 21044582




### FINAL RESULT TABLE

#### QUASI PEAK

| Freq Hz   | Lev dBuV/m | Margin dB |
|-----------|------------|-----------|
| 355980000 | +19,57     | -26,45    |
| 441690000 | +22,21     | -23,81    |
| 501840000 | +22,91     | -23,11    |
| 593100000 | +25,05     | -20,97    |
| 817410000 | +26,71     | -19,31    |
| 996300000 | +29,89     | -24,09    |

21044582\_2

Gandini 21044583




### FINAL RESULT TABLE

#### QUASI PEAK

| Freq Hz   | Lev dBuV/m | Margin dB |
|-----------|------------|-----------|
| 361410000 | +19,88     | -26,14    |
| 442800000 | +22,12     | -23,90    |
| 531450000 | +23,13     | -22,89    |
| 604350000 | +25,71     | -20,31    |
| 790200000 | +26,18     | -19,84    |
| 861480000 | +28,13     | -17,89    |

21044583\_2

Gandini 21044584




### FINAL RESULT TABLE

#### QUASI PEAK

| Freq Hz   | Lev dBuV/m | Margin dB |
|-----------|------------|-----------|
| 361890000 | +19,70     | -26,32    |
| 444420000 | +22,20     | -23,82    |
| 516660000 | +23,16     | -22,86    |
| 626070000 | +25,61     | -20,41    |
| 817620000 | +26,80     | -19,22    |
| 999540000 | +29,92     | -24,06    |

21044584\_2

Gandini 21044585




### FINAL RESULT TABLE

#### QUASI PEAK

| Freq Hz   | Lev dBuV/m | Margin dB |
|-----------|------------|-----------|
| 32640000  | +17,77     | -22,23    |
| 44520000  | +15,26     | -24,74    |
| 91080000  | +13,26     | -30,26    |
| 130200000 | +14,76     | -28,76    |
| 201640000 | +18,48     | -25,04    |
| 297480000 | +23,78     | -22,24    |

21044585\_2

Gandini 21044586




### FINAL RESULT TABLE

#### QUASI PEAK

| Freq Hz   | Lev dBuV/m | Margin dB |
|-----------|------------|-----------|
| 31640000  | +18,17     | -21,83    |
| 44760000  | +14,93     | -25,07    |
| 91560000  | +14,47     | -29,05    |
| 123560000 | +27,00     | -16,52    |
| 202480000 | +18,32     | -25,20    |
| 299760000 | +23,94     | -22,08    |

21044586\_2

Gandini 21044587




### FINAL RESULT TABLE

#### QUASI PEAK

| Freq Hz   | Lev dBuV/m | Margin dB |
|-----------|------------|-----------|
| 30440000  | +17,54     | -22,46    |
| 44280000  | +15,38     | -24,62    |
| 91240000  | +14,08     | -29,44    |
| 123680000 | +27,27     | -16,25    |
| 201320000 | +18,64     | -24,88    |
| 299640000 | +24,37     | -21,65    |

21044587\_2

Gandini 21044588




### FINAL RESULT TABLE

#### QUASI PEAK

| Freq Hz   | Lev dBuV/m | Margin dB |
|-----------|------------|-----------|
| 30000000  | +17,60     | -22,40    |
| 46080000  | +13,62     | -26,38    |
| 86640000  | +12,65     | -27,35    |
| 128640000 | +14,33     | -29,19    |
| 200560000 | +18,37     | -25,15    |
| 298760000 | +23,75     | -22,27    |

21044588\_2

Gandini 21044589




### FINAL RESULT TABLE

#### QUASI PEAK

| Freq Hz | Lev dBuV/m | Margin dB |
|---------|------------|-----------|
| 9000    | +2,62      | -45,90    |
| 51000   | +7,52      | -25,93    |
| 57000   | +7,08      | -25,41    |
| 135000  | +5,79      | -19,21    |
| 203400  | +5,71      | -23,83    |
| 357400  | +5,64      | -23,90    |
| 1714200 | +7,00      | -22,54    |

21044589\_2

Gandini 21044590



### FINAL RESULT TABLE

#### QUASI PEAK

| Freq Hz  | Lev dBuV/m | Margin dB |
|----------|------------|-----------|
| 9000     | +2,54      | -45,98    |
| 514000   | +7,64      | -25,74    |
| 570000   | +7,20      | -25,29    |
| 1454000  | +5,45      | -18,90    |
| 2446000  | +5,64      | -23,90    |
| 7106000  | +6,71      | -22,83    |
| 12034000 | +7,41      | -22,13    |
| 19162000 | +6,73      | -22,81    |

21044590\_2


### 9.3 DTS bandwidth

|                                             |                                                                                                                                    |
|---------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| Tested by .....                             | G. Gandini                                                                                                                         |
| Test date .....                             | 12.05.2021                                                                                                                         |
| Test location (stand) .....                 | Laboratory                                                                                                                         |
| Reference standards .....                   | FCC Rules and Regulation; Titles 47 Part 15.247 (a) (2)<br>ANSI C63.10 cl. 11.8<br>KDB 558074 D01 DTS Meas Guidance v05r02 cl. 8.2 |
| Supplementary test set-up description ..... | --                                                                                                                                 |
| Supplementary information.....              | --                                                                                                                                 |

#### Acceptance limits

Systems using digital modulation techniques may operate in the 902–928 MHz, 2400–2483.5 MHz, and 5725–5850 MHz bands. The minimum 6 dB bandwidth shall be at least 500 kHz

#### Test setup



| Test setup PR002_01 |            |                 |       |                                                 |
|---------------------|------------|-----------------|-------|-------------------------------------------------|
| Nr.                 | Id. Number | Manufacturer    | Model | Description                                     |
| 2                   | CMC S295   | Rohde & Schwarz | FSW43 | Spectrum Analyzer 43GHz                         |
| 1                   | --         | --              | --    | Cable + attenuator (calibrated before the test) |

## Result

### Chip A

| <i>Frequency<br/>(MHz)</i> | <i>Graphs</i> | <i>6 dB bandwidth<br/>(kHz)</i> | <i>Minimum 6 dB<br/>bandwidth allowed<br/>(kHz)</i> | <i>Results</i> |
|----------------------------|---------------|---------------------------------|-----------------------------------------------------|----------------|
| 2404                       | G21044501     | 992,00                          | 500                                                 | Complies       |
| 2440                       | G21044502     | 992,10                          | 500                                                 | Complies       |
| 2479                       | G21044503     | 989,10                          | 500                                                 | Complies       |

### Chip B

| <i>Frequency<br/>(MHz)</i> | <i>Graphs</i> | <i>6 dB bandwidth<br/>(kHz)</i> | <i>Minimum 6 dB<br/>bandwidth allowed<br/>(kHz)</i> | <i>Results</i> |
|----------------------------|---------------|---------------------------------|-----------------------------------------------------|----------------|
| 2404                       | G21044522     | 986,00                          | 500                                                 | Complies       |
| 2440                       | G21044521     | 986,00                          | 500                                                 | Complies       |
| 2479                       | G21044520     | 995,00                          | 500                                                 | Complies       |