

INVIEW156D

BY INSTORESCREEN

inView156D, dual monitor for aisle and fridge mount.

In the box:

- Built in Android or:
- External HDMI connection
- Bracket for Lozier 19" shelf (included)
- Bracket for fridge mount (included)
- PSU 12v 5A (included)

SPECIFICATIONS:

Resolution: 1920 x 1080

Colors: 1.6 M

Viewing angle: 89/89/89/89

Contrast ratio: 1000:1

Brightness: 450 cd/m²

Power consumption: 12V 12W w/o external speakers

Video input: HDMI

Weight: Approx. 2.1 kg

COMPUTER

TBD

TBD

TBD




CERTIFICATIONS:

Unit: CE, FCC, ROHS

Power supply: CE, FCC, ROHS, UL

PART NUMBER: XXXXXXXXXXXXXXXX

B: Black anodization and black glass border




INSTORE
SCREEN™

Lenovo™

INVIEW156D

BY INSTORESCREEN

inVIEW156D mounting instructions



FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

The distance between user and products should be no less than 20cm.