



Spectrum Plot


QPSK-26865




QPSK-26915




QPSK-26965




16QAM-26865



16QAM-26915




16QAM-26965




Spectrum Plot


64QAM-26865



64QAM-26915




64QAM-26965




-




-

APPENDIX C - CONDUCTED SPURIOUS EMISSIONS









LTE Band 5_1.4M Spectrum Plot




Channel	Frequency(MHz)	Channel	Frequency(MHz)
20525	836.5	20525	836.5
 Ref: 20 dBm Offset: 7.4 dB Att: 30 dB RBW: 1 kHz VBW: 3 kHz SMT: 145 ms Marker 1 [T1] -55.31 dBm 10.410000000 kHz Start: 9 kHz 14.1 kHz/ Stop: 150 kHz Date: 5.FEB.2021 13:45:55		 Ref: 20 dBm Offset: 7.4 dB Att: 30 dB RBW: 10 kHz VBW: 30 kHz SMT: 300 ms Marker 1 [T1] -55.36 dBm 150.000000000 kHz Start: 150 kHz 2.500 MHz/ Stop: 300 kHz Date: 5.FEB.2021 13:47:44	
Channel	Frequency(MHz)	-	-
20525	836.5	-	-
 Ref: 20 dBm Offset: 7.4 dB Att: 30 dB RBW: 1 MHz VBW: 3 MHz SMT: 60 ms Marker 1 [T1] -39.89 dBm 2.551163750 MHz Start: 30 MHz 997 MHz/ Stop: 10 MHz Date: 5.FEB.2021 13:48:32			


LTE Band 5_5M Spectrum Plot

Channel	Frequency(MHz)	Channel	Frequency(MHz)
20525	836.5	20525	836.5
 Ref: 20 dBm Offset: 7.4 dB BW: 1.45 MHz Marker 1 [T1]: -54.87 dBm 12.807000000 MHz Date: 5.FEB.2021 13:45:32		 Ref: 20 dBm Offset: 7.4 dB BW: 300 MHz Marker 1 [T1]: -54.82 dBm 150.000000000 MHz Date: 5.FEB.2021 13:47:21	
Channel	Frequency(MHz)	-	-
20525	836.5	-	-
 Ref: 20 dBm Offset: 7.4 dB BW: 60 MHz Marker 1 [T1]: -40.29 dBm 3.474615000 GHz Date: 5.FEB.2021 13:49:07			






LTE Band 26_1.4M Spectrum Plot

Channel	Frequency(MHz)	Channel	Frequency(MHz)
26915	836.5	26915	836.5
 Date: 5.FEB.2021 13:44:05		 Date: 5.FEB.2021 13:43:31	
Channel	Frequency(MHz)	-	-
26915	836.5	-	-
 Date: 5.FEB.2021 13:40:48		-	




LTE Band 26_15M Spectrum Plot

Channel	Frequency(MHz)	Channel	Frequency(MHz)
26915	836.5	26915	836.5
			
Channel	Frequency(MHz)	-	-
26915	836.5	-	-
		-	

APPENDIX D - RADIATED SPURIOUS EMISSIONS (9KHZ TO 30MHZ)

Test Mode	TX Mode
-----------	---------


Ant 0°



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		0.415	41.20	12.23	53.43	95.25	-41.82	AVG	
2		0.763	33.69	11.89	45.58	69.95	-24.37	QP	
3	*	2.178	37.58	11.21	48.79	69.54	-20.75	QP	

Test Mode	TX Mode
-----------	---------


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	0.019	44.15	13.62	57.77	122.17	-64.40	AVG	
2		0.042	34.17	12.63	46.80	115.14	-68.34	AVG	
3		0.088	31.58	12.65	44.23	108.71	-64.48	AVG	

Test Mode	TX Mode
-----------	---------


Ant 90°



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	0.400	32.37	12.26	44.63	95.57	-50.94	AVG	
2	0.831	30.87	11.87	42.74	69.22	-26.48	QP	
3 *	3.491	32.94	10.88	43.82	69.54	-25.72	QP	

Test Mode	TX Mode
-----------	---------


Ant 90°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	0.019	42.36	13.59	55.95	122.12	-66.17	AVG	
2		0.042	36.18	12.63	48.81	115.12	-66.31	AVG	
3		0.135	22.58	12.73	35.31	105.01	-69.70	AVG	

APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1000MHZ)


Test Mode	GSM850_TX CH190_GSM
-----------	---------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		44.550	-64.51	-4.62	-69.13	-13.00	-56.13	peak	
2		77.530	-59.25	-7.70	-66.95	-13.00	-53.95	peak	
3	*	115.845	-59.84	-3.76	-63.60	-13.00	-50.60	peak	
4		177.925	-67.46	-3.04	-70.50	-13.00	-57.50	peak	
5		388.900	-65.83	0.31	-65.52	-13.00	-52.52	peak	
6		499.965	-75.48	2.33	-73.15	-13.00	-60.15	peak	

Test Mode	GSM850_ TX CH190_GSM
-----------	----------------------

Horizontal




Test Mode	WCDMA Band V_TX CH4182
-----------	------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		42.610	-66.97	-4.59	-71.56	-13.00	-58.56	peak	
2		71.710	-60.30	-6.64	-66.94	-13.00	-53.94	peak	
3	*	116.330	-62.38	-3.69	-66.07	-13.00	-53.07	peak	
4		185.200	-67.88	-3.88	-71.76	-13.00	-58.76	peak	
5		400.055	-76.13	0.58	-75.55	-13.00	-62.55	peak	
6		498.995	-75.67	2.32	-73.35	-13.00	-60.35	peak	

Test Mode	WCDMA Band V_TX CH4182
-----------	------------------------


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		80.925	-64.45	-7.93	-72.38	-13.00	-59.38	peak	
2		113.905	-68.61	-4.06	-72.67	-13.00	-59.67	peak	
3		159.980	-73.35	-1.08	-74.43	-13.00	-61.43	peak	
4		320.030	-75.39	-1.09	-76.48	-13.00	-63.48	peak	
5		374.350	-73.71	-0.04	-73.75	-13.00	-60.75	peak	
6	*	505.300	-73.51	2.37	-71.14	-13.00	-58.14	peak	

Test Mode LTE Band 5_TX CH20525_1.4M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		74.135	-59.91	-7.10	-67.01	-13.00	-54.01	peak	
2	*	117.300	-62.09	-3.55	-65.64	-13.00	-52.64	peak	
3		139.125	-65.28	-2.98	-68.26	-13.00	-55.26	peak	
4		159.980	-70.41	-1.08	-71.49	-13.00	-58.49	peak	
5		400.055	-76.04	0.58	-75.46	-13.00	-62.46	peak	
6		499.965	-75.04	2.33	-72.71	-13.00	-59.71	peak	

Test Mode	LTE Band 5_TX CH20525_1.4M
-----------	----------------------------


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		78.500	-66.82	-7.86	-74.68	-13.00	-61.68	peak	
2		112.935	-69.86	-4.20	-74.06	-13.00	-61.06	peak	
3	*	180.350	-67.75	-3.24	-70.99	-13.00	-57.99	peak	
4		379.685	-74.03	0.10	-73.93	-13.00	-60.93	peak	
5		493.660	-74.22	2.28	-71.94	-13.00	-58.94	peak	
6		625.095	-76.42	4.78	-71.64	-13.00	-58.64	peak	

Test Mode LTE Band 5_TX CH20525_5M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		76.075	-59.34	-7.44	-66.78	-13.00	-53.78	peak	
2	*	116.330	-63.02	-3.69	-66.71	-13.00	-53.71	peak	
3		164.830	-67.62	-1.75	-69.37	-13.00	-56.37	peak	
4		225.940	-73.30	-4.43	-77.73	-13.00	-64.73	peak	
5		499.965	-75.84	2.33	-73.51	-13.00	-60.51	peak	
6		625.095	-76.23	4.78	-71.45	-13.00	-58.45	peak	

Test Mode	LTE Band 5_TX CH20525_5M
-----------	--------------------------


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		70.740	-67.33	-6.45	-73.78	-13.00	-60.78	peak	
2		114.390	-69.53	-3.99	-73.52	-13.00	-60.52	peak	
3		160.950	-72.83	-1.21	-74.04	-13.00	-61.04	peak	
4		201.690	-68.28	-5.28	-73.56	-13.00	-60.56	peak	
5		370.955	-73.52	-0.11	-73.63	-13.00	-60.63	peak	
6	*	498.025	-75.58	2.31	-73.27	-13.00	-60.27	peak	

Test Mode LTE Band 5_TX CH20525_10M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		72.680	-60.73	-6.83	-67.56	-13.00	-54.56	peak	
2	*	117.785	-61.92	-3.48	-65.40	-13.00	-52.40	peak	
3		173.560	-67.17	-2.74	-69.91	-13.00	-56.91	peak	
4		208.965	-69.67	-5.60	-75.27	-13.00	-62.27	peak	
5		400.055	-75.59	0.58	-75.01	-13.00	-62.01	peak	
6		498.995	-75.14	2.32	-72.82	-13.00	-59.82	peak	


Test Mode LTE Band 5_TX CH20525_10M

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		80.925	-65.75	-7.93	-73.68	-13.00	-60.68	peak	
2		113.905	-69.61	-4.06	-73.67	-13.00	-60.67	peak	
3		165.315	-72.03	-1.83	-73.86	-13.00	-60.86	peak	
4		206.055	-68.63	-5.47	-74.10	-13.00	-61.10	peak	
5		400.055	-73.23	0.58	-72.65	-13.00	-59.65	peak	
6	*	498.025	-74.19	2.31	-71.88	-13.00	-58.88	peak	


Test Mode	LTE Band 26_TX CH26915_1.4M
-----------	-----------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		76.560	-59.43	-7.53	-66.96	-13.00	-53.96	peak	
2	*	96.930	-55.17	-5.54	-60.71	-13.00	-47.71	peak	
3		117.300	-63.78	-3.55	-67.33	-13.00	-54.33	peak	
4		160.950	-69.01	-1.21	-70.22	-13.00	-57.22	peak	
5		252.615	-68.37	-3.43	-71.80	-13.00	-58.80	peak	
6		501.420	-75.11	2.34	-72.77	-13.00	-59.77	peak	

Test Mode	LTE Band 26_TX CH26915_1.4M
-----------	-----------------------------


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		81.410	-67.67	-7.85	-75.52	-13.00	-62.52	peak	
2		115.360	-71.62	-3.84	-75.46	-13.00	-62.46	peak	
3	*	177.440	-68.71	-3.02	-71.73	-13.00	-58.73	peak	
4		209.935	-67.48	-5.63	-73.11	-13.00	-60.11	peak	
5		400.055	-73.75	0.58	-73.17	-13.00	-60.17	peak	
6		499.965	-74.31	2.33	-71.98	-13.00	-58.98	peak	

Test Mode LTE Band 26_TX CH26915_5M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	75.105	-59.84	-7.28	-67.12	-13.00	-54.12	peak	
2		117.300	-64.00	-3.55	-67.55	-13.00	-54.55	peak	
3		178.410	-68.14	-3.08	-71.22	-13.00	-58.22	peak	
4		225.940	-71.76	-4.43	-76.19	-13.00	-63.19	peak	
5		321.970	-73.58	-1.06	-74.64	-13.00	-61.64	peak	
6		499.965	-75.31	2.33	-72.98	-13.00	-59.98	peak	

Test Mode	LTE Band 26_TX CH26915_5M
-----------	---------------------------


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		79.955	-68.59	-8.10	-76.69	-13.00	-63.69	peak	
2		112.450	-71.33	-4.27	-75.60	-13.00	-62.60	peak	
3		159.980	-72.59	-1.08	-73.67	-13.00	-60.67	peak	
4		197.810	-69.28	-5.05	-74.33	-13.00	-61.33	peak	
5	*	400.055	-73.12	0.58	-72.54	-13.00	-59.54	peak	
6		499.965	-75.70	2.33	-73.37	-13.00	-60.37	peak	

Test Mode LTE Band 26_TX CH26915_15M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	75.590	-60.12	-7.37	-67.49	-13.00	-54.49	peak	
2		115.845	-64.28	-3.76	-68.04	-13.00	-55.04	peak	
3		173.075	-66.13	-2.71	-68.84	-13.00	-55.84	peak	
4		227.395	-71.85	-4.37	-76.22	-13.00	-63.22	peak	
5		400.055	-69.41	0.58	-68.83	-13.00	-55.83	peak	
6		455.830	-75.60	2.00	-73.60	-13.00	-60.60	peak	

Test Mode LTE Band 26_TX CH26915_15M

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		79.955	-64.63	-8.10	-72.73	-13.00	-59.73	peak	
2		119.725	-71.80	-3.19	-74.99	-13.00	-61.99	peak	
3		181.320	-69.89	-3.36	-73.25	-13.00	-60.25	peak	
4		322.455	-74.73	-1.05	-75.78	-13.00	-62.78	peak	
5		400.055	-73.77	0.58	-73.19	-13.00	-60.19	peak	
6	*	498.995	-74.43	2.32	-72.11	-13.00	-59.11	peak	

APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1000MHZ)

Test Mode	GSM850_ TX CH190_GSM
-----------	----------------------


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		1671.500	-54.94	6.71	-48.23	-13.00	-35.23	peak	
2		2513.000	-50.09	9.03	-41.06	-13.00	-28.06	peak	
3		3346.000	-59.50	12.41	-47.09	-13.00	-34.09	peak	
4		3601.000	-60.38	13.41	-46.97	-13.00	-33.97	peak	
5	*	5020.500	-52.81	16.71	-36.10	-13.00	-23.10	peak	
6		5853.500	-60.85	18.51	-42.34	-13.00	-29.34	peak	


Test Mode	GSM850_ TX CH190_ GSM
-----------	-----------------------

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		1671.500	-56.71	6.71	-50.00	-13.00	-37.00	peak	
2		2496.000	-56.43	8.98	-47.45	-13.00	-34.45	peak	
3		3601.000	-60.10	13.41	-46.69	-13.00	-33.69	peak	
4		4000.500	-62.04	14.76	-47.28	-13.00	-34.28	peak	
5	*	4978.000	-58.51	16.60	-41.91	-13.00	-28.91	peak	


Test Mode	WCDMA Band V_TX CH4182
-----------	------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		2496.000	-57.61	8.98	-48.63	-13.00	-35.63	peak	
2		3601.000	-60.41	13.41	-47.00	-13.00	-34.00	peak	
3	*	4986.500	-62.64	16.62	-46.02	-13.00	-33.02	peak	


Test Mode	WCDMA Band V_TX CH4182
-----------	------------------------

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		2496.000	-54.85	8.98	-45.87	-13.00	-32.87	peak	
2		3601.000	-59.20	13.41	-45.79	-13.00	-32.79	peak	
3	*	4978.000	-58.35	16.60	-41.75	-13.00	-28.75	peak	


Test Mode	LTE Band 5_TX CH20525_1.4M
-----------	----------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		2496.000	-61.46	8.98	-52.48	-13.00	-39.48	peak	
2	*	3601.000	-60.00	13.41	-46.59	-13.00	-33.59	peak	
3		4986.500	-63.76	16.62	-47.14	-13.00	-34.14	peak	


Test Mode	LTE Band 5_TX CH20525_1.4M
-----------	----------------------------

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		2496.000	-56.27	8.98	-47.29	-13.00	-34.29	peak	
2		3601.000	-60.18	13.41	-46.77	-13.00	-33.77	peak	
3	*	4986.500	-58.41	16.62	-41.79	-13.00	-28.79	peak	


Test Mode	LTE Band 5_TX CH20525_5M
-----------	--------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		3601.000	-60.38	13.41	-46.97	-13.00	-33.97	peak	
2	*	4978.000	-63.48	16.60	-46.88	-13.00	-33.88	peak	

Test Mode LTE Band 5_TX CH20525_5M


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		2496.000	-55.91	8.98	-46.93	-13.00	-33.93	peak	
2		3601.000	-59.04	13.41	-45.63	-13.00	-32.63	peak	
3	*	4978.000	-58.97	16.60	-42.37	-13.00	-29.37	peak	

Test Mode	LTE Band 5_TX CH20525_10M
-----------	---------------------------


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1714.000	-58.98	7.01	-51.97	-13.00	-38.97	peak	
2		3601.000	-60.87	13.41	-47.46	-13.00	-34.46	peak	
3	*	4986.500	-63.91	16.62	-47.29	-13.00	-34.29	peak	

Test Mode	LTE Band 5_TX CH20525_10M
-----------	---------------------------


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		2496.000	-56.21	8.98	-47.23	-13.00	-34.23	peak	
2		3601.000	-59.48	13.41	-46.07	-13.00	-33.07	peak	
3	*	4978.000	-59.02	16.60	-42.42	-13.00	-29.42	peak	


Test Mode	LTE Band 26_TX CH26915_1.4M
-----------	-----------------------------

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	4995.000	-62.06	18.99	-43.07	-13.00	-30.07	peak	

Test Mode	LTE Band 26_TX CH26915_1.4M
-----------	-----------------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	4995.000	-61.37	18.99	-42.38	-13.00	-29.38	peak	

Test Mode	LTE Band 26_TX CH26915_5M
-----------	---------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	4986.500	-62.05	18.97	-43.08	-13.00	-30.08	peak	


Test Mode	LTE Band 26_TX CH26915_5M
-----------	---------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	4978.000	-61.39	18.94	-42.45	-13.00	-29.45	peak	


Test Mode LTE Band 26_TX CH26915_15M

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	4986.500	-62.08	18.97	-43.11	-13.00	-30.11	peak	


Test Mode	LTE Band 26_TX CH26915_15M
-----------	----------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	4978.000	-61.03	18.94	-42.09	-13.00	-29.09	peak	

APPENDIX G - BAND EDGE


GSM850_GSM Spectrum Plot



GSM850_EDGE Spectrum Plot



WCDMA Band V_WCDMA Spectrum Plot



WCDMA Band V_HSDPA Spectrum Plot



WCDMA Band V_HSUPA Spectrum Plot



LTE Band 5_1.4M Spectrum Plot

1RB#0



1RB#5

Channel

20407

Channel

20643





6RB#0

Channel

20407

Channel

20643



LTE Band 5_3M Spectrum Plot

1RB#0



1RB#14

Channel

20415

Channel

20635




15RB#0

Channel

20415

Channel

20635



LTE Band 5_5M Spectrum Plot

1RB#0



1RB#24

Channel

20425

Channel

20625





25RB#0

Channel

20425

Channel

20625



LTE Band 5_10M Spectrum Plot

1RB#0



1RB#49

Channel

20450

Channel

20600





50RB#0

Channel

20450

Channel

20600



LTE Band 26_1.4M Spectrum Plot

1RB#0


1RB#5

Channel

26797

Channel

27033



6RB#0

Channel

26797

Channel

27033

