



LTE Band 25_3M					
QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26055	1851.5	2.6989	26055	1851.5	2.996
26365	1882.5	2.7013	26365	1882.5	3.006
26675	1913.5	2.7002	26675	1913.5	2.974
16QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26055	1851.5	2.7001	26055	1851.5	2.998
26365	1882.5	2.6965	26365	1882.5	2.995
26675	1913.5	2.6939	26675	1913.5	2.993
64QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26055	1851.5	2.7032	26055	1851.5	3.004
26365	1882.5	2.6997	26365	1882.5	2.995
26675	1913.5	2.6970	26675	1913.5	2.997

Spectrum Plot


QPSK-26055




QPSK-26365




QPSK-26675




16QAM-26055



16QAM-26365




16QAM-26675




Spectrum Plot

64QAM-26055



64QAM-26365



64QAM-26675




-

-


LTE Band 25_5M					
QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26065	1852.5	4.5224	26065	1852.5	4.946
26365	1882.5	4.5009	26365	1882.5	4.932
26665	1912.5	4.5062	26665	1912.5	4.953
16QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26065	1852.5	4.4965	26065	1852.5	4.925
26365	1882.5	4.4957	26365	1882.5	4.942
26665	1912.5	4.4989	26665	1912.5	4.913
64QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26065	1852.5	4.5025	26065	1852.5	4.944
26365	1882.5	4.5028	26365	1882.5	4.942
26665	1912.5	4.5126	26665	1912.5	4.933

Spectrum Plot

QPSK-26065



QPSK-26365




QPSK-26665




16QAM-26065



16QAM-26365



16QAM-26665



Spectrum Plot

64QAM-26065



64QAM-26365



64QAM-26665




-

-


LTE Band 25_10M					
QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26090	1855	8.9642	26090	1855	9.829
26365	1882.5	8.9484	26365	1882.5	9.819
26640	1910	8.9780	26640	1910	9.732
16QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26090	1855	8.9845	26090	1855	9.821
26365	1882.5	8.9668	26365	1882.5	9.851
26640	1910	8.9656	26640	1910	9.804
64QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26090	1855	8.9628	26090	1855	9.783
26365	1882.5	8.9632	26365	1882.5	9.795
26640	1910	8.9565	26640	1910	9.788

Spectrum Plot

QPSK-26090




QPSK-26365




QPSK-26640




16QAM-26090



16QAM-26365



16QAM-26640




Spectrum Plot

64QAM-26090



64QAM-26365



64QAM-26640




-

-


LTE Band 25_15M					
QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26115	1857.5	13.462	26115	1857.5	14.63
26365	1882.5	13.428	26365	1882.5	14.59
26615	1907.5	13.401	26615	1907.5	14.62
16QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26115	1857.5	13.470	26115	1857.5	14.66
26365	1882.5	13.457	26365	1882.5	14.64
26615	1907.5	13.391	26615	1907.5	14.62
64QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26115	1857.5	13.452	26115	1857.5	14.67
26365	1882.5	13.422	26365	1882.5	14.68
26615	1907.5	13.428	26615	1907.5	14.53

Spectrum Plot


QPSK-26115




QPSK-26365




QPSK-26615




16QAM-26115



16QAM-26365




16QAM-26615




Spectrum Plot

64QAM-26115



64QAM-26365



64QAM-26615




-

-


LTE Band 25_20M					
QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26140	1860	17.986	26140	1860	19.54
26365	1882.5	17.880	26365	1882.5	19.42
26590	1905	17.844	26590	1905	19.43
16QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26140	1860	17.945	26140	1860	19.37
26365	1882.5	17.884	26365	1882.5	19.40
26590	1905	17.830	26590	1905	19.35
64QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26140	1860	17.958	26140	1860	19.46
26365	1882.5	17.888	26365	1882.5	19.50
26590	1905	17.848	26590	1905	19.36

Spectrum Plot

QPSK-26140



QPSK-26365




QPSK-26590




16QAM-26140



16QAM-26365




16QAM-26590




Spectrum Plot

64QAM-26140



64QAM-26365




64QAM-26590





-


-


APPENDIX C - CONDUCTED SPURIOUS EMISSIONS





















APPENDIX D - RADIATED SPURIOUS EMISSIONS (9KHZ TO 30MHZ)

Test Mode	TX Mode
-----------	---------


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		0.415	41.20	12.23	53.43	95.25	-41.82	AVG	
2		0.763	33.69	11.89	45.58	69.95	-24.37	QP	
3	*	2.178	37.58	11.21	48.79	69.54	-20.75	QP	

Test Mode	TX Mode
-----------	---------


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	0.019	44.15	13.62	57.77	122.17	-64.40	AVG	
2		0.042	34.17	12.63	46.80	115.14	-68.34	AVG	
3		0.088	31.58	12.65	44.23	108.71	-64.48	AVG	

Test Mode	TX Mode
-----------	---------


Ant 90°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		0.400	32.37	12.26	44.63	95.57	-50.94	AVG	
2		0.831	30.87	11.87	42.74	69.22	-26.48	QP	
3	*	3.491	32.94	10.88	43.82	69.54	-25.72	QP	

Test Mode	TX Mode
-----------	---------


Ant 90°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	0.019	42.36	13.59	55.95	122.12	-66.17	AVG	
2		0.042	36.18	12.63	48.81	115.12	-66.31	AVG	
3		0.135	22.58	12.73	35.31	105.01	-69.70	AVG	

APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1000MHZ)


Test Mode	PCS1900_TX CH661_GSM
-----------	----------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		75.590	-60.30	-7.37	-67.67	-13.00	-54.67	peak	
2	*	115.845	-62.51	-3.76	-66.27	-13.00	-53.27	peak	
3		179.865	-68.59	-3.19	-71.78	-13.00	-58.78	peak	
4		225.940	-72.19	-4.43	-76.62	-13.00	-63.62	peak	
5		400.055	-73.33	0.58	-72.75	-13.00	-59.75	peak	
6		500.935	-75.12	2.33	-72.79	-13.00	-59.79	peak	

Test Mode PCS1900_TX CH661_GSM


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	80.925	-63.87	-7.93	-71.80	-13.00	-58.80	peak	
2		113.905	-69.14	-4.06	-73.20	-13.00	-60.20	peak	
3		169.195	-69.46	-2.38	-71.84	-13.00	-58.84	peak	
4		320.030	-74.44	-1.09	-75.53	-13.00	-62.53	peak	
5		400.055	-73.37	0.58	-72.79	-13.00	-59.79	peak	
6		505.300	-75.37	2.37	-73.00	-13.00	-60.00	peak	

Test Mode	WCDMA Band II_TX CH9400
-----------	-------------------------


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		62.980	-60.46	-5.13	-65.59	-13.00	-52.59	peak	
2	*	112.450	-59.48	-4.27	-63.75	-13.00	-50.75	peak	
3		159.980	-70.00	-1.08	-71.08	-13.00	-58.08	peak	
4		226.425	-72.28	-4.41	-76.69	-13.00	-63.69	peak	
5		400.055	-75.59	0.58	-75.01	-13.00	-62.01	peak	
6		504.815	-75.32	2.37	-72.95	-13.00	-59.95	peak	

Test Mode	WCDMA Band II_TX CH9400
-----------	-------------------------


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		80.440	-65.13	-8.03	-73.16	-13.00	-60.16	peak	
2		113.905	-69.21	-4.06	-73.27	-13.00	-60.27	peak	
3	*	205.570	-64.70	-5.45	-70.15	-13.00	-57.15	peak	
4		322.455	-75.09	-1.05	-76.14	-13.00	-63.14	peak	
5		400.055	-72.87	0.58	-72.29	-13.00	-59.29	peak	
6		496.570	-75.68	2.30	-73.38	-13.00	-60.38	peak	


Test Mode	LTE Band 2_TX CH18900_1.4M
-----------	----------------------------

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		76.075	-60.13	-7.44	-67.57	-13.00	-54.57	peak	
2	*	117.300	-62.50	-3.55	-66.05	-13.00	-53.05	peak	
3		159.980	-70.54	-1.08	-71.62	-13.00	-58.62	peak	
4		234.185	-72.76	-4.16	-76.92	-13.00	-63.92	peak	
5		400.055	-75.92	0.58	-75.34	-13.00	-62.34	peak	
6		499.965	-75.03	2.33	-72.70	-13.00	-59.70	peak	


Test Mode	LTE Band 2_TX CH18900_1.4M
-----------	----------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	79.470	-64.35	-8.01	-72.36	-13.00	-59.36	peak	
2		113.420	-69.30	-4.13	-73.43	-13.00	-60.43	peak	
3		160.950	-73.29	-1.21	-74.50	-13.00	-61.50	peak	
4		323.910	-74.73	-1.03	-75.76	-13.00	-62.76	peak	
5		400.055	-73.36	0.58	-72.78	-13.00	-59.78	peak	
6		499.965	-75.65	2.33	-73.32	-13.00	-60.32	peak	

Test Mode	LTE Band 2_TX CH18900_5M
-----------	--------------------------


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		75.590	-60.17	-7.37	-67.54	-13.00	-54.54	peak	
2	*	115.360	-62.83	-3.84	-66.67	-13.00	-53.67	peak	
3		159.980	-70.45	-1.08	-71.53	-13.00	-58.53	peak	
4		226.425	-72.89	-4.41	-77.30	-13.00	-64.30	peak	
5		400.055	-75.59	0.58	-75.01	-13.00	-62.01	peak	
6		499.965	-75.54	2.33	-73.21	-13.00	-60.21	peak	

Test Mode	LTE Band 2_TX CH18900_5M
-----------	--------------------------


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		81.410	-65.39	-7.85	-73.24	-13.00	-60.24	peak	
2		115.360	-69.20	-3.84	-73.04	-13.00	-60.04	peak	
3		159.980	-71.33	-1.08	-72.41	-13.00	-59.41	peak	
4	*	205.570	-65.96	-5.45	-71.41	-13.00	-58.41	peak	
5		250.190	-68.73	-3.69	-72.42	-13.00	-59.42	peak	
6		400.055	-74.52	0.58	-73.94	-13.00	-60.94	peak	

Test Mode	LTE Band 2_TX CH18900_20M
-----------	---------------------------


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		71.710	-60.05	-6.64	-66.69	-13.00	-53.69	peak	
2	*	118.270	-62.77	-3.40	-66.17	-13.00	-53.17	peak	
3		176.955	-68.03	-2.99	-71.02	-13.00	-58.02	peak	
4		225.940	-72.16	-4.43	-76.59	-13.00	-63.59	peak	
5		400.055	-75.09	0.58	-74.51	-13.00	-61.51	peak	
6		499.965	-75.64	2.33	-73.31	-13.00	-60.31	peak	


Test Mode	LTE Band 2_TX CH18900_20M
-----------	---------------------------

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		80.440	-65.45	-8.03	-73.48	-13.00	-60.48	peak	
2		114.390	-69.75	-3.99	-73.74	-13.00	-60.74	peak	
3		164.830	-73.12	-1.75	-74.87	-13.00	-61.87	peak	
4		322.940	-76.00	-1.04	-77.04	-13.00	-64.04	peak	
5		400.055	-73.71	0.58	-73.13	-13.00	-60.13	peak	
6	*	498.025	-75.05	2.31	-72.74	-13.00	-59.74	peak	

Test Mode	LTE Band 25_TX CH26365_1.4M
-----------	-----------------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		76.0750	-60.13	-7.44	-67.57	-13.00	-54.57	peak	
2		178.4100	-69.92	-3.08	-73.00	-13.00	-60.00	peak	
3		320.0300	-79.07	-1.09	-80.16	-13.00	-67.16	peak	
4		455.8300	-75.61	2.00	-73.61	-13.00	-60.61	peak	
5		800.1800	-77.15	7.06	-70.09	-13.00	-57.09	peak	
6	*	948.1050	-72.66	9.67	-62.99	-13.00	-49.99	peak	

Test Mode	LTE Band 25_TX CH26365_1.4M
-----------	-----------------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		79.4700	-64.35	-8.01	-72.36	-13.00	-59.36	peak	
2		232.7300	-75.37	-4.21	-79.58	-13.00	-66.58	peak	
3		372.8950	-73.77	-0.06	-73.83	-13.00	-60.83	peak	
4		455.8300	-76.74	2.00	-74.74	-13.00	-61.74	peak	
5		625.0950	-77.53	4.78	-72.75	-13.00	-59.75	peak	
6	*	888.4500	-78.63	8.29	-70.34	-13.00	-57.34	peak	

Test Mode	LTE Band 25_TX CH26365_5M
-----------	---------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	115.3600	-62.83	-3.84	-66.67	-13.00	-53.67	peak	
2		186.6550	-73.21	-4.07	-77.28	-13.00	-64.28	peak	
3		362.2250	-77.34	-0.32	-77.66	-13.00	-64.66	peak	
4		499.9650	-75.54	2.33	-73.21	-13.00	-60.21	peak	
5		718.2150	-78.57	6.14	-72.43	-13.00	-59.43	peak	
6		800.1800	-76.92	7.06	-69.86	-13.00	-56.86	peak	


Test Mode LTE Band 25_TX CH26365_5M



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		81.4100	-65.39	-7.85	-73.24	-13.00	-60.24	peak	
2		250.1900	-68.73	-3.69	-72.42	-13.00	-59.42	peak	
3		416.0600	-77.57	1.02	-76.55	-13.00	-63.55	peak	
4		594.5400	-79.38	4.08	-75.30	-13.00	-62.30	peak	
5		733.7350	-79.45	6.25	-73.20	-13.00	-60.20	peak	
6	*	800.1800	-77.87	7.06	-70.81	-13.00	-57.81	peak	

Test Mode	LTE Band 25_TX CH26365_20M
-----------	----------------------------


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	118.2700	-62.77	-3.40	-66.17	-13.00	-53.17	peak	
2		225.9400	-72.15	-4.43	-76.58	-13.00	-63.58	peak	
3		400.0550	-75.09	0.58	-74.51	-13.00	-61.51	peak	
4		599.8750	-75.12	4.24	-70.88	-13.00	-57.88	peak	
5		800.1800	-76.62	7.06	-69.56	-13.00	-56.56	peak	
6		890.3900	-79.68	8.32	-71.36	-13.00	-58.36	peak	

Test Mode LTE Band 25_TX CH26365_20M

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		80.4400	-65.45	-8.03	-73.48	-13.00	-60.48	peak	
2		266.6800	-76.80	-2.91	-79.71	-13.00	-66.71	peak	
3		374.8350	-74.25	-0.01	-74.26	-13.00	-61.26	peak	
4		455.8300	-77.57	2.00	-75.57	-13.00	-62.57	peak	
5		625.0950	-78.33	4.78	-73.55	-13.00	-60.55	peak	
6	*	844.8000	-78.38	7.77	-70.61	-13.00	-57.61	peak	

APPENDIX C - RADIATED SPURIOUS EMISSIONS (ABOVE 1000MHZ)


Test Mode	PCS1900_TX CH661_GSM
-----------	----------------------

Vertical




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3762.500	-59.43	13.95	-45.48	-13.00	-32.48	peak	
2		4995.000	-63.14	16.65	-46.49	-13.00	-33.49	peak	
3	*	5641.000	-62.75	18.09	-44.66	-13.00	-31.66	peak	

Test Mode	PCS1900_TX CH661_GSM
-----------	----------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1884.000	-57.53	8.23	-49.30	-13.00	-36.30	peak	
2		3601.000	-59.22	13.41	-45.81	-13.00	-32.81	peak	
3	*	4995.000	-58.43	16.65	-41.78	-13.00	-28.78	peak	


Test Mode	WCDMA Band II_TX CH9400
-----------	-------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		3601.000	-59.91	13.41	-46.50	-13.00	-33.50	peak	
2		4986.500	-63.30	16.62	-46.68	-13.00	-33.68	peak	
3	*	7519.500	-62.04	22.37	-39.67	-13.00	-26.67	peak	
4		9406.500	-64.05	23.02	-41.03	-13.00	-28.03	peak	

Test Mode	WCDMA Band II_TX CH9400
-----------	-------------------------


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		4995.000	-62.67	16.65	-46.02	-13.00	-33.02	peak	
2		5641.000	-58.47	18.09	-40.38	-13.00	-27.38	peak	
3	*	7528.000	-59.84	22.36	-37.48	-13.00	-24.48	peak	

Test Mode	LTE Band 2_TX CH18900_1.4M
-----------	----------------------------


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3601.000	-60.10	13.41	-46.69	-13.00	-33.69	peak	
2		5641.000	-54.10	18.09	-36.01	-13.00	-23.01	peak	
3	*	7519.500	-51.66	22.37	-29.29	-13.00	-16.29	peak	
4		9398.000	-56.69	23.02	-33.67	-13.00	-20.67	peak	


Test Mode	LTE Band 2_TX CH18900_1.4M
-----------	----------------------------

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3601.000	-59.10	13.41	-45.69	-13.00	-32.69	peak	
2		5003.500	-58.24	16.67	-41.57	-13.00	-28.57	peak	
3		5641.000	-52.64	18.09	-34.55	-13.00	-21.55	peak	
4	*	7519.500	-50.06	22.37	-27.69	-13.00	-14.69	peak	
5		9398.000	-58.55	23.02	-35.53	-13.00	-22.53	peak	
6		11276.500	-61.02	24.73	-36.29	-13.00	-23.29	peak	
7		13155.000	-64.92	27.76	-37.16	-13.00	-24.16	peak	

Test Mode	LTE Band 2_ TX CH18900_5M
-----------	---------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		3601.000	-60.13	13.41	-46.72	-13.00	-33.72	peak	
2		5632.500	-55.48	18.07	-37.41	-13.00	-24.41	peak	
3	*	7511.000	-52.55	22.37	-30.18	-13.00	-17.18	peak	
4		9389.500	-56.06	23.02	-33.04	-13.00	-20.04	peak	
5		11268.000	-64.82	24.72	-40.10	-13.00	-27.10	peak	

Test Mode	LTE Band 2_ TX CH18900_5M
-----------	---------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		3601.000	-59.54	13.41	-46.13	-13.00	-33.13	peak	
2		4986.500	-58.50	16.62	-41.88	-13.00	-28.88	peak	
3		5632.500	-53.50	18.07	-35.43	-13.00	-22.43	peak	
4	*	7511.000	-51.26	22.37	-28.89	-13.00	-15.89	peak	
5		9389.500	-57.64	23.02	-34.62	-13.00	-21.62	peak	
6		11268.000	-62.20	24.72	-37.48	-13.00	-24.48	peak	
7		13146.500	-65.96	27.75	-38.21	-13.00	-25.21	peak	

Test Mode	LTE Band 2_TX CH18900_20M
-----------	---------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3601.000	-59.70	13.41	-46.29	-13.00	-33.29	peak	
2		5615.500	-51.40	18.04	-33.36	-13.00	-20.36	peak	
3	*	7485.500	-48.87	22.36	-26.51	-13.00	-13.51	peak	
4		9355.500	-51.82	23.05	-28.77	-13.00	-15.77	peak	
5		11225.500	-62.24	24.69	-37.55	-13.00	-24.55	peak	