Test Mode	UNII-2C_TX AC (VHT80)

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	81.40	75.60
122	5610	81.41	75.60

CH106





CH122

26 dB Bandwidth



99 % Emission Bandwidth



Test Mode	UNII-3_TX AC (VHT20) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.09	17.80	500	Complies
157	5785	16.99	17.80	500	Complies
165	5825	17.09	17.80	500	Complies

CH149



CH157

6 dB Bandwidth



CH165



99 % Emission Bandwidth







Test Mode	UNII-3_TX AC (VHT40) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	35.70	36.40	500	Complies
159	5795	35.40	36.40	500	Complies

CH151

6 dB Bandwidth



Date: 30.JAN.2021 17:57:01

CH159

6 dB Bandwidth



Date: 30.JAN.2021 17:59:01

99 % Emission Bandwidth



Date: 30.JAN.2021 17:56:05

99 % Emission Bandwidth



Date: 30.JAN.2021 17:57:59

Test Mode	UNII-3_TX AC (VHT80)

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	73.00	75.20	500	Complies

CH155

6 dB Bandwidth



99 % Emission Bandwidth



APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.98	0.58	14.56	30.00	1.00	Complies
40	5200	13.99	0.58	14.57	30.00	1.00	Complies
48	5240	14.02	0.58	14.60	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.06	0.58	14.64	30.00	1.00	Complies
40	5200	13.94	0.58	14.52	30.00	1.00	Complies
48	5240	14.02	0.58	14.60	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.61	29.99	1.00	Complies
40	5200	17.56	29.99	1.00	Complies
48	5240	17.61	29.99	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.04	0.61	14.65	30.00	1.00	Complies
40	5200	14.11	0.61	14.72	30.00	1.00	Complies
48	5240	14.22	0.61	14.83	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.02	0.61	14.63	30.00	1.00	Complies
40	5200	14.11	0.61	14.72	30.00	1.00	Complies
48	5240	14.06	0.61	14.67	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.65	29.99	1.00	Complies
40	5200	17.73	29.99	1.00	Complies
48	5240	17.76	29.99	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.02	1.17	15.19	30.00	1.00	Complies
46	5230	14.03	1.17	15.20	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.21	1.17	15.38	30.00	1.00	Complies
46	5230	13.98	1.17	15.15	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.30	29.99	1.00	Complies
46	5230	18.19	29.99	1.00	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.19	0.58	14.77	24.00	0.25	Complies
60	5300	13.89	0.58	14.47	24.00	0.25	Complies
64	5320	13.92	0.58	14.50	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.11	0.58	14.69	24.00	0.25	Complies
60	5300	14.22	0.58	14.80	24.00	0.25	Complies
64	5320	14.06	0.58	14.64	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.74	23.99	0.25	Complies
60	5300	17.65	23.99	0.25	Complies
64	5320	17.58	23.99	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.11	0.61	14.72	24.00	0.25	Complies
60	5300	13.89	0.61	14.50	24.00	0.25	Complies
64	5320	14.03	0.61	14.64	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.03	0.61	14.64	24.00	0.25	Complies
60	5300	14.02	0.61	14.63	24.00	0.25	Complies
64	5320	13.93	0.61	14.54	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.69	23.99	0.25	Complies
60	5300	17.58	23.99	0.25	Complies
64	5320	17.60	23.99	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.08	1.17	15.25	24.00	0.25	Complies
62	5310	13.98	1.17	15.15	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.32	1.17	15.49	24.00	0.25	Complies
62	5310	14.07	1.17	15.24	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.39	23.99	0.25	Complies
62	5310	18.21	23.99	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.24	0.58	14.82	24.00	0.25	Complies
116	5580	14.12	0.58	14.70	24.00	0.25	Complies
140	5700	14.02	0.58	14.60	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.11	0.58	14.69	24.00	0.25	Complies
116	5580	14.16	0.58	14.74	24.00	0.25	Complies
140	5700	14.21	0.58	14.79	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.77	23.99	0.25	Complies
116	5580	17.73	23.99	0.25	Complies
140	5700	17.71	23.99	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.22	0.61	14.83	24.00	0.25	Complies
116	5580	13.98	0.61	14.59	24.00	0.25	Complies
140	5700	14.13	0.61	14.74	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.05	0.61	14.66	24.00	0.25	Complies
116	5580	13.94	0.61	14.55	24.00	0.25	Complies
140	5700	14.06	0.61	14.67	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.76	23.99	0.25	Complies
116	5580	17.58	23.99	0.25	Complies
140	5700	17.72	23.99	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.11	1.17	15.28	24.00	0.25	Complies
110	5550	14.02	1.17	15.19	24.00	0.25	Complies
134	5670	14.04	1.17	15.21	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.21	1.17	15.38	24.00	0.25	Complies
110	5550	14.08	1.17	15.25	24.00	0.25	Complies
134	5670	14.23	1.17	15.40	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.35	23.99	0.25	Complies
110	5550	18.24	23.99	0.25	Complies
134	5670	18.32	23.99	0.25	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.04	0.58	14.62	30.00	1.00	Complies
157	5785	14.11	0.58	14.69	30.00	1.00	Complies
165	5825	14.05	0.58	14.63	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.23	0.58	14.81	30.00	1.00	Complies
157	5785	14.25	0.58	14.83	30.00	1.00	Complies
165	5825	14.23	0.58	14.81	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.73	29.99	1.00	Complies
157	5785	17.77	29.99	1.00	Complies
165	5825	17.73	29.99	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.31	0.61	14.92	30.00	1.00	Complies
157	5785	14.11	0.61	14.72	30.00	1.00	Complies
165	5825	14.12	0.61	14.73	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.03	0.61	14.64	30.00	1.00	Complies
157	5785	14.20	0.61	14.81	30.00	1.00	Complies
165	5825	14.21	0.61	14.82	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.79	29.99	1.00	Complies
157	5785	17.78	29.99	1.00	Complies
165	5825	17.79	29.99	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.99	1.17	15.16	30.00	1.00	Complies
159	5795	14.08	1.17	15.25	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.12	1.17	15.29	30.00	1.00	Complies
159	5795	14.11	1.17	15.28	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.24	29.99	1.00	Complies
159	5795	18.28	29.99	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.03	0.61	14.64	30.00	1.00	Complies
40	5200	14.12	0.61	14.73	30.00	1.00	Complies
48	5240	14.08	0.61	14.69	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.98	0.61	14.59	30.00	1.00	Complies
40	5200	14.05	0.61	14.66	30.00	1.00	Complies
48	5240	14.03	0.61	14.64	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.62	29.99	1.00	Complies
40	5200	17.70	29.99	1.00	Complies
48	5240	17.67	29.99	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.02	1.14	15.16	30.00	1.00	Complies
46	5230	14.03	1.14	15.17	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.05	1.14	15.19	30.00	1.00	Complies
46	5230	13.98	1.14	15.12	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.19	29.99	1.00	Complies
46	5230	18.16	29.99	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.92	2.07	15.99	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.25	2.07	16.32	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.17	29.99	1.00	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.03	0.61	14.64	24.00	0.25	Complies
60	5300	14.02	0.61	14.63	24.00	0.25	Complies
64	5320	13.98	0.61	14.59	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.07	0.61	14.68	24.00	0.25	Complies
60	5300	14.06	0.61	14.67	24.00	0.25	Complies
64	5320	14.08	0.61	14.69	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.67	23.99	0.25	Complies
60	5300	17.66	23.99	0.25	Complies
64	5320	17.65	23.99	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.08	1.14	15.22	24.00	0.25	Complies
62	5310	13.98	1.14	15.12	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.11	1.14	15.25	24.00	0.25	Complies
62	5310	14.06	1.14	15.20	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.25	23.99	0.25	Complies
62	5310	18.17	23.99	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.96	2.07	16.03	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.24	2.07	16.31	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.19	23.99	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.12	0.61	14.73	24.00	0.25	Complies
116	5580	14.04	0.61	14.65	24.00	0.25	Complies
140	5700	14.13	0.61	14.74	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.11	0.61	14.72	24.00	0.25	Complies
116	5580	14.02	0.61	14.63	24.00	0.25	Complies
140	5700	14.08	0.61	14.69	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.73	23.99	0.25	Complies
116	5580	17.65	23.99	0.25	Complies
140	5700	17.72	23.99	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.11	1.14	15.25	24.00	0.25	Complies
110	5550	14.02	1.14	15.16	24.00	0.25	Complies
134	5670	14.04	1.14	15.18	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.03	1.14	15.17	24.00	0.25	Complies
110	5550	13.99	1.14	15.13	24.00	0.25	Complies
134	5670	13.98	1.14	15.12	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.22	23.99	0.25	Complies
110	5550	18.16	23.99	0.25	Complies
134	5670	18.16	23.99	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.10	2.07	16.17	24.00	0.25	Complies
122	5610	14.23	2.07	16.30	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.98	2.07	16.05	24.00	0.25	Complies
122	5610	14.08	2.07	16.15	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.12	23.99	0.25	Complies
122	5610	19.24	23.99	0.25	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.11	0.61	14.72	30.00	1.00	Complies
157	5785	14.05	0.61	14.66	30.00	1.00	Complies
165	5825	14.02	0.61	14.63	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.98	0.61	14.59	30.00	1.00	Complies
157	5785	14.03	0.61	14.64	30.00	1.00	Complies
165	5825	14.02	0.61	14.63	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.66	29.99	1.00	Complies
157	5785	17.66	29.99	1.00	Complies
165	5825	17.64	29.99	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.99	1.14	15.13	30.00	1.00	Complies
159	5795	14.08	1.14	15.22	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.10	1.14	15.24	30.00	1.00	Complies
159	5795	14.02	1.14	15.16	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.20	29.99	1.00	Complies
159	5795	18.20	29.99	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.23	2.07	16.30	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.02	2.07	16.09	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.21	29.99	1.00	Complies

APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.64	0.58	6.22	17.00	Complies
40	5200	5.34	0.58	5.92	17.00	Complies
48	5240	4.86	0.58	5.44	17.00	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.34	0.58	6.92	17.00	Complies
40	5200	5.94	0.58	6.52	17.00	Complies
48	5240	5.53	0.58	6.11	17.00	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.60	16.99	Complies
40	5200	9.24	16.99	Complies
48	5240	8.80	16.99	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.70	0.61	5.31	17.00	Complies
40	5200	4.63	0.61	5.24	17.00	Complies
48	5240	1.36	0.61	1.97	17.00	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.92	0.61	5.53	17.00	Complies
40	5200	4.78	0.61	5.39	17.00	Complies
48	5240	4.38	0.61	4.99	17.00	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.43	16.99	Complies
40	5200	8.33	16.99	Complies
48	5240	6.75	16.99	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.47	1.17	1.64	17.00	Complies
46	5230	0.11	1.17	1.28	17.00	Complies

CH38



CH46



Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.26	1.17	1.43	17.00	Complies
46	5230	0.58	1.17	1.75	17.00	Complies

CH38



CH46



Test Mode	UNII-1_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.55	16.99	Complies
46	5230	4.54	16.99	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.58	0.58	5.16	11.00	Complies
60	5300	4.13	0.58	4.71	11.00	Complies
64	5320	3.98	0.58	4.56	11.00	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.50	0.58	6.08	11.00	Complies
60	5300	5.44	0.58	6.02	11.00	Complies
64	5320	5.17	0.58	5.75	11.00	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.66	10.99	Complies
60	5300	8.43	10.99	Complies
64	5320	8.21	10.99	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.49	0.61	5.10	11.00	Complies
60	5300	4.06	0.61	4.67	11.00	Complies
64	5320	3.83	0.61	4.44	11.00	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.44	0.61	6.05	11.00	Complies
60	5300	4.93	0.61	5.54	11.00	Complies
64	5320	4.74	0.61	5.35	11.00	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.61	10.99	Complies
60	5300	8.14	10.99	Complies
64	5320	7.93	10.99	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.80	1.17	1.97	11.00	Complies
62	5310	0.43	1.17	1.60	11.00	Complies

CH54



CH62



Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.32	1.17	1.49	11.00	Complies
62	5310	0.09	1.17	1.26	11.00	Complies

CH54



CH62



Test Mode	UNII-2A_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.75	10.99	Complies
62	5310	4.45	10.99	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.74	0.58	4.32	11.00	Complies
116	5580	3.91	0.58	4.49	11.00	Complies
140	5700	4.04	0.58	4.62	11.00	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.24	0.58	5.82	11.00	Complies
116	5580	5.28	0.58	5.86	11.00	Complies
140	5700	5.05	0.58	5.63	11.00	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.15	10.99	Complies
116	5580	8.24	10.99	Complies
140	5700	8.17	10.99	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.08	0.61	4.69	11.00	Complies
116	5580	3.59	0.61	4.20	11.00	Complies
140	5700	4.21	0.61	4.82	11.00	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.33	0.61	4.94	11.00	Complies
116	5580	4.63	0.61	5.24	11.00	Complies
140	5700	4.31	0.61	4.92	11.00	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.83	10.99	Complies
116	5580	7.76	10.99	Complies
140	5700	7.88	10.99	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.53	1.17	0.64	11.00	Complies
110	5550	-0.90	1.17	0.27	11.00	Complies
134	5670	-0.31	1.17	0.86	11.00	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.76	1.17	1.93	11.00	Complies
110	5550	-0.06	1.17	1.11	11.00	Complies
134	5670	0.13	1.17	1.30	11.00	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.35	10.99	Complies
110	5550	3.73	10.99	Complies
134	5670	4.10	10.99	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.39	0.58	2.97	30.00	Complies
157	5785	3.38	0.58	3.96	30.00	Complies
165	5825	2.70	0.58	3.28	30.00	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.84	0.58	3.42	30.00	Complies
157	5785	2.64	0.58	3.22	30.00	Complies
165	5825	2.24	0.58	2.82	30.00	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.21	29.99	Complies
157	5785	6.62	29.99	Complies
165	5825	6.07	29.99	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	3.41	0.61	4.02	30.00	Complies
157	5785	3.61	0.61	4.22	30.00	Complies
165	5825	3.27	0.61	3.88	30.00	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	3.08	0.61	3.69	30.00	Complies
157	5785	2.76	0.61	3.37	30.00	Complies
165	5825	2.74	0.61	3.35	30.00	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.87	29.99	Complies
157	5785	6.83	29.99	Complies
165	5825	6.64	29.99	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-0.75	1.17	0.42	30.00	Complies
159	5795	-0.75	1.17	0.42	30.00	Complies

CH151



CH159



Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-0.47	1.17	0.70	30.00	Complies
159	5795	-0.94	1.17	0.23	30.00	Complies

CH151



CH159



Test Mode	UNII-3_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	3.58	29.99	Complies
159	5795	3.34	29.99	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.07	0.61	4.68	17.00	Complies
40	5200	4.40	0.61	5.01	17.00	Complies
48	5240	4.60	0.61	5.21	17.00	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.69	0.61	5.30	17.00	Complies
40	5200	4.55	0.61	5.16	17.00	Complies
48	5240	4.24	0.61	4.85	17.00	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.01	16.99	Complies
40	5200	8.09	16.99	Complies
48	5240	8.04	16.99	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-7.65	1.14	-6.51	17.00	Complies
46	5230	-7.21	1.14	-6.07	17.00	Complies

CH38



CH46



Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-7.24	1.14	-6.10	17.00	Complies
46	5230	-7.06	1.14	-5.92	17.00	Complies

CH38



CH46



Test Mode	UNII-1_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-3.29	16.99	Complies
46	5230	-2.98	16.99	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-7.70	2.07	-5.63	17.00	Complies

CH42



Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-7.52	2.07	-5.45	17.00	Complies

CH42



Test Mode	UNII-1_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.53	16.99	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.27	0.61	4.88	11.00	Complies
60	5300	4.10	0.61	4.71	11.00	Complies
64	5320	4.08	0.61	4.69	11.00	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.28	0.61	5.89	11.00	Complies
60	5300	4.75	0.61	5.36	11.00	Complies
64	5320	4.46	0.61	5.07	11.00	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.42	10.99	Complies
60	5300	8.05	10.99	Complies
64	5320	7.89	10.99	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-6.05	1.14	-4.91	11.00	Complies
62	5310	-6.32	1.14	-5.18	11.00	Complies

CH54



CH62



Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-6.02	1.14	-4.88	11.00	Complies
62	5310	-6.10	1.14	-4.96	11.00	Complies

CH54



CH62



Test Mode	UNII-2A_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-1.88	10.99	Complies
62	5310	-2.05	10.99	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-8.14	2.07	-6.07	11.00	Complies

CH58



Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-8.38	2.07	-6.31	11.00	Complies

CH58



Test Mode	UNII-2A_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-3.17	10.99	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.02	0.61	4.63	11.00	Complies
116	5580	3.69	0.61	4.30	11.00	Complies
140	5700	4.34	0.61	4.95	11.00	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.20	0.61	4.81	11.00	Complies
116	5580	4.52	0.61	5.13	11.00	Complies
140	5700	4.33	0.61	4.94	11.00	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.73	10.99	Complies
116	5580	7.74	10.99	Complies
140	5700	7.95	10.99	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-5.13	1.14	-3.99	11.00	Complies
110	5550	-5.43	1.14	-4.29	11.00	Complies
134	5670	-5.53	1.14	-4.39	11.00	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-5.28	1.14	-4.14	11.00	Complies
110	5550	-5.60	1.14	-4.46	11.00	Complies
134	5670	-4.75	1.14	-3.61	11.00	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-1.05	10.99	Complies
110	5550	-1.36	10.99	Complies
134	5670	-0.97	10.99	Complies