
Shenzhen kanglijianyu Technology Co.,ltd

Product Name: joystick Model Name: Q23

1. Product description





Electrical parameters:

Projects	Reference value	Projects	Reference value
Operating Current	<35mA	Effective distance	<10M
Operating Voltage	DC3.7V-4.2V	Battery capacity	350 mAh(Left) 350mAh(Right)
Pairing current	28-37mA	Charging Voltage / current	DC5V≤300mA
Dormant current	0mA	Duration of use	6-10h
Vibrating current	<100mA	Low alarm voltage	3.5V

2) Key composition

1. left handle: Up, down, left, right, L, L , ZL,-, SL, SR, sync key, screenshot key, and a simulated 3D joystick;

 $2. \ Right\ Handle:\ A,\ B,\ x,\ Y,\ R,\ R\ ,\ ZR,\ +\ ,\ HOME,\ SL,\ SR,\ synchronization\ key\ and\ a\ simulated\ 3D\ joystick.$

3) Instruction

Using the Switch system, two Joysticks that make new kinds of gaming possible. The versatile L/R Joysticks offer multiple surprising new ways for players to have fun. L/R Joysticks can be used independently in each hand. They can also attach to the main console for use in handheld mode,

or be shared with friends to enjoy two-player action in supported games, each Joystick has a full set of buttons and can act as a standalone controller, and each includes as accelerometer and gyro-sensor, making independent left and right motion control possible.

Charge

- 1): The L/R Joysticks are built in type-c slot, you can charge them via type-c cable.
- 2)The L/R Joysticks can also attach to the main console for use in handheld mode. Do not charge them via type-c while using them in handheld mode.
- 3): The L/R Joysticks will also be charged while you charging the console under handheld mode.
- 4): The game console will supply power for the low power Joysticks if its power is over 50% when using in handheld mode.

Calibration

- 1) Sensor calibration: keep the Joysticks horizontally and press buttons "+"/"-" to calibrate according the indication of the game console.
- 2) 3D calibration: Press buttons"L'/"R' to calibrate according the indication of the game console

Reset:

The reset hole near by type-c interface. Insert a slender object into the reset hole to reset the L/R Joysticks while it is non-working.

Tips:

- 1) The Joysticks built-in Lithium battery, keep them away high/low temperature and humidity environments.
- 2) Children should use them under the supervision of adults

This device complies with part 15 of the FCC Rules. Operation is subject to the condition that this device does not cause harmful interference (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -- Reorient or relocate the receiving antenna.
- -- Increase the separation between the equipment and receiver.
- -- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be u sed in portable exposure condition without restriction.