



Shenzhen Jiexuntong Wireless Technology Co. LTD

Antenna acknowledgment

Customer name: Baoneng Daktron

Project model: DPXTH

Our company's material number: 20016000006

Antenna specification: On-board antenna

Date of issue: 2023-1-11

Manufacturer acknowledgment column:

Project preparation	RF	structure	approve	Date

Customer acknowledgement column:

confirm	audit	approve	Date



Acknowledgement of change of resume

version	Date	Change description	remarks
R/A	2023-1-11	First edition	

catalogue

1、 COVER.....	PAGE 1
2、 CHANGE OF RESUME.....	PAGE 2
3、 DIRECTORY.....	PAGE 3
4、 ANTENNA PICTURE AND SIZE.....	PAGE 4
5、 TEST THE ENVIRONMENT.....	PAGE 4
6、 ANTENNA MATCHING	PAGE 4
7、 ELECTRICAL PERFORMANCE REPORT.....	PAGE 5-14
8、 RELIABILITY TEST REPORT.....	PAGE 15
9、 ENGINEERING DRAWING.....	PAGE 16

Address: 409, 423, 425-426, Building A, No. 30, Sanwei Hanghang Road,
Sanwei Community, Hangcheng Street, Baoan District, Shenzhen


Contact number: 0755-23731203

website: <http://www.jxtant.com>





一、Antenna picture and size



二、Test the environment


2.1.Environmental treatment

There is no

三、Antenna matching

3.1.Antenna


This specification belongs to Shenzhen Jiexuntong Wireless Technology Co., Ltd. and relevant customer confidential archives, please keep properly, without our company and relevant customer permission, anyone shall not disclose.。



Our company has not changed the original antenna front-end matching

四、Electrical performance report

VSWR



Frequency (MHz)	850	908	915	916	920	930
VSWR	8.36	3.44	2.63	2.52	2.34	1.58

Passive test data:

This specification belongs to Shenzhen Jiexuntong Wireless Technology Co., Ltd. and relevant customer confidential archives, please keep properly, without our company and relevant customer permission, anyone shall not disclose.。



Freq (MHz)	Gain (dBi)	Efficiency (dB)	Efficiency (%)
850	-7.23	-10.52	9.61
851	-7.16	-10.43	10.07
852	-7.08	-10.33	10.19
853	-7.01	-10.24	10.30
854	-6.96	-10.07	10.59
855	-6.89	-9.91	10.74
856	-6.81	-9.84	10.92
857	-6.75	-9.59	11.25
858	-6.67	-9.43	11.31
859	-6.58	-9.35	11.49
860	-6.51	-9.24	11.57
Freq (MHz)	Gain (dBi)	Efficiency (dB)	Efficiency (%)
861	-6.44	-9.23	11.63
862	-6.38	-9.14	12.15
863	-6.33	-9.11	12.25
864	-6.27	-9.03	12.36
865	-6.32	-8.98	12.54
866	-6.26	-8.93	12.73
867	-6.18	-8.87	12.91
868	-6.13	-8.84	13.17
869	-6.07	-8.80	13.21
870	-5.98	-8.75	13.35
871	-5.93	-8.66	13.46
872	-5.92	-8.64	13.57
873	-5.91	-8.57	13.68
874	-5.89	-8.52	13.83
875	-5.88	-8.51	13.99
876	-5.87	-8.46	14.11
877	-5.86	-8.44	14.23
878	-5.84	-8.42	14.34
879	-5.81	-8.39	14.41
880	-5.78	-8.37	14.50
881	-5.76	-8.35	14.59
882	-5.76	-8.33	14.68
883	-5.74	-8.33	14.70
884	-5.71	-8.33	14.67
885	-5.70	-8.34	14.65
886	-5.69	-8.34	14.64
887	-5.67	-8.34	14.61
888	-5.66	-8.36	14.56
889	-5.64	-8.36	14.64

This specification belongs to Shenzhen Jiexuntong Wireless Technology Co., Ltd. and relevant customer confidential archives, please keep properly, without our company and relevant customer permission, anyone shall not disclose.。




Shenzhen Jiexuntong Wireless Technology Co. LTD

	890	-5.63	-8.37	14.61
	891	-5.61	-8.33	14.62
	892	-5.59	-8.31	14.75
	893	-5.57	-8.28	14.84
	894	-5.55	-8.25	14.93
	895	-5.53	-8.23	14.99
	896	-5.52	-8.24	15.01
	897	-5.50	-8.23	15.05
	898	-5.49	-8.23	15.08
	899	-5.47	-8.22	15.05
	900	-5.46	-8.21	15.06
	901	-5.45	-8.21	15.09
	902	-5.44	-8.18	15.20
Freq (MHz)	Gain (dBi)	Efficiency (dB)	Efficiency (%)	
	903	-5.43	-8.17	15.15
	904	-5.41	-8.14	15.23
	905	-5.39	-8.10	15.35
	906	-5.38	-8.08	15.45
	907	-5.36	-8.03	15.56
	908	-5.35	-7.97	15.68
	909	-5.04	-7.86	15.75
	910	-5.01	-7.81	15.84
	911	-4.99	-7.71	15.91
	912	-4.96	-7.61	16.13
	913	-4.95	-7.55	16.26
	914	-4.93	-7.43	16.33
	915	-4.92	-7.36	17.57
	916	-4.89	-7.27	17.77
	917	-4.82	-7.16	18.22
	918	-4.71	-7.06	19.16
	919	-4.66	-6.97	20.08
	920	-3.80	-6.88	20.30
	921	-3.60	-6.78	20.69
	922	-3.49	-6.69	21.05
	923	-3.40	-6.60	21.38
	924	-3.30	-6.51	22.13
	925	-3.19	-6.41	22.56
	926	-3.12	-6.33	22.89
	927	-3.00	-6.23	23.30
	928	-2.93	-6.15	23.88
	929	-2.84	-6.06	24.05
	930	-2.75	-5.99	24.19

This specification belongs to Shenzhen Jiexuntong Wireless Technology Co., Ltd. and relevant customer confidential archives, please keep properly, without our company and relevant customer permission, anyone shall not disclose.。



Efficiency line graph:



Frequency (MHz)	850	908	915	916	920	930
Efficiency	9.61	15.68	17.57	17.77	20.3	24.19

Gain line graph:







Frequency (MHz)	850	908	915	916	920	930
Gain(dbi)	-7.23	-5.35	-4.92	-4.89	-3.80	-2.75

This specification belongs to Shenzhen Jiexuntong Wireless Technology Co., Ltd. and relevant customer confidential archives, please keep properly, without our company and relevant customer permission, anyone shall not disclose.。





Field pattern diagram:

850MHZ







This specification belongs to Shenzhen Jiexuntong Wireless Technology Co., Ltd. and relevant customer confidential archives, please keep properly, without our company and relevant customer permission, anyone shall not disclose.。

908MHZ







This specification belongs to Shenzhen Jiexuntong Wireless Technology Co., Ltd. and relevant customer confidential archives, please keep properly, without our company and relevant customer permission, anyone shall not disclose.。

915MHZ







This specification belongs to Shenzhen Jiexuntong Wireless Technology Co., Ltd. and relevant customer confidential archives, please keep properly, without our company and relevant customer permission, anyone shall not disclose.。

916MHZ







This specification belongs to Shenzhen Jiexuntong Wireless Technology Co., Ltd. and relevant customer confidential archives, please keep properly, without our company and relevant customer permission, anyone shall not disclose.。

920MHZ



This specification belongs to Shenzhen Jiexuntong Wireless Technology Co., Ltd. and relevant customer confidential archives, please keep properly, without our company and relevant customer permission, anyone shall not disclose.。

930MHZ



This specification belongs to Shenzhen Jiexuntong Wireless Technology Co., Ltd. and relevant customer confidential archives, please keep properly, without our company and relevant customer permission, anyone shall not disclose. .


五、Reliability test report

5.1.Salt spray test report

Guest house	Baoneng Daktron	Part name	DPXTH	Date of completion	2022.12.27
Test item	Test requirement			Measured result	evaluation
Neutral salt spray test	Experimental process: Neutral salt spray test was carried out on the hardware on the antenna. In the closed environment of $35\text{ }^{\circ}\text{C} \pm 2\text{ }^{\circ}\text{C}$, humidity $> 85\%$, PH value within the range of 6.5-7.2, $5\% \pm 1\%$ NaCl solution was used. After continuous 24h brine spray, the surface of the product should be free from corrosion, discoloration, and coating peeling.			After the end of the experiment, the surface of the product has no rust, no discoloration, and the coating has no peeling.	PASS
Experiment: Wang Ming			Approved by: Wang Ming		



Antenna testing instrument



Darkroom test environment