

D-7 的天線規格如下，謝謝

2.Electrical Specification :


Item	Specification
Working Frequency Range	2.4 ~ 2.5 / GHz (Note-1)
Return Loss	-10dB(Max)
VSWR	2 max.
Peak Gain	2.59 dBi
Polarization	Linear
Radiation Pattern	Omni-directional
Impedance	50Ω

廠牌: INPAQ


型號: RFFPA392209IMAB301

型式: FPC Antenna


增益值 : 2.59dBi



Antenna Efficiency and Peak Gain



Maximum Efficiency at 5200 MHz : 55.48 %



Maximum Peak Gain at 2470 MHz : 2.79 dBi

UNLESS OTHER SPECIFIED TOLERANCES ON :
X = N/A X.X = N/A X.XX = N/A
ANGLES = N/A HOLEDIA = N/A



INPAQ TECHNOLOGY CO., LTD.

SCALE : N/A

UNIT : mm

DRAWN BY : 劉采璇

CHECKED BY : 詹惠雯

DESIGNED BY : 林育帆

APPROVED BY : 陳振榮

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

TITLE : RFFPA392209IMAB301


DOCUMENT
NO.

SPEC REV.
P1

2D Radiation Patterns

Phi=0.00deg

Gain . dB



UNLESS OTHER SPECIFIED TOLERANCES ON :
X = N/A X.X = N/A X.XX = N/A
ANGLES = N/A HOLEDIA = N/A



INPAQ TECHNOLOGY CO., LTD.

SCALE : N/A

UNIT : mm

DRAWN BY : 劉采璇

CHECKED BY : 詹惠雯

DESIGNED BY : 林育帆

APPROVED BY : 陳振榮

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION


TITLE : RFFPA392209IMAB301

DOCUMENT
NO.

SPEC REV.
P1

Phi=90.00deg

Gain . dB



UNLESS OTHER SPECIFIED TOLERANCES ON :
X = N/A X.X = N/A X.XX = N/A
ANGLES = N/A HOLEDIA = N/A



INPAQ TECHNOLOGY CO., LTD.

SCALE : N/A

UNIT : mm

DRAWN BY : 劉采璇

CHECKED BY : 詹惠雯

DESIGNED BY : 林育帆

APPROVED BY : 陳振榮

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF
INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED
OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF
APPARATUS OR DEVICES WITHOUT PERMISSION


TITLE : RFFPA392209IMAB301

DOCUMENT
NO.

SPEC REV.
P1

Theta=90.00deg

Gain . dB



UNLESS OTHER SPECIFIED TOLERANCES ON :
X = N/A X.X = N/A X.XX = N/A
ANGLES = N/A HOLEDIA = N/A



INPAQ TECHNOLOGY CO., LTD.

SCALE : N/A

UNIT : mm

DRAWN BY : 劉采璇

CHECKED BY : 詹惠雯

DESIGNED BY : 林育帆

APPROVED BY : 陳振榮

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF
INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED
OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF
APPARATUS OR DEVICES WITHOUT PERMISSION

TITLE : RFFPA392209IMAB301

DOCUMENT
NO.

SPEC REV.
P1