


Mode:


11N40-CH6

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4872.93	50.91	14.07	54.00	3.09	150	278	Horizontal
2	4875.24	58.14	14.08	74.00	15.86	150	274	Horizontal
3	7320.34	49.65	7.84	74.00	24.35	150	285	Horizontal
4	7320.34	43.02	7.84	54.00	10.98	150	289	Horizontal
5	9748.33	35.73	8.89	54.00	18.27	150	39	Horizontal
6	9768.22	43.22	8.95	74.00	30.78	150	344	Horizontal


Mode:

11N40-CH6

Test Graph

Mode:


11N40-CH6

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4870.95	47.61	14.07	54.00	6.39	150	285	Vertical
2	4874.25	53.94	14.08	74.00	20.06	150	277	Vertical
3	7309.81	42.25	7.73	54.00	11.75	150	100	Vertical
4	7313.32	49.85	7.77	74.00	24.15	150	105	Vertical
5	9748.33	44.87	8.89	74.00	29.13	150	92	Vertical
6	9748.33	39.20	8.89	54.00	14.80	150	88	Vertical


Mode:

11N40-CH6

Test Graph

Mode:


11N40-CH9

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4902.64	50.69	14.09	54.00	3.31	150	281	Horizontal
2	4904.95	56.04	14.09	74.00	17.96	150	277	Horizontal
3	7363.63	42.95	7.54	54.00	11.05	150	281	Horizontal
4	7364.80	49.33	7.52	74.00	24.67	150	289	Horizontal
5	9808.01	37.70	9.07	54.00	16.30	150	36	Horizontal
6	9808.01	41.76	9.07	74.00	32.24	150	19	Horizontal


Mode:

11N40-CH9

Test Graph

Mode:


11N40-CH9

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4899.00	53.93	14.08	74.00	20.07	150	10	Vertical
2	4905.28	46.74	14.09	54.00	7.26	150	277	Vertical
3	7358.95	42.99	7.58	54.00	11.01	150	40	Vertical
4	7358.95	48.95	7.58	74.00	25.05	150	40	Vertical
5	9808.01	45.10	9.07	74.00	28.90	150	91	Vertical
6	9808.01	40.18	9.07	54.00	13.82	150	91	Vertical

Mode:


11N40-CH9

Test Graph

Bandedge:

Mode:


11B-CH1

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2384.91	55.07	10.15	74.00	18.93	100	343	Horizontal
2	2387.38	45.38	10.16	54.00	8.62	100	343	Horizontal
3	2400.00	63.13	10.18			150	309	Horizontal
4	2400.00	50.62	10.18			100	335	Horizontal
5	2411.96	106.55	10.36			100	339	Horizontal
6	2412.83	103.50	10.37			100	339	Horizontal

Mode:


11B-CH1

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2365.28	52.44	10.11	74.00	21.56	100	135	Vertical
2	2378.80	40.55	10.14	54.00	13.45	200	175	Vertical
3	2400.00	42.46	10.18			200	187	Vertical
4	2400.00	52.84	10.18			200	190	Vertical
5	2411.96	95.23	10.36			200	194	Vertical
6	2412.87	92.42	10.37			200	194	Vertical

Mode:


11B-CH11

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2461.10	102.55	10.91			100	332	Horizontal
2	2461.74	105.50	10.91			100	332	Horizontal
3	2483.50	42.82	10.88	54.00	11.18	100	332	Horizontal
4	2483.50	52.68	10.88	74.00	21.32	100	332	Horizontal
5	2487.25	45.18	10.88	54.00	8.82	100	328	Horizontal
6	2488.43	54.86	10.88	74.00	19.14	100	332	Horizontal

Mode:


11B-CH11

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2461.20	91.56	10.91			200	195	Vertical
2	2461.84	94.71	10.91			200	195	Vertical
3	2483.50	40.50	10.88	54.00	13.50	200	188	Vertical
4	2483.50	50.90	10.88	74.00	23.10	150	336	Vertical
5	2489.07	41.35	10.88	54.00	12.65	200	188	Vertical
6	2495.19	53.01	10.87	74.00	20.99	200	343	Vertical

Mode:


11G-CH1

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2389.72	66.21	10.16	74.00	7.79	100	350	Horizontal
2	2389.90	51.76	10.16	54.00	2.24	100	359	Horizontal
3	2400.00	80.12	10.18			100	350	Horizontal
4	2400.00	66.73	10.18			100	350	Horizontal
5	2416.43	104.67	10.42			100	350	Horizontal
6	2416.47	113.64	10.42			100	350	Horizontal

Mode:


11G-CH1

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2390.00	41.77	10.16	54.00	12.23	200	48	Vertical
2	2390.00	53.34	10.16	74.00	20.66	150	64	Vertical
3	2400.00	66.67	10.18			150	200	Vertical
4	2400.00	55.02	10.18			150	200	Vertical
5	2405.50	100.53	10.26			150	200	Vertical
6	2417.34	93.64	10.44			200	179	Vertical

Mode:


11G-CH11

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2458.66	112.02	10.91			100	332	Horizontal
2	2462.96	103.32	10.91			100	332	Horizontal
3	2483.50	50.98	10.88	54.00	3.02	100	332	Horizontal
4	2483.50	62.53	10.88	74.00	11.47	100	332	Horizontal
5	2483.91	50.65	10.88	54.00	3.35	100	332	Horizontal
6	2484.05	66.58	10.88	74.00	7.42	100	332	Horizontal

Mode:


11G-CH11

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2455.04	92.35	10.92			200	195	Vertical
2	2458.48	100.84	10.91			200	195	Vertical
3	2483.50	42.35	10.88	54.00	11.65	200	317	Vertical
4	2483.50	52.44	10.88	74.00	21.56	100	13	Vertical
5	2483.87	55.17	10.88	74.00	18.83	150	13	Vertical
6	2484.17	42.30	10.88	54.00	11.70	200	317	Vertical

Mode:


11N20-CH1

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2390.00	68.13	10.16	74.00	5.87	100	359	Horizontal
2	2390.00	52.06	10.16	54.00	1.94	100	336	Horizontal
3	2400.00	81.25	10.18			100	351	Horizontal
4	2400.00	66.40	10.18			100	340	Horizontal
5	2409.71	113.74	10.32			100	336	Horizontal
6	2410.71	103.80	10.34			100	336	Horizontal

Mode:


11N20-CH1

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2389.72	58.76	10.16	74.00	15.24	200	296	Vertical
2	2390.00	42.88	10.16	54.00	11.12	200	203	Vertical
3	2400.00	71.19	10.18			200	177	Vertical
4	2400.00	54.81	10.18			200	177	Vertical
5	2409.88	102.68	10.33			200	196	Vertical
6	2413.22	93.24	10.38			200	196	Vertical

Mode:


11N20-CH11

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2463.04	102.32	10.91			100	332	Horizontal
2	2466.52	111.36	10.90			100	332	Horizontal
3	2483.50	50.24	10.88	54.00	3.76	100	332	Horizontal
4	2483.50	62.22	10.88	74.00	11.78	100	332	Horizontal
5	2484.11	50.99	10.88	54.00	3.01	100	335	Horizontal
6	2484.37	64.36	10.88	74.00	9.64	100	332	Horizontal

Mode:


11N20-CH11

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2454.90	92.33	10.92			200	195	Vertical
2	2458.04	100.69	10.91			200	191	Vertical
3	2483.50	53.40	10.88	74.00	20.60	200	313	Vertical
4	2483.50	42.00	10.88	54.00	12.00	200	188	Vertical
5	2484.31	42.67	10.88	54.00	11.33	200	188	Vertical
6	2484.43	53.99	10.88	74.00	20.01	200	188	Vertical

Mode:


11N40-CH3

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2389.20	63.18	10.16	74.00	10.82	100	347	Horizontal
2	2390.07	52.10	10.16	54.00	1.90	100	339	Horizontal
3	2400.00	66.63	10.18			100	339	Horizontal
4	2400.00	74.48	10.18			100	339	Horizontal
5	2412.70	107.43	10.37			100	336	Horizontal
6	2415.00	99.14	10.40			100	339	Horizontal

Mode:


11N40-CH3

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2387.64	54.60	10.16	74.00	19.40	200	299	Vertical
2	2390.03	42.89	10.16	54.00	11.11	200	199	Vertical
3	2400.00	63.63	10.18			200	195	Vertical
4	2400.00	55.37	10.18			200	173	Vertical
5	2418.42	96.76	10.45			200	195	Vertical
6	2429.39	88.34	10.62			200	195	Vertical

Mode:


11N40-CH9

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2447.12	107.42	10.88			100	351	Horizontal
2	2447.80	98.33	10.89			100	351	Horizontal
3	2483.50	62.23	10.88	74.00	11.77	100	328	Horizontal
4	2483.50	50.85	10.88	54.00	3.15	100	332	Horizontal
5	2483.97	51.72	10.88	54.00	2.28	100	332	Horizontal
6	2484.87	64.80	10.88	74.00	9.20	100	332	Horizontal

Mode:

11N40-CH9

Test Graph**Suspected Data List**


NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2447.08	97.90	10.88			200	195	Vertical
2	2447.70	88.69	10.89			200	195	Vertical
3	2483.50	42.19	10.88	54.00	11.81	200	188	Vertical
4	2483.50	53.02	10.88	74.00	20.98	200	184	Vertical
5	2483.99	42.64	10.88	54.00	11.36	200	188	Vertical
6	2484.33	54.09	10.88	74.00	19.91	200	295	Vertical

5.2 6DB BANDWIDTH MEASUREMENT

5.2.1 Test Result

TestMode	Antenna	Channel	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	9.120	2407.440	2416.560	0.5	PASS
		2437	9.120	2432.440	2441.560	0.5	PASS
		2462	9.120	2457.440	2466.560	0.5	PASS
11G	Ant1	2412	16.400	2403.800	2420.200	0.5	PASS
		2437	16.400	2428.800	2445.200	0.5	PASS
		2462	16.400	2453.800	2470.200	0.5	PASS
11N20SISO	Ant1	2412	17.480	2403.320	2420.800	0.5	PASS
		2437	17.640	2428.160	2445.800	0.5	PASS
		2462	17.240	2453.560	2470.800	0.5	PASS
11N40SISO	Ant1	2422	35.520	2404.320	2439.840	0.5	PASS
		2437	35.920	2419.320	2455.240	0.5	PASS
		2452	35.920	2434.320	2470.240	0.5	PASS


Test Graphs



11B_Ant1_2437

Test Report No.: FCC2021-0010RF


Page 96 of 123



11B_Ant1_2462




11G_Ant1_2412



Test Report No.: FCC2021-0010RF


Page 97 of 123

11G_Ant1_2437



Date: 25.MAY.2021 04:34:07

11G_Ant1_2462




Date: 25.MAY.2021 04:43:02


11N20SISO_Ant1_2412

Test Report No.: FCC2021-0010RF


Page 98 of 123



11N20SISO_Ant1_2437




11N20SISO_Ant1_2462



Test Report No.: FCC2021-0010RF


Page 99 of 123

11N40SISO_Ant1_2422



Date: 25.MAY.2021 04:55:52

11N40SISO_Ant1_2437




Date: 25.MAY.2021 04:58:41

11N40SISO_Ant1_2452

Test Report No.: FCC2021-0010RF

Page 100 of 123





5.3 CONDUCTED OUTPUT POWER

5.3.1 Test Result

AVG:

TestMode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
11B	Ant1	2412	8.24	<=30	PASS
		2437	9.28	<=30	PASS
		2462	10.16	<=30	PASS
11G	Ant1	2412	11.55	<=30	PASS
		2437	13.03	<=30	PASS
		2462	13.23	<=30	PASS
11N20SISO	Ant1	2412	11.51	<=30	PASS
		2437	12.95	<=30	PASS
		2462	13.35	<=30	PASS
11N40SISO	Ant1	2422	10.16	<=30	PASS
		2437	11.15	<=30	PASS
		2452	11.65	<=30	PASS

PK:


TestMode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
11B	Ant1	2412	10.39	<=30	PASS
		2437	11.46	<=30	PASS
		2462	11.93	<=30	PASS
11G	Ant1	2412	19.53	<=30	PASS
		2437	20.92	<=30	PASS
		2462	21.53	<=30	PASS
11N20SISO	Ant1	2412	19.40	<=30	PASS
		2437	20.74	<=30	PASS
		2462	21.57	<=30	PASS
11N40SISO	Ant1	2422	18.20	<=30	PASS
		2437	18.91	<=30	PASS
		2452	19.46	<=30	PASS

5.4 POWER SPECTRAL DENSITY MEASUREMENT

5.4.1 Test Result

TestMode	Antenna	Channel	Result[dBm/3-100kHz]	Limit[dBm/3kHz]	Verdict
11B	Ant1	2412	-13.95	<=8	PASS
		2437	-13.73	<=8	PASS
		2462	-12.07	<=8	PASS
11G	Ant1	2412	-14.36	<=8	PASS
		2437	-12.11	<=8	PASS
		2462	-11.79	<=8	PASS
11N20SISO	Ant1	2412	-14.15	<=8	PASS
		2437	-12.67	<=8	PASS
		2462	-11.65	<=8	PASS
11N40SISO	Ant1	2422	-17.67	<=8	PASS
		2437	-16.97	<=8	PASS
		2452	-16.63	<=8	PASS


Test Graphs




11B_Ant1_2437

Test Report No.: FCC2021-0010RF


Page 103 of 123



11B_Ant1_2462




11G_Ant1_2412




Test Report No.: FCC2021-0010RF

Page 104 of 123




11G_Ant1_2437

Date: 25.MAY.2021 04:35:14

11G_Ant1_2462

Date: 25.MAY.2021 04:44:24


11N20SISO_Ant1_2412

**11N20SISO_Ant1_2437****11N20SISO_Ant1_2462**


Test Report No.: FCC2021-0010RF

Page 106 of 123


11N40SISO_Ant1_2422



11N40SISO_Ant1_2437



11N40SISO_Ant1_2452




5.5 OUT OF BAND EMISSION MEASUREMENT

5.5.1 Test Result

Band edge:

TestMode	Antenna	ChName	Channel	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
11B	Ant1	Low	2412	-1.76	-54.3	<=-21.76	PASS
		High	2462	0.89	-54.41	<=-19.11	PASS
11G	Ant1	Low	2412	0.00	-41.83	<=-20	PASS
		High	2462	2.56	-47.34	<=-17.44	PASS
11N20SISO	Ant1	Low	2412	-0.55	-41.17	<=-20.55	PASS
		High	2462	2.66	-45.67	<=-17.34	PASS
11N40SISO	Ant1	Low	2422	-3.98	-43.27	<=-23.98	PASS
		High	2452	-2.32	-50.59	<=-22.32	PASS


Test Graphs




11B_Ant1_High_2462

Test Report No.: FCC2021-0010RF


Page 109 of 123



11G_Ant1_Low_2412




11G_Ant1_High_2462



Test Report No.: FCC2021-0010RF


Page 110 of 123

11N20SISO_Ant1_Low_2412




Date: 25.MAY.2021 04:47:37

11N20SISO_Ant1_High_2462



Date: 25.MAY.2021 04:52:15

11N40SISO_Ant1_Low_2422




Conducted Spurious Emission:

TestMode	Antenna	Channel	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11B	Ant1	2412	Reference	-1.44	-1.44	---	PASS
			30~25000	-1.44	-49.69	<=-21.44	PASS
		2437	Reference	-0.49	-0.49	---	PASS
			30~25000	-0.49	-48.14	<=-20.49	PASS
		2462	Reference	0.99	0.99	---	PASS
			30~25000	0.99	-46.7	<=-19.01	PASS
11G	Ant1	2412	Reference	-0.13	-0.13	---	PASS
			30~25000	-0.13	-49.94	<=-20.13	PASS
		2437	Reference	1.46	1.46	---	PASS
			30~25000	1.46	-50.04	<=-18.54	PASS
		2462	Reference	2.21	2.21	---	PASS
			30~25000	2.21	-50.1	<=-17.79	PASS

Test Report No.: FCC2021-0010RF
Page 112 of 123


11N20SISO	Ant1	2412	Reference	-0.24	-0.24	---	PASS
			30~25000	-0.24	-50.59	<= -20.24	PASS
		2437	Reference	1.43	1.43	---	PASS
			30~25000	1.43	-49.48	<= -18.57	PASS
		2462	Reference	2.64	2.64	---	PASS
			30~25000	2.64	-50.39	<= -17.36	PASS
11N40SISO	Ant1	2422	Reference	-3.76	-3.76	---	PASS
			30~25000	-3.76	-50.35	<= -23.76	PASS
		2437	Reference	-3.39	-3.39	---	PASS
			30~25000	-3.39	-50.53	<= -23.39	PASS
		2452	Reference	-3.27	-3.27	---	PASS
			30~25000	-3.27	-49.61	<= -23.27	PASS

Test Graphs




Test Report No.: FCC2021-0010RF


Page 113 of 123



11B_Ant1_2437_30~25000




11B_Ant1_2462_0~Reference




Test Report No.: FCC2021-0010RF

Page 114 of 123

11B_Ant1_2462_30~25000

Date: 25.MAY.2021 04:17:03




11G_Ant1_2412_0~Reference

Date: 25.MAY.2021 04:33:13

11G_Ant1_2412_30~25000



Test Report No.: FCC2021-0010RF

Page 115 of 123






Test Report No.: FCC2021-0010RF

Page 116 of 123

11G_Ant1_2462_0~Reference**11G_Ant1_2462_30~25000****11N20SISO_Ant1_2412_0~Reference**

Test Report No.: FCC2021-0010RF


Page 117 of 123

**11N20SISO_Ant1_2412_30~25000****11N20SISO_Ant1_2437_0~Reference**


Test Report No.: FCC2021-0010RF

Page 118 of 123

11N20SISO_Ant1_2437_30~25000






11N20SISO_Ant1_2462_0~Reference



11N20SISO_Ant1_2462_30~25000

Test Report No.: FCC2021-0010RF


Page 119 of 123

**11N40SISO_Ant1_2422_0~Reference****11N40SISO_Ant1_2422_30~25000**


Test Report No.: FCC2021-0010RF

Page 120 of 123

11N40SISO_Ant1_2437_0~Reference





11N40SISO_Ant1_2437_30~25000



11N40SISO_Ant1_2452_0~Reference

Test Report No.: FCC2021-0010RF

Page 121 of 123

**11N40SISO_Ant1_2452_30~25000**



Appendix B

Conducted Emission Test					
Equipment	Manufacturer	Model No.	Serial Number	Cal. Due	Used
EMI Test Receiver	Rohde&Schwarz	ESR3	102694	2022-05-19	<input checked="" type="checkbox"/>
LISN	Rohde&Schwarz	ENV216	102569	2022-05-21	<input checked="" type="checkbox"/>
LISN	SCHWARZBECK	NSLK 8129	5021	2022-05-21	<input type="checkbox"/>
ISN	Rohde&Schwarz	ENV 81	100401	2022-05-19	<input type="checkbox"/>
ISN	Rohde&Schwarz	ENV 81 Cat6	101896	2022-05-19	<input type="checkbox"/>
Plus Limiter	Rohde&Schwarz	ESH3-Z2	102824	2022-05-19	<input checked="" type="checkbox"/>
Plus Limiter	AEROFLEX	37-10-34	CF3049	2021-11-08	<input type="checkbox"/>
Impedance Stabilization Network	Rohde&Schwarz	MATCHING	/	2021-12-11	<input type="checkbox"/>
Digital signal generator	TELEVIEW	DTV800	/	2022-05-19	<input type="checkbox"/>
AudioSignalGenerator	GW	GAG-810	EK871591	2021-12-11	<input type="checkbox"/>
Shielding Room(#1)	MORI	854	/	2023-05-19	<input checked="" type="checkbox"/>

Radiated Emission Test - 3M Chamber					
Equipment	Manufacturer	Model No.	Serial Number	Cal. Due	Used
EMI Test Receiver	Rohde&Schwarz	ESR 26	101718	2022.5.19	<input checked="" type="checkbox"/>
Loop antenna	Rohde&Schwarz	HFH2-Z2E	100951	2022.5.16	<input checked="" type="checkbox"/>
Rod antenna	Rohde&Schwarz	HFH2-Z6E	101268	2022.5.24	<input checked="" type="checkbox"/>
Double cone antenna	Rohde&Schwarz	HK116E	10359	2022.5.24	<input checked="" type="checkbox"/>
Log periodic antenna	Rohde&Schwarz	HL223	100936	2022.5.24	<input checked="" type="checkbox"/>
antenna(30MHz~1000MHz)	SCHWARZBECK	VULB 9168	1132	2022.5.16	<input checked="" type="checkbox"/>
Horn antenna(1GHz-6GHz)	SCHWARZBECK	BBHA 9120E	947	2022.5.19	<input checked="" type="checkbox"/>
Horn antenna(1GHz-18GHz)	ETS	3117	227634	2022.1.14	<input checked="" type="checkbox"/>
Horn antenna(18GHz-40GHz)	SCHWARZBECK	BBHA 9170	1003	2022.5.16	<input checked="" type="checkbox"/>
3m anechoic chamber	MORI	966	N/A	2023.5.19	<input checked="" type="checkbox"/>
10m anechoic chamber	Albatross	P25904	P25904	2024.06.30	<input checked="" type="checkbox"/>
LISN (single-phase)	Rohde&Schwarz	ESH3-Z6	102152/102156	2022.5.21	<input checked="" type="checkbox"/>
Preamplifier	Rohde&Schwarz	SCU-01F	100298	2022.5.19	<input checked="" type="checkbox"/>
Preamplifier	Rohde&Schwarz	SCU-18F	100799	2022.5.19	<input checked="" type="checkbox"/>

Antenna Port Conducted Test					
Equipment	Manufacturer	Model No.	Serial Number	Cal. Due	Used
Signal&Spectrum Analyzer	Rohde&Schwarz	FSV 40	101898	2022.5.19	<input checked="" type="checkbox"/>
Wideband radio communication tester	Rohde&Schwarz	CMW 500	168778	2022.5.19	<input type="checkbox"/>
Automatic control unit(RSE)	Rohde&Schwarz	OSP220	101742	2022.5.19	<input type="checkbox"/>
Filter group(RSE-BT/WiFi)	Rohde&Schwarz	WiFi /BT Variant 1	100820	2022.5.19	<input checked="" type="checkbox"/>
Filter group(RSE-Cellular)	Rohde&Schwarz	Cellular Variant 1	100768	2022.5.19	<input checked="" type="checkbox"/>
Signal&Spectrum Analyzer	Rohde&Schwarz	FSVA 3044	101013	2022.5.19	<input checked="" type="checkbox"/>
signal Generator(100kHz~40GHz)	Rohde&Schwarz	SMB 100A	CS0300015	2022.5.19	<input type="checkbox"/>
signal Generator(100kHz~12.75GHz)	Rohde&Schwarz	SMB 100A	CS0300016	2022.5.19	<input type="checkbox"/>



Important

- (1) The test report is valid with the official seal of the laboratory and the signatures of Test engineer, Author and Reviewer simultaneously.
- (2) The test report is invalid if altered.
- (3) Any photocopies or part photocopies in the test report are forbidden without the written permission from the laboratory.
- (4) Objections to the test report must be submitted to the laboratory within 15 days.
- (5) Generally, commission test is responsible for the tested samples only.

Address of the laboratory:

CVC Testing Technology Co., Ltd.

Address: No.3, TiantaiyiRoad, KaitaiAvenue, ScienceCity, Guangzhou, China

Post Code: 510663 Tel: 020-32293888

FAX: 020-32293889 E-mail: office@cvc.org.cn