








Appendix B. AC Conducted Emission Test Results


Test Engineer :	TaoZhang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : C002-SZ
Condition : FCC 15C_QP LISN_2024-L LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.17	34.64	-20.57	55.21	14.37	10.11	10.16	Average
2	0.17	45.27	-19.94	65.21	25.00	10.11	10.16	QP
3	0.24	42.69	-9.31	52.00	22.50	10.04	10.15	Average
4 *	0.24	53.29	-8.71	62.00	33.10	10.04	10.15	QP
5	0.38	37.17	-11.17	48.34	17.00	10.00	10.17	Average
6	0.38	46.17	-12.17	58.34	26.00	10.00	10.17	QP
7	0.54	32.09	-13.91	46.00	11.90	9.98	10.21	Average
8	0.54	40.79	-15.21	56.00	20.60	9.98	10.21	QP
9	0.63	33.70	-12.30	46.00	13.50	9.98	10.22	Average
10	0.63	43.90	-12.10	56.00	23.70	9.98	10.22	QP
11	22.42	31.02	-18.98	50.00	11.00	9.51	10.51	Average
12	22.42	38.02	-21.98	60.00	18.00	9.51	10.51	QP

Test Engineer :	TaoZhang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO02-SZ
Condition : FCC 15C_QP LISN_2024-N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.24	36.97	-14.98	51.95	16.80	10.02	10.15	Average
2	0.24	50.87	-11.08	61.95	30.70	10.02	10.15	QP
3	0.27	36.05	-14.93	50.98	15.90	10.00	10.15	Average
4 *	0.27	50.65	-10.33	60.98	30.50	10.00	10.15	QP
5	0.37	34.14	-14.29	48.43	14.00	9.97	10.17	Average
6	0.37	45.04	-13.39	58.43	24.90	9.97	10.17	QP
7	0.50	30.06	-15.99	46.05	9.90	9.96	10.20	Average
8	0.50	40.36	-15.69	56.05	20.20	9.96	10.20	QP
9	0.61	29.58	-16.42	46.00	9.39	9.97	10.22	Average
10	0.61	37.18	-18.82	56.00	16.99	9.97	10.22	QP
11	22.66	31.44	-18.56	50.00	11.10	9.83	10.51	Average
12	22.66	43.14	-16.86	60.00	22.80	9.83	10.51	QP

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Shunping You	Relative Humidity :	50%
		Temperature :	20-24°C



Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	6	Bluetooth BR_GFSK	00	2402	1DH5	-	-
Mode 2	2400-2483.5	6	Bluetooth BR_GFSK	39	2441	1DH5	-	-
Mode 3	2400-2483.5	6	Bluetooth BR_GFSK	78	2480	1DH5	-	-
Mode 4	2400-2483.5	6	Bluetooth BR_GFSK	78	LF	1DH5	-	-
Mode 29	2400-2483.5	7	Bluetooth BR_GFSK	00	2402	1DH5	-	-
Mode 30	2400-2483.5	7	Bluetooth BR_GFSK	39	2441	1DH5	-	-
Mode 31	2400-2483.5	7	Bluetooth BR_GFSK	78	2480	1DH5	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth BR_GFSK	00	2347.81	43.58	74.00	-30.42	H	PEAK	Pass	Band Edge
1	Bluetooth BR_GFSK	00	4804.00	40.59	74.00	-33.41	H	Peak	Pass	Harmonic
2	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth BR_GFSK	39	7323.00	43.81	74.00	-30.19	H	Peak	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2483.60	49.35	74.00	-24.65	H	PEAK	Pass	Band Edge
3	Bluetooth BR_GFSK	78	7440.00	43.78	74.00	-30.22	V	Peak	Pass	Harmonic
4	Bluetooth BR_GFSK	78	783.69	31.09	46	-14.91	V	Peak	Pass	LF
29	Bluetooth BR_GFSK	00	2312.94	39.07	74.00	-34.93	H	PEAK	Pass	Band Edge
29	Bluetooth BR_GFSK	00	4804.00	39.87	74.00	-34.13	H	Peak	Pass	Harmonic
30	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
30	Bluetooth BR_GFSK	39	7323.00	43.92	74.00	-30.08	H	Peak	Pass	Harmonic
31	Bluetooth BR_GFSK	78	2483.54	44.81	74.00	-29.19	H	PEAK	Pass	Band Edge
31	Bluetooth BR_GFSK	78	7440.00	42.78	74.00	-31.22	V	Peak	Pass	Harmonic



Mode	1																																																																																																													
	Band Edge																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																													
ANT	6																																																																																																													
Pol.	Horizontal					Fundamental																																																																																																								
Peak																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2347.81</td><td>43.58</td><td>74.00</td><td>-30.42</td><td>41.73</td><td>30.69</td><td>4.75</td><td>33.59</td><td>328</td><td>0° PEAK</td></tr><tr><td>2</td><td>2347.81</td><td>18.79</td><td>54.00</td><td>-35.21</td><td>16.94</td><td>30.69</td><td>4.75</td><td>33.59</td><td>328</td><td>0° AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2347.81	43.58	74.00	-30.42	41.73	30.69	4.75	33.59	328	0° PEAK	2	2347.81	18.79	54.00	-35.21	16.94	30.69	4.75	33.59	328	0° AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>104.08</td><td>-----</td><td>-----</td><td>102.21</td><td>30.62</td><td>4.81</td><td>33.56</td><td>328</td><td>0° PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>79.29</td><td>54.00</td><td>25.29</td><td>77.42</td><td>30.62</td><td>4.81</td><td>33.56</td><td>328</td><td>0° AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2402.00	104.08	-----	-----	102.21	30.62	4.81	33.56	328	0° PEAK	2	2402.00	79.29	54.00	25.29	77.42	30.62	4.81	33.56	328	0° AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																					
1	2347.81	43.58	74.00	-30.42	41.73	30.69	4.75	33.59	328	0° PEAK																																																																																																				
2	2347.81	18.79	54.00	-35.21	16.94	30.69	4.75	33.59	328	0° AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																					
1	2402.00	104.08	-----	-----	102.21	30.62	4.81	33.56	328	0° PEAK																																																																																																				
2	2402.00	79.29	54.00	25.29	77.42	30.62	4.81	33.56	328	0° AVERAGE																																																																																																				





Mode	1																																																																																																																						
	Band Edge																																																																																																																						
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																						
ANT	6																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2372.47</td><td>43.40</td><td>74.00</td><td>-30.60</td><td>41.56</td><td>30.64</td><td>4.78</td><td>33.58</td><td>400</td><td>319</td><td>PEAK</td></tr><tr><td>2</td><td>2372.47</td><td>18.61</td><td>54.00</td><td>-35.39</td><td>16.77</td><td>30.64</td><td>4.78</td><td>33.58</td><td>400</td><td>319</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2372.47	43.40	74.00	-30.60	41.56	30.64	4.78	33.58	400	319	PEAK	2	2372.47	18.61	54.00	-35.39	16.77	30.64	4.78	33.58	400	319	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>90.70</td><td>-----</td><td>-----</td><td>88.83</td><td>30.62</td><td>4.81</td><td>33.56</td><td>400</td><td>319</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>65.91</td><td>54.00</td><td>11.91</td><td>64.04</td><td>30.62</td><td>4.81</td><td>33.56</td><td>400</td><td>319</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2402.00	90.70	-----	-----	88.83	30.62	4.81	33.56	400	319	PEAK	2	2402.00	65.91	54.00	11.91	64.04	30.62	4.81	33.56	400	319	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2372.47	43.40	74.00	-30.60	41.56	30.64	4.78	33.58	400	319	PEAK																																																																																																												
2	2372.47	18.61	54.00	-35.39	16.77	30.64	4.78	33.58	400	319	AVERAGE																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2402.00	90.70	-----	-----	88.83	30.62	4.81	33.56	400	319	PEAK																																																																																																												
2	2402.00	65.91	54.00	11.91	64.04	30.62	4.81	33.56	400	319	AVERAGE																																																																																																												





Mode	1																																																																																																																				
	Harmonic																																																																																																																				
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																				
ANT	6																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2024-10-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>40.59</td><td>74.00</td><td>-33.41</td><td>63.84</td><td>34.23</td><td>7.74</td><td>65.22</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>15.80</td><td>54.00</td><td>-38.20</td><td>39.05</td><td>34.23</td><td>7.74</td><td>65.22</td><td>--</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	40.59	74.00	-33.41	63.84	34.23	7.74	65.22	--	--	Peak	2	4804.00	15.80	54.00	-38.20	39.05	34.23	7.74	65.22	--	--	Average	Level (dBuV/m) Date: 2024-10-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>40.37</td><td>74.00</td><td>-33.63</td><td>63.62</td><td>34.23</td><td>7.74</td><td>65.22</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>15.58</td><td>54.00</td><td>-38.42</td><td>38.83</td><td>34.23</td><td>7.74</td><td>65.22</td><td>--</td><td>--</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	40.37	74.00	-33.63	63.62	34.23	7.74	65.22	--	--	Peak	2	4804.00	15.58	54.00	-38.42	38.83	34.23	7.74	65.22	--	--	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	4804.00	40.59	74.00	-33.41	63.84	34.23	7.74	65.22	--	--	Peak																																																																																																										
2	4804.00	15.80	54.00	-38.20	39.05	34.23	7.74	65.22	--	--	Average																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	4804.00	40.37	74.00	-33.63	63.62	34.23	7.74	65.22	--	--	Peak																																																																																																										
2	4804.00	15.58	54.00	-38.42	38.83	34.23	7.74	65.22	--	--	Average																																																																																																										





Mode	2																																																																																																																																																									
	Harmonic																																																																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																																																									
ANT	6																																																																																																																																																									
Pol.	Horizontal					Vertical																																																																																																																																																				
Peak Avg																																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>40.89</td><td>74.00</td><td>-33.11</td><td>64.03</td><td>34.34</td><td>7.77</td><td>65.25</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4882.00</td><td>16.10</td><td>54.00</td><td>-37.90</td><td>39.24</td><td>34.34</td><td>7.77</td><td>65.25</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7323.00</td><td>43.81</td><td>74.00</td><td>-30.19</td><td>64.05</td><td>35.43</td><td>8.97</td><td>64.64</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7323.00</td><td>19.02</td><td>54.00</td><td>-34.98</td><td>39.26</td><td>35.43</td><td>8.97</td><td>64.64</td><td>--</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	40.89	74.00	-33.11	64.03	34.34	7.77	65.25	--	Peak	2	4882.00	16.10	54.00	-37.90	39.24	34.34	7.77	65.25	--	Average	3	7323.00	43.81	74.00	-30.19	64.05	35.43	8.97	64.64	--	Peak	4	7323.00	19.02	54.00	-34.98	39.26	35.43	8.97	64.64	--	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>41.04</td><td>74.00</td><td>-32.96</td><td>64.18</td><td>34.34</td><td>7.77</td><td>65.25</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4882.00</td><td>16.25</td><td>54.00</td><td>-37.75</td><td>39.39</td><td>34.34</td><td>7.77</td><td>65.25</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7323.00</td><td>43.71</td><td>74.00</td><td>-30.29</td><td>63.95</td><td>35.43</td><td>8.97</td><td>64.64</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7323.00</td><td>18.92</td><td>54.00</td><td>-35.08</td><td>39.16</td><td>35.43</td><td>8.97</td><td>64.64</td><td>--</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	41.04	74.00	-32.96	64.18	34.34	7.77	65.25	--	Peak	2	4882.00	16.25	54.00	-37.75	39.39	34.34	7.77	65.25	--	Average	3	7323.00	43.71	74.00	-30.29	63.95	35.43	8.97	64.64	--	Peak	4	7323.00	18.92	54.00	-35.08	39.16	35.43	8.97	64.64	--	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	4882.00	40.89	74.00	-33.11	64.03	34.34	7.77	65.25	--	Peak																																																																																																																																																
2	4882.00	16.10	54.00	-37.90	39.24	34.34	7.77	65.25	--	Average																																																																																																																																																
3	7323.00	43.81	74.00	-30.19	64.05	35.43	8.97	64.64	--	Peak																																																																																																																																																
4	7323.00	19.02	54.00	-34.98	39.26	35.43	8.97	64.64	--	Average																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	4882.00	41.04	74.00	-32.96	64.18	34.34	7.77	65.25	--	Peak																																																																																																																																																
2	4882.00	16.25	54.00	-37.75	39.39	34.34	7.77	65.25	--	Average																																																																																																																																																
3	7323.00	43.71	74.00	-30.29	63.95	35.43	8.97	64.64	--	Peak																																																																																																																																																
4	7323.00	18.92	54.00	-35.08	39.16	35.43	8.97	64.64	--	Average																																																																																																																																																



Mode	3																																																																																																																					
	Band Edge																																																																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																					
ANT	6																																																																																																																					
Pol.	Horizontal						Fundamental																																																																																																															
Peak																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.60</td><td>49.35</td><td>74.00</td><td>-24.65</td><td>47.09</td><td>30.85</td><td>4.92</td><td>33.51</td><td>100</td><td>30</td><td>PEAK</td></tr><tr><td>2</td><td>2483.60</td><td>24.56</td><td>54.00</td><td>-29.44</td><td>22.30</td><td>30.85</td><td>4.92</td><td>33.51</td><td>100</td><td>30</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.60	49.35	74.00	-24.65	47.09	30.85	4.92	33.51	100	30	PEAK	2	2483.60	24.56	54.00	-29.44	22.30	30.85	4.92	33.51	100	30	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.73</td><td>-----</td><td>-----</td><td>101.48</td><td>30.84</td><td>4.92</td><td>33.51</td><td>100</td><td>30</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>78.94</td><td>54.00</td><td>24.94</td><td>76.69</td><td>30.84</td><td>4.92</td><td>33.51</td><td>100</td><td>30</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.73	-----	-----	101.48	30.84	4.92	33.51	100	30	PEAK	2	2480.00	78.94	54.00	24.94	76.69	30.84	4.92	33.51	100	30	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	2483.60	49.35	74.00	-24.65	47.09	30.85	4.92	33.51	100	30	PEAK																																																																																																											
2	2483.60	24.56	54.00	-29.44	22.30	30.85	4.92	33.51	100	30	AVERAGE																																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	2480.00	103.73	-----	-----	101.48	30.84	4.92	33.51	100	30	PEAK																																																																																																											
2	2480.00	78.94	54.00	24.94	76.69	30.84	4.92	33.51	100	30	AVERAGE																																																																																																											



Mode	3																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	6																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.83</td><td>48.31</td><td>74.00</td><td>-25.69</td><td>46.05</td><td>30.85</td><td>4.92</td><td>33.51</td><td>400</td><td>243</td><td>PEAK</td></tr><tr><td>2</td><td>2483.83</td><td>23.52</td><td>54.00</td><td>-30.48</td><td>21.26</td><td>30.85</td><td>4.92</td><td>33.51</td><td>400</td><td>243</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2483.83	48.31	74.00	-25.69	46.05	30.85	4.92	33.51	400	243	PEAK	2	2483.83	23.52	54.00	-30.48	21.26	30.85	4.92	33.51	400	243	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/n</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>104.37</td><td>-----</td><td>102.12</td><td>30.84</td><td>4.92</td><td>33.51</td><td>400</td><td>243</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>79.58</td><td>54.00</td><td>25.58</td><td>77.33</td><td>30.84</td><td>4.92</td><td>33.51</td><td>400</td><td>243</td><td>AVERAGE</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/n	dB	dB	cm	deg		1	2480.00	104.37	-----	102.12	30.84	4.92	33.51	400	243	PEAK	2	2480.00	79.58	54.00	25.58	77.33	30.84	4.92	33.51	400	243	AVERAGE
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	2483.83	48.31	74.00	-25.69	46.05	30.85	4.92	33.51	400	243	PEAK																																																																																																																			
2	2483.83	23.52	54.00	-30.48	21.26	30.85	4.92	33.51	400	243	AVERAGE																																																																																																																			
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/n	dB	dB	cm	deg																																																																																																																					
1	2480.00	104.37	-----	102.12	30.84	4.92	33.51	400	243	PEAK																																																																																																																				
2	2480.00	79.58	54.00	25.58	77.33	30.84	4.92	33.51	400	243	AVERAGE																																																																																																																			



Mode	3																																																																																																																																																									
	Harmonic																																																																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																									
ANT	6																																																																																																																																																									
Pol.	Horizontal					Vertical																																																																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2024-10-29 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.16</td><td>74.00</td><td>-32.84</td><td>64.19</td><td>34.45</td><td>7.81</td><td>65.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>16.37</td><td>54.00</td><td>-37.63</td><td>39.40</td><td>34.45</td><td>7.81</td><td>65.29</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>43.45</td><td>74.00</td><td>-30.55</td><td>63.39</td><td>35.41</td><td>9.19</td><td>64.54</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>18.66</td><td>54.00</td><td>-35.34</td><td>38.60</td><td>35.41</td><td>9.19</td><td>64.54</td><td>--</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.16	74.00	-32.84	64.19	34.45	7.81	65.29	--	Peak	2	4960.00	16.37	54.00	-37.63	39.40	34.45	7.81	65.29	--	Average	3	7440.00	43.45	74.00	-30.55	63.39	35.41	9.19	64.54	--	Peak	4	7440.00	18.66	54.00	-35.34	38.60	35.41	9.19	64.54	--	Average	Level (dBuV/m) Date: 2024-10-29 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>42.13</td><td>74.00</td><td>-31.87</td><td>65.16</td><td>34.45</td><td>7.81</td><td>65.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>17.34</td><td>54.00</td><td>-36.66</td><td>40.37</td><td>34.45</td><td>7.81</td><td>65.29</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>43.78</td><td>74.00</td><td>-30.22</td><td>63.72</td><td>35.41</td><td>9.19</td><td>64.54</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>18.99</td><td>54.00</td><td>-35.01</td><td>38.93</td><td>35.41</td><td>9.19</td><td>64.54</td><td>--</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	42.13	74.00	-31.87	65.16	34.45	7.81	65.29	--	Peak	2	4960.00	17.34	54.00	-36.66	40.37	34.45	7.81	65.29	--	Average	3	7440.00	43.78	74.00	-30.22	63.72	35.41	9.19	64.54	--	Peak	4	7440.00	18.99	54.00	-35.01	38.93	35.41	9.19	64.54	--	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																
	1	4960.00	41.16	74.00	-32.84	64.19	34.45	7.81	65.29	--	Peak																																																																																																																																															
2	4960.00	16.37	54.00	-37.63	39.40	34.45	7.81	65.29	--	Average																																																																																																																																																
3	7440.00	43.45	74.00	-30.55	63.39	35.41	9.19	64.54	--	Peak																																																																																																																																																
4	7440.00	18.66	54.00	-35.34	38.60	35.41	9.19	64.54	--	Average																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	4960.00	42.13	74.00	-31.87	65.16	34.45	7.81	65.29	--	Peak																																																																																																																																																
2	4960.00	17.34	54.00	-36.66	40.37	34.45	7.81	65.29	--	Average																																																																																																																																																
3	7440.00	43.78	74.00	-30.22	63.72	35.41	9.19	64.54	--	Peak																																																																																																																																																
4	7440.00	18.99	54.00	-35.01	38.93	35.41	9.19	64.54	--	Average																																																																																																																																																





Mode	4																																																																																																																																																																																																																																	
	LF																																																																																																																																																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH78_LFMHz																																																																																																																																																																																																																																	
ANT	6																																																																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																																																																											
QPI/ Peak	Level (dBuV/m) Date: 2024-10-30 FCC CLASS-B -6dB						Level (dBuV/m) Date: 2024-10-30 FCC CLASS-B -6dB																																																																																																																																																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>46.49</td><td>20.87</td><td>40.00</td><td>-19.13</td><td>35.56</td><td>19.62</td><td>0.69</td><td>35.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>113.42</td><td>20.88</td><td>43.50</td><td>-22.62</td><td>38.52</td><td>16.00</td><td>1.13</td><td>34.77</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>142.52</td><td>22.81</td><td>43.50</td><td>-20.69</td><td>37.93</td><td>18.35</td><td>1.25</td><td>34.72</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>196.84</td><td>23.34</td><td>43.50</td><td>-20.16</td><td>40.40</td><td>16.17</td><td>1.47</td><td>34.70</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>287.05</td><td>27.91</td><td>46.00</td><td>-18.09</td><td>42.06</td><td>18.72</td><td>1.76</td><td>34.63</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>782.72</td><td>29.63</td><td>46.00</td><td>-16.37</td><td>33.22</td><td>27.75</td><td>3.00</td><td>34.34</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	46.49	20.87	40.00	-19.13	35.56	19.62	0.69	35.00	--	--	Peak	2	113.42	20.88	43.50	-22.62	38.52	16.00	1.13	34.77	--	--	Peak	3	142.52	22.81	43.50	-20.69	37.93	18.35	1.25	34.72	--	--	Peak	4	196.84	23.34	43.50	-20.16	40.40	16.17	1.47	34.70	--	--	Peak	5	287.05	27.91	46.00	-18.09	42.06	18.72	1.76	34.63	--	--	Peak	6	782.72	29.63	46.00	-16.37	33.22	27.75	3.00	34.34	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>33.88</td><td>23.98</td><td>40.00</td><td>-16.02</td><td>39.82</td><td>18.46</td><td>0.57</td><td>34.87</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>141.55</td><td>24.03</td><td>43.50</td><td>-19.47</td><td>39.23</td><td>18.27</td><td>1.25</td><td>34.72</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>198.78</td><td>21.84</td><td>43.50</td><td>-21.66</td><td>39.01</td><td>16.05</td><td>1.48</td><td>34.70</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>270.56</td><td>23.31</td><td>46.00</td><td>-22.69</td><td>38.05</td><td>18.21</td><td>1.71</td><td>34.66</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>376.29</td><td>23.91</td><td>46.00</td><td>-22.09</td><td>35.58</td><td>20.85</td><td>2.03</td><td>34.55</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>783.69</td><td>31.09</td><td>46.00</td><td>-14.91</td><td>34.66</td><td>27.76</td><td>3.00</td><td>34.33</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	33.88	23.98	40.00	-16.02	39.82	18.46	0.57	34.87	--	--	Peak	2	141.55	24.03	43.50	-19.47	39.23	18.27	1.25	34.72	--	--	Peak	3	198.78	21.84	43.50	-21.66	39.01	16.05	1.48	34.70	--	--	Peak	4	270.56	23.31	46.00	-22.69	38.05	18.21	1.71	34.66	--	--	Peak	5	376.29	23.91	46.00	-22.09	35.58	20.85	2.03	34.55	--	--	Peak	6	783.69	31.09	46.00	-14.91	34.66	27.76	3.00	34.33	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																									
1	46.49	20.87	40.00	-19.13	35.56	19.62	0.69	35.00	--	--	Peak																																																																																																																																																																																																																							
2	113.42	20.88	43.50	-22.62	38.52	16.00	1.13	34.77	--	--	Peak																																																																																																																																																																																																																							
3	142.52	22.81	43.50	-20.69	37.93	18.35	1.25	34.72	--	--	Peak																																																																																																																																																																																																																							
4	196.84	23.34	43.50	-20.16	40.40	16.17	1.47	34.70	--	--	Peak																																																																																																																																																																																																																							
5	287.05	27.91	46.00	-18.09	42.06	18.72	1.76	34.63	--	--	Peak																																																																																																																																																																																																																							
6	782.72	29.63	46.00	-16.37	33.22	27.75	3.00	34.34	--	--	Peak																																																																																																																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																									
1	33.88	23.98	40.00	-16.02	39.82	18.46	0.57	34.87	--	--	Peak																																																																																																																																																																																																																							
2	141.55	24.03	43.50	-19.47	39.23	18.27	1.25	34.72	--	--	Peak																																																																																																																																																																																																																							
3	198.78	21.84	43.50	-21.66	39.01	16.05	1.48	34.70	--	--	Peak																																																																																																																																																																																																																							
4	270.56	23.31	46.00	-22.69	38.05	18.21	1.71	34.66	--	--	Peak																																																																																																																																																																																																																							
5	376.29	23.91	46.00	-22.09	35.58	20.85	2.03	34.55	--	--	Peak																																																																																																																																																																																																																							
6	783.69	31.09	46.00	-14.91	34.66	27.76	3.00	34.33	--	--	Peak																																																																																																																																																																																																																							



Mode	29																																																																																																													
	Band Edge																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																													
ANT	7																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	Level (dBuV/m) Date: 2024-11-07 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2312.94</td><td>39.07</td><td>74.00</td><td>-34.93</td><td>42.52</td><td>30.39</td><td>0.00</td><td>33.84</td><td>237</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>2312.94</td><td>14.28</td><td>54.00</td><td>-39.72</td><td>17.73</td><td>30.39</td><td>0.00</td><td>33.84</td><td>237</td><td>0</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2312.94	39.07	74.00	-34.93	42.52	30.39	0.00	33.84	237	0	PEAK	2	2312.94	14.28	54.00	-39.72	17.73	30.39	0.00	33.84	237	0	AVERAGE	Level (dBuV/m) Date: 2024-11-07 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/n</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>98.41</td><td>-----</td><td>-----</td><td>101.65</td><td>30.44</td><td>0.00</td><td>33.68</td><td>237</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>73.62</td><td>54.00</td><td>19.62</td><td>76.86</td><td>30.44</td><td>0.00</td><td>33.68</td><td>237</td><td>0</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/n	dB	dB	cm	deg		1	2402.00	98.41	-----	-----	101.65	30.44	0.00	33.68	237	0	PEAK	2	2402.00	73.62	54.00	19.62	76.86	30.44	0.00	33.68	237	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2312.94	39.07	74.00	-34.93	42.52	30.39	0.00	33.84	237	0	PEAK																																																																																																			
2	2312.94	14.28	54.00	-39.72	17.73	30.39	0.00	33.84	237	0	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/n	dB	dB	cm	deg																																																																																																				
1	2402.00	98.41	-----	-----	101.65	30.44	0.00	33.68	237	0	PEAK																																																																																																			
2	2402.00	73.62	54.00	19.62	76.86	30.44	0.00	33.68	237	0	AVERAGE																																																																																																			





Mode	29																																																																																																																						
	Band Edge																																																																																																																						
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																						
ANT	7																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2321.50</td><td>37.89</td><td>74.00</td><td>-36.11</td><td>41.33</td><td>30.39</td><td>0.00</td><td>33.83</td><td>200</td><td>322 PEAK</td></tr><tr><td>2</td><td>2321.50</td><td>13.10</td><td>54.00</td><td>-40.90</td><td>16.54</td><td>30.39</td><td>0.00</td><td>33.83</td><td>200</td><td>322 AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2321.50	37.89	74.00	-36.11	41.33	30.39	0.00	33.83	200	322 PEAK	2	2321.50	13.10	54.00	-40.90	16.54	30.39	0.00	33.83	200	322 AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>82.72</td><td>-----</td><td>85.96</td><td>30.44</td><td>0.00</td><td>33.68</td><td>200</td><td>322</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>57.93</td><td>54.00</td><td>3.93</td><td>61.17</td><td>30.44</td><td>0.00</td><td>33.68</td><td>200</td><td>322 AVERAGE</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2402.00	82.72	-----	85.96	30.44	0.00	33.68	200	322	PEAK	2	2402.00	57.93	54.00	3.93	61.17	30.44	0.00	33.68	200	322 AVERAGE
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	2321.50	37.89	74.00	-36.11	41.33	30.39	0.00	33.83	200	322 PEAK																																																																																																													
2	2321.50	13.10	54.00	-40.90	16.54	30.39	0.00	33.83	200	322 AVERAGE																																																																																																													
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	2402.00	82.72	-----	85.96	30.44	0.00	33.68	200	322	PEAK																																																																																																													
2	2402.00	57.93	54.00	3.93	61.17	30.44	0.00	33.68	200	322 AVERAGE																																																																																																													



Mode	29																																																																																																																				
	Harmonic																																																																																																																				
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																				
ANT	7																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2024-11-07 PEAK_74 AVG_54 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.87</td><td>74.00</td><td>-34.13</td><td>63.53</td><td>33.82</td><td>7.74</td><td>65.22</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>15.08</td><td>54.00</td><td>-38.92</td><td>38.74</td><td>33.82</td><td>7.74</td><td>65.22</td><td>--</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.87	74.00	-34.13	63.53	33.82	7.74	65.22	--	--	Peak	2	4804.00	15.08	54.00	-38.92	38.74	33.82	7.74	65.22	--	--	Average	Level (dBuV/m) Date: 2024-11-07 PEAK_74 AVG_54 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>38.75</td><td>74.00</td><td>-35.25</td><td>62.41</td><td>33.82</td><td>7.74</td><td>65.22</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>13.96</td><td>54.00</td><td>-40.04</td><td>37.62</td><td>33.82</td><td>7.74</td><td>65.22</td><td>--</td><td>--</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	38.75	74.00	-35.25	62.41	33.82	7.74	65.22	--	--	Peak	2	4804.00	13.96	54.00	-40.04	37.62	33.82	7.74	65.22	--	--	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	4804.00	39.87	74.00	-34.13	63.53	33.82	7.74	65.22	--	--	Peak																																																																																																										
2	4804.00	15.08	54.00	-38.92	38.74	33.82	7.74	65.22	--	--	Average																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	4804.00	38.75	74.00	-35.25	62.41	33.82	7.74	65.22	--	--	Peak																																																																																																										
2	4804.00	13.96	54.00	-40.04	37.62	33.82	7.74	65.22	--	--	Average																																																																																																										



Mode	30																																																																																																																																																										
	Harmonic																																																																																																																																																										
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																																																										
ANT	7																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																				
Peak Avg	 Level (dBuV/m) Date: 2024-11-07 Frequency (MHz) PEAK_74 AVG_54						 Level (dBuV/m) Date: 2024-11-07 Frequency (MHz) PEAK_74 AVG_54																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>42.14</td><td>74.00</td><td>-31.86</td><td>65.77</td><td>33.85</td><td>7.77</td><td>65.25</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4882.00</td><td>17.35</td><td>54.00</td><td>-36.65</td><td>40.98</td><td>33.85</td><td>7.77</td><td>65.25</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7323.00</td><td>43.92</td><td>74.00</td><td>-30.08</td><td>63.29</td><td>36.30</td><td>8.97</td><td>64.64</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7323.00</td><td>19.13</td><td>54.00</td><td>-34.87</td><td>38.50</td><td>36.30</td><td>8.97</td><td>64.64</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	42.14	74.00	-31.86	65.77	33.85	7.77	65.25	--	Peak	2	4882.00	17.35	54.00	-36.65	40.98	33.85	7.77	65.25	--	Average	3	7323.00	43.92	74.00	-30.08	63.29	36.30	8.97	64.64	--	Peak	4	7323.00	19.13	54.00	-34.87	38.50	36.30	8.97	64.64	--	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>40.64</td><td>74.00</td><td>-33.36</td><td>64.27</td><td>33.85</td><td>7.77</td><td>65.25</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4882.00</td><td>15.85</td><td>54.00</td><td>-38.15</td><td>39.48</td><td>33.85</td><td>7.77</td><td>65.25</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7323.00</td><td>42.71</td><td>74.00</td><td>-31.29</td><td>62.08</td><td>36.30</td><td>8.97</td><td>64.64</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7323.00</td><td>17.92</td><td>54.00</td><td>-36.08</td><td>37.29</td><td>36.30</td><td>8.97</td><td>64.64</td><td>--</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	40.64	74.00	-33.36	64.27	33.85	7.77	65.25	--	Peak	2	4882.00	15.85	54.00	-38.15	39.48	33.85	7.77	65.25	--	Average	3	7323.00	42.71	74.00	-31.29	62.08	36.30	8.97	64.64	--	Peak	4	7323.00	17.92	54.00	-36.08	37.29	36.30	8.97	64.64	--	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	4882.00	42.14	74.00	-31.86	65.77	33.85	7.77	65.25	--	Peak																																																																																																																																																	
2	4882.00	17.35	54.00	-36.65	40.98	33.85	7.77	65.25	--	Average																																																																																																																																																	
3	7323.00	43.92	74.00	-30.08	63.29	36.30	8.97	64.64	--	Peak																																																																																																																																																	
4	7323.00	19.13	54.00	-34.87	38.50	36.30	8.97	64.64	--	Average																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																		
1	4882.00	40.64	74.00	-33.36	64.27	33.85	7.77	65.25	--	Peak																																																																																																																																																	
2	4882.00	15.85	54.00	-38.15	39.48	33.85	7.77	65.25	--	Average																																																																																																																																																	
3	7323.00	42.71	74.00	-31.29	62.08	36.30	8.97	64.64	--	Peak																																																																																																																																																	
4	7323.00	17.92	54.00	-36.08	37.29	36.30	8.97	64.64	--	Average																																																																																																																																																	



Mode	31																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																														
ANT	7																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak	Level (dBuV/m) Date: 2024-11-07 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 2441 2452.8 2464.6 2476.4 2488.2 2500 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.54</td><td>44.81</td><td>74.00</td><td>-29.19</td><td>47.85</td><td>30.49</td><td>0.00</td><td>33.53</td><td>236</td><td>0 PEAK</td></tr><tr><td>2</td><td>2483.54</td><td>20.02</td><td>54.00</td><td>-33.98</td><td>23.06</td><td>30.49</td><td>0.00</td><td>33.53</td><td>236</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.54	44.81	74.00	-29.19	47.85	30.49	0.00	33.53	236	0 PEAK	2	2483.54	20.02	54.00	-33.98	23.06	30.49	0.00	33.53	236	0 AVERAGE	Level (dBuV/m) Date: 2024-11-07 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/n</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.00</td><td>-----</td><td>-----</td><td>102.05</td><td>30.49</td><td>0.00</td><td>33.54</td><td>236</td><td>0 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>74.21</td><td>54.00</td><td>20.21</td><td>77.26</td><td>30.49</td><td>0.00</td><td>33.54</td><td>236</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/n	dB	cm	deg	1	2480.00	99.00	-----	-----	102.05	30.49	0.00	33.54	236	0 PEAK	2	2480.00	74.21	54.00	20.21	77.26	30.49	0.00	33.54	236	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																					
1	2483.54	44.81	74.00	-29.19	47.85	30.49	0.00	33.53	236	0 PEAK																																																																																																					
2	2483.54	20.02	54.00	-33.98	23.06	30.49	0.00	33.53	236	0 AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/n	dB	cm	deg																																																																																																						
1	2480.00	99.00	-----	-----	102.05	30.49	0.00	33.54	236	0 PEAK																																																																																																					
2	2480.00	74.21	54.00	20.21	77.26	30.49	0.00	33.54	236	0 AVERAGE																																																																																																					



Mode	31																																																																																																																
	Band Edge																																																																																																																
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																
ANT	7																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak	Level (dBuV/m) Date: 2024-11-07 PEAK_BE_74 Frequency (MHz)						Level (dBuV/m) Date: 2024-11-07 PEAK_74 Frequency (MHz)																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>2483.60</td><td>42.64</td><td>74.00</td><td>-31.36</td><td>45.68</td><td>30.49</td><td>0.00</td><td>33.53</td><td>306</td><td>246</td><td>PEAK</td></tr><tr><td>2</td><td>2483.60</td><td>17.85</td><td>54.00</td><td>-36.15</td><td>20.89</td><td>30.49</td><td>0.00</td><td>33.53</td><td>306</td><td>246</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	2483.60	42.64	74.00	-31.36	45.68	30.49	0.00	33.53	306	246	PEAK	2	2483.60	17.85	54.00	-36.15	20.89	30.49	0.00	33.53	306	246	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>97.85</td><td>-----</td><td>-----</td><td>100.90</td><td>30.49</td><td>0.00</td><td>33.54</td><td>306</td><td>246</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>73.06</td><td>54.00</td><td>19.06</td><td>76.11</td><td>30.49</td><td>0.00</td><td>33.54</td><td>306</td><td>246</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	2480.00	97.85	-----	-----	100.90	30.49	0.00	33.54	306	246	PEAK	2	2480.00	73.06	54.00	19.06	76.11	30.49	0.00	33.54	306	246	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																										
1	2483.60	42.64	74.00	-31.36	45.68	30.49	0.00	33.53	306	246	PEAK																																																																																																						
2	2483.60	17.85	54.00	-36.15	20.89	30.49	0.00	33.53	306	246	AVERAGE																																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																										
1	2480.00	97.85	-----	-----	100.90	30.49	0.00	33.54	306	246	PEAK																																																																																																						
2	2480.00	73.06	54.00	19.06	76.11	30.49	0.00	33.54	306	246	AVERAGE																																																																																																						




Mode	31																																																																																																																																																									
	Harmonic																																																																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																									
ANT	7																																																																																																																																																									
Pol.	Horizontal					Vertical																																																																																																																																																				
Peak Avg	Date: 2024-11-07					Date: 2024-11-07																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.66</td><td>74.00</td><td>-33.34</td><td>64.25</td><td>33.89</td><td>7.81</td><td>65.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>15.87</td><td>54.00</td><td>-38.13</td><td>39.46</td><td>33.89</td><td>7.81</td><td>65.29</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>42.45</td><td>74.00</td><td>-31.55</td><td>61.50</td><td>36.30</td><td>9.19</td><td>64.54</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>17.66</td><td>54.00</td><td>-36.34</td><td>36.71</td><td>36.30</td><td>9.19</td><td>64.54</td><td>--</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4960.00	40.66	74.00	-33.34	64.25	33.89	7.81	65.29	--	Peak	2	4960.00	15.87	54.00	-38.13	39.46	33.89	7.81	65.29	--	Average	3	7440.00	42.45	74.00	-31.55	61.50	36.30	9.19	64.54	--	Peak	4	7440.00	17.66	54.00	-36.34	36.71	36.30	9.19	64.54	--	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.28</td><td>74.00</td><td>-32.72</td><td>64.87</td><td>33.89</td><td>7.81</td><td>65.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>16.49</td><td>54.00</td><td>-37.51</td><td>40.08</td><td>33.89</td><td>7.81</td><td>65.29</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>42.78</td><td>74.00</td><td>-31.22</td><td>61.83</td><td>36.30</td><td>9.19</td><td>64.54</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>17.99</td><td>54.00</td><td>-36.01</td><td>37.04</td><td>36.30</td><td>9.19</td><td>64.54</td><td>--</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4960.00	41.28	74.00	-32.72	64.87	33.89	7.81	65.29	--	Peak	2	4960.00	16.49	54.00	-37.51	40.08	33.89	7.81	65.29	--	Average	3	7440.00	42.78	74.00	-31.22	61.83	36.30	9.19	64.54	--	Peak	4	7440.00	17.99	54.00	-36.01	37.04	36.30	9.19	64.54	--	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																																																
1	4960.00	40.66	74.00	-33.34	64.25	33.89	7.81	65.29	--	Peak																																																																																																																																																
2	4960.00	15.87	54.00	-38.13	39.46	33.89	7.81	65.29	--	Average																																																																																																																																																
3	7440.00	42.45	74.00	-31.55	61.50	36.30	9.19	64.54	--	Peak																																																																																																																																																
4	7440.00	17.66	54.00	-36.34	36.71	36.30	9.19	64.54	--	Average																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																																																	
1	4960.00	41.28	74.00	-32.72	64.87	33.89	7.81	65.29	--	Peak																																																																																																																																																
2	4960.00	16.49	54.00	-37.51	40.08	33.89	7.81	65.29	--	Average																																																																																																																																																
3	7440.00	42.78	74.00	-31.22	61.83	36.30	9.19	64.54	--	Peak																																																																																																																																																
4	7440.00	17.99	54.00	-36.01	37.04	36.30	9.19	64.54	--	Average																																																																																																																																																




Appendix D. Duty Cycle Plots

<Ant.6>

DH5 on time (One Pulse) Plot on Channel 39




DH5 on time (Count Pulses) Plot on Channel 39

**Note:**


1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.

<Ant.7>

DH5 on time (One Pulse) Plot on Channel 39



DH5 on time (Count Pulses) Plot on Channel 39



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.