

10.4 Conducted Power of NR Antenna (Ant3)

N2 DSI0				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				374000	376000	378000	
				1870	1880	1890	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	24.31	24.10	24.37	24.50
		1	108	24.32	24.06	24.33	24.50
		1	214	24.42	24.12	24.28	24.50
		108	0	23.87	23.94	23.89	24.00
		108	54	24.46	24.37	24.35	24.50
		108	108	23.78	23.87	23.86	24.00
		216	0	23.92	23.90	23.77	24.00
	DFT-s-OFDM QPSK	1	1	24.35	24.17	24.43	24.50
		1	108	24.32	24.13	24.41	24.50
		1	214	24.41	24.22	24.38	24.50
		108	0	23.38	23.41	23.45	23.50
		108	54	24.43	24.39	24.38	24.50
		108	108	23.29	23.37	23.34	23.50
		216	0	23.39	23.38	23.31	23.50
	DFT-s-OFDM 16QAM	1	1	23.31	23.38	23.43	23.50
	DFT-s-OFDM 64QAM	1	1	21.87	21.84	21.91	22.00
	DFT-s-OFDM 256QAM	1	1	19.71	19.78	19.71	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				374000	376000	378000	
40MHz	CP-OFDM QPSK	1	1	22.95	22.83	22.88	23.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				373000	376000	379000	
30MHz	DFT-s-OFDM QPSK	1	1	24.36	24.14	24.38	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372500	376000	379500	
25MHz	DFT-s-OFDM QPSK	1	1	24.28	24.14	24.38	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
20MHz	DFT-s-OFDM QPSK	1	1	24.27	24.11	24.34	24.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 489 of 716

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371500	376000	380500	
15MHz	DFT-s-OFDM QPSK	1	1	24.34	24.18	24.33	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371000	376000	381000	
10MHz	DFT-s-OFDM QPSK	1	1	24.31	24.08	24.44	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				370500	376000	381500	
5MHz	DFT-s-OFDM QPSK	1	1	24.27	24.20	24.35	24.50

N2 DSI3				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				374000	376000	378000	
				1870	1880	1890	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	16.38	16.02	16.29	16.50
		1	108	16.31	16.07	16.27	16.50
		1	214	16.36	16.05	16.26	16.50
		108	0	15.81	15.93	15.88	16.00
		108	54	16.42	16.44	16.43	16.50
		108	108	15.84	15.94	15.93	16.00
		216	0	15.94	15.92	15.70	16.00
	DFT-s-OFDM QPSK	1	1	16.40	16.25	16.47	16.50
		1	108	16.38	16.05	16.36	16.50
		1	214	16.34	16.18	16.43	16.50
		108	0	15.45	15.46	15.35	15.50
		108	54	16.38	16.40	16.36	16.50
		108	108	15.30	15.37	15.28	15.50
		216	0	15.36	15.43	15.37	15.50
	DFT-s-OFDM 16QAM	1	1	15.27	15.44	15.42	15.50
	DFT-s-OFDM 64QAM	1	1	13.85	13.83	13.90	14.00
	DFT-s-OFDM 256QAM	1	1	11.71	11.71	11.72	12.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				374000	376000	378000	
40MHz	CP-OFDM QPSK	1	1	14.89	14.81	14.93	15.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 490 of 716

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				373000	376000	379000	
30MHz	DFT-s-OFDM QPSK	1	1	16.37	16.10	16.41	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372500	376000	379500	
25MHz	DFT-s-OFDM QPSK	1	1	16.34	16.15	16.43	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
20MHz	DFT-s-OFDM QPSK	1	1	16.35	16.07	16.42	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371500	376000	380500	
15MHz	DFT-s-OFDM QPSK	1	1	16.37	16.14	16.28	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371000	376000	381000	
10MHz	DFT-s-OFDM QPSK	1	1	16.35	16.06	16.50	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				370500	376000	381500	
5MHz	DFT-s-OFDM QPSK	1	1	16.25	16.16	16.29	16.50

N2 DSI4				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				374000	376000	378000	
				1870	1880	1890	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	21.37	21.17	21.45	21.50
		1	108	21.29	21.14	21.30	21.50
		1	214	21.45	21.14	21.33	21.50
		108	0	20.93	20.89	20.95	21.00
		108	54	21.47	21.41	21.28	21.50
		108	108	20.81	20.80	20.83	21.00
		216	0	20.95	20.95	20.76	21.00
	DFT-s-OFDM QPSK	1	1	21.36	21.19	21.42	21.50
		1	108	21.37	21.11	21.41	21.50
		1	214	21.46	21.30	21.43	21.50
		108	0	20.46	20.45	20.42	20.50
		108	54	21.45	21.47	21.39	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 491 of 716

		108	108	20.35	20.31	20.31	20.50
		216	0	20.47	20.44	20.24	20.50
	DFT-s-OFDM 16QAM	1	1	20.31	20.32	20.48	20.50
	DFT-s-OFDM 64QAM	1	1	18.83	18.79	18.96	19.00
	DFT-s-OFDM 256QAM	1	1	16.74	16.86	16.79	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				374000	376000	378000	
40MHz	CP-OFDM QPSK	1	1	19.92	19.90	19.84	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				373000	376000	379000	
30MHz	DFT-s-OFDM QPSK	1	1	21.43	21.08	21.43	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372500	376000	379500	
25MHz	DFT-s-OFDM QPSK	1	1	21.35	21.12	21.38	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
20MHz	DFT-s-OFDM QPSK	1	1	21.27	21.16	21.37	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371500	376000	380500	
15MHz	DFT-s-OFDM QPSK	1	1	21.41	21.18	21.41	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371000	376000	381000	
10MHz	DFT-s-OFDM QPSK	1	1	21.29	21.14	21.43	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				370500	376000	381500	
5MHz	DFT-s-OFDM QPSK	1	1	21.24	21.12	21.27	21.50

N7 DSI0				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				504000	507000	510000	
				2520	2535	2550	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	24.09	24.26	24.36	24.50
		1	108	24.18	24.31	24.32	24.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 492 of 716

		1	214	24.18	24.15	24.06	24.50
		108	0	23.85	23.87	23.89	24.00
		108	54	24.38	24.43	24.41	24.50
		108	108	23.83	23.89	23.86	24.00
		216	0	23.82	23.85	23.79	24.00
	DFT-s-OFDM QPSK	1	1	24.16	24.34	24.38	24.50
		1	108	24.24	24.38	24.35	24.50
		1	214	24.21	24.20	24.12	24.50
		108	0	23.34	23.41	23.35	23.50
		108	54	24.35	24.41	24.39	24.50
		108	108	23.30	23.37	23.34	23.50
		216	0	23.28	23.32	23.29	23.50
	DFT-s-OFDM 16QAM	1	1	23.07	23.08	23.09	23.50
	DFT-s-OFDM 64QAM	1	1	21.76	21.71	21.79	22.00
	DFT-s-OFDM 256QAM	1	1	19.91	19.86	19.90	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				504000	507000	510000	
40MHz	CP-OFDM QPSK	1	1	22.72	22.77	22.80	23.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				503000	507000	511000	
30MHz	DFT-s-OFDM QPSK	1	1	24.17	24.31	24.29	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				502500	507000	511500	
25MHz	DFT-s-OFDM QPSK	1	1	24.11	24.28	24.34	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				502000	507000	512000	
20MHz	DFT-s-OFDM QPSK	1	1	24.10	24.28	24.28	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501500	507000	512500	
15MHz	DFT-s-OFDM QPSK	1	1	24.19	24.29	24.36	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501000	507000	513000	
10MHz	DFT-s-OFDM QPSK	1	1	24.13	24.31	24.32	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doocheek@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 493 of 716

				500500	507000	513500	
5MHz	DFT-s-OFDM QPSK	1	1	24.19	24.36	24.34	24.50

N7 DSI3				Conducted Power(dBm)				
SCS 15kHz								
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				504000	507000	510000		
				2520	2535	2550		
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	17.13	17.20	17.28	17.50	
		1	108	17.12	17.24	17.25	17.50	
		1	214	17.11	17.09	17.14	17.50	
		108	0	16.81	16.79	16.91	17.00	
		108	54	17.31	17.37	17.34	17.50	
		108	108	16.78	16.94	16.86	17.00	
		216	0	16.76	16.89	16.83	17.00	
	DFT-s-OFDM QPSK	1	1	17.23	17.32	17.44	17.50	
		1	108	17.31	17.30	17.40	17.50	
		1	214	17.20	17.18	17.04	17.50	
		108	0	16.26	16.37	16.38	16.50	
		108	54	17.37	17.44	17.34	17.50	
		108	108	16.27	16.35	16.32	16.50	
		216	0	16.34	16.38	16.37	16.50	
	DFT-s-OFDM 16QAM	1	1	16.12	16.01	16.09	16.50	
	DFT-s-OFDM 64QAM	1	1	14.84	14.67	14.85	15.00	
	DFT-s-OFDM 256QAM	1	1	12.96	12.82	12.95	13.00	
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
					504000	507000	510000	
40MHz	CP-OFDM QPSK	1	1	15.79	15.74	15.78	16.00	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				503000	507000	511000		
30MHz	DFT-s-OFDM QPSK	1	1	17.15	17.36	17.26	17.50	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				502500	507000	511500		
25MHz	DFT-s-OFDM QPSK	1	1	17.12	17.23	17.33	17.50	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 494 of 716

				502000	507000	512000	
20MHz	DFT-s-OFDM QPSK	1	1	17.05	17.27	17.32	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501500	507000	512500	
15MHz	DFT-s-OFDM QPSK	1	1	17.22	17.21	17.30	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501000	507000	513000	
10MHz	DFT-s-OFDM QPSK	1	1	17.07	17.38	17.28	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				500500	507000	513500	
5MHz	DFT-s-OFDM QPSK	1	1	17.12	17.32	17.34	17.50

N7 DSI4				Conducted Power(dBm)				
SCS 15kHz								
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				504000	507000	510000		
				2520	2535	2550		
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	18.63	18.75	18.88	19.00	
		1	108	18.76	18.78	18.89	19.00	
		1	214	18.63	18.65	18.51	19.00	
		108	0	18.34	18.34	18.45	18.50	
		108	54	18.90	18.90	18.88	19.00	
		108	108	18.36	18.43	18.37	18.50	
		216	0	18.40	18.38	18.36	18.50	
	DFT-s-OFDM QPSK	1	1	18.62	18.83	18.89	19.00	
		1	108	18.66	18.82	18.88	19.00	
		1	214	18.64	18.75	18.67	19.00	
		108	0	17.82	17.95	17.79	18.00	
		108	54	18.82	18.91	18.83	19.00	
		108	108	17.76	17.95	17.85	18.00	
		216	0	17.79	17.80	17.77	18.00	
	DFT-s-OFDM 16QAM	1	1	17.58	17.52	17.56	18.00	
	DFT-s-OFDM 64QAM	1	1	16.28	16.26	16.34	16.50	
	DFT-s-OFDM 256QAM	1	1	14.39	14.31	14.36	14.50	
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 495 of 716

				504000	507000	510000	
40MHz	CP-OFDM QPSK	1	1	17.27	17.22	17.30	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				503000	507000	511000	
30MHz	DFT-s-OFDM QPSK	1	1	18.75	18.85	18.86	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				502500	507000	511500	
25MHz	DFT-s-OFDM QPSK	1	1	18.63	18.70	18.91	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				502000	507000	512000	
20MHz	DFT-s-OFDM QPSK	1	1	18.65	18.78	18.86	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501500	507000	512500	
15MHz	DFT-s-OFDM QPSK	1	1	18.74	18.77	18.94	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501000	507000	513000	
10MHz	DFT-s-OFDM QPSK	1	1	18.65	18.85	18.77	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				500500	507000	513500	
5MHz	DFT-s-OFDM QPSK	1	1	18.76	18.88	18.84	19.00

N25 DSI0				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				374000	376500	379000	
				1870	1882.5	1895	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	24.40	24.32	24.35	24.50
		1	108	24.35	24.34	24.39	24.50
		1	214	24.33	24.44	24.32	24.50
		108	0	23.88	23.96	23.80	24.00
		108	54	24.32	24.39	24.41	24.50
		108	108	23.87	23.96	23.94	24.00
		216	0	23.90	23.97	24.00	24.00
	DFT-s-OFDM QPSK	1	1	24.42	24.37	24.41	24.50
		1	108	24.39	24.42	24.41	24.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 496 of 716

		1	214	24.41	24.43	24.38	24.50
		108	0	23.40	23.43	23.35	23.50
		108	54	24.43	24.47	24.44	24.50
		108	108	23.40	23.41	23.39	23.50
		216	0	23.37	23.43	23.48	23.50
	DFT-s-OFDM 16QAM	1	1	23.42	23.41	23.42	23.50
	DFT-s-OFDM 64QAM	1	1	21.90	21.95	21.96	22.00
	DFT-s-OFDM 256QAM	1	1	19.89	19.92	19.98	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				374000	376500	379000	
40MHz	CP-OFDM QPSK	1	1	22.98	22.93	22.88	23.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				373000	376500	380000	
30MHz	DFT-s-OFDM QPSK	1	1	24.40	24.35	24.39	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372500	376500	380500	
25MHz	DFT-s-OFDM QPSK	1	1	24.36	24.39	24.41	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376500	381000	
20MHz	DFT-s-OFDM QPSK	1	1	24.29	24.34	24.31	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371500	376500	381500	
15MHz	DFT-s-OFDM QPSK	1	1	24.29	24.37	24.37	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371000	376500	382000	
10MHz	DFT-s-OFDM QPSK	1	1	24.37	24.37	24.33	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				370500	376500	382500	
5MHz	DFT-s-OFDM QPSK	1	1	24.38	24.43	24.43	24.50



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 497 of 716

N25 DSI3				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				374000	376500	379000	
				1870	1882.5	1895	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	16.34	16.36	16.40	16.50
		1	108	16.29	16.20	16.26	16.50
		1	214	16.25	16.30	16.26	16.50
		108	0	15.81	15.86	15.77	16.00
		108	54	16.27	16.21	16.23	16.50
		108	108	15.75	15.93	15.89	16.00
		216	0	15.75	15.88	15.90	16.00
	DFT-s-OFDM QPSK	1	1	16.34	16.39	16.39	16.50
		1	108	16.30	16.31	16.27	16.50
		1	214	16.32	16.33	16.28	16.50
		108	0	15.34	15.40	15.21	15.50
		108	54	16.40	16.44	16.26	16.50
		108	108	15.36	15.33	15.29	15.50
		216	0	15.28	15.38	15.35	15.50
	DFT-s-OFDM 16QAM	1	1	15.34	15.30	15.28	15.50
	DFT-s-OFDM 64QAM	1	1	13.84	13.83	13.80	14.00
	DFT-s-OFDM 256QAM	1	1	11.76	11.75	11.78	12.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				374000	376500	379000	
40MHz	CP-OFDM QPSK	1	1	14.90	14.97	14.96	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				373000	376500	380000	
30MHz	DFT-s-OFDM QPSK	1	1	16.33	16.34	16.39	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372500	376500	380500	
25MHz	DFT-s-OFDM QPSK	1	1	16.40	16.34	16.47	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376500	381000	
20MHz	DFT-s-OFDM QPSK	1	1	16.33	16.42	16.30	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 498 of 716

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371500	376500	381500	
15MHz	DFT-s-OFDM QPSK	1	1	16.33	16.30	16.32	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371000	376500	382000	
10MHz	DFT-s-OFDM QPSK	1	1	16.32	16.41	16.41	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				370500	376500	382500	
5MHz	DFT-s-OFDM QPSK	1	1	16.43	16.45	16.42	16.50

N25 DSI4				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				374000	376500	379000	
				1870	1882.5	1895	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	21.32	21.28	21.19	21.50
		1	108	21.29	21.21	21.24	21.50
		1	214	21.16	21.32	21.27	21.50
		108	0	20.74	20.92	20.66	21.00
		108	54	21.26	21.26	21.38	21.50
		108	108	20.84	20.84	20.86	21.00
		216	0	20.78	20.90	20.98	21.00
	DFT-s-OFDM QPSK	1	1	21.32	21.27	21.34	21.50
		1	108	21.21	21.36	21.33	21.50
		1	214	21.34	21.40	21.29	21.50
		108	0	20.29	20.36	20.22	20.50
		108	54	21.36	21.30	21.32	21.50
		108	108	20.28	20.36	20.21	20.50
		216	0	20.19	20.27	20.41	20.50
	DFT-s-OFDM 16QAM	1	1	20.25	20.32	20.30	20.50
	DFT-s-OFDM 64QAM	1	1	18.88	18.90	18.89	19.00
	DFT-s-OFDM 256QAM	1	1	16.79	16.79	16.86	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				374000	376500	379000	
40MHz	CP-OFDM QPSK	1	1	19.93	19.92	19.87	20.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 499 of 716

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				373000	376500	380000	
30MHz	DFT-s-OFDM QPSK	1	1	21.45	21.39	21.40	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372500	376500	380500	
25MHz	DFT-s-OFDM QPSK	1	1	21.29	21.37	21.36	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376500	381000	
20MHz	DFT-s-OFDM QPSK	1	1	21.22	21.27	21.27	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371500	376500	381500	
15MHz	DFT-s-OFDM QPSK	1	1	21.21	21.40	21.33	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371000	376500	382000	
10MHz	DFT-s-OFDM QPSK	1	1	21.30	21.33	21.25	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				370500	376500	382500	
5MHz	DFT-s-OFDM QPSK	1	1	21.43	21.50	21.40	21.50

N30 DSI0				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	462000	/	
				/	2310	/	
10MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	24.43	/	24.50
		1	25	/	24.42	/	24.50
		1	50	/	24.40	/	24.50
		25	0	/	23.93	/	24.00
		25	14	/	24.25	/	24.50
		25	28	/	23.88	/	24.00
		50	0	/	23.84	/	24.00
	DFT-s-OFDM QPSK	1	1	/	24.42	/	24.50
		1	25	/	24.45	/	24.50
		1	50	/	24.43	/	24.50
		25	0	/	23.41	/	23.50
		25	14	/	24.36	/	24.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doocheek@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 500 of 716

		25	28	/	23.35	/	23.50
		50	0	/	23.32	/	23.50
	DFT-s-OFDM 16QAM	1	1	/	23.36	/	23.50
	DFT-s-OFDM 64QAM	1	1	/	21.89	/	22.00
	DFT-s-OFDM 256QAM	1	1	/	19.88	/	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	462000	/	
10MHz	CP-OFDM QPSK	1	1	/	22.89	/	23.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				461500	462000	462500	
5MHz	DFT-s-OFDM QPSK	1	1	24.39	24.29	24.33	24.50

N30 DS13				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	462000	/	
				/	2310	/	
10MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	16.75	/	17.00
		1	25	/	16.90	/	17.00
		1	50	/	16.76	/	17.00
		25	0	/	16.29	/	16.50
		25	14	/	16.61	/	17.00
		25	28	/	16.22	/	16.50
		50	0	/	16.31	/	16.50
	DFT-s-OFDM QPSK	1	1	/	16.89	/	17.00
		1	25	/	16.88	/	17.00
		1	50	/	16.88	/	17.00
		25	0	/	15.76	/	16.00
		25	14	/	16.80	/	17.00
		25	28	/	15.74	/	16.00
		50	0	/	15.68	/	16.00
	DFT-s-OFDM 16QAM	1	1	/	15.72	/	16.00
	DFT-s-OFDM 64QAM	1	1	/	14.28	/	14.50
	DFT-s-OFDM 256QAM	1	1	/	12.26	/	12.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 501 of 716

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	462000	/	
10MHz	CP-OFDM QPSK	1	1	/	15.37	/	15.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				461500	462000	462500	
5MHz	DFT-s-OFDM QPSK	1	1	16.87	16.76	16.68	17.00

N30 DSI4				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	462000	/	
				/	2310	/	
10MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	20.30	/	20.50
		1	25	/	20.34	/	20.50
		1	50	/	20.29	/	20.50
		25	0	/	19.77	/	20.00
		25	14	/	20.17	/	20.50
		25	28	/	19.72	/	20.00
		50	0	/	19.75	/	20.00
	DFT-s-OFDM QPSK	1	1	/	20.37	/	20.50
		1	25	/	20.30	/	20.50
		1	50	/	20.29	/	20.50
		25	0	/	19.35	/	19.50
		25	14	/	20.23	/	20.50
		25	28	/	19.27	/	19.50
		50	0	/	19.16	/	19.50
	DFT-s-OFDM 16QAM	1	1	/	19.31	/	19.50
	DFT-s-OFDM 64QAM	1	1	/	17.75	/	18.00
	DFT-s-OFDM 256QAM	1	1	/	15.86	/	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	462000	/	
10MHz	CP-OFDM QPSK	1	1	/	18.75	/	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				461500	462000	462500	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doocheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 502 of 716

5MHz	DFT-s-OFDM QPSK	1	1	24.24	20.22	24.27	20.50
------	-----------------	---	---	-------	-------	-------	-------

N38 DSI0				Conducted Power(dBm)			
SCS 30kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
				2590	2595	2600	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	24.39	24.32	24.41	24.50
		1	53	24.33	24.21	24.23	24.50
		1	104	24.26	24.24	24.17	24.50
		50	0	23.94	23.89	23.83	24.00
		50	28	24.40	24.42	24.29	24.50
		50	56	23.93	23.92	23.90	24.00
		100	0	23.87	23.98	23.89	24.00
	DFT-s-OFDM QPSK	1	1	24.45	24.42	24.38	24.50
		1	53	24.33	24.26	24.25	24.50
		1	104	24.26	24.25	24.26	24.50
		50	0	23.49	23.42	23.36	23.50
		50	28	24.46	24.45	24.37	24.50
		50	56	23.43	23.37	23.37	23.50
		100	0	23.39	23.45	23.43	23.50
	DFT-s-OFDM 16QAM	1	1	23.45	23.42	23.41	23.50
	DFT-s-OFDM 64QAM	1	1	21.82	21.89	21.94	22.00
	DFT-s-OFDM 256QAM	1	1	19.97	19.95	19.85	20.00
Bandwidth	Modulation	RB size	RB offset	518000	519000	520000	Tune up
				2590	2595	2600	
40MHz	CP-OFDM QPSK	1	1	22.85	22.94	22.86	23.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				517000	519000	521000	
30MHz	DFT-s-OFDM QPSK	1	1	24.26	24.26	24.24	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				516000	519000	522000	
20MHz	DFT-s-OFDM QPSK	1	1	24.30	24.27	24.25	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515500	519000	522500	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 503 of 716

15MHz	DFT-s-OFDM QPSK	1	1	24.36	24.17	24.19	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515000	519000	523000	
10MHz	DFT-s-OFDM QPSK	1	1	24.29	24.18	24.22	24.50

N38 DSI3				Conducted Power(dBm)			
SCS 30kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
				2590	2595	2600	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	16.73	16.78	16.77	17.00
		1	53	16.65	16.56	16.68	17.00
		1	104	16.67	16.60	16.49	17.00
		50	0	16.42	16.26	16.28	16.50
		50	28	16.82	16.79	16.73	17.00
		50	56	16.28	16.34	16.37	16.50
		100	0	16.31	16.33	16.29	16.50
	DFT-s-OFDM QPSK	1	1	16.82	16.87	16.72	17.00
		1	53	16.73	16.73	16.63	17.00
		1	104	16.67	16.63	16.58	17.00
		50	0	15.87	15.76	15.74	16.00
		50	28	16.79	16.89	16.78	17.00
		50	56	15.81	15.82	15.81	16.00
		100	0	15.85	15.89	15.81	16.00
	DFT-s-OFDM 16QAM	1	1	15.92	15.83	15.86	16.00
	DFT-s-OFDM 64QAM	1	1	14.28	14.36	14.35	14.50
	DFT-s-OFDM 256QAM	1	1	12.44	12.30	12.26	12.50
Bandwidth	Modulation	RB size	RB offset	518000	519000	520000	Tune up
				2590	2595	2600	
40MHz	CP-OFDM QPSK	1	1	15.40	15.42	15.41	15.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				517000	519000	521000	
30MHz	DFT-s-OFDM QPSK	1	1	16.70	16.79	16.69	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				516000	519000	522000	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 504 of 716

20MHz	DFT-s-OFDM QPSK	1	1	16.86	16.80	16.69	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515500	519000	522500	
15MHz	DFT-s-OFDM QPSK	1	1	16.90	16.59	16.73	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515000	519000	523000	
10MHz	DFT-s-OFDM QPSK	1	1	16.80	16.69	16.71	17.00

N38 DSi4				Conducted Power(dBm)			
SCS 30kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
				2590	2595	2600	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	18.78	18.73	18.77	19.00
		1	53	18.60	18.59	18.72	19.00
		1	104	18.59	18.57	18.57	19.00
		50	0	18.41	18.29	18.36	18.50
		50	28	18.83	18.79	18.80	19.00
		50	56	18.34	18.33	18.44	18.50
		100	0	18.32	18.31	18.35	18.50
	DFT-s-OFDM QPSK	1	1	18.90	18.95	18.79	19.00
		1	53	18.78	18.65	18.57	19.00
		1	104	18.64	18.61	18.58	19.00
		50	0	17.91	17.69	17.75	18.00
		50	28	18.80	18.84	18.76	19.00
		50	56	17.79	17.84	17.79	18.00
		100	0	17.80	17.92	17.75	18.00
	DFT-s-OFDM 16QAM	1	1	17.99	17.80	17.85	18.00
	DFT-s-OFDM 64QAM	1	1	16.36	16.37	16.38	16.50
	DFT-s-OFDM 256QAM	1	1	14.43	14.32	14.30	14.50
	Bandwidth	Modulation	RB size	RB offset	518000	519000	520000
2590					2595	2600	
40MHz	CP-OFDM QPSK	1	1	17.34	17.34	17.49	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				517000	519000	521000	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doocheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 505 of 716

30MHz	DFT-s-OFDM QPSK	1	1	18.75	18.84	18.76	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				516000	519000	522000	
20MHz	DFT-s-OFDM QPSK	1	1	18.82	18.88	18.71	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515500	519000	522500	
15MHz	DFT-s-OFDM QPSK	1	1	18.85	18.59	18.66	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515000	519000	523000	
10MHz	DFT-s-OFDM QPSK	1	1	18.72	18.67	18.79	19.00

N41 PC2 DSI0				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	25.83	25.82	25.77	25.79	25.75	26.00
		1	137	25.74	25.62	25.65	25.71	25.76	26.00
		1	271	25.58	25.71	25.45	25.66	25.25	26.00
		135	0	22.43	22.29	22.26	22.36	22.27	22.50
		135	69	25.69	25.62	25.78	25.79	25.63	26.00
		135	138	22.41	22.17	22.27	22.24	22.20	22.50
		270	0	25.32	25.35	25.31	25.26	25.27	25.50
	DFT-s-OFDM QPSK	1	1	25.84	25.82	25.88	25.85	25.80	26.00
		1	137	25.76	25.72	25.65	25.69	25.76	26.00
		1	271	25.66	25.80	25.44	25.74	25.36	26.00
		135	0	22.45	22.35	22.38	22.35	22.31	22.50
		135	69	25.79	25.62	25.76	25.78	25.71	26.00
		135	138	22.39	22.28	22.32	22.28	22.31	22.50
		270	0	24.78	24.83	24.78	24.75	24.80	25.00
	DFT-s-OFDM 16QAM	1	1	24.80	24.84	24.86	24.88	24.85	25.00
	DFT-s-OFDM 64QAM	1	1	23.39	23.43	23.35	23.28	23.34	23.50
	DFT-s-OFDM 256QAM	1	1	21.41	21.41	21.38	21.44	21.41	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 506 of 716

				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	24.35	24.32	24.39	24.47	24.38	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	25.77	25.60	25.56	25.66	25.65	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	25.68	25.71	25.55	25.66	25.70	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	25.73	25.72	25.60	25.57	25.70	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	25.69	25.69	25.66	25.61	25.68	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	25.76	25.75	25.56	25.68	25.70	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	25.71	25.72	25.57	25.63	25.75	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	25.76	25.69	25.59	25.63	25.79	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	25.79	25.71	25.56	25.63	25.70	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	25.77	25.71	25.58	25.63	25.76	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 507 of 716

10MHz	DFT-s-OFDM QPSK	1	1	25.74	25.70	25.63	25.58	25.72	26.00
-------	-----------------	---	---	-------	-------	-------	-------	-------	-------

N41 PC2 DSI3				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	16.86	16.88	16.72	16.72	16.79	17.00
		1	137	16.72	16.70	16.58	16.72	16.82	17.00
		1	271	16.64	16.77	16.39	16.58	16.21	17.00
		135	0	13.45	13.35	13.24	13.32	13.19	13.50
		135	69	16.61	16.64	16.83	16.81	16.65	17.00
		135	138	13.35	13.14	13.26	13.29	13.14	13.50
		270	0	16.34	16.31	16.24	16.32	16.31	16.50
	DFT-s-OFDM QPSK	1	1	16.89	16.87	16.88	16.83	16.73	17.00
		1	137	16.83	16.73	16.66	16.63	16.83	17.00
		1	271	16.71	16.74	16.46	16.80	16.29	17.00
		135	0	13.39	13.42	13.44	13.38	13.26	13.50
		135	69	16.82	16.65	16.86	16.81	16.74	17.00
		135	138	13.32	13.30	13.27	13.24	13.35	13.50
		270	0	15.78	15.84	15.75	15.68	15.85	16.00
	DFT-s-OFDM 16QAM	1	1	15.72	15.82	15.90	15.95	15.91	16.00
	DFT-s-OFDM 64QAM	1	1	14.41	14.36	14.30	14.32	14.34	14.50
	DFT-s-OFDM 256QAM	1	1	12.44	12.42	12.35	12.47	12.43	12.50
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	15.35	15.39	15.39	15.41	15.40	15.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	16.78	16.66	16.54	16.69	16.62	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	16.74	16.67	16.48	16.67	16.66	17.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 508 of 716

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	16.77	16.64	16.58	16.57	16.75	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	16.61	16.74	16.71	16.59	16.70	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	16.70	16.69	16.48	16.71	16.70	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	16.79	16.74	16.61	16.55	16.78	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	16.83	16.75	16.64	16.71	16.74	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	16.87	16.79	16.60	16.59	16.64	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	16.71	16.66	16.53	16.55	16.77	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	16.67	16.63	16.57	16.61	16.65	17.00



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Technical Services Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 509 of 716

N41 PC3 DSI0				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	24.40	24.33	24.32	24.30	24.23	24.50
		1	137	24.23	24.14	24.12	24.23	24.29	24.50
		1	271	24.06	24.27	23.97	24.16	23.75	24.50
		135	0	23.86	23.88	23.89	23.82	23.80	24.00
		135	69	24.25	24.13	24.18	24.30	24.23	24.50
		135	138	23.92	23.80	23.79	23.74	23.76	24.00
		270	0	23.82	23.87	23.75	23.73	23.87	24.00
	DFT-s-OFDM QPSK	1	1	24.41	24.36	24.41	24.33	24.32	24.50
		1	137	24.24	24.21	24.13	24.20	24.26	24.50
		1	271	24.16	24.30	23.95	24.23	23.84	24.50
		135	0	23.41	23.36	23.36	23.37	23.32	23.50
		135	69	24.32	24.10	24.22	24.33	24.25	24.50
		135	138	23.41	23.28	23.32	23.25	23.29	23.50
		270	0	23.33	23.34	23.23	23.24	23.32	23.50
	DFT-s-OFDM 16QAM	1	1	23.26	23.29	23.33	23.42	23.34	23.50
	DFT-s-OFDM 64QAM	1	1	21.84	21.89	21.83	21.82	21.89	22.00
	DFT-s-OFDM 256QAM	1	1	19.88	19.88	19.88	19.89	19.91	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	22.81	22.84	22.87	23.00	22.87	23.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	24.27	24.22	24.15	24.21	24.22	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	24.19	24.17	24.08	24.13	24.29	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 510 of 716

70MHz	DFT-s-OFDM QPSK	1	1	24.22	24.15	24.11	24.23	24.27	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	24.23	24.17	24.16	24.16	24.29	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	24.25	24.21	24.13	24.17	24.27	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	24.16	24.15	24.13	24.10	24.16	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	24.23	24.21	24.16	24.10	24.17	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	24.15	24.20	24.15	24.23	24.21	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	24.25	24.11	24.03	24.11	24.20	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	24.25	24.13	24.06	24.17	24.16	24.50

N41 PC3 DSI3				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	15.41	15.28	15.40	15.30	15.22	15.50
		1	137	15.27	15.08	15.19	15.30	15.28	15.50
		1	271	15.06	15.20	14.97	15.17	14.79	15.50
		135	0	14.85	14.94	14.94	14.74	14.74	15.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 Shenzhen Branch (SZSAR) Testing Laboratory 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 511 of 716

		135	69	15.25	15.18	15.15	15.29	15.29	15.50
		135	138	14.86	14.84	14.73	14.71	14.73	15.00
		270	0	14.88	14.85	14.79	14.75	14.91	15.00
	DFT-s-OFDM QPSK	1	1	15.42	15.32	15.34	15.35	15.30	15.50
		1	137	15.29	15.23	15.06	15.23	15.19	15.50
		1	271	15.15	15.37	15.02	15.21	14.77	15.50
		135	0	14.33	14.40	14.40	14.35	14.36	14.50
		135	69	15.34	15.16	15.20	15.37	15.19	15.50
		135	138	14.48	14.35	14.33	14.18	14.26	14.50
		270	0	14.35	14.37	14.16	14.30	14.28	14.50
	DFT-s-OFDM 16QAM	1	1	14.25	14.33	14.37	14.42	14.33	14.50
	DFT-s-OFDM 64QAM	1	1	12.77	12.87	12.90	12.85	12.95	13.00
	DFT-s-OFDM 256QAM	1	1	10.85	10.84	10.82	10.96	10.95	11.00
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel
509202					513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	13.76	13.90	13.82	14.04	13.83	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	15.30	15.26	15.17	15.29	15.26	15.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	15.23	15.24	15.00	15.08	15.25	15.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	15.30	15.14	15.07	15.21	15.20	15.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	15.22	15.11	15.22	15.09	15.34	15.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	15.29	15.24	15.12	15.13	15.22	15.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 512 of 716

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	15.21	15.07	15.21	15.02	15.15	15.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	15.20	15.19	15.23	15.09	15.13	15.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	15.22	15.17	15.22	15.30	15.29	15.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	15.26	15.11	15.06	15.04	15.25	15.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	15.25	15.05	15.14	15.15	15.24	15.50

N41 PC3 DSI4				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	17.37	17.33	17.38	17.38	17.15	17.50
		1	137	17.22	17.20	17.14	17.30	17.27	17.50
		1	271	17.02	17.19	16.89	17.19	16.75	17.50
		135	0	16.84	16.84	16.94	16.86	16.88	17.00
		135	69	17.17	17.07	17.18	17.27	17.18	17.50
		135	138	16.99	16.78	16.86	16.67	16.72	17.00
		270	0	16.84	16.83	16.76	16.65	16.84	17.00
	DFT-s-OFDM QPSK	1	1	17.41	17.36	17.37	17.40	17.25	17.50
		1	137	17.16	17.18	17.07	17.21	17.34	17.50
		1	271	17.23	17.37	16.94	17.25	16.81	17.50
		135	0	16.36	16.39	16.44	16.30	16.30	16.50
		135	69	17.30	17.15	17.16	17.35	17.33	17.50
		135	138	16.37	16.23	16.28	16.30	16.27	16.50
		270	0	16.25	16.31	16.23	16.22	16.32	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 513 of 716

	DFT-s-OFDM 16QAM	1	1	16.24	16.32	16.26	16.48	16.26	16.50
	DFT-s-OFDM 64QAM	1	1	14.80	14.86	14.76	14.79	14.92	15.00
	DFT-s-OFDM 256QAM	1	1	12.82	12.95	12.90	12.87	12.95	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	15.74	15.85	15.86	15.88	15.79	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	17.19	17.28	17.07	17.22	17.17	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	17.19	17.13	17.04	17.05	17.26	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	17.22	17.16	17.19	17.25	17.19	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	17.28	17.16	17.13	17.20	17.31	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	17.17	17.22	17.08	17.13	17.30	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	17.13	17.20	17.20	17.05	17.10	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	17.28	17.20	17.16	17.11	17.19	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doocheek@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 514 of 716

20MHz	DFT-s-OFDM QPSK	1	1	17.13	17.25	17.22	17.27	17.25	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	17.24	17.18	17.03	17.10	17.19	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	17.31	17.06	17.12	17.11	17.15	17.50

N66 DSI0				Conducted Power(dBm)				
SCS 15kHz								
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				346000	349000	352000		
				1730	1745	1760		
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	24.21	24.18	24.34	24.50	
		1	108	24.21	24.20	24.37	24.50	
		1	214	24.25	24.30	24.22	24.50	
		108	0	23.73	23.77	23.82	24.00	
		108	54	24.14	24.26	24.22	24.50	
		108	108	23.80	23.88	23.92	24.00	
		216	0	23.80	23.79	23.68	24.00	
	DFT-s-OFDM QPSK	1	1	24.27	24.27	24.31	24.50	
		1	108	24.21	24.28	24.34	24.50	
		1	214	24.34	24.36	24.32	24.50	
		108	0	23.25	23.32	23.27	23.50	
		108	54	24.21	24.33	24.20	24.50	
		108	108	23.33	23.35	23.43	23.50	
		216	0	23.29	23.29	23.23	23.50	
	DFT-s-OFDM 16QAM	1	1	23.21	23.15	23.15	23.50	
	DFT-s-OFDM 64QAM	1	1	21.74	21.68	21.74	22.00	
	DFT-s-OFDM 256QAM	1	1	19.76	19.69	19.76	20.00	
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
					346000	349000	352000	
40MHz	CP-OFDM QPSK	1	1	22.82	22.75	22.68	23.00	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 515 of 716

				345000	349000	353000	
30MHz	DFT-s-OFDM QPSK	1	1	24.23	24.23	24.23	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344500	349000	353500	
25MHz	DFT-s-OFDM QPSK	1	1	24.29	24.27	24.26	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344000	349000	354000	
20MHz	DFT-s-OFDM QPSK	1	1	24.21	24.30	24.27	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343500	349000	354500	
15MHz	DFT-s-OFDM QPSK	1	1	24.18	24.28	24.31	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343000	349000	355000	
10MHz	DFT-s-OFDM QPSK	1	1	24.26	24.29	24.24	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				342500	349000	355500	
5MHz	DFT-s-OFDM QPSK	1	1	24.17	24.23	24.34	24.50

N66 DSI3				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
				1730	1745	1760	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	16.17	16.20	16.35	16.50
		1	108	16.17	16.19	16.30	16.50
		1	214	16.32	16.27	16.27	16.50
		108	0	15.71	15.76	15.75	16.00
		108	54	16.07	16.25	16.17	16.50
		108	108	15.83	15.80	15.84	16.00
		216	0	15.79	15.86	15.63	16.00
	DFT-s-OFDM QPSK	1	1	16.22	16.24	16.34	16.50
		1	108	16.22	16.36	16.41	16.50
		1	214	16.40	16.38	16.35	16.50
		108	0	15.30	15.26	15.33	15.50
		108	54	16.19	16.34	16.23	16.50
		108	108	15.26	15.41	15.50	15.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 516 of 716

		216	0	15.32	15.21	15.25	15.50
	DFT-s-OFDM 16QAM	1	1	15.16	15.12	15.19	15.50
	DFT-s-OFDM 64QAM	1	1	13.74	13.70	13.77	14.00
	DFT-s-OFDM 256QAM	1	1	11.74	11.63	11.70	12.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
40MHz	CP-OFDM QPSK	1	1	14.83	14.82	14.73	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345000	349000	353000	
30MHz	DFT-s-OFDM QPSK	1	1	16.17	16.26	16.27	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344500	349000	353500	
25MHz	DFT-s-OFDM QPSK	1	1	16.27	16.33	16.26	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344000	349000	354000	
20MHz	DFT-s-OFDM QPSK	1	1	16.26	16.37	16.32	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343500	349000	354500	
15MHz	DFT-s-OFDM QPSK	1	1	16.10	16.29	16.33	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343000	349000	355000	
10MHz	DFT-s-OFDM QPSK	1	1	16.31	16.22	16.21	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				342500	349000	355500	
5MHz	DFT-s-OFDM QPSK	1	1	16.18	16.25	16.33	16.50

N66 DSI4				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
				1730	1745	1760	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	21.63	21.73	21.88	22.00
		1	108	21.64	21.66	21.93	22.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 517 of 716

		1	214	21.71	21.78	21.77	22.00
		108	0	21.15	21.34	21.37	21.50
		108	54	21.71	21.83	21.80	22.00
		108	108	21.35	21.40	21.50	21.50
		216	0	21.29	21.35	21.18	21.50
	DFT-s-OFDM QPSK	1	1	21.75	21.72	21.88	22.00
		1	108	21.70	21.76	21.84	22.00
		1	214	21.81	21.91	21.80	22.00
		108	0	20.72	20.90	20.85	21.00
		108	54	21.71	21.84	21.68	22.00
		108	108	20.82	20.77	20.88	21.00
		216	0	20.75	20.76	20.75	21.00
	DFT-s-OFDM 16QAM	1	1	20.73	20.72	20.71	21.00
	DFT-s-OFDM 64QAM	1	1	19.28	19.10	19.21	19.50
	DFT-s-OFDM 256QAM	1	1	17.32	17.20	17.31	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
40MHz	CP-OFDM QPSK	1	1	20.36	20.17	20.23	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345000	349000	353000	
30MHz	DFT-s-OFDM QPSK	1	1	21.77	21.69	21.68	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344500	349000	353500	
25MHz	DFT-s-OFDM QPSK	1	1	21.78	21.82	21.76	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344000	349000	354000	
20MHz	DFT-s-OFDM QPSK	1	1	21.67	21.81	21.69	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343500	349000	354500	
15MHz	DFT-s-OFDM QPSK	1	1	21.62	21.81	21.88	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343000	349000	355000	
10MHz	DFT-s-OFDM QPSK	1	1	21.83	21.83	21.73	22.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Technical Services Laboratory

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 518 of 716

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				342500	349000	355500	
5MHz	DFT-s-OFDM QPSK	1	1	21.59	21.65	21.80	22.00

N48 DSI0				Conducted Power(dBm)			
SCS 30kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				638000	641666	645332	
				3570	3624.99	3679.98	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	23.20	23.22	23.21	24.50
		1	53	23.10	23.20	23.27	24.50
		1	104	23.11	23.23	23.31	24.50
		50	0	22.83	22.82	22.80	24.00
		50	28	23.05	23.12	23.22	24.50
		50	56	22.78	22.76	22.72	24.00
		100	0	22.66	22.66	22.66	24.00
	DFT-s-OFDM QPSK	1	1	23.17	23.27	23.29	24.50
		1	53	23.08	23.18	23.24	24.50
		1	104	23.09	23.22	23.31	24.50
		50	0	22.36	22.28	22.35	23.50
		50	28	23.06	23.24	23.28	24.50
		50	56	22.24	22.21	22.19	23.50
		100	0	22.21	22.20	22.21	23.50
	DFT-s-OFDM 16QAM	1	1	22.09	22.12	22.18	23.50
	DFT-s-OFDM 64QAM	1	1	20.60	20.68	20.60	22.00
	DFT-s-OFDM 256QAM	1	1	18.70	18.68	18.72	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				638000	641666	645332	
40MHz	CP-OFDM QPSK	1	1	21.71	21.66	21.74	23.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				637668	641666	645666	
30MHz	DFT-s-OFDM QPSK	1	1	23.16	23.16	23.19	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				637334	641666	646000	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 519 of 716

20MHz	DFT-s-OFDM QPSK	1	1	23.20	23.08	23.19	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				637000	641666	646332	
10MHz	DFT-s-OFDM QPSK	1	1	23.19	23.19	23.15	24.50

N48 DSI3				Conducted Power(dBm)			
SCS 30kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				638000	641666	645332	
				3570	3624.99	3679.98	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	14.72	14.69	14.74	16.00
		1	53	14.58	14.66	14.83	16.00
		1	104	14.55	14.71	14.80	16.00
		50	0	14.37	14.27	14.28	15.50
		50	28	14.55	14.55	14.74	16.00
		50	56	14.34	14.28	14.15	15.50
		100	0	14.13	14.09	14.18	15.50
	DFT-s-OFDM QPSK	1	1	14.67	14.80	14.73	16.00
		1	53	14.58	14.67	14.69	16.00
		1	104	14.53	14.68	14.89	16.00
		50	0	13.85	13.78	13.86	15.00
		50	28	14.55	14.76	14.77	16.00
		50	56	13.72	13.66	13.63	15.00
		100	0	13.76	13.74	13.63	15.00
	DFT-s-OFDM 16QAM	1	1	13.58	13.61	13.63	15.00
	DFT-s-OFDM 64QAM	1	1	12.05	12.14	12.02	13.50
	DFT-s-OFDM 256QAM	1	1	10.27	10.25	10.28	11.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				638000	641666	645332	
40MHz	CP-OFDM QPSK	1	1	13.14	13.09	13.16	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				637668	641666	645666	
30MHz	DFT-s-OFDM QPSK	1	1	14.61	14.58	14.76	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 520 of 716

				637334	641666	646000	
20MHz	DFT-s-OFDM QPSK	1	1	14.64	14.50	14.72	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				637000	641666	646332	
10MHz	DFT-s-OFDM QPSK	1	1	14.69	14.73	14.60	16.00

N48 DSI4				Conducted Power(dBm)			
SCS 30kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				638000	641666	645332	
				3570	3624.99	3679.98	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	19.66	19.72	19.70	21.00
		1	53	19.62	19.71	19.75	21.00
		1	104	19.60	19.71	19.73	21.00
		50	0	19.37	19.38	19.25	20.50
		50	28	19.60	19.67	19.69	21.00
		50	56	19.22	19.29	19.17	20.50
		100	0	19.16	19.20	19.23	20.50
	DFT-s-OFDM QPSK	1	1	19.63	19.89	19.73	21.00
		1	53	19.53	19.66	19.72	21.00
		1	104	19.60	19.68	19.66	21.00
		50	0	18.92	18.77	18.77	20.00
		50	28	19.64	19.78	19.81	21.00
		50	56	18.75	18.69	18.71	20.00
	100	0	18.78	18.65	18.64	20.00	
	DFT-s-OFDM 16QAM	1	1	18.65	18.68	18.67	20.00
	DFT-s-OFDM 64QAM	1	1	17.08	17.26	17.06	18.50
	DFT-s-OFDM 256QAM	1	1	15.26	15.16	15.16	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				638000	641666	645332	
40MHz	CP-OFDM QPSK	1	1	18.14	18.23	18.18	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				637668	641666	645666	
30MHz	DFT-s-OFDM QPSK	1	1	19.72	19.66	19.63	21.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 521 of 716

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				637334	641666	646000	
20MHz	DFT-s-OFDM QPSK	1	1	19.71	19.52	19.73	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				637000	641666	646332	
10MHz	DFT-s-OFDM QPSK	1	1	19.64	19.68	19.59	21.00

N77 PC2 DSI0				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	25.05	/	26.00
		1	137	/	24.84	/	26.00
		1	271	/	24.74	/	26.00
		135	0	/	21.36	/	22.50
		135	69	/	24.77	/	26.00
		135	138	/	21.37	/	22.50
		270	0	/	24.29	/	25.50
	DFT-s-OFDM QPSK	1	1	/	25.13	/	26.00
		1	137	/	24.83	/	26.00
		1	271	/	24.85	/	26.00
		135	0	/	21.39	/	22.50
		135	69	/	24.77	/	26.00
		135	138	/	21.35	/	22.50
		270	0	/	23.83	/	25.00
	DFT-s-OFDM 16QAM	1	1	/	23.95	/	25.00
	DFT-s-OFDM 64QAM	1	1	/	22.53	/	23.50
	DFT-s-OFDM 256QAM	1	1	/	20.46	/	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	23.58	/	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.DocsCheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 522 of 716

90MHz	DFT-s-OFDM QPSK	1	1	24.98	24.93	25.02	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	24.92	25.05	25.03	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	25.06	25.02	25.02	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	25.04	25.05	25.05	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	25.05	24.94	25.03	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	25.03	24.98	25.01	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	24.99	24.91	24.93	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	24.91	24.91	24.97	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	25.02	25.06	25.06	26.00

N77 PC2 DSI3				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	14.97	/	16.00
		1	137	/	14.84	/	16.00
		1	271	/	14.70	/	16.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 523 of 716

		135	0	/	11.28	/	12.50
		135	69	/	14.77	/	16.00
		135	138	/	11.33	/	12.50
		270	0	/	14.24	/	15.50
	DFT-s-OFDM QPSK	1	1	/	15.20	/	16.00
		1	137	/	14.87	/	16.00
		1	271	/	14.77	/	16.00
		135	0	/	11.35	/	12.50
		135	69	/	14.72	/	16.00
		135	138	/	11.30	/	12.50
		270	0	/	13.76	/	15.00
	DFT-s-OFDM 16QAM	1	1	/	13.97	/	15.00
	DFT-s-OFDM 64QAM	1	1	/	12.54	/	13.50
	DFT-s-OFDM 256QAM	1	1	/	10.50	/	11.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	13.66	/	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	15.05	14.95	14.95	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	14.85	14.97	15.11	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	14.99	15.09	15.10	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	14.99	15.00	14.99	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	15.08	14.87	14.97	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 524 of 716

				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	15.02	14.96	14.96	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	15.05	14.91	14.95	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	14.93	14.95	14.96	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	14.94	15.01	15.14	16.00

N77 PC2 DSI4				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	19.06	/	20.00
		1	137	/	18.91	/	20.00
		1	271	/	18.67	/	20.00
		135	0	/	15.33	/	16.50
		135	69	/	18.78	/	20.00
		135	138	/	15.45	/	16.50
		270	0	/	18.25	/	19.50
	DFT-s-OFDM QPSK	1	1	/	19.11	/	20.00
		1	137	/	18.85	/	20.00
		1	271	/	18.91	/	20.00
		135	0	/	15.38	/	16.50
		135	69	/	18.84	/	20.00
		135	138	/	15.34	/	16.50
		270	0	/	17.91	/	19.00
	DFT-s-OFDM 16QAM	1	1	/	17.92	/	19.00
	DFT-s-OFDM 64QAM	1	1	/	16.52	/	17.50
	DFT-s-OFDM 256QAM	1	1	/	14.39	/	15.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 525 of 716

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	17.60	/	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	18.99	18.90	19.06	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	18.89	19.08	19.09	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	19.12	19.07	19.09	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	19.05	19.04	19.10	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	19.04	18.88	19.06	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	19.10	19.04	18.95	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	18.97	18.96	18.92	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	18.87	18.90	19.05	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	19.00	18.98	19.05	20.00

N77 PC3 DSI0				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 526 of 716

				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	23.64	/	24.50
		1	137	/	23.27	/	24.50
		1	271	/	23.32	/	24.50
		135	0	/	22.91	/	24.00
		135	69	/	23.13	/	24.50
		135	138	/	22.86	/	24.00
		270	0	/	22.89	/	24.00
	DFT-s-OFDM QPSK	1	1	/	23.61	/	24.50
		1	137	/	23.29	/	24.50
		1	271	/	23.30	/	24.50
		135	0	/	22.38	/	23.50
		135	69	/	23.22	/	24.50
		135	138	/	22.36	/	23.50
		270	0	/	22.35	/	23.50
	DFT-s-OFDM 16QAM	1	1	/	22.48	/	23.50
	DFT-s-OFDM 64QAM	1	1	/	21.01	/	22.00
	DFT-s-OFDM 256QAM	1	1	/	18.98	/	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	22.07	/	23.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	23.39	23.34	23.37	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	23.32	23.31	23.32	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	23.33	23.37	23.32	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	23.42	23.43	23.36	24.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 527 of 716

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	23.33	23.39	23.43	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	23.43	23.33	23.35	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	23.31	23.37	23.42	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	23.43	23.32	23.32	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	23.32	23.35	23.38	24.50

N77 PC3 DSI3				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	13.71	/	14.50
		1	137	/	13.32	/	14.50
		1	271	/	13.37	/	14.50
		135	0	/	12.91	/	14.00
		135	69	/	13.11	/	14.50
		135	138	/	12.79	/	14.00
		270	0	/	12.85	/	14.00
	DFT-s-OFDM QPSK	1	1	/	13.53	/	14.50
		1	137	/	13.32	/	14.50
		1	271	/	13.37	/	14.50
		135	0	/	12.35	/	13.50
		135	69	/	13.16	/	14.50
		135	138	/	12.41	/	13.50
		270	0	/	12.38	/	13.50
	DFT-s-OFDM 16QAM	1	1	/	12.56	/	13.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 528 of 716

	DFT-s-OFDM 64QAM	1	1	/	11.05	/	12.00
	DFT-s-OFDM 256QAM	1	1	/	8.96	/	10.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	12.13	/	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	13.32	13.42	13.29	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	13.31	13.24	13.31	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	13.37	13.42	13.39	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	13.42	13.41	13.35	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	13.29	13.33	13.44	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	13.36	13.36	13.38	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	13.30	13.44	13.38	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	13.40	13.25	13.28	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	13.32	13.31	13.41	14.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 529 of 716

N77 PC3 DSI4				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	17.58	/	18.50
		1	137	/	17.25	/	18.50
		1	271	/	17.37	/	18.50
		135	0	/	16.92	/	18.00
		135	69	/	17.05	/	18.50
		135	138	/	16.91	/	18.00
		270	0	/	16.87	/	18.00
	DFT-s-OFDM QPSK	1	1	/	17.64	/	18.50
		1	137	/	17.27	/	18.50
		1	271	/	17.25	/	18.50
		135	0	/	16.45	/	17.50
		135	69	/	17.16	/	18.50
		135	138	/	16.37	/	17.50
		270	0	/	16.40	/	17.50
	DFT-s-OFDM 16QAM	1	1	/	16.54	/	17.50
	DFT-s-OFDM 64QAM	1	1	/	15.00	/	16.00
	DFT-s-OFDM 256QAM	1	1	/	12.98	/	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	16.03	/	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	17.43	17.31	17.38	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	17.39	17.37	17.34	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	17.32	17.42	17.29	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doocheek@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 530 of 716

				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	17.42	17.44	17.35	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	17.34	17.40	17.50	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	17.44	17.33	17.41	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	17.39	17.31	17.35	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	17.42	17.39	17.26	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	17.37	17.42	17.38	18.50

N77 PC2 DSI0				Conducted Power(dBm)						
SCS 30kHz(3700~3980)										
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
				3750.00	3786.00	3822.00	3858.00	3894.00	3930.00	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	24.82	24.84	24.78	24.79	24.77	24.85	26.00
		1	137	24.61	24.76	24.73	24.63	24.64	24.51	26.00
		1	271	24.75	24.82	24.80	24.82	24.66	24.64	26.00
		135	0	21.25	21.28	21.33	21.27	21.22	21.34	22.50
		135	69	24.66	24.68	24.54	24.78	24.59	24.56	26.00
		135	138	21.19	21.14	21.11	21.19	21.10	21.16	22.50
		270	0	24.24	24.27	24.35	24.21	24.29	24.21	25.50
	DFT-s-OFDM QPSK	1	1	24.89	24.91	24.85	24.89	24.87	24.87	26.00
		1	137	24.69	24.76	24.72	24.71	24.69	24.60	26.00
		1	271	24.83	24.92	24.87	24.82	24.75	24.69	26.00
		135	0	21.31	21.26	21.39	21.34	21.29	21.38	22.50
		135	69	24.71	24.68	24.65	24.75	24.65	24.63	26.00
		135	138	21.17	21.24	21.14	21.23	21.09	21.21	22.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 531 of 716

		270	0	23.78	23.78	23.86	23.73	23.84	23.76	25.00
	DFT-s-OFDM 16QAM	1	1	23.67	23.62	23.62	23.60	23.66	23.72	25.00
	DFT-s-OFDM 64QAM	1	1	22.34	22.34	22.37	22.35	22.39	22.28	23.50
	DFT-s-OFDM 256QAM	1	1	20.22	20.20	20.15	20.28	20.20	20.28	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
100MHz	CP-OFDM QPSK	1	1	23.43	23.39	23.40	23.35	23.48	23.45	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649668	652200	654734	657268	659800	662332	
90MHz	DFT-s-OFDM QPSK	1	1	24.62	24.74	24.65	24.73	24.67	24.58	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649334	652000	654668	657334	660000	662666	
80MHz	DFT-s-OFDM QPSK	1	1	24.60	24.78	24.63	24.70	24.62	24.50	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649001	651800	654601	657401	660200	662999	
70MHz	DFT-s-OFDM QPSK	1	1	24.62	24.68	24.73	24.59	24.70	24.55	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648668	651600	654534	657468	660400	663332	
60MHz	DFT-s-OFDM QPSK	1	1	24.57	24.64	24.69	24.63	24.58	24.58	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648334	651400	654468	657534	660600	663666	
50MHz	DFT-s-OFDM QPSK	1	1	24.71	24.78	24.63	24.65	24.61	24.56	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648000	651200	654400	657600	660800	664000	
40MHz	DFT-s-OFDM QPSK	1	1	24.68	24.73	24.70	24.68	24.63	24.59	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647666	651000	654334	657666	661000	664334	
30MHz	DFT-s-OFDM QPSK	1	1	24.70	24.69	24.73	24.62	24.62	24.54	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647334	650800	654268	657734	661200	664666	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doocheek@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR250300088114

Page: 532 of 716

20MHz	DFT-s-OFDM QPSK	1	1	24.58	24.74	24.72	24.63	24.60	24.52	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				646998	650600	654196	657798	661400	665002	
10MHz	DFT-s-OFDM QPSK	1	1	24.61	24.75	24.63	24.62	24.58	24.58	26.00

N77 PC2 DS13					Conducted Power(dBm)					
SCS 30kHz(3700~3980)										
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
				3750.00	3786.00	3822.00	3858.00	3894.00	3930.00	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	14.88	14.86	14.75	14.87	14.78	14.77	16.00
		1	137	14.61	14.69	14.75	14.57	14.58	14.54	16.00
		1	271	14.69	14.74	14.78	14.80	14.58	14.61	16.00
		135	0	11.26	11.33	11.37	11.30	11.29	11.35	12.50
		135	69	14.73	14.70	14.57	14.70	14.67	14.50	16.00
		135	138	11.12	11.16	11.06	11.19	11.05	11.09	12.50
		270	0	14.26	14.22	14.32	14.26	14.31	14.27	15.50
	DFT-s-OFDM QPSK	1	1	14.88	14.84	14.79	14.91	14.87	14.95	16.00
		1	137	14.74	14.70	14.76	14.77	14.77	14.67	16.00
		1	271	14.76	14.88	14.92	14.90	14.76	14.65	16.00
		135	0	11.36	11.21	11.31	11.28	11.36	11.37	12.50
		135	69	14.70	14.69	14.68	14.68	14.68	14.68	16.00
		135	138	11.15	11.19	11.16	11.20	11.16	11.25	12.50
		270	0	13.75	13.71	13.81	13.75	13.92	13.82	15.00
	DFT-s-OFDM 16QAM	1	1	13.68	13.58	13.57	13.57	13.66	13.68	15.00
	DFT-s-OFDM 64QAM	1	1	12.36	12.30	12.30	12.36	12.47	12.29	13.50
	DFT-s-OFDM 256QAM	1	1	10.16	10.17	10.07	10.20	10.16	10.28	11.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
100MHz	CP-OFDM QPSK	1	1	13.36	13.47	13.44	13.33	13.47	13.49	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649668	652200	654734	657268	659800	662332	
90MHz	DFT-s-OFDM QPSK	1	1	14.62	14.76	14.70	14.65	14.64	14.51	16.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com