

**SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch**

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250300088106

Page: 1312 of 1335

		5320	/	/	30	3.86	5300.060	5250 to 5350	Pass
					40	3.86	5300.040	5250 to 5350	Pass
					50	3.86	5300.060	5250 to 5350	Pass
					3.5	5320.040	5250 to 5350	Pass	
					20	3.86	5320.080	5250 to 5350	Pass
					4.5	5320.100	5250 to 5350	Pass	
					-30	3.86	5320.080	5250 to 5350	Pass
					-20	3.86	5320.060	5250 to 5350	Pass
					-10	3.86	5320.100	5250 to 5350	Pass
					0	3.86	5320.060	5250 to 5350	Pass
					10	3.86	5320.080	5250 to 5350	Pass
					30	3.86	5320.120	5250 to 5350	Pass
					40	3.86	5320.060	5250 to 5350	Pass
					50	3.86	5320.040	5250 to 5350	Pass
		5500	/	/	3.5	5500.020	5470 to 5725	Pass	
					20	3.86	5500.000	5470 to 5725	Pass
					4.5	5500.000	5470 to 5725	Pass	
					-30	3.86	5500.060	5470 to 5725	Pass
					-20	3.86	5500.040	5470 to 5725	Pass
					-10	3.86	5499.920	5470 to 5725	Pass
					0	3.86	5499.980	5470 to 5725	Pass
					10	3.86	5500.080	5470 to 5725	Pass
					30	3.86	5499.980	5470 to 5725	Pass
					40	3.86	5500.000	5470 to 5725	Pass
					50	3.86	5500.000	5470 to 5725	Pass
		5580	/	/	3.5	5580.080	5470 to 5725	Pass	
					20	3.86	5580.060	5470 to 5725	Pass
					4.5	5580.100	5470 to 5725	Pass	
					-30	3.86	5580.080	5470 to 5725	Pass
					-20	3.86	5580.000	5470 to 5725	Pass
					-10	3.86	5580.120	5470 to 5725	Pass
					0	3.86	5580.140	5470 to 5725	Pass
					10	3.86	5580.100	5470 to 5725	Pass
					30	3.86	5579.960	5470 to 5725	Pass
					40	3.86	5580.060	5470 to 5725	Pass
					50	3.86	5580.080	5470 to 5725	Pass
		5700	/	/	3.5	5700.100	5470 to 5725	Pass	
					20	3.86	5700.060	5470 to 5725	Pass
					4.5	5700.100	5470 to 5725	Pass	
					-30	3.86	5700.000	5470 to 5725	Pass
					-20	3.86	5700.020	5470 to 5725	Pass
					-10	3.86	5700.080	5470 to 5725	Pass
					0	3.86	5700.060	5470 to 5725	Pass
					10	3.86	5699.980	5470 to 5725	Pass
					30	3.86	5700.020	5470 to 5725	Pass
					40	3.86	5700.040	5470 to 5725	Pass
					50	3.86	5700.020	5470 to 5725	Pass
		5745	/	/	3.5	5745.020	5725 to 5850	Pass	
					20	3.86	5745.020	5725 to 5850	Pass
					4.5	5745.000	5725 to 5850	Pass	
					-30	3.86	5744.980	5725 to 5850	Pass
					-20	3.86	5745.040	5725 to 5850	Pass
					-10	3.86	5745.060	5725 to 5850	Pass
					0	3.86	5745.020	5725 to 5850	Pass
					10	3.86	5745.000	5725 to 5850	Pass
					30	3.86	5744.960	5725 to 5850	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch is a member of SGS Group (SGS SA).  
SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch is a member of SGS Group (SGS SA). Laboratory.



**SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch**

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250300088106

Page: 1313 of 1335

				40	3.86	5745.040	5725 to 5850	Pass
				50	3.86	5744.960	5725 to 5850	Pass
5785	/	/	/	20	3.5	5785.020	5725 to 5850	Pass
					3.86	5785.000	5725 to 5850	Pass
					4.5	5784.920	5725 to 5850	Pass
					-30	5785.000	5725 to 5850	Pass
				-20	3.86	5785.080	5725 to 5850	Pass
					-10	5785.040	5725 to 5850	Pass
					0	5785.060	5725 to 5850	Pass
					10	5785.040	5725 to 5850	Pass
					30	5785.020	5725 to 5850	Pass
					40	5785.080	5725 to 5850	Pass
5825	/	/	/	20	3.5	5825.080	5725 to 5850	Pass
					3.86	5825.080	5725 to 5850	Pass
					4.5	5825.020	5725 to 5850	Pass
					-30	5825.040	5725 to 5850	Pass
				-20	3.86	5824.980	5725 to 5850	Pass
					-10	5825.120	5725 to 5850	Pass
					0	5825.120	5725 to 5850	Pass
					10	5825.080	5725 to 5850	Pass
					30	5825.020	5725 to 5850	Pass
					40	5825.120	5725 to 5850	Pass
				50	3.86	5825.020	5725 to 5850	Pass
					3.5	5720.060	5470 to 5850	Pass
					3.86	5720.080	5470 to 5850	Pass
					4.5	5720.020	5470 to 5850	Pass
					-30	5720.040	5470 to 5850	Pass
					-20	5720.120	5470 to 5850	Pass
					-10	5720.060	5470 to 5850	Pass
					0	5720.120	5470 to 5850	Pass
					10	5720.020	5470 to 5850	Pass
					30	5720.000	5470 to 5850	Pass
					40	5720.040	5470 to 5850	Pass
					50	5720.020	5470 to 5850	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch is a member of SGS Group Laboratory.

# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250300088106

Page: 1314 of 1335

802.11ac (VHT40)	MIMO	/	/	20	3.5	5190.120	5150 to 5250	Pass	
					3.86	5190.080	5150 to 5250	Pass	
					4.5	5190.120	5150 to 5250	Pass	
					-30	3.86	5190.120	5150 to 5250	Pass
					-20	3.86	5190.160	5150 to 5250	Pass
					-10	3.86	5190.160	5150 to 5250	Pass
					0	3.86	5190.120	5150 to 5250	Pass
					10	3.86	5190.120	5150 to 5250	Pass
					30	3.86	5190.120	5150 to 5250	Pass
					40	3.86	5190.040	5150 to 5250	Pass
802.11ac (VHT40)	MIMO	/	/	20	50	3.86	5190.120	5150 to 5250	Pass
					3.5	5230.080	5150 to 5250	Pass	
					3.86	5230.080	5150 to 5250	Pass	
					4.5	5230.160	5150 to 5250	Pass	
					-30	3.86	5230.040	5150 to 5250	Pass
					-20	3.86	5230.160	5150 to 5250	Pass
					-10	3.86	5230.000	5150 to 5250	Pass
					0	3.86	5230.080	5150 to 5250	Pass
					10	3.86	5230.120	5150 to 5250	Pass
					30	3.86	5230.120	5150 to 5250	Pass
802.11ac (VHT40)	MIMO	/	/	20	40	3.86	5230.080	5150 to 5250	Pass
					50	3.86	5230.160	5150 to 5250	Pass
					3.5	5270.040	5250 to 5350	Pass	
					3.86	5270.040	5250 to 5350	Pass	
					4.5	5270.040	5250 to 5350	Pass	
					-30	3.86	5270.080	5250 to 5350	Pass
					-20	3.86	5270.080	5250 to 5350	Pass
					-10	3.86	5270.120	5250 to 5350	Pass
					0	3.86	5270.040	5250 to 5350	Pass
					10	3.86	5270.040	5250 to 5350	Pass
802.11ac (VHT40)	MIMO	/	/	20	30	3.86	5269.960	5250 to 5350	Pass
					40	3.86	5270.080	5250 to 5350	Pass
					50	3.86	5270.040	5250 to 5350	Pass
					3.5	5310.120	5250 to 5350	Pass	
					3.86	5310.080	5250 to 5350	Pass	
					4.5	5310.080	5250 to 5350	Pass	
					-30	3.86	5310.120	5250 to 5350	Pass
					-20	3.86	5310.120	5250 to 5350	Pass
					-10	3.86	5310.160	5250 to 5350	Pass
					0	3.86	5310.120	5250 to 5350	Pass
802.11ac (VHT40)	MIMO	/	/	20	10	3.86	5310.160	5250 to 5350	Pass
					30	3.86	5310.120	5250 to 5350	Pass
					40	3.86	5310.200	5250 to 5350	Pass
					50	3.86	5310.160	5250 to 5350	Pass
					3.5	5510.080	5470 to 5725	Pass	
					3.86	5510.080	5470 to 5725	Pass	
					4.5	5510.120	5470 to 5725	Pass	
					-30	3.86	5510.040	5470 to 5725	Pass
					-20	3.86	5510.040	5470 to 5725	Pass
					-10	3.86	5510.040	5470 to 5725	Pass
802.11ac (VHT40)	MIMO	/	/	20	0	3.86	5510.120	5470 to 5725	Pass
					10	3.86	5510.160	5470 to 5725	Pass
					30	3.86	5510.080	5470 to 5725	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch is a member of SGS Group (SGS SA) Laboratory.



**SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch**

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250300088106

Page: 1315 of 1335

		5550	/	/	40	3.86	5510.040	5470 to 5725	Pass	
					50	3.86	5510.080	5470 to 5725	Pass	
					20	3.5	5550.120	5470 to 5725	Pass	
						3.86	5550.120	5470 to 5725	Pass	
						4.5	5550.160	5470 to 5725	Pass	
						-30	3.86	5550.120	5470 to 5725	Pass
					-20	3.86	5550.120	5470 to 5725	Pass	
						-10	3.86	5550.120	5470 to 5725	Pass
					0	3.86	5550.200	5470 to 5725	Pass	
						10	3.86	5550.120	5470 to 5725	Pass
					30	3.86	5550.120	5470 to 5725	Pass	
						40	3.86	5550.120	5470 to 5725	Pass
					50	3.86	5550.160	5470 to 5725	Pass	
						3.5	5670.080	5470 to 5725	Pass	
					20	3.86	5670.080	5470 to 5725	Pass	
						4.5	5670.120	5470 to 5725	Pass	
					-30	3.86	5670.040	5470 to 5725	Pass	
						-20	3.86	5670.120	5470 to 5725	Pass
					-10	3.86	5670.160	5470 to 5725	Pass	
						0	3.86	5670.080	5470 to 5725	Pass
					10	3.86	5670.080	5470 to 5725	Pass	
						30	3.86	5670.160	5470 to 5725	Pass
					40	3.86	5670.080	5470 to 5725	Pass	
						50	3.86	5670.080	5470 to 5725	Pass
					5670	3.5	5670.080	5470 to 5725	Pass	
						20	3.86	5670.080	5470 to 5725	Pass
						4.5	5670.120	5470 to 5725	Pass	
						-30	3.86	5670.040	5470 to 5725	Pass
						-20	3.86	5670.120	5470 to 5725	Pass
						-10	3.86	5670.160	5470 to 5725	Pass
						0	3.86	5670.080	5470 to 5725	Pass
						10	3.86	5670.080	5470 to 5725	Pass
						30	3.86	5670.160	5470 to 5725	Pass
						40	3.86	5670.080	5470 to 5725	Pass
						50	3.86	5670.080	5470 to 5725	Pass
					5755	3.5	5755.040	5725 to 5850	Pass	
						20	3.86	5755.120	5725 to 5850	Pass
						4.5	5755.000	5725 to 5850	Pass	
						-30	3.86	5755.080	5725 to 5850	Pass
						-20	3.86	5755.080	5725 to 5850	Pass
						-10	3.86	5755.040	5725 to 5850	Pass
						0	3.86	5755.000	5725 to 5850	Pass
						10	3.86	5754.920	5725 to 5850	Pass
						30	3.86	5755.120	5725 to 5850	Pass
						40	3.86	5755.120	5725 to 5850	Pass
						50	3.86	5755.040	5725 to 5850	Pass
					5795	3.5	5795.120	5725 to 5850	Pass	
						20	3.86	5795.000	5725 to 5850	Pass
						4.5	5795.040	5725 to 5850	Pass	
						-30	3.86	5795.040	5725 to 5850	Pass
						-20	3.86	5795.040	5725 to 5850	Pass
						-10	3.86	5795.080	5725 to 5850	Pass
						0	3.86	5795.080	5725 to 5850	Pass
						10	3.86	5795.080	5725 to 5850	Pass
						30	3.86	5795.120	5725 to 5850	Pass
						40	3.86	5795.080	5725 to 5850	Pass
						50	3.86	5795.080	5725 to 5850	Pass
					5710	3.5	5710.120	5470 to 5850	Pass	
						20	3.86	5710.240	5470 to 5850	Pass
						4.5	5710.040	5470 to 5850	Pass	
						-30	3.86	5710.080	5470 to 5850	Pass
						-20	3.86	5710.120	5470 to 5850	Pass
						-10	3.86	5710.120	5470 to 5850	Pass
						0	3.86	5710.120	5470 to 5850	Pass
						10	3.86	5710.120	5470 to 5850	Pass
						30	3.86	5710.040	5470 to 5850	Pass
						40	3.86	5710.080	5470 to 5850	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch is a member of SGS Group. SGS is a registered trademark of SGS Group in the EEC Laboratory.



**SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch**

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250300088106

Page: 1316 of 1335

				50	3.86	5710.040	5470 to 5850	Pass
--	--	--	--	----	------	----------	--------------	------

802.11ac (VHT80)	MIMO	5210	/	/	3.5	5210.150	5150 to 5250	Pass	
					3.86	5210.150	5150 to 5250	Pass	
					4.5	5210.225	5150 to 5250	Pass	
					-30	3.86	5210.225	5150 to 5250	Pass
					-20	3.86	5210.150	5150 to 5250	Pass
					-10	3.86	5210.150	5150 to 5250	Pass
					0	3.86	5210.150	5150 to 5250	Pass
					10	3.86	5210.150	5150 to 5250	Pass
					30	3.86	5210.225	5150 to 5250	Pass
					40	3.86	5210.150	5150 to 5250	Pass
					50	3.86	5210.225	5150 to 5250	Pass
					3.5	5289.925	5250 to 5350	Pass	
					20	3.86	5290.000	5250 to 5350	Pass
					4.5	5290.000	5250 to 5350	Pass	
					-30	3.86	5290.000	5250 to 5350	Pass
					-20	3.86	5290.000	5250 to 5350	Pass
					-10	3.86	5290.000	5250 to 5350	Pass
					0	3.86	5290.075	5250 to 5350	Pass
					10	3.86	5290.000	5250 to 5350	Pass
					30	3.86	5290.000	5250 to 5350	Pass
					40	3.86	5290.075	5250 to 5350	Pass
					50	3.86	5290.000	5250 to 5350	Pass
					3.5	5530.075	5470 to 5725	Pass	
					20	3.86	5530.150	5470 to 5725	Pass
					4.5	5530.150	5470 to 5725	Pass	
					-30	3.86	5530.075	5470 to 5725	Pass
					-20	3.86	5530.075	5470 to 5725	Pass
					-10	3.86	5530.075	5470 to 5725	Pass
					0	3.86	5530.150	5470 to 5725	Pass
					10	3.86	5530.150	5470 to 5725	Pass
					30	3.86	5530.075	5470 to 5725	Pass
					40	3.86	5530.150	5470 to 5725	Pass
					50	3.86	5530.225	5470 to 5725	Pass
					3.5	5610.150	5470 to 5725	Pass	
					20	3.86	5610.225	5470 to 5725	Pass
					4.5	5610.225	5470 to 5725	Pass	
					-30	3.86	5610.225	5470 to 5725	Pass
					-20	3.86	5610.225	5470 to 5725	Pass
					-10	3.86	5610.225	5470 to 5725	Pass
					0	3.86	5610.150	5470 to 5725	Pass
					10	3.86	5610.150	5470 to 5725	Pass
					30	3.86	5610.300	5470 to 5725	Pass
					40	3.86	5610.225	5470 to 5725	Pass
					50	3.86	5610.225	5470 to 5725	Pass
					3.5	5775.225	5725 to 5850	Pass	
					20	3.86	5775.075	5725 to 5850	Pass
					4.5	5775.150	5725 to 5850	Pass	
					-30	3.86	5775.000	5725 to 5850	Pass
					-20	3.86	5775.075	5725 to 5850	Pass
					-10	3.86	5775.000	5725 to 5850	Pass
					0	3.86	5775.075	5725 to 5850	Pass
					10	3.86	5775.075	5725 to 5850	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch is a member of SGS Group (SGS SA) Laboratory.



# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250300088106

Page: 1317 of 1335

	5690	/	/	30	3.86	5775.150	5725 to 5850	Pass
				40	3.86	5775.075	5725 to 5850	Pass
				50	3.86	5775.075	5725 to 5850	Pass
					3.5	5690.075	5470 to 5850	Pass
				20	3.86	5690.000	5470 to 5850	Pass
					4.5	5690.000	5470 to 5850	Pass
					-30	5690.000	5470 to 5850	Pass
					-20	5690.000	5470 to 5850	Pass
					-10	5690.000	5470 to 5850	Pass
					0	5690.075	5470 to 5850	Pass
					10	5690.000	5470 to 5850	Pass
					30	5690.075	5470 to 5850	Pass
					40	5690.075	5470 to 5850	Pass
					50	3.86	5690.075	5470 to 5850

802.11ac (VHT160)	MIMO	/	/	5570	20	3.5	5570.000	5470 to 5725	Pass
					3.86	5569.925	5470 to 5725	Pass	
					4.5	5570.075	5470 to 5725	Pass	
					-30	5569.775	5470 to 5725	Pass	
					-20	5569.925	5470 to 5725	Pass	
					-10	5569.775	5470 to 5725	Pass	
					0	5569.700	5470 to 5725	Pass	
					10	5569.775	5470 to 5725	Pass	
					30	5569.775	5470 to 5725	Pass	
					40	5569.700	5470 to 5725	Pass	
					50	3.86	5569.625	5470 to 5725	Pass
				5250	20	3.5	5250.225	5150 to 5350	Pass
					3.86	5250.150	5150 to 5350	Pass	
					4.5	5250.225	5150 to 5350	Pass	
					-30	5250.225	5150 to 5350	Pass	
					-20	5250.225	5150 to 5350	Pass	
					-10	5250.225	5150 to 5350	Pass	
					0	5250.150	5150 to 5350	Pass	
					10	5250.150	5150 to 5350	Pass	
					30	5250.225	5150 to 5350	Pass	
					40	5250.300	5150 to 5350	Pass	
					50	3.86	5250.150	5150 to 5350	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch is a member of SGS Group (SGS SA) Laboratory.

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250300088106

Page: 1318 of 1335

802.11ax (HEW20)	MIMO	SU	/	5180	3.5	5180.020	5150 to 5250	Pass	
					3.86	5180.080	5150 to 5250	Pass	
					4.5	5180.040	5150 to 5250	Pass	
					-30	3.86	5180.000	5150 to 5250	Pass
					-20	3.86	5179.980	5150 to 5250	Pass
					-10	3.86	5179.940	5150 to 5250	Pass
					0	3.86	5180.020	5150 to 5250	Pass
					10	3.86	5180.000	5150 to 5250	Pass
					30	3.86	5180.020	5150 to 5250	Pass
					40	3.86	5179.960	5150 to 5250	Pass
					50	3.86	5180.100	5150 to 5250	Pass
				5200	3.5	5200.040	5150 to 5250	Pass	
					3.86	5200.100	5150 to 5250	Pass	
					4.5	5200.020	5150 to 5250	Pass	
					-30	3.86	5200.060	5150 to 5250	Pass
					-20	3.86	5200.000	5150 to 5250	Pass
					-10	3.86	5199.980	5150 to 5250	Pass
					0	3.86	5200.020	5150 to 5250	Pass
					10	3.86	5200.020	5150 to 5250	Pass
					30	3.86	5200.040	5150 to 5250	Pass
					40	3.86	5200.060	5150 to 5250	Pass
					50	3.86	5200.020	5150 to 5250	Pass
				5240	3.5	5240.040	5150 to 5250	Pass	
					3.86	5240.080	5150 to 5250	Pass	
					4.5	5240.040	5150 to 5250	Pass	
					-30	3.86	5240.020	5150 to 5250	Pass
					-20	3.86	5239.980	5150 to 5250	Pass
					-10	3.86	5240.060	5150 to 5250	Pass
					0	3.86	5240.020	5150 to 5250	Pass
					10	3.86	5240.040	5150 to 5250	Pass
					30	3.86	5239.980	5150 to 5250	Pass
					40	3.86	5240.080	5150 to 5250	Pass
					50	3.86	5240.100	5150 to 5250	Pass
				5260	3.5	5260.060	5250 to 5350	Pass	
					3.86	5260.020	5250 to 5350	Pass	
					4.5	5260.060	5250 to 5350	Pass	
					-30	3.86	5259.960	5250 to 5350	Pass
					-20	3.86	5260.020	5250 to 5350	Pass
					-10	3.86	5260.080	5250 to 5350	Pass
					0	3.86	5260.040	5250 to 5350	Pass
					10	3.86	5260.120	5250 to 5350	Pass
					30	3.86	5260.040	5250 to 5350	Pass
					40	3.86	5260.020	5250 to 5350	Pass
					50	3.86	5260.000	5250 to 5350	Pass
				5300	3.5	5300.060	5250 to 5350	Pass	
					3.86	5300.060	5250 to 5350	Pass	
					4.5	5299.960	5250 to 5350	Pass	
					-30	3.86	5300.020	5250 to 5350	Pass
					-20	3.86	5300.000	5250 to 5350	Pass
					-10	3.86	5300.000	5250 to 5350	Pass
					0	3.86	5300.040	5250 to 5350	Pass
					10	3.86	5300.080	5250 to 5350	Pass
					30	3.86	5300.020	5250 to 5350	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch is a member of SGS Group. SGS Group is a global leader in inspection, verification, testing and certification services.



**SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch**

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250300088106

Page: 1319 of 1335

		5320	SU	/	40	3.86	5300.040	5250 to 5350	Pass	
					50	3.86	5300.040	5250 to 5350	Pass	
					20	3.5	5320.100	5250 to 5350	Pass	
						3.86	5320.040	5250 to 5350	Pass	
						4.5	5320.060	5250 to 5350	Pass	
						-30	3.86	5320.020	5250 to 5350	Pass
						-20	3.86	5320.000	5250 to 5350	Pass
					10	-10	3.86	5319.980	5250 to 5350	Pass
						0	3.86	5320.040	5250 to 5350	Pass
						10	3.86	5320.080	5250 to 5350	Pass
						30	3.86	5320.080	5250 to 5350	Pass
						40	3.86	5320.060	5250 to 5350	Pass
						50	3.86	5320.040	5250 to 5350	Pass
		5500	SU	/	20	3.5	5500.060	5470 to 5725	Pass	
						3.86	5500.020	5470 to 5725	Pass	
						4.5	5499.980	5470 to 5725	Pass	
						-30	3.86	5500.040	5470 to 5725	Pass
					10	-20	3.86	5500.020	5470 to 5725	Pass
						-10	3.86	5500.000	5470 to 5725	Pass
						0	3.86	5500.020	5470 to 5725	Pass
						10	3.86	5499.980	5470 to 5725	Pass
						30	3.86	5500.020	5470 to 5725	Pass
						40	3.86	5500.040	5470 to 5725	Pass
						50	3.86	5500.020	5470 to 5725	Pass
		5580	SU	/	20	3.5	5580.040	5470 to 5725	Pass	
						3.86	5580.100	5470 to 5725	Pass	
						4.5	5580.040	5470 to 5725	Pass	
						-30	3.86	5579.980	5470 to 5725	Pass
					10	-20	3.86	5580.020	5470 to 5725	Pass
						-10	3.86	5580.040	5470 to 5725	Pass
						0	3.86	5580.020	5470 to 5725	Pass
						10	3.86	5499.980	5470 to 5725	Pass
						30	3.86	5500.020	5470 to 5725	Pass
						40	3.86	5500.040	5470 to 5725	Pass
						50	3.86	5580.000	5470 to 5725	Pass
		5700	SU	/	20	3.5	5700.080	5470 to 5725	Pass	
						3.86	5700.040	5470 to 5725	Pass	
						4.5	5699.980	5470 to 5725	Pass	
						-30	3.86	5700.120	5470 to 5725	Pass
					10	-20	3.86	5700.060	5470 to 5725	Pass
						-10	3.86	5700.040	5470 to 5725	Pass
						0	3.86	5700.080	5470 to 5725	Pass
						10	3.86	5700.060	5470 to 5725	Pass
						30	3.86	5699.980	5470 to 5725	Pass
						40	3.86	5700.040	5470 to 5725	Pass
						50	3.86	5700.040	5470 to 5725	Pass
		5745	SU	/	20	3.5	5745.040	5725 to 5850	Pass	
						3.86	5745.040	5725 to 5850	Pass	
						4.5	5745.060	5725 to 5850	Pass	
						-30	3.86	5745.060	5725 to 5850	Pass
					10	-20	3.86	5745.040	5725 to 5850	Pass
						-10	3.86	5745.040	5725 to 5850	Pass
						0	3.86	5745.060	5725 to 5850	Pass
						10	3.86	5745.020	5725 to 5850	Pass
						30	3.86	5745.040	5725 to 5850	Pass
						40	3.86	5745.060	5725 to 5850	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Laboratory

**SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch**

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250300088106

Page: 1320 of 1335

				50	3.86	5745.040	5725 to 5850	Pass
5785	SU	/	20	3.5	5785.000	5725 to 5850	Pass	
				3.86	5785.000	5725 to 5850	Pass	
				4.5	5785.020	5725 to 5850	Pass	
				-30	3.86	5785.020	5725 to 5850	Pass
				-20	3.86	5785.040	5725 to 5850	Pass
				-10	3.86	5785.020	5725 to 5850	Pass
				0	3.86	5785.020	5725 to 5850	Pass
				10	3.86	5785.040	5725 to 5850	Pass
				30	3.86	5785.000	5725 to 5850	Pass
				40	3.86	5784.980	5725 to 5850	Pass
5825	SU	/	20	3.5	5825.000	5725 to 5850	Pass	
				3.86	5824.960	5725 to 5850	Pass	
				4.5	5825.000	5725 to 5850	Pass	
				-30	3.86	5825.020	5725 to 5850	Pass
				-20	3.86	5825.080	5725 to 5850	Pass
			-10	3.86	5824.960	5725 to 5850	Pass	
				0	3.86	5825.060	5725 to 5850	Pass
				10	3.86	5825.060	5725 to 5850	Pass
				30	3.86	5825.020	5725 to 5850	Pass
				40	3.86	5825.040	5725 to 5850	Pass
5720	SU	/	20	3.5	5720.020	5470 to 5850	Pass	
				3.86	5719.980	5470 to 5850	Pass	
				4.5	5720.020	5470 to 5850	Pass	
				-30	3.86	5720.040	5470 to 5850	Pass
				-20	3.86	5720.000	5470 to 5850	Pass
			-10	3.86	5720.000	5470 to 5850	Pass	
				0	3.86	5720.020	5470 to 5850	Pass
				10	3.86	5720.040	5470 to 5850	Pass
				30	3.86	5720.040	5470 to 5850	Pass
				40	3.86	5720.020	5470 to 5850	Pass
				50	3.86	5720.040	5470 to 5850	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250300088106

Page: 1321 of 1335

802.11ax (HEW40)	MIMO	SU	/	20	3.5	5190.040	5150 to 5250	Pass	
					3.86	5190.080	5150 to 5250	Pass	
					4.5	5190.080	5150 to 5250	Pass	
					-30	3.86	5190.080	5150 to 5250	Pass
					-20	3.86	5190.120	5150 to 5250	Pass
					-10	3.86	5190.080	5150 to 5250	Pass
					0	3.86	5190.120	5150 to 5250	Pass
					10	3.86	5190.160	5150 to 5250	Pass
					30	3.86	5190.080	5150 to 5250	Pass
					40	3.86	5190.040	5150 to 5250	Pass
802.11ax (HEW40)	MIMO	SU	/	20	50	3.86	5190.080	5150 to 5250	Pass
					3.5	5230.120	5150 to 5250	Pass	
					3.86	5230.080	5150 to 5250	Pass	
					4.5	5230.040	5150 to 5250	Pass	
					-30	3.86	5230.040	5150 to 5250	Pass
					-20	3.86	5230.080	5150 to 5250	Pass
					-10	3.86	5230.040	5150 to 5250	Pass
					0	3.86	5230.120	5150 to 5250	Pass
					10	3.86	5230.080	5150 to 5250	Pass
					30	3.86	5230.080	5150 to 5250	Pass
802.11ax (HEW40)	MIMO	SU	/	20	40	3.86	5230.080	5150 to 5250	Pass
					50	3.86	5230.160	5150 to 5250	Pass
					3.5	5270.120	5250 to 5350	Pass	
					3.86	5270.120	5250 to 5350	Pass	
					4.5	5270.040	5250 to 5350	Pass	
					-30	3.86	5270.120	5250 to 5350	Pass
					-20	3.86	5270.080	5250 to 5350	Pass
					-10	3.86	5270.040	5250 to 5350	Pass
					0	3.86	5270.120	5250 to 5350	Pass
					10	3.86	5270.080	5250 to 5350	Pass
802.11ax (HEW40)	MIMO	SU	/	20	30	3.86	5270.040	5250 to 5350	Pass
					40	3.86	5270.080	5250 to 5350	Pass
					50	3.86	5270.000	5250 to 5350	Pass
					3.5	5310.120	5250 to 5350	Pass	
					3.86	5310.160	5250 to 5350	Pass	
					4.5	5310.200	5250 to 5350	Pass	
					-30	3.86	5310.080	5250 to 5350	Pass
					-20	3.86	5310.160	5250 to 5350	Pass
					-10	3.86	5310.080	5250 to 5350	Pass
					0	3.86	5310.160	5250 to 5350	Pass
802.11ax (HEW40)	MIMO	SU	/	20	10	3.86	5310.080	5250 to 5350	Pass
					30	3.86	5310.160	5250 to 5350	Pass
					40	3.86	5310.160	5250 to 5350	Pass
					50	3.86	5310.160	5250 to 5350	Pass
					3.5	5510.080	5470 to 5725	Pass	
					3.86	5510.000	5470 to 5725	Pass	
					4.5	5510.080	5470 to 5725	Pass	
					-30	3.86	5510.040	5470 to 5725	Pass
					-20	3.86	5510.040	5470 to 5725	Pass
					-10	3.86	5510.120	5470 to 5725	Pass
802.11ax (HEW40)	MIMO	SU	/	20	0	3.86	5510.040	5470 to 5725	Pass
					10	3.86	5510.040	5470 to 5725	Pass
					30	3.86	5510.000	5470 to 5725	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch is a member of SGS Group (SGS SA) Laboratory.



**SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch**

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250300088106

Page: 1322 of 1335

		5550	SU	/	40	3.86	5510.040	5470 to 5725	Pass				
					50	3.86	5510.120	5470 to 5725	Pass				
					20	3.5	5550.080	5470 to 5725	Pass				
						3.86	5550.120	5470 to 5725	Pass				
						4.5	5550.160	5470 to 5725	Pass				
						-30	3.86	5550.120	5470 to 5725	Pass			
						-20	3.86	5550.040	5470 to 5725	Pass			
					10	-10	3.86	5550.160	5470 to 5725	Pass			
						0	3.86	5550.120	5470 to 5725	Pass			
						10	3.86	5550.080	5470 to 5725	Pass			
						30	3.86	5550.120	5470 to 5725	Pass			
						40	3.86	5550.200	5470 to 5725	Pass			
						50	3.86	5550.080	5470 to 5725	Pass			
					5670	SU	/	20	3.5	5670.080	5470 to 5725	Pass	
									3.86	5670.080	5470 to 5725	Pass	
									4.5	5670.080	5470 to 5725	Pass	
								-30	3.86	5670.080	5470 to 5725	Pass	
									3.86	5670.080	5470 to 5725	Pass	
									-20	3.86	5670.080	5470 to 5725	Pass
						10	-10	-10	3.86	5670.120	5470 to 5725	Pass	
									3.86	5670.000	5470 to 5725	Pass	
									0	3.86	5670.080	5470 to 5725	Pass
									10	3.86	5670.040	5470 to 5725	Pass
									30	3.86	5670.120	5470 to 5725	Pass
									40	3.86	5670.040	5470 to 5725	Pass
									50	3.86	5670.040	5470 to 5725	Pass
					5755	SU	/	20	3.5	5755.040	5725 to 5850	Pass	
									3.86	5755.040	5725 to 5850	Pass	
									4.5	5755.040	5725 to 5850	Pass	
								-30	3.86	5755.080	5725 to 5850	Pass	
									3.86	5755.080	5725 to 5850	Pass	
									-20	3.86	5755.080	5725 to 5850	Pass
						10	-10	-10	3.86	5755.000	5725 to 5850	Pass	
									3.86	5755.040	5725 to 5850	Pass	
									0	3.86	5755.000	5725 to 5850	Pass
									10	3.86	5755.000	5725 to 5850	Pass
									30	3.86	5755.000	5725 to 5850	Pass
									40	3.86	5755.000	5725 to 5850	Pass
									50	3.86	5755.080	5725 to 5850	Pass
					5795	SU	/	20	3.5	5795.040	5725 to 5850	Pass	
									3.86	5795.080	5725 to 5850	Pass	
									4.5	5795.080	5725 to 5850	Pass	
								-30	3.86	5795.040	5725 to 5850	Pass	
									3.86	5795.120	5725 to 5850	Pass	
									-20	3.86	5795.040	5725 to 5850	Pass
						10	-10	-10	3.86	5795.040	5725 to 5850	Pass	
									3.86	5795.080	5725 to 5850	Pass	
									0	3.86	5795.080	5725 to 5850	Pass
									10	3.86	5795.040	5725 to 5850	Pass
									30	3.86	5795.000	5725 to 5850	Pass
									40	3.86	5795.080	5725 to 5850	Pass
									50	3.86	5795.120	5725 to 5850	Pass
					5710	SU	/	20	3.5	5710.080	5470 to 5850	Pass	
									3.86	5710.040	5470 to 5850	Pass	
									4.5	5710.080	5470 to 5850	Pass	
								-30	3.86	5710.080	5470 to 5850	Pass	
									3.86	5710.160	5470 to 5850	Pass	
									-20	3.86	5710.080	5470 to 5850	Pass
						10	-10	-10	3.86	5710.080	5470 to 5850	Pass	
									3.86	5710.160	5470 to 5850	Pass	
									0	3.86	5710.080	5470 to 5850	Pass
									10	3.86	5710.160	5470 to 5850	Pass
									30	3.86	5710.160	5470 to 5850	Pass
									40	3.86	5710.080	5470 to 5850	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



**SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch**

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250300088106

Page: 1323 of 1335

				50	3.86	5710.120	5470 to 5850	Pass
--	--	--	--	----	------	----------	--------------	------

802.11ax (HEW80)	MIMO	SU	/	5210	3.5	5210.150	5150 to 5250	Pass
					3.86	5210.225	5150 to 5250	Pass
					4.5	5210.075	5150 to 5250	Pass
					-30	5210.150	5150 to 5250	Pass
					-20	5210.225	5150 to 5250	Pass
					-10	5210.075	5150 to 5250	Pass
					0	5210.150	5150 to 5250	Pass
					10	5210.150	5150 to 5250	Pass
					30	5210.150	5150 to 5250	Pass
					40	5210.150	5150 to 5250	Pass
					50	5210.075	5150 to 5250	Pass
				5290	3.5	5290.000	5250 to 5350	Pass
					3.86	5290.000	5250 to 5350	Pass
					4.5	5290.000	5250 to 5350	Pass
					-30	5290.000	5250 to 5350	Pass
					-20	5290.000	5250 to 5350	Pass
					-10	5290.000	5250 to 5350	Pass
					0	5290.000	5250 to 5350	Pass
					10	5290.000	5250 to 5350	Pass
					30	5290.000	5250 to 5350	Pass
					40	5290.075	5250 to 5350	Pass
					50	5290.075	5250 to 5350	Pass
				5530	3.5	5530.150	5470 to 5725	Pass
					3.86	5530.150	5470 to 5725	Pass
					4.5	5530.075	5470 to 5725	Pass
					-30	5530.000	5470 to 5725	Pass
					-20	5530.000	5470 to 5725	Pass
					-10	5530.075	5470 to 5725	Pass
					0	5530.075	5470 to 5725	Pass
					10	5530.150	5470 to 5725	Pass
					30	5530.075	5470 to 5725	Pass
					40	5530.000	5470 to 5725	Pass
					50	5530.150	5470 to 5725	Pass
				5610	3.5	5610.225	5470 to 5725	Pass
					3.86	5610.150	5470 to 5725	Pass
					4.5	5610.150	5470 to 5725	Pass
					-30	5610.150	5470 to 5725	Pass
					-20	5610.150	5470 to 5725	Pass
					-10	5610.075	5470 to 5725	Pass
					0	5610.225	5470 to 5725	Pass
					10	5610.150	5470 to 5725	Pass
					30	5610.150	5470 to 5725	Pass
					40	5610.225	5470 to 5725	Pass
					50	5610.225	5470 to 5725	Pass
				5775	3.5	5775.150	5725 to 5850	Pass
					3.86	5775.075	5725 to 5850	Pass
					4.5	5774.925	5725 to 5850	Pass
					-30	5775.000	5725 to 5850	Pass
					-20	5775.000	5725 to 5850	Pass
					-10	5775.075	5725 to 5850	Pass
					0	5775.000	5725 to 5850	Pass
					10	5775.000	5725 to 5850	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch is a member of SGS Group (SGS SA) Laboratory.

# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250300088106

Page: 1324 of 1335

	5690	SU	/	30	3.86	5775.000	5725 to 5850	Pass
				40	3.86	5775.000	5725 to 5850	Pass
				50	3.86	5775.000	5725 to 5850	Pass
				20	3.5	5690.000	5470 to 5850	Pass
					3.86	5690.075	5470 to 5850	Pass
					4.5	5690.150	5470 to 5850	Pass
					-30	5690.075	5470 to 5850	Pass
				-20	3.86	5690.000	5470 to 5850	Pass
				-10	3.86	5690.150	5470 to 5850	Pass
				0	3.86	5690.150	5470 to 5850	Pass
				10	3.86	5690.225	5470 to 5850	Pass
				30	3.86	5690.075	5470 to 5850	Pass
				40	3.86	5690.075	5470 to 5850	Pass
				50	3.86	5690.075	5470 to 5850	Pass

802.11ax (HEW160)	MIMO	SU	/	5570	3.5	5567.750	5470 to 5725	Pass
					3.86	5568.350	5470 to 5725	Pass
					4.5	5568.725	5470 to 5725	Pass
					-30	5569.775	5470 to 5725	Pass
					-20	5569.025	5470 to 5725	Pass
					-10	5569.325	5470 to 5725	Pass
					0	5569.475	5470 to 5725	Pass
					10	5570.000	5470 to 5725	Pass
					30	5568.650	5470 to 5725	Pass
					40	5568.800	5470 to 5725	Pass
					50	5568.425	5470 to 5725	Pass
				5250	3.5	5250.225	5150 to 5350	Pass
					3.86	5250.150	5150 to 5350	Pass
					4.5	5250.525	5150 to 5350	Pass
					-30	5250.450	5150 to 5350	Pass
					-20	5250.675	5150 to 5350	Pass
					-10	5250.300	5150 to 5350	Pass
					0	5250.300	5150 to 5350	Pass
					10	5250.300	5150 to 5350	Pass
					30	5250.300	5150 to 5350	Pass
					40	5250.300	5150 to 5350	Pass
					50	5250.225	5150 to 5350	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch is a member of SGS Group (SGS SA) Laboratory

# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250300088106

Page: 1325 of 1335

802.11be (EHT20)	MIMO	SU	/	5180	3.5	5180.020	5150 to 5250	Pass
					3.86	5180.040	5150 to 5250	Pass
					4.5	5180.060	5150 to 5250	Pass
					-30	5180.060	5150 to 5250	Pass
					-20	5180.020	5150 to 5250	Pass
					-10	5180.060	5150 to 5250	Pass
					0	5179.980	5150 to 5250	Pass
					10	5180.020	5150 to 5250	Pass
					30	5180.060	5150 to 5250	Pass
					40	5180.040	5150 to 5250	Pass
					50	5180.020	5150 to 5250	Pass
				5200	3.5	5200.040	5150 to 5250	Pass
					3.86	5200.080	5150 to 5250	Pass
					4.5	5200.040	5150 to 5250	Pass
					-30	5200.020	5150 to 5250	Pass
					-20	5200.040	5150 to 5250	Pass
					-10	5200.120	5150 to 5250	Pass
					0	5200.100	5150 to 5250	Pass
					10	5200.060	5150 to 5250	Pass
					30	5200.020	5150 to 5250	Pass
					40	5200.040	5150 to 5250	Pass
					50	5200.020	5150 to 5250	Pass
				5240	3.5	5240.020	5150 to 5250	Pass
					3.86	5240.040	5150 to 5250	Pass
					4.5	5240.000	5150 to 5250	Pass
					-30	5240.100	5150 to 5250	Pass
					-20	5240.020	5150 to 5250	Pass
					-10	5240.020	5150 to 5250	Pass
					0	5240.080	5150 to 5250	Pass
					10	5240.040	5150 to 5250	Pass
					30	5240.060	5150 to 5250	Pass
					40	5240.040	5150 to 5250	Pass
					50	5240.020	5150 to 5250	Pass
				5260	3.5	5260.060	5250 to 5350	Pass
					3.86	5260.060	5250 to 5350	Pass
					4.5	5260.060	5250 to 5350	Pass
					-30	5260.060	5250 to 5350	Pass
					-20	5260.020	5250 to 5350	Pass
					-10	5260.040	5250 to 5350	Pass
					0	5260.040	5250 to 5350	Pass
					10	5260.060	5250 to 5350	Pass
					30	5260.040	5250 to 5350	Pass
					40	5259.940	5250 to 5350	Pass
					50	5260.060	5250 to 5350	Pass
				5300	3.5	5300.000	5250 to 5350	Pass
					3.86	5300.040	5250 to 5350	Pass
					4.5	5300.000	5250 to 5350	Pass
					-30	5300.040	5250 to 5350	Pass
					-20	5300.000	5250 to 5350	Pass
					-10	5300.060	5250 to 5350	Pass
					0	5300.080	5250 to 5350	Pass
					10	5300.020	5250 to 5350	Pass
					30	5300.100	5250 to 5350	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch is a member of SGS Group. SGS Group is a global leader in inspection, verification, testing and certification services.



**SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch**

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250300088106

Page: 1326 of 1335

		5320	SU	/	40	3.86	5300.040	5250 to 5350	Pass		
					50	3.86	5300.000	5250 to 5350	Pass		
					20	3.5	5320.000	5250 to 5350	Pass		
						3.86	5320.100	5250 to 5350	Pass		
						4.5	5319.900	5250 to 5350	Pass		
						-30	3.86	5320.020	5250 to 5350	Pass	
						-20	3.86	5320.040	5250 to 5350	Pass	
					10	-10	3.86	5319.980	5250 to 5350	Pass	
						0	3.86	5320.160	5250 to 5350	Pass	
						10	3.86	5320.040	5250 to 5350	Pass	
						30	3.86	5320.060	5250 to 5350	Pass	
						40	3.86	5320.120	5250 to 5350	Pass	
						50	3.86	5319.980	5250 to 5350	Pass	
					5500	20	3.5	5500.020	5470 to 5725	Pass	
							3.86	5500.000	5470 to 5725	Pass	
							4.5	5500.020	5470 to 5725	Pass	
							-30	3.86	5499.980	5470 to 5725	Pass
							-20	3.86	5500.020	5470 to 5725	Pass
						10	-10	3.86	5500.020	5470 to 5725	Pass
							0	3.86	5500.000	5470 to 5725	Pass
							10	3.86	5500.060	5470 to 5725	Pass
							30	3.86	5500.020	5470 to 5725	Pass
							40	3.86	5500.040	5470 to 5725	Pass
							50	3.86	5500.040	5470 to 5725	Pass
					5580	20	3.5	5580.040	5470 to 5725	Pass	
							3.86	5580.040	5470 to 5725	Pass	
							4.5	5580.080	5470 to 5725	Pass	
							-30	3.86	5580.080	5470 to 5725	Pass
							-20	3.86	5580.040	5470 to 5725	Pass
						10	-10	3.86	5580.020	5470 to 5725	Pass
							0	3.86	5580.060	5470 to 5725	Pass
							10	3.86	5580.100	5470 to 5725	Pass
							30	3.86	5580.080	5470 to 5725	Pass
							40	3.86	5580.080	5470 to 5725	Pass
							50	3.86	5580.000	5470 to 5725	Pass
					5700	20	3.5	5700.080	5470 to 5725	Pass	
							3.86	5700.040	5470 to 5725	Pass	
							4.5	5700.060	5470 to 5725	Pass	
							-30	3.86	5700.020	5470 to 5725	Pass
							-20	3.86	5700.060	5470 to 5725	Pass
						10	-10	3.86	5700.120	5470 to 5725	Pass
							0	3.86	5700.040	5470 to 5725	Pass
							10	3.86	5700.080	5470 to 5725	Pass
							30	3.86	5700.060	5470 to 5725	Pass
							40	3.86	5700.040	5470 to 5725	Pass
							50	3.86	5700.060	5470 to 5725	Pass
					5745	20	3.5	5745.060	5725 to 5850	Pass	
							3.86	5744.980	5725 to 5850	Pass	
							4.5	5745.000	5725 to 5850	Pass	
							-30	3.86	5745.040	5725 to 5850	Pass
							-20	3.86	5745.060	5725 to 5850	Pass
						10	-10	3.86	5745.040	5725 to 5850	Pass
							0	3.86	5745.040	5725 to 5850	Pass
							10	3.86	5745.020	5725 to 5850	Pass
							30	3.86	5745.040	5725 to 5850	Pass
							40	3.86	5745.020	5725 to 5850	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch is a member of SGS Group (SGS SA)

**SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch**

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250300088106

Page: 1327 of 1335

				50	3.86	5745.060	5725 to 5850	Pass
5785	SU	/	20	3.5	5785.080	5725 to 5850	Pass	
				3.86	5785.020	5725 to 5850	Pass	
				4.5	5785.060	5725 to 5850	Pass	
				-30	3.86	5785.060	5725 to 5850	Pass
				-20	3.86	5784.980	5725 to 5850	Pass
			-10	3.86	5784.960	5725 to 5850	Pass	
				0	3.86	5785.040	5725 to 5850	Pass
				10	3.86	5785.040	5725 to 5850	Pass
				30	3.86	5785.040	5725 to 5850	Pass
				40	3.86	5785.020	5725 to 5850	Pass
5825	SU	/	20	3.5	5825.080	5725 to 5850	Pass	
				3.86	5825.020	5725 to 5850	Pass	
				4.5	5825.060	5725 to 5850	Pass	
				-30	3.86	5825.100	5725 to 5850	Pass
				-20	3.86	5825.080	5725 to 5850	Pass
			-10	3.86	5825.060	5725 to 5850	Pass	
				0	3.86	5825.040	5725 to 5850	Pass
				10	3.86	5825.040	5725 to 5850	Pass
				30	3.86	5825.160	5725 to 5850	Pass
				40	3.86	5825.120	5725 to 5850	Pass
5720	SU	/	20	3.5	5720.100	5470 to 5850	Pass	
				3.86	5720.020	5470 to 5850	Pass	
				4.5	5720.020	5470 to 5850	Pass	
				-30	3.86	5720.060	5470 to 5850	Pass
				-20	3.86	5720.040	5470 to 5850	Pass
			-10	3.86	5719.980	5470 to 5850	Pass	
				0	3.86	5719.960	5470 to 5850	Pass
				10	3.86	5720.020	5470 to 5850	Pass
				30	3.86	5720.040	5470 to 5850	Pass
				40	3.86	5720.120	5470 to 5850	Pass
			50	3.86	5720.020	5470 to 5850	Pass	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch is a member of SGS Group LLC Laboratory.

**SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch**

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250300088106

Page: 1328 of 1335

802.11be (EHT40)	MIMO	SU	/	20	3.5	5190.120	5150 to 5250	Pass	
					3.86	5190.080	5150 to 5250	Pass	
					4.5	5190.120	5150 to 5250	Pass	
					-30	3.86	5190.200	5150 to 5250	Pass
					-20	3.86	5190.120	5150 to 5250	Pass
					-10	3.86	5190.120	5150 to 5250	Pass
					0	3.86	5190.120	5150 to 5250	Pass
					10	3.86	5190.080	5150 to 5250	Pass
					30	3.86	5190.120	5150 to 5250	Pass
					40	3.86	5190.160	5150 to 5250	Pass
					50	3.86	5190.080	5150 to 5250	Pass
				20	3.5	5230.120	5150 to 5250	Pass	
					3.86	5230.120	5150 to 5250	Pass	
					4.5	5230.080	5150 to 5250	Pass	
					-30	3.86	5230.000	5150 to 5250	Pass
					-20	3.86	5230.120	5150 to 5250	Pass
					-10	3.86	5230.120	5150 to 5250	Pass
					0	3.86	5230.120	5150 to 5250	Pass
					10	3.86	5230.080	5150 to 5250	Pass
					30	3.86	5230.080	5150 to 5250	Pass
					40	3.86	5230.080	5150 to 5250	Pass
					50	3.86	5230.080	5150 to 5250	Pass
				20	3.5	5270.120	5250 to 5350	Pass	
					3.86	5270.120	5250 to 5350	Pass	
					4.5	5270.040	5250 to 5350	Pass	
					-30	3.86	5270.080	5250 to 5350	Pass
					-20	3.86	5270.080	5250 to 5350	Pass
					-10	3.86	5270.000	5250 to 5350	Pass
					0	3.86	5270.080	5250 to 5350	Pass
					10	3.86	5270.120	5250 to 5350	Pass
					30	3.86	5270.040	5250 to 5350	Pass
					40	3.86	5270.120	5250 to 5350	Pass
					50	3.86	5270.000	5250 to 5350	Pass
				20	3.5	5310.040	5250 to 5350	Pass	
					3.86	5310.080	5250 to 5350	Pass	
					4.5	5310.080	5250 to 5350	Pass	
					-30	3.86	5310.200	5250 to 5350	Pass
					-20	3.86	5310.120	5250 to 5350	Pass
					-10	3.86	5310.160	5250 to 5350	Pass
					0	3.86	5310.160	5250 to 5350	Pass
					10	3.86	5310.120	5250 to 5350	Pass
					30	3.86	5310.120	5250 to 5350	Pass
					40	3.86	5310.120	5250 to 5350	Pass
					50	3.86	5310.080	5250 to 5350	Pass
				20	3.5	5510.080	5470 to 5725	Pass	
					3.86	5510.040	5470 to 5725	Pass	
					4.5	5510.080	5470 to 5725	Pass	
					-30	3.86	5510.000	5470 to 5725	Pass
					-20	3.86	5510.080	5470 to 5725	Pass
					-10	3.86	5510.080	5470 to 5725	Pass
					0	3.86	5510.040	5470 to 5725	Pass
					10	3.86	5510.000	5470 to 5725	Pass
					30	3.86	5510.040	5470 to 5725	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch is a member of SGS Group. SGS Group is a global leader in inspection, verification, testing and certification services.



**SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch**

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250300088106

Page: 1329 of 1335

		5550	SU	/	40	3.86	5510.040	5470 to 5725	Pass			
					50	3.86	5510.040	5470 to 5725	Pass			
					20	3.5	5550.120	5470 to 5725	Pass			
						3.86	5550.120	5470 to 5725	Pass			
						4.5	5550.120	5470 to 5725	Pass			
						-30	3.86	5550.200	5470 to 5725	Pass		
						-20	3.86	5550.120	5470 to 5725	Pass		
					10	-10	3.86	5550.160	5470 to 5725	Pass		
						0	3.86	5550.080	5470 to 5725	Pass		
						10	3.86	5550.120	5470 to 5725	Pass		
						30	3.86	5550.120	5470 to 5725	Pass		
						40	3.86	5550.120	5470 to 5725	Pass		
						50	3.86	5550.160	5470 to 5725	Pass		
					5670	SU	/	20	3.5	5670.040	5470 to 5725	Pass
									3.86	5670.120	5470 to 5725	Pass
									4.5	5670.160	5470 to 5725	Pass
								-30	3.86	5670.120	5470 to 5725	Pass
									3.86	5670.080	5470 to 5725	Pass
									-10	3.86	5670.080	5470 to 5725
						10	0	20	3.86	5670.120	5470 to 5725	Pass
									3.86	5670.080	5470 to 5725	Pass
									4.5	5670.080	5470 to 5725	Pass
								-20	3.86	5670.080	5470 to 5725	Pass
									3.86	5670.040	5470 to 5725	Pass
									-10	3.86	5670.040	5470 to 5725
						30	40	20	3.86	5670.080	5470 to 5725	Pass
									3.86	5670.040	5470 to 5725	Pass
									4.5	5670.040	5470 to 5725	Pass
								-30	3.86	5670.040	5470 to 5725	Pass
									3.86	5670.080	5470 to 5725	Pass
									-10	3.86	5670.080	5470 to 5725
						50	5755	20	3.86	5670.080	5470 to 5725	Pass
									3.86	5670.120	5470 to 5725	Pass
									4.5	5670.160	5470 to 5725	Pass
								-30	3.86	5670.120	5470 to 5725	Pass
									3.86	5670.080	5470 to 5725	Pass
									-10	3.86	5670.080	5470 to 5725
						10	0	20	3.86	5670.120	5470 to 5725	Pass
									3.86	5670.080	5470 to 5725	Pass
									4.5	5670.080	5470 to 5725	Pass
								-20	3.86	5670.080	5470 to 5725	Pass
									3.86	5670.040	5470 to 5725	Pass
									-10	3.86	5670.040	5470 to 5725
						30	40	20	3.86	5670.080	5470 to 5725	Pass
									3.86	5670.040	5470 to 5725	Pass
									4.5	5670.040	5470 to 5725	Pass
								-30	3.86	5670.040	5470 to 5725	Pass
									3.86	5670.080	5470 to 5725	Pass
									-10	3.86	5670.080	5470 to 5725
						50	5795	20	3.86	5670.120	5470 to 5725	Pass
									3.86	5670.160	5470 to 5725	Pass
									4.5	5670.160	5470 to 5725	Pass
								-30	3.86	5670.160	5470 to 5725	Pass
									3.86	5670.080	5470 to 5725	Pass
									-10	3.86	5670.080	5470 to 5725
						10	0	20	3.86	5670.120	5470 to 5725	Pass
									3.86	5670.080	5470 to 5725	Pass
									4.5	5670.080	5470 to 5725	Pass
								-20	3.86	5670.080	5470 to 5725	Pass
									3.86	5670.040	5470 to 5725	Pass
									-10	3.86	5670.040	5470 to 5725
						30	40	20	3.86	5670.120	5470 to 5725	Pass
									3.86	5670.080	5470 to 5725	Pass
									4.5	5670.080	5470 to 5725	Pass
								-30	3.86	5670.080	5470 to 5725	Pass
									3.86	5670.040	5470 to 5725	Pass
									-10	3.86	5670.040	5470 to 5725
						50	5710	20	3.86	5670.160	5470 to 5850	Pass
									3.86	5670.040	5470 to 5850	Pass
									4.5	5670.080	5470 to 5850	Pass
								-30	3.86	5670.160	5470 to 5850	Pass
									3.86	5670.080	5470 to 5850	Pass
									-10	3.86	5670.080	5470 to 5850
						10	0	20	3.86	5670.160	5470 to 5850	Pass
									3.86	5670.080	5470 to 5850	Pass
									4.5	5670.080	5470 to 5850	Pass
								-20	3.86	5670.080	5470 to 5850	Pass
									3.86	5670.040	5470 to 5850	Pass
									-10	3.86	5670.040	5470 to 5850
						30	40	20	3.86	5670.080	5470 to 5850	Pass
									3.86	5670.040	5470 to 5850	Pass
									4.5	5670.040	5470 to 5850	Pass
								-30	3.86	5670.080	5470 to 5850	Pass
									3.86	5670.040	5470 to 5850	Pass
									-10	3.86	5670.040	5470 to 5850
						50	5710	20	3.86	5670.160	5470 to 5850	Pass

**SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch**

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250300088106

Page: 1330 of 1335

				50	3.86	5710.080	5470 to 5850	Pass
--	--	--	--	----	------	----------	--------------	------

802.11be (EHT80)	MIMO	SU	/	20	3.5	5210.150	5150 to 5250	Pass	
					3.86	5210.075	5150 to 5250	Pass	
					4.5	5210.150	5150 to 5250	Pass	
					-30	3.86	5210.075	5150 to 5250	Pass
					-20	3.86	5210.225	5150 to 5250	Pass
					-10	3.86	5210.150	5150 to 5250	Pass
					0	3.86	5210.150	5150 to 5250	Pass
					10	3.86	5210.075	5150 to 5250	Pass
					30	3.86	5210.150	5150 to 5250	Pass
					40	3.86	5210.075	5150 to 5250	Pass
					50	3.86	5210.150	5150 to 5250	Pass
				20	3.5	5290.150	5250 to 5350	Pass	
					3.86	5290.075	5250 to 5350	Pass	
					4.5	5290.000	5250 to 5350	Pass	
					-30	3.86	5290.075	5250 to 5350	Pass
					-20	3.86	5290.075	5250 to 5350	Pass
					-10	3.86	5290.075	5250 to 5350	Pass
					0	3.86	5290.000	5250 to 5350	Pass
					10	3.86	5290.075	5250 to 5350	Pass
					30	3.86	5290.000	5250 to 5350	Pass
					40	3.86	5290.075	5250 to 5350	Pass
					50	3.86	5290.075	5250 to 5350	Pass
				20	3.5	5530.150	5470 to 5725	Pass	
					3.86	5530.150	5470 to 5725	Pass	
					4.5	5530.150	5470 to 5725	Pass	
					-30	3.86	5530.000	5470 to 5725	Pass
					-20	3.86	5530.075	5470 to 5725	Pass
					-10	3.86	5530.000	5470 to 5725	Pass
					0	3.86	5530.150	5470 to 5725	Pass
					10	3.86	5530.075	5470 to 5725	Pass
					30	3.86	5530.000	5470 to 5725	Pass
					40	3.86	5530.075	5470 to 5725	Pass
					50	3.86	5530.000	5470 to 5725	Pass
				20	3.5	5610.225	5470 to 5725	Pass	
					3.86	5610.300	5470 to 5725	Pass	
					4.5	5610.075	5470 to 5725	Pass	
					-30	3.86	5610.225	5470 to 5725	Pass
					-20	3.86	5610.150	5470 to 5725	Pass
					-10	3.86	5610.225	5470 to 5725	Pass
					0	3.86	5610.225	5470 to 5725	Pass
					10	3.86	5610.225	5470 to 5725	Pass
					30	3.86	5610.150	5470 to 5725	Pass
					40	3.86	5610.225	5470 to 5725	Pass
					50	3.86	5610.375	5470 to 5725	Pass
				20	3.5	5775.075	5725 to 5850	Pass	
					3.86	5775.000	5725 to 5850	Pass	
					4.5	5774.925	5725 to 5850	Pass	
					-30	3.86	5775.075	5725 to 5850	Pass
					-20	3.86	5775.000	5725 to 5850	Pass
					-10	3.86	5775.000	5725 to 5850	Pass
					0	3.86	5775.000	5725 to 5850	Pass
					10	3.86	5775.075	5725 to 5850	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch is a member of SGS Group (SGS SA) Laboratory.



# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250300088106

Page: 1331 of 1335

	5690	SU	/	30	3.86	5775.000	5725 to 5850	Pass
				40	3.86	5775.000	5725 to 5850	Pass
				50	3.86	5775.000	5725 to 5850	Pass
					3.5	5690.000	5470 to 5850	Pass
				20	3.86	5690.150	5470 to 5850	Pass
					4.5	5690.075	5470 to 5850	Pass
					-30	5690.075	5470 to 5850	Pass
				-20	3.86	5690.075	5470 to 5850	Pass
				-10	3.86	5690.000	5470 to 5850	Pass
				0	3.86	5690.150	5470 to 5850	Pass
				10	3.86	5690.150	5470 to 5850	Pass
				30	3.86	5690.150	5470 to 5850	Pass
				40	3.86	5690.075	5470 to 5850	Pass
				50	3.86	5690.000	5470 to 5850	Pass
802.11be (EHT160)	MIMO	SU	/		3.5	5568.575	5470 to 5725	Pass
				20	3.86	5568.275	5470 to 5725	Pass
					4.5	5569.775	5470 to 5725	Pass
					-30	5569.700	5470 to 5725	Pass
				-20	3.86	5569.100	5470 to 5725	Pass
				-10	3.86	5570.150	5470 to 5725	Pass
				0	3.86	5569.475	5470 to 5725	Pass
				10	3.86	5569.700	5470 to 5725	Pass
				30	3.86	5570.225	5470 to 5725	Pass
				40	3.86	5569.775	5470 to 5725	Pass
				50	3.86	5568.275	5470 to 5725	Pass
	5250	SU	/		3.5	5250.225	5150 to 5350	Pass
				20	3.86	5250.375	5150 to 5350	Pass
					4.5	5250.150	5150 to 5350	Pass
					-30	5250.150	5150 to 5350	Pass
				-20	3.86	5250.150	5150 to 5350	Pass
				-10	3.86	5250.525	5150 to 5350	Pass
				0	3.86	5250.675	5150 to 5350	Pass
				10	3.86	5250.150	5150 to 5350	Pass
				30	3.86	5250.225	5150 to 5350	Pass
				40	3.86	5250.225	5150 to 5350	Pass
				50	3.86	5250.225	5150 to 5350	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)




SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch is a member of SGS Group (SGS SA) Laboratory

## 6. DFS

### 6.1 Test Result

#### 6.1.1 Rader




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)



### 6.1.2 dc(52.85% Payload)



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch is a member of SGS Group Laboratory.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



## 6.1.3 5290MHz:



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

### 6.1.4 5570MHz:



- End of the Report -



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch is a member of SGS Group Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)