



Appendix C

RF Test Data for 5.8GWIFI (Conducted Measurement)

Product Name: Vilo 6 Mesh Wi-Fi System

Test Model: VL6WF02

Environmental Conditions

Temperature:	24.1 °C
Relative Humidity:	52.4%
ATM Pressure:	100.0 kPa
Test Engineer:	Bill Zhu
Supervised by:	Li Huan





C.1 -6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant0	14.228	≥ 0.5	Pass
NVNT	a	5785	Ant0	12.968	≥ 0.5	Pass
NVNT	a	5825	Ant0	13.549	≥ 0.5	Pass
NVNT	n20	5745	Ant0	16.624	≥ 0.5	Pass
NVNT	n20	5785	Ant0	13.865	≥ 0.5	Pass
NVNT	n20	5825	Ant0	15.089	≥ 0.5	Pass
NVNT	n40	5755	Ant0	33.811	≥ 0.5	Pass
NVNT	n40	5795	Ant0	30.062	≥ 0.5	Pass
NVNT	ac20	5745	Ant0	15.139	≥ 0.5	Pass
NVNT	ac20	5785	Ant0	15.47	≥ 0.5	Pass
NVNT	ac20	5825	Ant0	15.055	≥ 0.5	Pass
NVNT	ac40	5755	Ant0	31.303	≥ 0.5	Pass
NVNT	ac40	5795	Ant0	33.759	≥ 0.5	Pass
NVNT	ac80	5775	Ant0	75.087	≥ 0.5	Pass
NVNT	ax20	5745	Ant0	18.705	≥ 0.5	Pass
NVNT	ax20	5785	Ant0	18.982	≥ 0.5	Pass
NVNT	ax20	5825	Ant0	11.891	≥ 0.5	Pass
NVNT	ax40	5755	Ant0	32.77	≥ 0.5	Pass
NVNT	ax40	5795	Ant0	31.342	≥ 0.5	Pass
NVNT	ax80	5775	Ant0	75.069	≥ 0.5	Pass






Test Graphs

-6dB Bandwidth NVNT a 5745MHz Ant0




-6dB Bandwidth NVNT a 5785MHz Ant0






-6dB Bandwidth NVNT a 5825MHz Ant0




-6dB Bandwidth NVNT n20 5745MHz Ant0






-6dB Bandwidth NVNT n20 5785MHz Ant0




-6dB Bandwidth NVNT n20 5825MHz Ant0








-6dB Bandwidth NVNT n40 5755MHz Ant0




-6dB Bandwidth NVNT n40 5795MHz Ant0












-6dB Bandwidth NVNT ac20 5825MHz Ant0



-6dB Bandwidth NVNT ac40 5755MHz Ant0











-6dB Bandwidth NVNT ax20 5825MHz Ant0




-6dB Bandwidth NVNT ax40 5755MHz Ant0






-6dB Bandwidth NVNT ax40 5795MHz Ant0



-6dB Bandwidth NVNT ax80 5775MHz Ant0






Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	16.265	≥ 0.5	Pass
NVNT	a	5785	Ant1	15.797	≥ 0.5	Pass
NVNT	a	5825	Ant1	15.279	≥ 0.5	Pass
NVNT	n20	5745	Ant1	15.343	≥ 0.5	Pass
NVNT	n20	5785	Ant1	15.695	≥ 0.5	Pass
NVNT	n20	5825	Ant1	16.279	≥ 0.5	Pass
NVNT	n40	5755	Ant1	34.997	≥ 0.5	Pass
NVNT	n40	5795	Ant1	32.515	≥ 0.5	Pass
NVNT	ac20	5745	Ant1	15.338	≥ 0.5	Pass
NVNT	ac20	5785	Ant1	15.116	≥ 0.5	Pass
NVNT	ac20	5825	Ant1	15.017	≥ 0.5	Pass
NVNT	ac40	5755	Ant1	33.819	≥ 0.5	Pass
NVNT	ac40	5795	Ant1	33.799	≥ 0.5	Pass
NVNT	ac80	5775	Ant1	75.075	≥ 0.5	Pass
NVNT	ax20	5745	Ant1	18.441	≥ 0.5	Pass
NVNT	ax20	5785	Ant1	18.016	≥ 0.5	Pass
NVNT	ax20	5825	Ant1	18.75	≥ 0.5	Pass
NVNT	ax40	5755	Ant1	32.659	≥ 0.5	Pass
NVNT	ax40	5795	Ant1	34.961	≥ 0.5	Pass
NVNT	ax80	5775	Ant1	74.98	≥ 0.5	Pass






Test Graphs

-6dB Bandwidth NVNT a 5745MHz Ant1




-6dB Bandwidth NVNT a 5785MHz Ant1






-6dB Bandwidth NVNT a 5825MHz Ant1




-6dB Bandwidth NVNT n20 5745MHz Ant1






-6dB Bandwidth NVNT n20 5785MHz Ant1




-6dB Bandwidth NVNT n20 5825MHz Ant1








-6dB Bandwidth NVNT n40 5755MHz Ant1




-6dB Bandwidth NVNT n40 5795MHz Ant1








-6dB Bandwidth NVNT ac20 5825MHz Ant1




-6dB Bandwidth NVNT ac40 5755MHz Ant1






-6dB Bandwidth NVNT ac40 5795MHz Ant1




-6dB Bandwidth NVNT ac80 5775MHz Ant1






-6dB Bandwidth NVNT ax20 5745MHz Ant1




-6dB Bandwidth NVNT ax20 5785MHz Ant1






-6dB Bandwidth NVNT ax20 5825MHz Ant1




-6dB Bandwidth NVNT ax40 5755MHz Ant1






-6dB Bandwidth NVNT ax40 5795MHz Ant1



-6dB Bandwidth NVNT ax80 5775MHz Ant1





C.2 Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant0	18.94
NVNT	a	5785	Ant0	17.57
NVNT	a	5825	Ant0	17.516
NVNT	n20	5745	Ant0	18.141
NVNT	n20	5785	Ant0	18.232
NVNT	n20	5825	Ant0	18.258
NVNT	n40	5755	Ant0	36.231
NVNT	n40	5795	Ant0	36.432
NVNT	ac20	5745	Ant0	18.226
NVNT	ac20	5785	Ant0	18.46
NVNT	ac20	5825	Ant0	18.634
NVNT	ac40	5755	Ant0	36.35
NVNT	ac40	5795	Ant0	39.328
NVNT	ac80	5775	Ant0	75.151
NVNT	ax20	5745	Ant0	19.012
NVNT	ax20	5785	Ant0	19.034
NVNT	ax20	5825	Ant0	19.001
NVNT	ax40	5755	Ant0	37.508
NVNT	ax40	5795	Ant0	37.691
NVNT	ax80	5775	Ant0	76.737






Test Graphs

OBW NVNT a 5745MHz Ant0




OBW NVNT a 5785MHz Ant0










OBW NVNT a 5825MHz Ant0







OBW NVNT n20 5745MHz Ant0



























OBW NVNT ax40 5795MHz Ant0



OBW NVNT ax80 5775MHz Ant0






Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant1	17.171
NVNT	a	5785	Ant1	17.45
NVNT	a	5825	Ant1	17.605
NVNT	n20	5745	Ant1	18.066
NVNT	n20	5785	Ant1	18.23
NVNT	n20	5825	Ant1	18.239
NVNT	n40	5755	Ant1	36.151
NVNT	n40	5795	Ant1	36.338
NVNT	ac20	5745	Ant1	18.237
NVNT	ac20	5785	Ant1	18.437
NVNT	ac20	5825	Ant1	18.64
NVNT	ac40	5755	Ant1	36.323
NVNT	ac40	5795	Ant1	36.595
NVNT	ac80	5775	Ant1	75.094
NVNT	ax20	5745	Ant1	19.031
NVNT	ax20	5785	Ant1	18.892
NVNT	ax20	5825	Ant1	18.906
NVNT	ax40	5755	Ant1	37.464
NVNT	ax40	5795	Ant1	37.483
NVNT	ax80	5775	Ant1	76.603






Test Graphs

OBW NVNT a 5745MHz Ant1




OBW NVNT a 5785MHz Ant1










OBW NVNT a 5825MHz Ant1



OBW NVNT n20 5745MHz Ant1













OBW NVNT ac20 5745MHz Ant1




OBW NVNT ac20 5785MHz Ant1








OBW NVNT ac40 5795MHz Ant1




OBW NVNT ac80 5775MHz Ant1






OBW NVNT ax20 5745MHz Ant1




OBW NVNT ax20 5785MHz Ant1






OBW NVNT ax20 5825MHz Ant1




OBW NVNT ax40 5755MHz Ant1






OBW NVNT ax40 5795MHz Ant1



OBW NVNT ax80 5775MHz Ant1





C.3 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant0	11.8	0.17	11.97	30	Pass
NVNT	a	5785	Ant0	11.88	0.17	12.05	30	Pass
NVNT	a	5825	Ant0	12.63	0.17	12.8	30	Pass
NVNT	n20	5745	Ant0	10.65	0.19	10.84	30	Pass
NVNT	n20	5785	Ant0	11.69	0.29	11.98	30	Pass
NVNT	n20	5825	Ant0	12.33	0.19	12.52	30	Pass
NVNT	n40	5755	Ant0	11.96	0.36	12.32	30	Pass
NVNT	n40	5795	Ant0	12.13	0.35	12.48	30	Pass
NVNT	ac20	5745	Ant0	11.11	0.35	11.46	30	Pass
NVNT	ac20	5785	Ant0	11.79	0.35	12.14	30	Pass
NVNT	ac20	5825	Ant0	12.53	0.35	12.88	30	Pass
NVNT	ac40	5755	Ant0	11.76	0.61	12.37	30	Pass
NVNT	ac40	5795	Ant0	12.42	0.61	13.03	30	Pass
NVNT	ac80	5775	Ant0	6.1	4.6	10.7	30	Pass
NVNT	ax20	5745	Ant0	11.52	0.43	11.95	30	Pass
NVNT	ax20	5785	Ant0	11.9	0.43	12.33	30	Pass
NVNT	ax20	5825	Ant0	12.05	0.43	12.48	30	Pass
NVNT	ax40	5755	Ant0	11.31	0.72	12.03	30	Pass
NVNT	ax40	5795	Ant0	10.33	0.72	11.05	30	Pass
NVNT	ax80	5775	Ant0	5.05	4.8	9.85	30	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	11.62	2.19	13.81	30	Pass
NVNT	a	5785	Ant1	12.45	0.17	12.62	30	Pass
NVNT	a	5825	Ant1	12.93	0.18	13.11	30	Pass
NVNT	n20	5745	Ant1	12.24	0.19	12.43	30	Pass
NVNT	n20	5785	Ant1	12.47	0.19	12.66	30	Pass
NVNT	n20	5825	Ant1	12.63	0.19	12.82	30	Pass
NVNT	n40	5755	Ant1	11.83	0.56	12.39	30	Pass
NVNT	n40	5795	Ant1	11.71	0.36	12.07	30	Pass
NVNT	ac20	5745	Ant1	12	0.35	12.35	30	Pass
NVNT	ac20	5785	Ant1	12.34	0.35	12.69	30	Pass
NVNT	ac20	5825	Ant1	12.8	0.35	13.15	30	Pass
NVNT	ac40	5755	Ant1	11.55	0.63	12.18	30	Pass
NVNT	ac40	5795	Ant1	11.62	0.63	12.25	30	Pass
NVNT	ac80	5775	Ant1	5.34	4.61	9.95	30	Pass
NVNT	ax20	5745	Ant1	11.35	0.43	11.78	30	Pass
NVNT	ax20	5785	Ant1	12.11	0.43	12.54	30	Pass





NVNT	ax20	5825	Ant1	12.16	0.43	12.59	30	Pass
NVNT	ax40	5755	Ant1	11.55	0.72	12.27	30	Pass
NVNT	ax40	5795	Ant1	10.51	0.75	11.26	30	Pass
NVNT	ax80	5775	Ant1	7.76	4.68	12.44	30	Pass

MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)			Limit (dBm)	Verdict
			Ant0	Ant1	Ant0+Ant1		
NVNT	n20	5745	10.84	12.43	14.72	27.70	Pass
NVNT	n20	5785	11.98	12.66	15.34	27.70	Pass
NVNT	n20	5825	12.52	12.82	15.68	27.70	Pass
NVNT	n40	5755	12.32	12.39	15.37	27.70	Pass
NVNT	n40	5795	12.48	12.07	15.29	27.70	Pass
NVNT	ac20	5745	11.46	12.35	14.94	27.70	Pass
NVNT	ac20	5785	12.14	12.69	15.43	27.70	Pass
NVNT	ac20	5825	12.88	13.15	16.03	27.70	Pass
NVNT	ac40	5755	12.37	12.18	15.29	27.70	Pass
NVNT	ac40	5795	13.03	12.25	15.67	27.70	Pass
NVNT	ac80	5775	10.7	9.95	13.35	27.70	Pass
NVNT	ax20	5745	11.95	11.78	14.88	27.70	Pass
NVNT	ax20	5785	12.33	12.54	15.45	27.70	Pass
NVNT	ax20	5825	12.48	12.59	15.55	27.70	Pass
NVNT	ax40	5755	12.03	12.27	15.16	27.70	Pass
NVNT	ax40	5795	11.05	11.26	14.17	27.70	Pass
NVNT	ax80	5775	9.85	12.44	14.35	27.70	Pass





C.4 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant0	-7.58	0.17	-7.41	30	Pass
NVNT	a	5785	Ant0	-5.8	0.17	-5.63	30	Pass
NVNT	a	5825	Ant0	-5.02	0.17	-4.85	30	Pass
NVNT	n20	5745	Ant0	-7.09	0.19	-6.9	30	Pass
NVNT	n20	5785	Ant0	-8.28	0.29	-7.99	30	Pass
NVNT	n20	5825	Ant0	-5.14	0.19	-4.95	30	Pass
NVNT	n40	5755	Ant0	-7.68	0.36	-7.32	30	Pass
NVNT	n40	5795	Ant0	-8.81	0.35	-8.46	30	Pass
NVNT	ac20	5745	Ant0	-5.54	0.35	-5.19	30	Pass
NVNT	ac20	5785	Ant0	-7.4	0.35	-7.05	30	Pass
NVNT	ac20	5825	Ant0	-7.74	0.35	-7.39	30	Pass
NVNT	ac40	5755	Ant0	-8.41	0.61	-7.8	30	Pass
NVNT	ac40	5795	Ant0	-9.92	0.61	-9.31	30	Pass
NVNT	ac80	5775	Ant0	-40.91	4.6	-36.31	30	Pass
NVNT	ax20	5745	Ant0	-8.66	0.43	-8.23	30	Pass
NVNT	ax20	5785	Ant0	-6.15	0.43	-5.72	30	Pass
NVNT	ax20	5825	Ant0	-7.27	0.43	-6.84	30	Pass
NVNT	ax40	5755	Ant0	-13.09	9.03	-4.06	30	Pass
NVNT	ax40	5795	Ant0	-11.35	9.03	-2.32	30	Pass
NVNT	ax80	5775	Ant0	-41.58	4.8	-36.78	30	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-7.53	2.19	-5.34	30	Pass
NVNT	a	5785	Ant1	-7.29	0.17	-7.12	30	Pass
NVNT	a	5825	Ant1	-5.72	0.18	-5.54	30	Pass
NVNT	n20	5745	Ant1	-11.66	0.19	-11.47	30	Pass
NVNT	n20	5785	Ant1	-8.09	0.19	-7.9	30	Pass
NVNT	n20	5825	Ant1	-6.53	0.19	-6.34	30	Pass
NVNT	n40	5755	Ant1	-8.15	0.56	-7.59	30	Pass
NVNT	n40	5795	Ant1	-8.06	0.36	-7.7	30	Pass
NVNT	ac20	5745	Ant1	-6.81	0.35	-6.46	30	Pass
NVNT	ac20	5785	Ant1	-4.34	0.35	-3.99	30	Pass
NVNT	ac20	5825	Ant1	-5.27	0.35	-4.92	30	Pass
NVNT	ac40	5755	Ant1	-10.67	0.63	-10.04	30	Pass
NVNT	ac40	5795	Ant1	-10.3	0.63	-9.67	30	Pass
NVNT	ac80	5775	Ant1	-42.06	4.61	-37.45	30	Pass
NVNT	ax20	5745	Ant1	-6.79	0.43	-6.36	30	Pass
NVNT	ax20	5785	Ant1	-6.52	0.43	-6.09	30	Pass





NVNT	ax20	5825	Ant1	-7.67	0.43	-7.24	30	Pass
NVNT	ax40	5755	Ant1	-10.07	0.72	-9.35	30	Pass
NVNT	ax40	5795	Ant1	-13.35	9.03	-4.32	30	Pass
NVNT	ax80	5775	Ant1	-42.59	4.68	-37.91	30	Pass

MIMO

Test Mode	Channel	Frequency (MHz)	Ant 0 Power Density (dBm/500KHz)	Ant 1 Power Density (dBm/500KHz)	MIMO Power Density (dBm/500KHz)	Report Power Density (dBm/500KHz)	Verdict
n20	149	5745	-6.9	-11.47	-5.60	≤27.70	Pass
	157	5785	-7.99	-7.9	-4.93		Pass
	165	5825	-4.95	-6.34	-2.58		Pass
n40	151	5755	-7.32	-7.59	-4.44	≤27.70	Pass
	159	5795	-8.46	-7.7	-5.05		Pass
ac20	149	5745	-5.19	-6.46	-2.77	≤27.70	Pass
	157	5785	-7.05	-3.99	-2.25		Pass
	165	5825	-7.39	-4.92	-2.97		Pass
ac40	151	5755	-7.8	-10.04	-5.77	≤27.70	Pass
	159	5795	-9.31	-9.67	-6.48		Pass
ac80	155	5775	-36.31	-37.45	-33.83	≤27.70	Pass
aX20	149	5745	-8.23	-6.36	-4.18	≤27.70	Pass
	157	5785	-5.72	-6.09	-2.89		Pass
	165	5825	-6.84	-7.24	-4.03		Pass
aX40	151	5755	-4.06	-9.35	-2.93	≤27.70	Pass
	159	5795	-2.32	-4.32	-0.20		Pass
aX80	155	5775	-36.78	-37.91	-34.30	≤27.70	Pass

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

PSD NVNT a 5745MHz Ant0




PSD NVNT a 5785MHz Ant0










PSD NVNT a 5825MHz Ant0







PSD NVNT n20 5745MHz Ant0

































Test Graphs



PSD NVNT a 5745MHz Ant1







PSD NVNT a 5785MHz Ant1





























PSD NVNT ax20 5825MHz Ant1



PSD NVNT ax40 5755MHz Ant1







C.5 Restrict Band

Ant0:

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBm)	Detector	Limit (dBm)	Verdict
NVNT	a	5745	Ant0	5650	-47.13	5.29	-41.84	Peak	-27	Pass
NVNT	a	5745	Ant0	5650	-58.17	5.29	-52.88	Average	-27	Pass
NVNT	a	5745	Ant0	5700	-33.06	5.29	-27.77	Peak	10	Pass
NVNT	a	5745	Ant0	5700	-48.29	5.29	-43	Average	10	Pass
NVNT	a	5745	Ant0	5720	-26.43	5.29	-21.14	Peak	15.6	Pass
NVNT	a	5745	Ant0	5720	-38.02	5.29	-32.73	Average	15.6	Pass
NVNT	a	5745	Ant0	5725	-19.21	5.29	-13.92	Peak	27	Pass
NVNT	a	5745	Ant0	5725	-31.02	5.29	-25.73	Average	27	Pass
NVNT	a	5825	Ant0	5850	-22.91	5.29	-17.62	Peak	27	Pass
NVNT	a	5825	Ant0	5850	-34.98	5.29	-29.69	Average	27	Pass
NVNT	a	5825	Ant0	5855	-21.65	5.29	-16.36	Peak	15.6	Pass
NVNT	a	5825	Ant0	5855	-37.85	5.29	-32.56	Average	15.6	Pass
NVNT	a	5825	Ant0	5875	-34.92	5.29	-29.63	Peak	10	Pass
NVNT	a	5825	Ant0	5875	-47	5.29	-41.71	Average	10	Pass
NVNT	a	5825	Ant0	5925	-46.95	5.29	-41.66	Peak	-27	Pass
NVNT	a	5825	Ant0	5925	-56.53	5.29	-51.24	Average	-27	Pass
NVNT	n20	5745	Ant0	5650	-48.57	5.29	-43.28	Peak	-27	Pass
NVNT	n20	5745	Ant0	5650	-58.48	5.29	-53.19	Average	-27	Pass
NVNT	n20	5745	Ant0	5700	-33.1	5.29	-27.81	Peak	10	Pass
NVNT	n20	5745	Ant0	5700	-50.76	5.29	-45.47	Average	10	Pass
NVNT	n20	5745	Ant0	5720	-28	5.29	-22.71	Peak	15.6	Pass
NVNT	n20	5745	Ant0	5720	-40.3	5.29	-35.01	Average	15.6	Pass
NVNT	n20	5745	Ant0	5725	-17.31	5.29	-12.02	Peak	27	Pass
NVNT	n20	5745	Ant0	5725	-33.3	5.29	-28.01	Average	27	Pass
NVNT	n20	5825	Ant0	5850	-27.07	5.29	-21.78	Peak	27	Pass
NVNT	n20	5825	Ant0	5850	-36.78	5.29	-31.49	Average	27	Pass
NVNT	n20	5825	Ant0	5855	-30.12	5.29	-24.83	Peak	15.6	Pass
NVNT	n20	5825	Ant0	5855	-39.92	5.29	-34.63	Average	15.6	Pass
NVNT	n20	5825	Ant0	5875	-36.64	5.29	-31.35	Peak	10	Pass
NVNT	n20	5825	Ant0	5875	-49.72	5.29	-44.43	Average	10	Pass
NVNT	n20	5825	Ant0	5925	-45.69	5.29	-40.4	Peak	-27	Pass
NVNT	n20	5825	Ant0	5925	-57.17	5.29	-51.88	Average	-27	Pass
NVNT	n40	5755	Ant0	5650	-38.82	5.29	-33.53	Peak	-27	Pass
NVNT	n40	5755	Ant0	5650	-48.88	5.29	-43.59	Average	-27	Pass
NVNT	n40	5755	Ant0	5700	-29.13	5.29	-23.84	Peak	10	Pass
NVNT	n40	5755	Ant0	5700	-38.47	5.29	-33.18	Average	10	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



NVNT	n40	5755	Ant0	5720	-16.74	5.29	-11.45	Peak	15.6	Pass
NVNT	n40	5755	Ant0	5720	-27.23	5.29	-21.94	Average	15.6	Pass
NVNT	n40	5755	Ant0	5725	-14.57	5.29	-9.28	Peak	27	Pass
NVNT	n40	5755	Ant0	5725	-24.5	5.29	-19.21	Average	27	Pass
NVNT	n40	5795	Ant0	5850	-27.65	5.29	-22.36	Peak	27	Pass
NVNT	n40	5795	Ant0	5850	-36.5	5.29	-31.21	Average	27	Pass
NVNT	n40	5795	Ant0	5855	-27.99	5.29	-22.7	Peak	15.6	Pass
NVNT	n40	5795	Ant0	5855	-37.67	5.29	-32.38	Average	15.6	Pass
NVNT	n40	5795	Ant0	5875	-31.25	5.29	-25.96	Peak	10	Pass
NVNT	n40	5795	Ant0	5875	-41.78	5.29	-36.49	Average	10	Pass
NVNT	n40	5795	Ant0	5925	-36.79	5.29	-31.5	Peak	-27	Pass
NVNT	n40	5795	Ant0	5925	-47.52	5.29	-42.23	Average	-27	Pass
NVNT	ac20	5745	Ant0	5650	-49.35	5.29	-44.06	Peak	-27	Pass
NVNT	ac20	5745	Ant0	5650	-58.2	5.29	-52.91	Average	-27	Pass
NVNT	ac20	5745	Ant0	5700	-38.21	5.29	-32.92	Peak	10	Pass
NVNT	ac20	5745	Ant0	5700	-49.83	5.29	-44.54	Average	10	Pass
NVNT	ac20	5745	Ant0	5720	-27.48	5.29	-22.19	Peak	15.6	Pass
NVNT	ac20	5745	Ant0	5720	-39.33	5.29	-34.04	Average	15.6	Pass
NVNT	ac20	5745	Ant0	5725	-16.78	5.29	-11.49	Peak	27	Pass
NVNT	ac20	5745	Ant0	5725	-32.37	5.29	-27.08	Average	27	Pass
NVNT	ac20	5825	Ant0	5850	-23.63	5.29	-18.34	Peak	27	Pass
NVNT	ac20	5825	Ant0	5850	-35.41	5.29	-30.12	Average	27	Pass
NVNT	ac20	5825	Ant0	5855	-28.33	5.29	-23.04	Peak	15.6	Pass
NVNT	ac20	5825	Ant0	5855	-38.57	5.29	-33.28	Average	15.6	Pass
NVNT	ac20	5825	Ant0	5875	-33.28	5.29	-27.99	Peak	10	Pass
NVNT	ac20	5825	Ant0	5875	-47.71	5.29	-42.42	Average	10	Pass
NVNT	ac20	5825	Ant0	5925	-46.64	5.29	-41.35	Peak	-27	Pass
NVNT	ac20	5825	Ant0	5925	-56.63	5.29	-51.34	Average	-27	Pass
NVNT	ac40	5755	Ant0	5650	-37.48	5.29	-32.19	Peak	-27	Pass
NVNT	ac40	5755	Ant0	5650	-47.19	5.29	-41.9	Average	-27	Pass
NVNT	ac40	5755	Ant0	5700	-26.37	5.29	-21.08	Peak	10	Pass
NVNT	ac40	5755	Ant0	5700	-36.88	5.29	-31.59	Average	10	Pass
NVNT	ac40	5755	Ant0	5720	-14.39	5.29	-9.1	Peak	15.6	Pass
NVNT	ac40	5755	Ant0	5720	-24.62	5.29	-19.33	Average	15.6	Pass
NVNT	ac40	5755	Ant0	5725	-12.93	5.29	-7.64	Peak	27	Pass
NVNT	ac40	5755	Ant0	5725	-22.31	5.29	-17.02	Average	27	Pass
NVNT	ac40	5795	Ant0	5850	-25.41	5.29	-20.12	Peak	27	Pass
NVNT	ac40	5795	Ant0	5850	-35.19	5.29	-29.9	Average	27	Pass
NVNT	ac40	5795	Ant0	5855	-27.45	5.29	-22.16	Peak	15.6	Pass
NVNT	ac40	5795	Ant0	5855	-36.92	5.29	-31.63	Average	15.6	Pass
NVNT	ac40	5795	Ant0	5875	-30.35	5.29	-25.06	Peak	10	Pass





NVNT	ac40	5795	Ant0	5875	-41.51	5.29	-36.22	Average	10	Pass
NVNT	ac40	5795	Ant0	5925	-36.81	5.29	-31.52	Peak	-27	Pass
NVNT	ac40	5795	Ant0	5925	-46.73	5.29	-41.44	Average	-27	Pass
NVNT	ac80	5775	Ant0	5650	-43.32	5.29	-38.03	Peak	-27	Pass
NVNT	ac80	5775	Ant0	5650	-51.63	5.29	-46.34	Average	-27	Pass
NVNT	ac80	5775	Ant0	5700	-32.2	5.29	-26.91	Peak	10	Pass
NVNT	ac80	5775	Ant0	5700	-41.23	5.29	-35.94	Average	10	Pass
NVNT	ac80	5775	Ant0	5720	-27.8	5.29	-22.51	Peak	15.6	Pass
NVNT	ac80	5775	Ant0	5720	-38.43	5.29	-33.14	Average	15.6	Pass
NVNT	ac80	5775	Ant0	5725	-27.68	5.29	-22.39	Peak	27	Pass
NVNT	ac80	5775	Ant0	5725	-38.48	5.29	-33.19	Average	27	Pass
NVNT	ac80	5775	Ant0	5850	-30	5.29	-24.71	Peak	27	Pass
NVNT	ac80	5775	Ant0	5850	-39.6	5.29	-34.31	Average	27	Pass
NVNT	ac80	5775	Ant0	5855	-31.2	5.29	-25.91	Peak	15.6	Pass
NVNT	ac80	5775	Ant0	5855	-40.45	5.29	-35.16	Average	15.6	Pass
NVNT	ac80	5775	Ant0	5875	-38.24	5.29	-32.95	Peak	10	Pass
NVNT	ac80	5775	Ant0	5875	-46.06	5.29	-40.77	Average	10	Pass
NVNT	ac80	5775	Ant0	5925	-41.02	5.29	-35.73	Peak	-27	Pass
NVNT	ac80	5775	Ant0	5925	-51.8	5.29	-46.51	Average	-27	Pass
NVNT	ax20	5745	Ant0	5650	-47.8	5.29	-42.51	Peak	-27	Pass
NVNT	ax20	5745	Ant0	5650	-57.9	5.29	-52.61	Average	-27	Pass
NVNT	ax20	5745	Ant0	5700	-36.05	5.29	-30.76	Peak	10	Pass
NVNT	ax20	5745	Ant0	5700	-49.95	5.29	-44.66	Average	10	Pass
NVNT	ax20	5745	Ant0	5720	-22.81	5.29	-17.52	Peak	15.6	Pass
NVNT	ax20	5745	Ant0	5720	-38.16	5.29	-32.87	Average	15.6	Pass
NVNT	ax20	5745	Ant0	5725	-19.65	5.29	-14.36	Peak	27	Pass
NVNT	ax20	5745	Ant0	5725	-31.89	5.29	-26.6	Average	27	Pass
NVNT	ax20	5825	Ant0	5850	-21.71	5.29	-16.42	Peak	27	Pass
NVNT	ax20	5825	Ant0	5850	-35.95	5.29	-30.66	Average	27	Pass
NVNT	ax20	5825	Ant0	5855	-27.97	5.29	-22.68	Peak	15.6	Pass
NVNT	ax20	5825	Ant0	5855	-40.69	5.29	-35.4	Average	15.6	Pass
NVNT	ax20	5825	Ant0	5875	-38.33	5.29	-33.04	Peak	10	Pass
NVNT	ax20	5825	Ant0	5875	-49.45	5.29	-44.16	Average	10	Pass
NVNT	ax20	5825	Ant0	5925	-47.42	5.29	-42.13	Peak	-27	Pass
NVNT	ax20	5825	Ant0	5925	-56.8	5.29	-51.51	Average	-27	Pass
NVNT	ax40	5755	Ant0	5650	-48.52	5.29	-43.23	Peak	27	Pass
NVNT	ax40	5755	Ant0	5650	-58.39	5.29	-53.1	Average	27	Pass
NVNT	ax40	5755	Ant0	5700	-48.13	5.29	-42.84	Peak	15.6	Pass
NVNT	ax40	5755	Ant0	5700	-57.42	5.29	-52.13	Average	15.6	Pass
NVNT	ax40	5755	Ant0	5720	-42.56	5.29	-37.27	Peak	10	Pass
NVNT	ax40	5755	Ant0	5720	-54.35	5.29	-49.06	Average	10	Pass





NVNT	ax40	5755	Ant0	5725	-42.33	5.29	-37.04	Peak	-27	Pass
NVNT	ax40	5755	Ant0	5725	-51.25	5.29	-45.96	Average	-27	Pass
NVNT	ax40	5795	Ant0	5850	-49.85	5.29	-44.56	Peak	-27	Pass
NVNT	ax40	5795	Ant0	5850	-57.81	5.29	-52.52	Average	-27	Pass
NVNT	ax40	5795	Ant0	5855	-48.12	5.29	-42.83	Peak	10	Pass
NVNT	ax40	5795	Ant0	5855	-57.89	5.29	-52.6	Average	10	Pass
NVNT	ax40	5795	Ant0	5875	-48.32	5.29	-43.03	Peak	15.6	Pass
NVNT	ax40	5795	Ant0	5875	-57.23	5.29	-51.94	Average	15.6	Pass
NVNT	ax40	5795	Ant0	5925	-47.95	5.29	-42.66	Peak	27	Pass
NVNT	ax40	5795	Ant0	5925	-57.46	5.29	-52.17	Average	27	Pass
NVNT	ax80	5775	Ant0	5850	-31.66	5.29	-26.37	Peak	27	Pass
NVNT	ax80	5775	Ant0	5850	-42.41	5.29	-37.12	Average	27	Pass
NVNT	ax80	5775	Ant0	5855	-30.44	5.29	-25.15	Peak	15.6	Pass
NVNT	ax80	5775	Ant0	5855	-42.16	5.29	-36.87	Average	15.6	Pass
NVNT	ax80	5775	Ant0	5875	-33.99	5.29	-28.7	Peak	10	Pass
NVNT	ax80	5775	Ant0	5875	-46.4	5.29	-41.11	Average	10	Pass
NVNT	ax80	5775	Ant0	5925	-42.28	5.29	-36.99	Peak	-27	Pass
NVNT	ax80	5775	Ant0	5925	-52.68	5.29	-47.39	Average	-27	Pass
NVNT	ax80	5775	Ant0	5650	-45.04	5.29	-39.75	Peak	-27	Pass
NVNT	ax80	5775	Ant0	5650	-52.86	5.29	-47.57	Average	-27	Pass
NVNT	ax80	5775	Ant0	5700	-32.7	5.29	-27.41	Peak	10	Pass
NVNT	ax80	5775	Ant0	5700	-42.25	5.29	-36.96	Average	10	Pass
NVNT	ax80	5775	Ant0	5720	-29.36	5.29	-24.07	Peak	15.6	Pass
NVNT	ax80	5775	Ant0	5720	-40.43	5.29	-35.14	Average	15.6	Pass
NVNT	ax80	5775	Ant0	5725	-28.68	5.29	-23.39	Peak	27	Pass
NVNT	ax80	5775	Ant0	5725	-39.16	5.29	-33.87	Average	27	Pass



**Ant1:**

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5745	Ant1	5650	-46.7	5.29	-41.41	Peak	-27	Pass
NVNT	a	5745	Ant1	5650	-58.47	5.29	-53.18	Average	-27	Pass
NVNT	a	5745	Ant1	5700	-36.62	5.29	-31.33	Peak	10	Pass
NVNT	a	5745	Ant1	5700	-50.58	5.29	-45.29	Average	10	Pass
NVNT	a	5745	Ant1	5720	-26.79	5.29	-21.5	Peak	15.6	Pass
NVNT	a	5745	Ant1	5720	-40.4	5.29	-35.11	Average	15.6	Pass
NVNT	a	5745	Ant1	5725	-19.37	5.29	-14.08	Peak	27	Pass
NVNT	a	5745	Ant1	5725	-33.89	5.29	-28.6	Average	27	Pass
NVNT	a	5825	Ant1	5850	-27.6	5.29	-22.31	Peak	27	Pass
NVNT	a	5825	Ant1	5850	-39.13	5.29	-33.84	Average	27	Pass
NVNT	a	5825	Ant1	5855	-30.41	5.29	-25.12	Peak	15.6	Pass
NVNT	a	5825	Ant1	5855	-41.69	5.29	-36.4	Average	15.6	Pass
NVNT	a	5825	Ant1	5875	-39.65	5.29	-34.36	Peak	10	Pass
NVNT	a	5825	Ant1	5875	-51.54	5.29	-46.25	Average	10	Pass
NVNT	a	5825	Ant1	5925	-45.86	5.29	-40.57	Peak	-27	Pass
NVNT	a	5825	Ant1	5925	-57.45	5.29	-52.16	Average	-27	Pass
NVNT	n20	5745	Ant1	5650	-46.99	5.29	-41.7	Peak	-27	Pass
NVNT	n20	5745	Ant1	5650	-57.79	5.29	-52.5	Average	-27	Pass
NVNT	n20	5745	Ant1	5700	-35.03	5.29	-29.74	Peak	10	Pass
NVNT	n20	5745	Ant1	5700	-49.94	5.29	-44.65	Average	10	Pass
NVNT	n20	5745	Ant1	5720	-25.81	5.29	-20.52	Peak	15.6	Pass
NVNT	n20	5745	Ant1	5720	-38.96	5.29	-33.67	Average	15.6	Pass
NVNT	n20	5745	Ant1	5725	-17.78	5.29	-12.49	Peak	27	Pass
NVNT	n20	5745	Ant1	5725	-32.22	5.29	-26.93	Average	27	Pass
NVNT	n20	5825	Ant1	5850	-26.29	5.29	-21	Peak	27	Pass
NVNT	n20	5825	Ant1	5850	-37.66	5.29	-32.37	Average	27	Pass
NVNT	n20	5825	Ant1	5855	-28.56	5.29	-23.27	Peak	15.6	Pass
NVNT	n20	5825	Ant1	5855	-39.93	5.29	-34.64	Average	15.6	Pass
NVNT	n20	5825	Ant1	5875	-38.42	5.29	-33.13	Peak	10	Pass
NVNT	n20	5825	Ant1	5875	-49.84	5.29	-44.55	Average	10	Pass
NVNT	n20	5825	Ant1	5925	-47.18	5.29	-41.89	Peak	-27	Pass
NVNT	n20	5825	Ant1	5925	-57.26	5.29	-51.97	Average	-27	Pass
NVNT	n40	5755	Ant1	5650	-50.78	5.29	-45.49	Peak	-27	Pass
NVNT	n40	5755	Ant1	5650	-55.26	5.29	-49.97	Average	-27	Pass
NVNT	n40	5755	Ant1	5700	-50.9	5.29	-45.61	Peak	10	Pass
NVNT	n40	5755	Ant1	5700	-56.53	5.29	-51.24	Average	10	Pass
NVNT	n40	5755	Ant1	5720	-50.82	5.29	-45.53	Peak	15.6	Pass
NVNT	n40	5755	Ant1	5720	-55.29	5.29	-50	Average	15.6	Pass





NVNT	n40	5755	Ant1	5725	-47.89	5.29	-42.6	Peak	27	Pass
NVNT	n40	5755	Ant1	5725	-54.08	5.29	-48.79	Average	27	Pass
NVNT	n40	5795	Ant1	5850	-33.53	5.29	-28.24	Peak	27	Pass
NVNT	n40	5795	Ant1	5850	-43.73	5.29	-38.44	Average	27	Pass
NVNT	n40	5795	Ant1	5855	-33.16	5.29	-27.87	Peak	15.6	Pass
NVNT	n40	5795	Ant1	5855	-44.35	5.29	-39.06	Average	15.6	Pass
NVNT	n40	5795	Ant1	5875	-36.88	5.29	-31.59	Peak	10	Pass
NVNT	n40	5795	Ant1	5875	-49	5.29	-43.71	Average	10	Pass
NVNT	n40	5795	Ant1	5925	-40.45	5.29	-35.16	Peak	-27	Pass
NVNT	n40	5795	Ant1	5925	-54.86	5.29	-49.57	Average	-27	Pass
NVNT	ac20	5745	Ant1	5650	-49.84	5.29	-44.55	Peak	-27	Pass
NVNT	ac20	5745	Ant1	5650	-57.9	5.29	-52.61	Average	-27	Pass
NVNT	ac20	5745	Ant1	5700	-33.64	5.29	-28.35	Peak	10	Pass
NVNT	ac20	5745	Ant1	5700	-48.9	5.29	-43.61	Average	10	Pass
NVNT	ac20	5745	Ant1	5720	-27.45	5.29	-22.16	Peak	15.6	Pass
NVNT	ac20	5745	Ant1	5720	-38.36	5.29	-33.07	Average	15.6	Pass
NVNT	ac20	5745	Ant1	5725	-19.09	5.29	-13.8	Peak	27	Pass
NVNT	ac20	5745	Ant1	5725	-31.21	5.29	-25.92	Average	27	Pass
NVNT	ac20	5825	Ant1	5850	-22.17	5.29	-16.88	Peak	27	Pass
NVNT	ac20	5825	Ant1	5850	-36.31	5.29	-31.02	Average	27	Pass
NVNT	ac20	5825	Ant1	5855	-24.27	5.29	-18.98	Peak	15.6	Pass
NVNT	ac20	5825	Ant1	5855	-39.6	5.29	-34.31	Average	15.6	Pass
NVNT	ac20	5825	Ant1	5875	-36.49	5.29	-31.2	Peak	10	Pass
NVNT	ac20	5825	Ant1	5875	-49.09	5.29	-43.8	Average	10	Pass
NVNT	ac20	5825	Ant1	5925	-47.12	5.29	-41.83	Peak	-27	Pass
NVNT	ac20	5825	Ant1	5925	-57.15	5.29	-51.86	Average	-27	Pass
NVNT	ac40	5755	Ant1	5650	-44.07	5.29	-38.78	Peak	-27	Pass
NVNT	ac40	5755	Ant1	5650	-54.28	5.29	-48.99	Average	-27	Pass
NVNT	ac40	5755	Ant1	5700	-27.2	5.29	-21.91	Peak	10	Pass
NVNT	ac40	5755	Ant1	5700	-44.31	5.29	-39.02	Average	10	Pass
NVNT	ac40	5755	Ant1	5720	-21.23	5.29	-15.94	Peak	15.6	Pass
NVNT	ac40	5755	Ant1	5720	-31.98	5.29	-26.69	Average	15.6	Pass
NVNT	ac40	5755	Ant1	5725	-15.48	5.29	-10.19	Peak	27	Pass
NVNT	ac40	5755	Ant1	5725	-29.85	5.29	-24.56	Average	27	Pass
NVNT	ac40	5795	Ant1	5850	-32.57	5.29	-27.28	Peak	27	Pass
NVNT	ac40	5795	Ant1	5850	-42.61	5.29	-37.32	Average	27	Pass
NVNT	ac40	5795	Ant1	5855	-33.17	5.29	-27.88	Peak	15.6	Pass
NVNT	ac40	5795	Ant1	5855	-43.57	5.29	-38.28	Average	15.6	Pass
NVNT	ac40	5795	Ant1	5875	-36.77	5.29	-31.48	Peak	10	Pass
NVNT	ac40	5795	Ant1	5875	-48.02	5.29	-42.73	Average	10	Pass
NVNT	ac40	5795	Ant1	5925	-41.06	5.29	-35.77	Peak	-27	Pass





NVNT	ac40	5795	Ant1	5925	-54.22	5.29	-48.93	Average	-27	Pass
NVNT	ac80	5775	Ant1	5650	-45.98	5.29	-40.69	Peak	-27	Pass
NVNT	ac80	5775	Ant1	5650	-53.94	5.29	-48.65	Average	-27	Pass
NVNT	ac80	5775	Ant1	5700	-32.91	5.29	-27.62	Peak	10	Pass
NVNT	ac80	5775	Ant1	5700	-44.35	5.29	-39.06	Average	10	Pass
NVNT	ac80	5775	Ant1	5720	-27.13	5.29	-21.84	Peak	15.6	Pass
NVNT	ac80	5775	Ant1	5720	-42.08	5.29	-36.79	Average	15.6	Pass
NVNT	ac80	5775	Ant1	5725	-29.25	5.29	-23.96	Peak	27	Pass
NVNT	ac80	5775	Ant1	5725	-40.88	5.29	-35.59	Average	27	Pass
NVNT	ac80	5775	Ant1	5850	-30.89	5.29	-25.6	Peak	27	Pass
NVNT	ac80	5775	Ant1	5850	-41.63	5.29	-36.34	Average	27	Pass
NVNT	ac80	5775	Ant1	5855	-34.16	5.29	-28.87	Peak	15.6	Pass
NVNT	ac80	5775	Ant1	5855	-43.15	5.29	-37.86	Average	15.6	Pass
NVNT	ac80	5775	Ant1	5875	-37.02	5.29	-31.73	Peak	10	Pass
NVNT	ac80	5775	Ant1	5875	-47.16	5.29	-41.87	Average	10	Pass
NVNT	ac80	5775	Ant1	5925	-45.27	5.29	-39.98	Peak	-27	Pass
NVNT	ac80	5775	Ant1	5925	-53.4	5.29	-48.11	Average	-27	Pass
NVNT	ax20	5745	Ant1	5650	-48.88	5.29	-43.59	Peak	-27	Pass
NVNT	ax20	5745	Ant1	5650	-57.87	5.29	-52.58	Average	-27	Pass
NVNT	ax20	5745	Ant1	5700	-37.35	5.29	-32.06	Peak	10	Pass
NVNT	ax20	5745	Ant1	5700	-50.37	5.29	-45.08	Average	10	Pass
NVNT	ax20	5745	Ant1	5720	-24.84	5.29	-19.55	Peak	15.6	Pass
NVNT	ax20	5745	Ant1	5720	-38.25	5.29	-32.96	Average	15.6	Pass
NVNT	ax20	5745	Ant1	5725	-18.27	5.29	-12.98	Peak	27	Pass
NVNT	ax20	5745	Ant1	5725	-32.33	5.29	-27.04	Average	27	Pass
NVNT	ax20	5825	Ant1	5850	-45.96	5.29	-40.67	Peak	27	Pass
NVNT	ax20	5825	Ant1	5850	-55.29	5.29	-50	Average	27	Pass
NVNT	ax20	5825	Ant1	5855	-48.32	5.29	-43.03	Peak	15.6	Pass
NVNT	ax20	5825	Ant1	5855	-57.1	5.29	-51.81	Average	15.6	Pass
NVNT	ax20	5825	Ant1	5875	-49.16	5.29	-43.87	Peak	10	Pass
NVNT	ax20	5825	Ant1	5875	-57.9	5.29	-52.61	Average	10	Pass
NVNT	ax20	5825	Ant1	5925	-49.55	5.29	-44.26	Peak	-27	Pass
NVNT	ax20	5825	Ant1	5925	-57.72	5.29	-52.43	Average	-27	Pass
NVNT	ax40	5755	Ant1	5650	-50.2	5.29	-44.91	Peak	-27	Pass
NVNT	ax40	5755	Ant1	5650	-58.22	5.29	-52.93	Average	-27	Pass
NVNT	ax40	5755	Ant1	5700	-48.09	5.29	-42.8	Peak	10	Pass
NVNT	ax40	5755	Ant1	5700	-56.68	5.29	-51.39	Average	10	Pass
NVNT	ax40	5755	Ant1	5720	-42.94	5.29	-37.65	Peak	15.6	Pass
NVNT	ax40	5755	Ant1	5720	-54.18	5.29	-48.89	Average	15.6	Pass
NVNT	ax40	5755	Ant1	5725	-43.2	5.29	-37.91	Peak	27	Pass
NVNT	ax40	5755	Ant1	5725	-51.1	5.29	-45.81	Average	27	Pass





NVNT	ax40	5795	Ant1	5850	-47.77	5.29	-42.48	Peak	27	Pass
NVNT	ax40	5795	Ant1	5850	-57.84	5.29	-52.55	Average	27	Pass
NVNT	ax40	5795	Ant1	5855	-48.29	5.29	-43	Peak	15.6	Pass
NVNT	ax40	5795	Ant1	5855	-57.97	5.29	-52.68	Average	15.6	Pass
NVNT	ax40	5795	Ant1	5875	-46.1	5.29	-40.81	Peak	10	Pass
NVNT	ax40	5795	Ant1	5875	-57.06	5.29	-51.77	Average	10	Pass
NVNT	ax40	5795	Ant1	5925	-50.14	5.29	-44.85	Peak	-27	Pass
NVNT	ax40	5795	Ant1	5925	-57.72	5.29	-52.43	Average	-27	Pass
NVNT	ax80	5775	Ant1	5850	-43.53	5.29	-38.24	Peak	27	Pass
NVNT	ax80	5775	Ant1	5850	-50.7	5.29	-45.41	Average	27	Pass
NVNT	ax80	5775	Ant1	5855	-43.56	5.29	-38.27	Peak	15.6	Pass
NVNT	ax80	5775	Ant1	5855	-50.83	5.29	-45.54	Average	15.6	Pass
NVNT	ax80	5775	Ant1	5875	-44	5.29	-38.71	Peak	10	Pass
NVNT	ax80	5775	Ant1	5875	-55.44	5.29	-50.15	Average	10	Pass
NVNT	ax80	5775	Ant1	5925	-50.28	5.29	-44.99	Peak	-27	Pass
NVNT	ax80	5775	Ant1	5925	-57.08	5.29	-51.79	Average	-27	Pass
NVNT	ax80	5775	Ant1	5650	-48.43	5.29	-43.14	Peak	-27	Pass
NVNT	ax80	5775	Ant1	5650	-57.51	5.29	-52.22	Average	-27	Pass
NVNT	ax80	5775	Ant1	5700	-41.86	5.29	-36.57	Peak	10	Pass
NVNT	ax80	5775	Ant1	5700	-51.86	5.29	-46.57	Average	10	Pass
NVNT	ax80	5775	Ant1	5720	-37.85	5.29	-32.56	Peak	15.6	Pass
NVNT	ax80	5775	Ant1	5720	-49.46	5.29	-44.17	Average	15.6	Pass
NVNT	ax80	5775	Ant1	5725	-38.68	5.29	-33.39	Peak	27	Pass
NVNT	ax80	5775	Ant1	5725	-48.3	5.29	-43.01	Average	27	Pass

MIMO

Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	Power (dBm)			Detector	Limit (dBm)	Verdict
				Ant0	Ant1	Ant0+Ant1			
NVNT	n20	5745	5650	-48.57	-46.99	-44.70	Peak	-27	Pass
NVNT	n20	5745	5650	-58.48	-57.79	-55.11	Average	-27	Pass
NVNT	n20	5745	5700	-33.1	-35.03	-30.95	Peak	10	Pass
NVNT	n20	5745	5700	-50.76	-49.94	-47.32	Average	10	Pass
NVNT	n20	5745	5720	-28	-25.81	-23.76	Peak	15.6	Pass
NVNT	n20	5745	5720	-40.3	-38.96	-36.57	Average	15.6	Pass
NVNT	n20	5745	5725	-17.31	-17.78	-14.53	Peak	27	Pass
NVNT	n20	5745	5725	-33.3	-32.22	-29.72	Average	27	Pass
NVNT	n20	5825	5850	-27.07	-26.29	-23.65	Peak	27	Pass
NVNT	n20	5825	5850	-36.78	-37.66	-34.19	Average	27	Pass
NVNT	n20	5825	5855	-30.12	-28.56	-26.26	Peak	15.6	Pass
NVNT	n20	5825	5855	-39.92	-39.93	-36.91	Average	15.6	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen,
518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



NVNT	n20	5825	5875	-36.64	-38.42	-34.43	Peak	10	Pass
NVNT	n20	5825	5875	-49.72	-49.84	-46.77	Average	10	Pass
NVNT	n20	5825	5925	-45.69	-47.18	-43.36	Peak	-27	Pass
NVNT	n20	5825	5925	-57.17	-57.26	-54.20	Average	-27	Pass
NVNT	n40	5755	5650	-38.82	-50.78	-38.55	Peak	-27	Pass
NVNT	n40	5755	5650	-48.88	-55.26	-47.98	Average	-27	Pass
NVNT	n40	5755	5700	-29.13	-50.9	-29.10	Peak	10	Pass
NVNT	n40	5755	5700	-38.47	-56.53	-38.40	Average	10	Pass
NVNT	n40	5755	5720	-16.74	-50.82	-16.74	Peak	15.6	Pass
NVNT	n40	5755	5720	-27.23	-55.29	-27.22	Average	15.6	Pass
NVNT	n40	5755	5725	-14.57	-47.89	-14.57	Peak	27	Pass
NVNT	n40	5755	5725	-24.5	-54.08	-24.50	Average	27	Pass
NVNT	n40	5795	5850	-27.65	-33.53	-26.65	Peak	27	Pass
NVNT	n40	5795	5850	-36.5	-43.73	-35.75	Average	27	Pass
NVNT	n40	5795	5855	-27.99	-33.16	-26.84	Peak	15.6	Pass
NVNT	n40	5795	5855	-37.67	-44.35	-36.83	Average	15.6	Pass
NVNT	n40	5795	5875	-31.25	-36.88	-30.20	Peak	10	Pass
NVNT	n40	5795	5875	-41.78	-49	-41.03	Average	10	Pass
NVNT	n40	5795	5925	-36.79	-40.45	-35.24	Peak	-27	Pass
NVNT	n40	5795	5925	-47.52	-54.86	-46.78	Average	-27	Pass
NVNT	ac20	5745	5650	-49.35	-49.84	-46.58	Peak	-27	Pass
NVNT	ac20	5745	5650	-58.2	-57.9	-55.04	Average	-27	Pass
NVNT	ac20	5745	5700	-38.21	-33.64	-32.34	Peak	10	Pass
NVNT	ac20	5745	5700	-49.83	-48.9	-46.33	Average	10	Pass
NVNT	ac20	5745	5720	-27.48	-27.45	-24.45	Peak	15.6	Pass
NVNT	ac20	5745	5720	-39.33	-38.36	-35.81	Average	15.6	Pass
NVNT	ac20	5745	5725	-16.78	-19.09	-14.77	Peak	27	Pass
NVNT	ac20	5745	5725	-32.37	-31.21	-28.74	Average	27	Pass
NVNT	ac20	5825	5850	-23.63	-22.17	-19.83	Peak	27	Pass
NVNT	ac20	5825	5850	-35.41	-36.31	-32.83	Average	27	Pass
NVNT	ac20	5825	5855	-28.33	-24.27	-22.83	Peak	15.6	Pass
NVNT	ac20	5825	5855	-38.57	-39.6	-36.04	Average	15.6	Pass
NVNT	ac20	5825	5875	-33.28	-36.49	-31.58	Peak	10	Pass
NVNT	ac20	5825	5875	-47.71	-49.09	-45.34	Average	10	Pass
NVNT	ac20	5825	5925	-46.64	-47.12	-43.86	Peak	-27	Pass
NVNT	ac20	5825	5925	-56.63	-57.15	-53.87	Average	-27	Pass
NVNT	ac40	5755	5650	-37.48	-44.07	-36.62	Peak	-27	Pass
NVNT	ac40	5755	5650	-47.19	-54.28	-46.41	Average	-27	Pass
NVNT	ac40	5755	5700	-26.37	-27.2	-23.75	Peak	10	Pass
NVNT	ac40	5755	5700	-36.88	-44.31	-36.16	Average	10	Pass
NVNT	ac40	5755	5720	-14.39	-21.23	-13.57	Peak	15.6	Pass





NVNT	ac40	5755	5720	-24.62	-31.98	-23.89	Average	15.6	Pass
NVNT	ac40	5755	5725	-12.93	-15.48	-11.01	Peak	27	Pass
NVNT	ac40	5755	5725	-22.31	-29.85	-21.61	Average	27	Pass
NVNT	ac40	5795	5850	-25.41	-32.57	-24.65	Peak	27	Pass
NVNT	ac40	5795	5850	-35.19	-42.61	-34.47	Average	27	Pass
NVNT	ac40	5795	5855	-27.45	-33.17	-26.42	Peak	15.6	Pass
NVNT	ac40	5795	5855	-36.92	-43.57	-36.07	Average	15.6	Pass
NVNT	ac40	5795	5875	-30.35	-36.77	-29.46	Peak	10	Pass
NVNT	ac40	5795	5875	-41.51	-48.02	-40.63	Average	10	Pass
NVNT	ac40	5795	5925	-36.81	-41.06	-35.42	Peak	-27	Pass
NVNT	ac40	5795	5925	-46.73	-54.22	-46.02	Average	-27	Pass
NVNT	ac80	5775	5650	-43.32	-45.98	-41.44	Peak	-27	Pass
NVNT	ac80	5775	5650	-51.63	-53.94	-49.62	Average	-27	Pass
NVNT	ac80	5775	5700	-32.2	-32.91	-29.53	Peak	10	Pass
NVNT	ac80	5775	5700	-41.23	-44.35	-39.51	Average	10	Pass
NVNT	ac80	5775	5720	-27.8	-27.13	-24.44	Peak	15.6	Pass
NVNT	ac80	5775	5720	-38.43	-42.08	-36.87	Average	15.6	Pass
NVNT	ac80	5775	5725	-27.68	-29.25	-25.38	Peak	27	Pass
NVNT	ac80	5775	5725	-38.48	-40.88	-36.51	Average	27	Pass
NVNT	ac80	5775	5850	-30	-30.89	-27.41	Peak	27	Pass
NVNT	ac80	5775	5850	-39.6	-41.63	-37.49	Average	27	Pass
NVNT	ac80	5775	5855	-31.2	-34.16	-29.42	Peak	15.6	Pass
NVNT	ac80	5775	5855	-40.45	-43.15	-38.58	Average	15.6	Pass
NVNT	ac80	5775	5875	-38.24	-37.02	-34.58	Peak	10	Pass
NVNT	ac80	5775	5875	-46.06	-47.16	-43.56	Average	10	Pass
NVNT	ac80	5775	5925	-41.02	-45.27	-39.63	Peak	-27	Pass
NVNT	ac80	5775	5925	-51.8	-53.4	-49.52	Average	-27	Pass
NVNT	ax20	5745	5650	-47.8	-48.88	-45.30	Peak	-27	Pass
NVNT	ax20	5745	5650	-57.9	-57.87	-54.87	Average	-27	Pass
NVNT	ax20	5745	5700	-36.05	-37.35	-33.64	Peak	10	Pass
NVNT	ax20	5745	5700	-49.95	-50.37	-47.14	Average	10	Pass
NVNT	ax20	5745	5720	-22.81	-24.84	-20.70	Peak	15.6	Pass
NVNT	ax20	5745	5720	-38.16	-38.25	-35.19	Average	15.6	Pass
NVNT	ax20	5745	5725	-19.65	-18.27	-15.90	Peak	27	Pass
NVNT	ax20	5745	5725	-31.89	-32.33	-29.09	Average	27	Pass
NVNT	ax20	5825	5850	-21.71	-45.96	-21.69	Peak	27	Pass
NVNT	ax20	5825	5850	-35.95	-55.29	-35.90	Average	27	Pass
NVNT	ax20	5825	5855	-27.97	-48.32	-27.93	Peak	15.6	Pass
NVNT	ax20	5825	5855	-40.69	-57.1	-40.59	Average	15.6	Pass
NVNT	ax20	5825	5875	-38.33	-49.16	-37.99	Peak	10	Pass
NVNT	ax20	5825	5875	-49.45	-57.9	-48.87	Average	10	Pass





NVNT	ax20	5825	5925	-47.42	-49.55	-45.35	Peak	-27	Pass
NVNT	ax20	5825	5925	-56.8	-57.72	-54.23	Average	-27	Pass
NVNT	ax40	5755	5650	-48.52	-50.2	-46.27	Peak	-27	Pass
NVNT	ax40	5755	5650	-58.39	-58.22	-55.29	Average	-27	Pass
NVNT	ax40	5755	5700	-48.13	-48.09	-45.10	Peak	10	Pass
NVNT	ax40	5755	5700	-57.42	-56.68	-54.02	Average	10	Pass
NVNT	ax40	5755	5720	-42.56	-42.94	-39.74	Peak	15.6	Pass
NVNT	ax40	5755	5720	-54.35	-54.18	-51.25	Average	15.6	Pass
NVNT	ax40	5755	5725	-42.33	-43.2	-39.73	Peak	27	Pass
NVNT	ax40	5755	5725	-51.25	-51.1	-48.16	Average	27	Pass
NVNT	ax40	5795	5850	-49.85	-47.77	-45.68	Peak	27	Pass
NVNT	ax40	5795	5850	-57.81	-57.84	-54.81	Average	27	Pass
NVNT	ax40	5795	5855	-48.12	-48.29	-45.19	Peak	15.6	Pass
NVNT	ax40	5795	5855	-57.89	-57.97	-54.92	Average	15.6	Pass
NVNT	ax40	5795	5875	-48.32	-46.1	-44.06	Peak	10	Pass
NVNT	ax40	5795	5875	-57.23	-57.06	-54.13	Average	10	Pass
NVNT	ax40	5795	5925	-47.95	-50.14	-45.90	Peak	-27	Pass
NVNT	ax40	5795	5925	-57.46	-57.72	-54.58	Average	-27	Pass
NVNT	ax80	5775	5850	-31.66	-43.53	-31.39	Peak	27	Pass
NVNT	ax80	5775	5850	-42.41	-50.7	-41.81	Average	27	Pass
NVNT	ax80	5775	5855	-30.44	-43.56	-30.23	Peak	15.6	Pass
NVNT	ax80	5775	5855	-42.16	-50.83	-41.61	Average	15.6	Pass
NVNT	ax80	5775	5875	-33.99	-44	-33.58	Peak	10	Pass
NVNT	ax80	5775	5875	-46.4	-55.44	-45.89	Average	10	Pass
NVNT	ax80	5775	5925	-42.28	-50.28	-41.64	Peak	-27	Pass
NVNT	ax80	5775	5925	-52.68	-57.08	-51.33	Average	-27	Pass
NVNT	ax80	5775	5650	-45.04	-48.43	-43.40	Peak	-27	Pass
NVNT	ax80	5775	5650	-52.86	-57.51	-51.58	Average	-27	Pass
NVNT	ax80	5775	5700	-32.7	-41.86	-32.20	Peak	10	Pass
NVNT	ax80	5775	5700	-42.25	-51.86	-41.80	Average	10	Pass
NVNT	ax80	5775	5720	-29.36	-37.85	-28.78	Peak	15.6	Pass
NVNT	ax80	5775	5720	-40.43	-49.46	-39.92	Average	15.6	Pass
NVNT	ax80	5775	5725	-28.68	-38.68	-28.27	Peak	27	Pass
NVNT	ax80	5775	5725	-39.16	-48.3	-38.66	Average	27	Pass

Note: The Antenna Gain is compensated in the graph.




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5745MHz Ant0 Peak




Restrict Band NVNT a 5745MHz Ant0 Average






Restrict Band NVNT a 5825MHz Ant0 Peak




Restrict Band NVNT a 5825MHz Ant0 Average






Restrict Band NVNT n20 5825MHz Ant0 Peak




Restrict Band NVNT n20 5825MHz Ant0 Average






Restrict Band NVNT n40 5755MHz Ant0 Peak




Restrict Band NVNT n40 5755MHz Ant0 Average






Restrict Band NVNT n40 5795MHz Ant0 Peak




Restrict Band NVNT n40 5795MHz Ant0 Average






Restrict Band NVNT ac20 5745MHz Ant0 Peak




Restrict Band NVNT ac20 5745MHz Ant0 Average






Restrict Band NVNT ac20 5825MHz Ant0 Peak




Restrict Band NVNT ac20 5825MHz Ant0 Average






Restrict Band NVNT ac40 5755MHz Ant0 Peak




Restrict Band NVNT ac40 5755MHz Ant0 Average






Restrict Band NVNT ac40 5795MHz Ant0 Peak




Restrict Band NVNT ac40 5795MHz Ant0 Average






Restrict Band NVNT ac80 5775MHz Ant0 Peak




Restrict Band NVNT ac80 5775MHz Ant0 Average






Restrict Band NVNT ac80 5775MHz Ant0 Peak




Restrict Band NVNT ac80 5775MHz Ant0 Average






Restrict Band NVNT ax20 5745MHz Ant0 Peak




Restrict Band NVNT ax20 5745MHz Ant0 Average






Restrict Band NVNT ax20 5825MHz Ant0 Peak




Restrict Band NVNT ax20 5825MHz Ant0 Average






Restrict Band NVNT ax40 5755MHz Ant0 Peak




Restrict Band NVNT ax40 5755MHz Ant0 Average






Restrict Band NVNT ax40 5795MHz Ant0 Peak




Restrict Band NVNT ax40 5795MHz Ant0 Average






Restrict Band NVNT ax80 5775MHz Ant0 Peak




Restrict Band NVNT ax80 5775MHz Ant0 Average






Restrict Band NVNT ax80 5775MHz Ant0 Peak




Restrict Band NVNT ax80 5775MHz Ant0 Average





Test Graphs

Restrict Band NVNT a 5745MHz Ant1 Peak



Restrict Band NVNT a 5745MHz Ant1 Average

