




Test Report No.: FCC2021-0008-5

Page 81 of 197

**11N20MIMO_Ant2_5825****11N40MIMO_Ant1_5190**


Test Report No.: FCC2021-0008-5

Page 82 of 197



11N40MIMO_Ant2_5190



11N40MIMO_Ant1_5230




11N40MIMO_Ant2_5230

**11N40MIMO_Ant1_5755****11N40MIMO_Ant2_5755**


Test Report No.: FCC2021-0008-5

Page 84 of 197




11N40MIMO_Ant1_5795



11N40MIMO_Ant2_5795




11AC80MIMO_Ant1_5210

**11AC80MIMO_Ant2_5210****11AC80MIMO_Ant1_5775**

Test Report No.: FCC2021-0008-5

Page 86 of 197





5.6 Frequency Stability

5.6.1 Test Result


Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A-CDD	Ant1	5180	NV	NT	-36000	-6.949807	20	PASS
			LV	NT	-35000	-6.756757	20	PASS
			HV	NT	-35000	-6.756757	20	PASS

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A-CDD	Ant1	5180	NV	-30	-35000	-6.756757	20	PASS
			NV	-20	-35000	-6.756757	20	PASS
			NV	-10	-35000	-6.756757	20	PASS
			NV	0	-35000	-6.756757	20	PASS
			NV	10	-35000	-6.756757	20	PASS
			NV	20	-35000	-6.756757	20	PASS
			NV	30	-35000	-6.756757	20	PASS
			NV	40	-35000	-6.756757	20	PASS
			NV	50	-35000	-6.756757	20	PASS


5.7 Duty Cycle

5.7.1 Test Result

TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11A-CDD	Ant1	5180	30.00	30.00	100.00
	Ant2	5180	30.00	30.00	100.00
	Ant1	5200	30.00	30.00	100.00
	Ant2	5200	30.00	30.00	100.00
	Ant1	5240	30.00	30.00	100.00
	Ant2	5240	30.00	30.00	100.00
	Ant1	5745	30.00	30.00	100.00
	Ant2	5745	30.00	30.00	100.00
	Ant1	5785	30.00	30.00	100.00
	Ant2	5785	30.00	30.00	100.00
	Ant1	5825	30.00	30.00	100.00
	Ant2	5825	30.00	30.00	100.00
11N20MIMO	Ant1	5180	30.00	30.00	100.00
	Ant2	5180	30.00	30.00	100.00
	Ant1	5200	30.00	30.00	100.00
	Ant2	5200	30.00	30.00	100.00
	Ant1	5240	30.00	30.00	100.00
	Ant2	5240	30.00	30.00	100.00
	Ant1	5745	30.00	30.00	100.00
	Ant2	5745	30.00	30.00	100.00
	Ant1	5785	30.00	30.00	100.00
	Ant2	5785	30.00	30.00	100.00
	Ant1	5825	30.00	30.00	100.00
	Ant2	5825	30.00	30.00	100.00
11N40MIMO	Ant1	5190	30.00	30.00	100.00
	Ant2	5190	30.00	30.00	100.00
	Ant1	5230	30.00	30.00	100.00
	Ant2	5230	30.00	30.00	100.00
	Ant1	5755	30.00	30.00	100.00
	Ant2	5755	30.00	30.00	100.00
	Ant1	5795	30.00	30.00	100.00
	Ant2	5795	30.00	30.00	100.00
11AC80MIMO	Ant1	5210	30.00	30.00	100.00
	Ant2	5210	30.00	30.00	100.00
	Ant1	5775	30.00	30.00	100.00
	Ant2	5775	30.00	30.00	100.00




5.7.2 Test Graphs**11A-CDD_Ant1_5180**

Date: 14.APR.2021 04:20:52

11A-CDD_Ant2_5180

Date: 14.APR.2021 08:01:13


11A-CDD_Ant1_5200

Test Report No.: FCC2021-0008-5**Page 90 of 197****11A-CDD_Ant2_5200****11A-CDD_Ant1_5240**

Test Report No.: FCC2021-0008-5


Page 91 of 197

11A-CDD_Ant2_5240






Date: 14.APR.2021 09:19:55

11A-CDD_Ant1_5745



Date: 14.APR.2021 10:06:25


11A-CDD_Ant2_5745

Test Report No.: FCC2021-0008-5**Page 92 of 197****11A-CDD_Ant1_5785****11A-CDD_Ant2_5785**


Test Report No.: FCC2021-0008-5

Page 93 of 197



11A-CDD_Ant1_5825




11A-CDD_Ant2_5825




11N20MIMO_Ant1_5180

**11N20MIMO_Ant2_5180**


Date: 15.APR.2021 10:51:43

11N20MIMO_Ant1_5200

Date: 15.APR.2021 10:53:45

11N20MIMO_Ant2_5200

Date: 15.APR.2021 10:56:01


11N20MIMO_Ant1_5240

Date: 15.APR.2021 10:57:53


11N20MIMO_Ant2_5240

Test Report No.: FCC2021-0008-5


Page 96 of 197



11N20MIMO_Ant1_5745




11N20MIMO_Ant2_5745




Test Report No.: FCC2021-0008-5

Page 97 of 197




11N20MIMO_Ant1_5785



11N20MIMO_Ant2_5785




11N20MIMO_Ant1_5825

**11N20MIMO_Ant2_5825****11N40MIMO_Ant1_5190**

Test Report No.: FCC2021-0008-5


Page 99 of 197

11N40MIMO_Ant2_5190






Date: 21.APR.2021 13:11:34

11N40MIMO_Ant1_5230



Date: 15.APR.2021 11:26:07


11N40MIMO_Ant2_5230

**11N40MIMO_Ant1_5755****11N40MIMO_Ant2_5755**


Test Report No.: FCC2021-0008-5

Page 101 of 197




11N40MIMO_Ant1_5795



11N40MIMO_Ant2_5795




11AC80MIMO_Ant1_5210

Test Report No.: FCC2021-0008-5**Page 102 of 197****11AC80MIMO_Ant2_5210****11AC80MIMO_Ant1_5775**

Test Report No.: FCC2021-0008-5


Page 103 of 197




6 Appendix B Test Results

Please refer to the following pages for test results.

BELOW 1GHz WORST-CASE DATA:



Worst Test Mode	802.11A	Worst Test Channel	CH 36
Frequency Range	9KHz ~ 1GHz	Detector Function	Quasi-Peak (QP)

Vertical

NO.	Frequency (MHz)	Result (dBm)	Limit (dBm)	Margin (dB)	Height (cm)	Azimuth (deg)	Remark
1	33.9774	34.22	40.00	5.78	100	130	PK
2	42.1262	35.23	40.00	4.77	100	143	PK
3	63.5654	36.25	40.00	3.75	100	168	PK
4	147.3817	34.22	43.50	9.28	100	278	PK
5	227.2207	35.71	46.00	10.29	100	345	PK
6	374.9665	37.19	46.00	8.81	100	223	PK


Remark: 1. 9KHz~30MHz have been test and test data more than 20dB margin.
2. The emission levels of other frequencies were greater than 20dB margin.

ABOVE 1GHz DATA

Bandedge:

Mode:


11A-B1-CH36

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4653.19	52.58	15.30	74.00	21.42	150	228.0	Horizontal
2	4712.26	40.77	15.47	54.00	13.23	150	228.0	Horizontal
3	5150.24	40.88	16.35	54.00	13.12	160	228.0	Horizontal
4	5150.24	50.07	16.35	74.00	23.93	160	228.0	Horizontal
5	5178.57	84.19	16.57			165	228.0	Horizontal
6	5179.05	76.68	16.58			165	228.0	Horizontal

Mode:

11A-B1-CH36

Test Graph


◆ PK Detector ◆ RMS Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4707.94	41.61	15.46	54.00	12.39	150	266	Vertical
2	4782.38	57.41	15.49	74.00	16.59	150	144	Vertical
3	5150.24	45.52	16.35	54.00	8.48	160	199	Vertical
4	5150.24	55.07	16.35	74.00	18.93	160	201	Vertical
5	5179.05	109.07	16.58			165	199	Vertical
6	5179.05	101.37	16.58			165	201	Vertical

Mode:


11A-B1-CH40

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4835.68	59.38	15.50	74.00	14.62	150	228.0	Horizontal
2	4976.87	47.36	15.58	54.00	6.64	150	228.0	Horizontal
3	5150.24	55.65	16.35	74.00	18.35	170	228.0	Horizontal
4	5150.24	47.92	16.35	54.00	6.08	170	228.0	Horizontal
5	5201.63	93.14	16.74			150	228.0	Horizontal
6	5201.63	101.18	16.74			150	228.0	Horizontal

Mode:


11A-B1-CH40

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4864.98	60.24	15.52	74.00	13.76	150	198.0	Vertical
2	4998.48	48.00	15.59	54.00	6.00	150	198.0	Vertical
3	5150.24	47.94	16.35	54.00	6.06	170	198.0	Vertical
4	5150.24	57.00	16.35	74.00	17.00	170	198.0	Vertical
5	5198.74	108.33	16.73			150	198.0	Vertical
6	5199.22	100.59	16.73			150	198.0	Vertical

Mode:


11A-B1-CH48

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5084.45	49.24	15.98	54.00	4.76	170	229	Horizontal
2	5118.06	61.03	16.17	74.00	12.97	170	1	Horizontal
3	5149.76	48.99	16.35	54.00	5.01	170	300	Horizontal
4	5149.76	60.26	16.35	74.00	13.74	170	328	Horizontal
5	5239.08	98.72	16.74			160	9	Horizontal
6	5239.08	91.10	16.74			160	9	Horizontal
7	5350.02	49.19	16.75	54.00	4.81	180	339	Horizontal
8	5350.50	60.88	16.75	74.00	13.12	180	155	Horizontal
9	5441.75	61.89	16.90	74.00	12.11	150	190	Horizontal
10	5448.95	49.74	16.94	54.00	4.26	150	26	Horizontal

Mode:


11A-B1-CH48

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5114.70	61.20	16.15	74.00	12.80	170	322	Vertical
2	5136.79	49.27	16.28	54.00	4.73	170	16	Vertical
3	5149.76	59.77	16.35	74.00	14.23	170	209	Vertical
4	5149.76	48.85	16.35	54.00	5.15	170	3	Vertical
5	5239.08	109.95	16.74			160	188	Vertical
6	5241.01	102.38	16.74			160	186	Vertical
7	5350.02	49.18	16.75	54.00	4.82	180	198	Vertical
8	5350.02	60.42	16.75	74.00	13.58	180	53	Vertical
9	5370.67	61.99	16.72	74.00	12.01	150	332	Vertical
10	5454.71	49.72	16.97	54.00	4.28	150	120	Vertical

Mode:

11A-B4-CH149

Test Graph


◆ PK Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5649.33	62.31	17.93	68.20	5.89	140	100	Horizontal
2	5725.00	62.64	18.29	122.20	59.56	150	307	Horizontal
3	5746.51	97.52	18.39			150	302	Horizontal

Mode:

11A-B4-CH149

Test Graph


◆ PK Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5647.08	62.93	17.93	68.20	5.27	140	314	Vertical
2	5725.00	69.99	18.29	122.20	52.21	150	248	Vertical
3	5743.32	109.44	18.37			150	218	Vertical

Mode:


11A-B4-CH157

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5725.00	61.86	18.29	122.20	60.34	150	82	Horizontal
2	5786.28	99.14	18.58			150	168	Horizontal
3	5850.00	62.37	18.66	122.06	59.69	150	79	Horizontal

Mode:


11A-B4-CH157

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5725.00	62.10	18.29	122.20	60.10	150	323	Vertical
2	5786.09	111.74	18.57			150	227	Vertical
3	5850.00	62.75	18.66	122.06	59.31	150	240	Vertical

Mode:

11A-B4-CH165

Test Graph


◆ PK Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5823.42	100.25	18.65			150	315	Horizontal
2	5850.00	62.96	18.66	122.06	59.10	150	140	Horizontal
3	5925.47	63.60	18.59	68.20	4.60	160	1	Horizontal

Mode:


11A-B4-CH165

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5826.80	112.07	18.65			150	220	Vertical
2	5850.00	69.11	18.66	122.06	52.95	150	217	Vertical
3	5929.22	63.32	18.59	68.20	4.88	160	329	Vertical

Mode:


11AC80-B1-CH42

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5143.52	61.35	16.32	74.00	12.65	170	171	Horizontal
2	5144.96	49.45	16.32	54.00	4.55	170	136	Horizontal
3	5150.24	60.16	16.35	74.00	13.84	150	24	Horizontal
4	5150.24	49.07	16.35	54.00	4.93	150	5	Horizontal
5	5196.34	90.61	16.71			170	7	Horizontal
6	5213.15	81.80	16.74			170	7	Horizontal

Mode:


11AC80-B1-CH42

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5135.35	52.45	16.27	54.00	1.55	170	186	Vertical
2	5141.12	63.52	16.30	74.00	10.48	170	188	Vertical
3	5150.24	51.95	16.35	54.00	2.05	150	184	Vertical
4	5150.24	62.58	16.35	74.00	11.42	150	270	Vertical
5	5208.35	92.37	16.74			170	186	Vertical
6	5215.07	101.80	16.74			170	186	Vertical

Mode:

11AC80-B4-CH155

Test Graph


◆ PK Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5725.00	67.33	18.29	122.20	54.87	160	122	Horizontal
2	5779.90	94.78	18.55			160	168	Horizontal
3	5850.00	64.40	18.66	122.06	57.66	150	254	Horizontal

Mode:

11AC80-B4-CH155

Test Graph


◆ PK Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5725.00	77.99	18.29	122.20	44.21	160	222	Vertical
2	5779.90	106.91	18.55			160	227	Vertical
3	5850.00	76.60	18.66	122.06	45.46	150	224	Vertical

Mode:


11N20-B1-CH36

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5118.06	49.19	16.17	54.00	4.81	150	67	Horizontal
2	5128.63	61.55	16.23	74.00	12.45	150	185	Horizontal
3	5150.72	60.02	16.36	74.00	13.98	140	246	Horizontal
4	5150.72	48.92	16.36	54.00	5.08	140	236	Horizontal
5	5178.57	90.80	16.57			170	229	Horizontal
6	5180.50	99.09	16.59			170	229	Horizontal

Mode:


11N20-B1-CH36

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5137.75	61.62	16.28	74.00	12.38	150	112	Vertical
2	5142.56	49.60	16.31	54.00	4.40	150	212	Vertical
3	5150.72	61.31	16.36	74.00	12.69	140	284	Vertical
4	5150.72	49.80	16.36	54.00	4.20	140	199	Vertical
5	5178.57	109.47	16.57			170	207	Vertical
6	5179.53	101.49	16.58			170	179	Vertical

Mode:


11N20-B1-CH40

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5082.53	61.14	15.96	74.00	12.86	160	69	Horizontal
2	5105.58	49.08	16.10	54.00	4.92	160	333	Horizontal
3	5149.76	59.65	16.35	74.00	14.35	140	255	Horizontal
4	5149.76	48.77	16.35	54.00	5.23	140	54	Horizontal
5	5199.22	100.24	16.73			170	7	Horizontal
6	5201.63	92.53	16.74			170	7	Horizontal

Mode:

11N20-B1-CH40

Test Graph


◆ PK Detector ♦ RMS Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5131.99	61.93	16.25	74.00	12.07	160	27	Vertical
2	5142.56	49.48	16.31	54.00	4.52	160	60	Vertical
3	5149.76	60.98	16.35	74.00	13.02	140	108	Vertical
4	5149.76	48.88	16.35	54.00	5.12	140	197	Vertical
5	5198.74	102.71	16.73			170	186	Vertical
6	5199.22	110.47	16.73			170	186	Vertical

Mode:


11N20-B1-CH48

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5137.75	61.41	16.28	74.00	12.59	150	90	Horizontal
2	5139.19	49.32	16.29	54.00	4.68	150	25	Horizontal
3	5151.20	48.80	16.36	54.00	5.20	160	118	Horizontal
4	5151.20	60.76	16.36	74.00	13.24	160	305	Horizontal
5	5239.56	91.30	16.74			150	10	Horizontal
6	5240.05	99.38	16.74			150	10	Horizontal
7	5350.02	60.04	16.75	74.00	13.96	150	38	Horizontal
8	5350.02	49.06	16.75	54.00	4.94	150	344	Horizontal
9	5372.11	49.50	16.71	54.00	4.50	170	0	Horizontal
10	5399.97	62.06	16.66	74.00	11.94	170	326	Horizontal

Mode:


11N20-B1-CH48

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5103.66	61.36	16.09	74.00	12.64	150	288	Vertical
2	5133.43	49.39	16.26	54.00	4.61	150	53	Vertical
3	5149.76	59.67	16.35	74.00	14.33	160	179	Vertical
4	5149.76	49.49	16.35	54.00	4.51	160	162	Vertical
5	5239.08	110.42	16.74			150	186	Vertical
6	5241.49	102.52	16.74			150	186	Vertical
7	5350.02	60.33	16.75	74.00	13.67	150	349	Vertical
8	5350.02	49.26	16.75	54.00	4.74	150	68	Vertical
9	5370.19	61.61	16.72	74.00	12.39	170	336	Vertical
10	5458.55	49.77	16.99	54.00	4.23	170	64	Vertical

Mode:


11N20-B4-CH149

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5648.96	62.66	17.93	68.20	5.54	140	137	Horizontal
2	5725.00	63.95	18.29	122.20	58.25	150	120	Horizontal
3	5743.50	97.87	18.37			150	170	Horizontal

Mode:


11N20-B4-CH149

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5650.83	62.90	17.94	68.82	5.92	140	296	Vertical
2	5725.00	76.63	18.29	122.20	45.57	150	196	Vertical
3	5745.76	109.60	18.39			150	228	Vertical

Mode:


11N20-B4-CH157

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5725.00	61.65	18.29	122.20	60.55	160	301	Horizontal
2	5785.34	98.02	18.57			160	171	Horizontal
3	5850.00	61.87	18.66	122.06	60.19	150	42	Horizontal

Mode:


11N20-B4-CH157

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5725.00	62.22	18.29	122.20	59.98	160	6	Vertical
2	5784.02	109.38	18.56			160	212	Vertical
3	5850.00	62.57	18.66	122.06	59.49	150	4	Vertical

Mode:

11N20-B4-CH165

Test Graph


◆ PK Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5823.61	98.24	18.65			130	202	Horizontal
2	5850.00	62.92	18.66	122.06	59.14	160	299	Horizontal
3	5927.91	63.97	18.59	68.20	4.23	150	304	Horizontal

Mode:


11N20-B4-CH165

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.30	110.24	18.65		130	100	131	Vertical
2	5850.00	69.56	18.66	122.06	160	100	276	Vertical
3	5930.91	64.31	18.59	68.20	150	100	177	Vertical

Mode:


11N40-B1-CH38

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5124.79	49.30	16.21	54.00	4.70	150	208	Horizontal
2	5134.39	61.16	16.26	74.00	12.84	150	221	Horizontal
3	5150.24	49.60	16.35	54.00	4.40	170	230	Horizontal
4	5150.24	59.49	16.35	74.00	14.51	170	243	Horizontal
5	5191.54	86.90	16.67			150	228	Horizontal
6	5200.67	94.51	16.74			150	228	Horizontal

Mode:


11N40-B1-CH38

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5149.28	52.61	16.35	54.00	1.39	150	152	Vertical
2	5149.28	65.01	16.35	74.00	8.99	150	150	Vertical
3	5150.24	65.48	16.35	74.00	8.52	170	200	Vertical
4	5150.24	52.64	16.35	54.00	1.36	170	152	Vertical
5	5192.02	105.43	16.68			150	200	Vertical
6	5192.02	97.80	16.68			150	200	Vertical

Mode:


11N40-B1-CH46

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5114.22	61.30	16.15	74.00	12.70	140	51	Horizontal
2	5126.23	49.31	16.22	54.00	4.69	140	42	Horizontal
3	5149.76	48.89	16.35	54.00	5.11	150	346	Horizontal
4	5150.24	60.93	16.35	74.00	13.07	150	296	Horizontal
5	5223.24	95.98	16.74			150	7	Horizontal
6	5228.52	88.56	16.74			150	7	Horizontal

Mode:

11N40-B1-CH46

Test Graph


◆ PK Detector ◆ RMS Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5130.07	49.48	16.24	54.00	4.52	140	228	Vertical
2	5142.08	61.78	16.31	74.00	12.22	140	64	Vertical
3	5150.24	49.18	16.35	54.00	4.82	150	275	Vertical
4	5150.24	60.14	16.35	74.00	13.86	150	240	Vertical
5	5228.04	99.25	16.74			150	186	Vertical
6	5228.52	107.10	16.74			150	186	Vertical

Mode:


11N40-B4-CH151

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5648.96	62.43	17.93	68.20	5.77	160	1	Horizontal
2	5725.00	66.08	18.29	122.20	56.12	160	156	Horizontal
3	5752.88	95.81	18.42			160	205	Horizontal

Mode:


11N40-B4-CH151

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5648.21	62.64	17.93	68.20	5.56	160	201	Vertical
2	5725.00	78.19	18.29	122.20	44.01	160	158	Vertical
3	5752.88	107.95	18.42			160	214	Vertical

Mode:

11N40-B4-CH159

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5796.41	96.15	18.62			150	166	Horizontal
2	5850.00	62.75	18.66	122.06	59.31	160	180	Horizontal
3	5928.47	63.58	18.59	68.20	4.62	150	87	Horizontal