


Mode:

11N40-B4-CH159

Test Graph


◆ PK Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5792.84	108.53	18.61			150	223	Vertical
2	5850.00	63.89	18.66	122.06	58.17	160	166	Vertical
3	5928.10	63.65	18.59	68.20	4.55	150	114	Vertical

Harmonic:


Mode:	11A-B1-CH36
-------	-------------

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	10356.7	36.75	9.64	54.00	17.25	160	122	Horizontal
2	10364.9	44.39	9.66	68.20	23.81	160	302	Horizontal
3	15546.2	51.36	14.72	74.00	22.64	150	253	Horizontal
4	15547.4	44.04	14.74	54.00	9.96	150	354	Horizontal

Mode:

11A-B1-CH36

Test Graph**Suspected Data List**


NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	10357.9	38.84	9.64	54.00	15.16	160	154	Vertical
2	10360.3	46.99	9.64	68.20	21.21	160	158	Vertical
3	15539.2	53.92	14.58	74.00	20.08	150	254	Vertical
4	15539.2	46.05	14.58	54.00	7.95	150	261	Vertical

Test Report No.: FCC2021-0008-5

Page 144 of 197


Mode:

11A-B1-CH36

Test Graph


Mode:

11A-B1-CH36

Test Graph

Mode:


11A-B1-CH40

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	10400.0	45.09	9.78	68.20	23.11	160	158	Horizontal
2	10402.4	37.77	9.78	54.00	16.23	160	99	Horizontal
3	15602.4	45.09	14.77	54.00	8.91	150	36	Horizontal
4	15607.1	51.95	14.88	74.00	22.05	150	40	Horizontal

Mode:

11A-B1-CH40

Test Graph

◆ PK Detector ◆ AV Detector

Suspected Data List


NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	10400.0	39.96	9.78	54.00	14.04	100	160	Vertical
2	10401.2	47.99	9.78	68.20	20.21	100	160	Vertical
3	15596.5	48.03	14.76	54.00	5.97	100	150	Vertical
4	15602.4	55.11	14.77	74.00	18.89	100	150	Vertical

Test Report No.: FCC2021-0008-5

Page 147 of 197


Mode:

11A-B1-CH40

Test Graph


Mode:

11A-B1-CH40

Test Graph

Mode:

11A-B1-CH48

Test Graph


◆ PK Detector ◆ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	10480.8	44.73	9.93	68.20	23.47	160	113	Horizontal
2	10483.1	38.08	9.91	54.00	15.92	160	126	Horizontal
3	15715.9	52.11	15.56	74.00	21.89	170	305	Horizontal
4	15722.9	44.59	15.56	54.00	9.41	170	295	Horizontal

Mode:

11A-B1-CH48

Test Graph

◆ PK Detector ◆ AV Detector

Suspected Data List


NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	10481.9	38.29	9.92	54.00	15.71	160	111	Vertical
2	10486.6	46.17	9.87	68.20	22.03	160	164	Vertical
3	15718.2	47.39	15.55	54.00	6.61	170	321	Vertical
4	15718.2	54.51	15.55	74.00	19.49	170	220	Vertical

Test Report No.: FCC2021-0008-5

Page 150 of 197


Mode:

11A-B1-CH48

Test Graph


Mode:

11A-B1-CH48

Test Graph

Mode:


11A-B4-CH149

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	11492.9	37.57	10.64	54.00	16.43	170	227	Horizontal
2	11495.3	45.20	10.64	74.00	28.80	170	55	Horizontal
3	17233.5	57.87	20.12	68.20	10.33	150	25	Horizontal
4	17233.5	47.53	20.12	54.00	6.47	150	25	Horizontal

Mode:

11A-B4-CH149

Test Graph

◆ PK Detector ◆ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	11489.4	47.87	10.64	54.00	6.13	170	359	Vertical
2	11492.9	54.59	10.64	74.00	19.41	170	10	Vertical
3	17240.5	44.70	20.11	54.00	9.30	150	48	Vertical
4	17248.7	52.53	20.08	68.20	15.67	150	119	Vertical




Test Report No.: FCC2021-0008-5

Page 153 of 197

Mode:

11A-B4-CH149


Test Graph



Mode:


11A-B4-CH149

Test Graph



Mode:

11A-B4-CH157

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
-----	-------------	----------------------	-------------	----------------------	-------------	-------------	-----------	----------


Test Report No.: FCC2021-0008-5

Page 155 of 197

1	11570.2	37.52	10.87	54.00	16.48	140	206	Horizontal
2	11574.8	45.35	10.89	74.00	28.65	140	183	Horizontal
3	17357.6	56.13	20.80	68.20	12.07	150	213	Horizontal
4	17357.6	46.32	20.80	54.00	7.68	150	272	Horizontal

Mode:

11A-B4-CH157

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity


Test Report No.: FCC2021-0008-5

Page 156 of 197

1	11570.2	51.73	10.87	54.00	2.27	140	10	Vertical
2	11571.3	56.83	10.88	74.00	17.17	140	360	Vertical
3	17361.1	56.50	20.80	68.20	11.70	150	59	Vertical
4	17365.7	45.59	20.97	54.00	8.41	150	300	Vertical

Mode:


11A-B4-CH157

Test Graph

Mode:


11A-B4-CH1157

Test Graph



Mode:

11A-B4-CH165

Test Graph**Suspected Data List**


Test Report No.: FCC2021-0008-5

Page 158 of 197

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	11649.7	38.43	10.71	54.00	15.57	150	145	Horizontal
2	11653.2	45.32	10.73	74.00	28.68	150	1	Horizontal
3	17478.1	45.29	20.56	54.00	8.71	170	139	Horizontal
4	17482.8	55.34	20.53	68.20	12.86	170	218	Horizontal

Mode:

11A-B4-CH165

Test Graph**Suspected Data List**


Test Report No.: FCC2021-0008-5

Page 159 of 197

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	11650.9	55.58	10.72	74.00	18.42	150	10	Vertical
2	11652.1	47.75	10.72	54.00	6.25	150	10	Vertical
3	17474.6	58.60	20.55	68.20	9.60	170	72	Vertical
4	17478.1	46.49	20.56	54.00	7.51	170	26	Vertical


Mode:

11A-B4-CH165

Test Graph


Mode:

11A-B4-CH165

Test Graph

Mode:

11AC80-B1-CH42

Test Graph**Suspected Data List**




NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	10418.8	36.80	9.74	54.00	17.20	140	124	Horizontal
2	10423.4	43.68	9.74	68.20	24.52	140	210	Horizontal
3	15616.4	52.66	14.88	74.00	21.34	150	43	Horizontal
4	15624.6	44.66	14.96	54.00	9.34	150	160	Horizontal

Mode:

11AC80-B1-CH42


Test Graph

**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	10415.3	45.12	9.75	68.20	23.08	140	168	Horizontal
2	10418.8	37.18	9.74	54.00	16.82	140	7	Horizontal
3	15628.1	45.39	15.05	54.00	8.61	150	57	Horizontal
4	15631.6	53.59	15.09	74.00	20.41	150	217	Horizontal


Mode:

11AC80-B1-CH42

Test Graph


Mode:

11AC80-B1-CH42

Test Graph

Mode:


11AC80-B4-CH155

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	11550.3	37.25	10.86	54.00	16.75	160	227	Horizontal
2	11550.3	44.41	10.86	74.00	29.59	160	107	Horizontal
3	17324.8	55.78	20.69	68.20	12.42	150	146	Horizontal
4	17327.1	45.62	20.76	54.00	8.38	150	316	Horizontal

Mode:

11AC80-B4-CH155

Test Graph


◆ PK Detector ♦ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	11537.4	48.33	10.81	74.00	25.67	160	360	Vertical
2	11554.9	41.38	10.87	54.00	12.62	160	1	Vertical
3	17324.8	45.01	20.69	54.00	8.99	150	315	Vertical
4	17324.8	55.61	20.69	68.20	12.59	150	146	Vertical


Mode:

11AC80-B4-CH155

Test Graph


Mode:

11AC80-B4-CH155

Test Graph

Mode:


11N20-B1-CH36

Test Graph

◆ PK Detector ◆ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	10356.7	44.97	9.64	68.20	23.23	160	6	Horizontal
2	10357.9	36.66	9.64	54.00	17.34	160	213	Horizontal
3	15542.7	51.77	14.64	74.00	22.23	170	356	Horizontal
4	15543.9	43.73	14.67	54.00	10.27	170	6	Horizontal

Test Graph


◆ PK Detector ♦ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	10360.3	39.47	9.64	54.00	14.53	160	119	Vertical
2	10364.9	46.95	9.66	68.20	21.25	160	119	Vertical
3	15539.2	56.42	14.58	74.00	17.58	170	218	Vertical
4	15554.4	46.11	14.74	54.00	7.89	170	218	Vertical


Mode:

11N20-B1-CH36

Test Graph


Mode:

11N20-B1-CH36

Test Graph

Mode:


11N20-B1-CH40

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	10400.0	44.77	9.78	68.20	23.43	160	55	Horizontal
2	10400.0	38.59	9.78	54.00	15.41	160	122	Horizontal
3	15597.7	51.93	14.74	74.00	22.07	160	360	Horizontal
4	15601.2	43.63	14.75	54.00	10.37	160	1	Horizontal

Mode:

11N20-B1-CH40

Test Graph**Suspected Data List**


NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	10398.9	40.85	9.77	54.00	13.15	160	114	Vertical
2	10398.9	48.71	9.77	68.20	19.49	160	117	Vertical
3	15597.7	48.34	14.74	54.00	5.66	160	67	Vertical
4	15597.7	58.17	14.74	74.00	15.83	160	67	Vertical

Mode:

11N20-B1-CH40


Test Report No.: FCC2021-0008-5

Page 172 of 197

Test Graph


Mode:

11N20-B1-CH40

Test Graph

Mode:

11N20-B1-CH48

Test Graph


◆ PK Detector ♦ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	10483.1	44.75	9.91	68.20	23.45	150	218	Horizontal
2	10484.3	37.56	9.90	54.00	16.44	150	294	Horizontal
3	15728.8	52.25	15.59	74.00	21.75	160	176	Horizontal
4	15729.9	43.84	15.60	54.00	10.16	160	333	Horizontal

Mode:

11N20-B1-CH48

Test Graph

◆ PK Detector ♦ AV Detector

Suspected Data List


NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	10473.8	47.73	9.99	68.20	20.47	150	113	Vertical
2	10473.8	39.15	9.99	54.00	14.85	150	255	Vertical
3	15719.4	56.41	15.54	74.00	17.59	160	245	Vertical
4	15722.9	46.55	15.56	54.00	7.45	160	245	Vertical

Mode:

11N20-B1-CH48


Test Report No.: FCC2021-0008-5

Page 175 of 197

Test Graph


Mode:

11N20-B1-CH48

Test Graph

Mode:


11N20-B4-CH149

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	11487.1	45.44	10.62	74.00	28.56	150	166	Horizontal
2	11488.2	37.36	10.63	54.00	16.64	150	40	Horizontal
3	17231.2	55.35	20.13	68.20	12.85	160	332	Horizontal
4	17234.7	44.21	20.12	54.00	9.79	160	326	Horizontal

Mode:

11N20-B4-CH149


Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	11489.4	44.07	10.64	54.00	9.93	150	6	Vertical
2	11496.4	52.24	10.64	74.00	21.76	150	1	Vertical
3	17227.7	44.13	20.15	54.00	9.87	160	60	Vertical
4	17233.5	54.93	20.12	68.20	13.27	160	267	Vertical

Mode:


11N20-B4-CH149

Test Graph




Mode:

11N20-B4-CH149

Test Graph

Mode:

11N20-B4-CH157

Test Graph


◆ PK Detector ◆ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	11570.2	36.97	10.87	54.00	17.03	150	172	Horizontal
2	11570.2	44.22	10.87	74.00	29.78	150	352	Horizontal
3	17351.7	45.54	20.91	54.00	8.46	160	59	Horizontal
4	17356.4	56.14	20.82	68.20	12.06	160	248	Horizontal

Mode:


11N20-B4-CH157

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	11571.3	53.14	10.88	74.00	20.86	150	1	Vertical
2	11573.7	44.01	10.89	54.00	9.99	150	1	Vertical
3	17350.5	45.73	20.93	54.00	8.27	160	334	Vertical
4	17352.9	55.44	20.89	68.20	12.76	160	357	Vertical


Mode:

11N20-B4-CH157

Test Graph


Mode:

11N20-B4-CH157

Test Graph

Mode:


11N20-B4-CH165

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	11654.4	46.67	10.74	74.00	27.33	160	150	Horizontal
2	11656.7	38.52	10.75	54.00	15.48	160	143	Horizontal
3	17473.4	44.93	20.55	54.00	9.07	160	247	Horizontal
4	17473.4	55.16	20.55	68.20	13.04	160	247	Horizontal

Mode:


11N20-B4-CH165

Test Graph**Suspected Data List**


NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	11645.0	55.96	10.69	74.00	18.04	160	1	Vertical
2	11647.4	49.34	10.70	54.00	4.66	160	1	Vertical
3	17475.7	45.56	20.56	54.00	8.44	160	265	Vertical
4	17476.9	56.30	20.56	68.20	11.90	160	160	Vertical

Mode:


11N20-B4-CH165

Test Graph

Mode: 11N20-B4-CH165

Test Graph


Mode: 11N40-B1-CH38

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	10374.3	45.02	9.67	68.20	23.18	150	127	Horizontal
2	10377.8	37.22	9.66	54.00	16.78	150	120	Horizontal
3	15570.8	43.88	14.84	54.00	10.12	140	93	Horizontal
4	15575.5	51.28	14.76	74.00	22.72	140	360	Horizontal

Mode:

11N40-B1-CH38


Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	10379.0	38.82	9.66	54.00	15.18	150	113	Vertical
2	10381.3	46.20	9.67	68.20	22.00	150	113	Vertical
3	15563.8	44.99	14.74	54.00	9.01	140	169	Vertical
4	15566.1	52.74	14.79	74.00	21.26	140	169	Vertical


Mode:

11N40-B1-CH38


Test Graph



Mode:	11N40-B1-CH38
-------	---------------

Test Graph


Mode:	11N40-B1-CH46
-------	---------------

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	10464.4	37.82	10.04	54.00	16.18	150	171	Horizontal
2	10464.4	45.23	10.04	68.20	22.97	150	128	Horizontal
3	15689.0	44.97	15.51	54.00	9.03	160	66	Horizontal
4	15689.0	52.72	15.51	74.00	21.28	160	66	Horizontal

Mode:

11N40-B1-CH46

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	10455.0	45.53	10.01	68.20	22.67	150	113	Vertical
2	10458.5	38.26	10.04	54.00	15.74	150	113	Vertical
3	15689.0	45.93	15.51	54.00	8.07	160	46	Vertical
4	15690.1	52.76	15.53	74.00	21.24	160	247	Vertical


Mode:

11N40-B1-CH46

Test Graph


Test Report No.: FCC2021-0008-5

Page 190 of 197




Mode:

11N40-B1-CH46

Test Graph

Mode:


11N40-B4-CH151

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	11507.0	44.53	10.68	74.00	29.47	150	134	Horizontal
2	11508.1	36.30	10.69	54.00	17.70	150	32	Horizontal
3	17262.8	44.27	20.17	54.00	9.73	155	314	Horizontal
4	17263.9	54.56	20.17	68.20	13.64	155	1	Horizontal

Mode:

11N40-B4-CH151


Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	11508.1	51.24	10.69	74.00	22.76	150	1	Vertical
2	11510.5	44.85	10.70	54.00	9.15	150	1	Vertical
3	17259.3	55.12	20.17	68.20	13.08	155	258	Vertical
4	17263.9	44.36	20.17	54.00	9.64	155	1	Vertical

Mode:


11N40-B4-CH151

Test Graph




Mode:

11N40-B4-CH151

Test Graph

Mode:


11N40-B4-CH159

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	11592.4	45.22	10.77	74.00	28.78	170	19	Horizontal
2	11593.6	37.07	10.77	54.00	16.93	170	139	Horizontal
3	17385.6	56.34	20.73	68.20	11.86	150	93	Horizontal
4	17389.1	45.46	20.78	54.00	8.54	150	205	Horizontal

Mode:

11N40-B4-CH159


Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	11590.0	47.29	10.77	54.00	6.71	170	1	Vertical
2	11597.1	54.08	10.76	74.00	19.92	170	1	Vertical
3	17383.3	55.79	20.70	68.20	12.41	150	239	Vertical
4	17390.3	45.51	20.78	54.00	8.49	150	190	Vertical

Mode:


11N40-B4-CH159

Test Graph



Mode:

11N40-B4-CH159

Test Graph



Important

- (1) The test report is valid with the official seal of the laboratory and the signatures of Test engineer, Author and Reviewer simultaneously.
- (2) The test report is invalid if altered.
- (3) Any photocopies or part photocopies in the test report are forbidden without the written permission from the laboratory.
- (4) Objections to the test report must be submitted to the laboratory within 15 days.
- (5) Generally, commission test is responsible for the tested samples only.

Address of the laboratory:

Vkan Certification & Testing Co., Ltd.

Address: No. 1301, Guanguang Road, Xinlan Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, 518110, P. R. China

Post Code: 510663 Tel: 020-32293888

FAX: 020-32293889 E-mail: office@cvc.org.cn