


Annex A.5 Spurious Emission at Antenna Terminals

1. WCDMA_Band5


1.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.05	-59.83	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.89	-13	Pass	2985
30	500	0.1	Peak	478.996	-53.96	-13	Pass	4700
500	1000	0.1	Peak	825.265	13.92	-13	N/A	5000
1000	10000	1	Peak	7150.751	-30.75	-13	Pass	9000




1.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.053	-59.95	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.01	-13	Pass	2985
30	500	0.1	Peak	490.498	-53.84	-13	Pass	4700
500	1000	0.1	Peak	837.067	15.53	-13	N/A	5000
1000	10000	1	Peak	7616.808	-31.18	-13	Pass	9000



1.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.048	-60.33	-13	Pass	401
0.15	30	0.01	Peak	0.23	-63.12	-13	Pass	2985
30	500	0.1	Peak	395.378	-53.7	-13	Pass	4700
500	1000	0.1	Peak	847.169	16.12	-13	N/A	5000
1000	10000	1	Peak	7175.754	-31.51	-13	Pass	9000



2. LTE_Band5


2.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.57	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.94	-13	Pass	2985
30	814	0.1	RMS	813.5	-64.11	-13	Pass	7840
814	860	0.1	RMS	824.222	17.37	60	Pass	460
860	1000	0.1	RMS	863.402	-64.03	-13	Pass	1400
1000	3000	1	RMS	1648.324	-43.32	-13	Pass	2000
3000	10000	1	RMS	6958.566	-42.33	-13	Pass	7000




2.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.74	-13	Pass	2985
30	814	0.1	RMS	808.099	-64.3	-13	Pass	7840
814	860	0.1	RMS	824.222	17.13	60	Pass	460
860	1000	0.1	RMS	958.47	-64.04	-13	Pass	1400
1000	3000	1	RMS	1648.324	-43.55	-13	Pass	2000
3000	10000	1	RMS	6960.566	-42.34	-13	Pass	7000




2.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.88	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.47	-13	Pass	2985
30	814	0.1	RMS	809.599	-64.27	-13	Pass	7840
814	860	0.1	RMS	836.048	18.64	60	Pass	460
860	1000	0.1	RMS	867.005	-64.21	-13	Pass	1400
1000	3000	1	RMS	1671.336	-44.82	-13	Pass	2000
3000	10000	1	RMS	6960.566	-42.33	-13	Pass	7000




2.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	Pass	2985
30	814	0.1	RMS	798.598	-64.27	-13	Pass	7840
814	860	0.1	RMS	836.048	18.44	60	Pass	460
860	1000	0.1	RMS	860.3	-64.07	-13	Pass	1400
1000	3000	1	RMS	1671.336	-45.02	-13	Pass	2000
3000	10000	1	RMS	6960.566	-42.35	-13	Pass	7000




2.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.053	-65.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.07	-13	Pass	2985
30	814	0.1	RMS	813.2	-64.07	-13	Pass	7840
814	860	0.1	RMS	847.874	17.97	60	Pass	460
860	1000	0.1	RMS	862.802	-63.79	-13	Pass	1400
1000	3000	1	RMS	1695.348	-41.39	-13	Pass	2000
3000	10000	1	RMS	6959.566	-42.32	-13	Pass	7000




2.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.051	-65.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2985
30	814	0.1	RMS	797.098	-64.37	-13	Pass	7840
814	860	0.1	RMS	847.874	17.91	60	Pass	460
860	1000	0.1	RMS	860.4	-64.04	-13	Pass	1400
1000	3000	1	RMS	1695.348	-41.39	-13	Pass	2000
3000	10000	1	RMS	6959.566	-42.33	-13	Pass	7000




2.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-65.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	Pass	2985
30	814	0.1	RMS	813.6	-64.12	-13	Pass	7840
814	860	0.1	RMS	824.222	17.47	60	Pass	460
860	1000	0.1	RMS	861.301	-64.03	-13	Pass	1400
1000	3000	1	RMS	1648.324	-43.7	-13	Pass	2000
3000	10000	1	RMS	6960.566	-42.37	-13	Pass	7000




2.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.052	-65.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.45	-13	Pass	2985
30	814	0.1	RMS	813.5	-64.2	-13	Pass	7840
814	860	0.1	RMS	824.222	17.16	60	Pass	460
860	1000	0.1	RMS	862.402	-64.15	-13	Pass	1400
1000	3000	1	RMS	1648.324	-43.98	-13	Pass	2000
3000	10000	1	RMS	6960.566	-42.26	-13	Pass	7000




2.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.051	-65.16	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.36	-13	Pass	2985
30	814	0.1	RMS	802.499	-64.38	-13	Pass	7840
814	860	0.1	RMS	835.246	18.89	60	Pass	460
860	1000	0.1	RMS	862.202	-64.17	-13	Pass	1400
1000	3000	1	RMS	1670.335	-44.6	-13	Pass	2000
3000	10000	1	RMS	6964.566	-42.35	-13	Pass	7000




2.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-64.89	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.87	-13	Pass	2985
30	814	0.1	RMS	799.998	-64.26	-13	Pass	7840
814	860	0.1	RMS	835.246	18.47	60	Pass	460
860	1000	0.1	RMS	865.004	-64.17	-13	Pass	1400
1000	3000	1	RMS	1670.335	-44.89	-13	Pass	2000
3000	10000	1	RMS	6962.566	-42.29	-13	Pass	7000




2.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-64.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.8	-13	Pass	2985
30	814	0.1	RMS	809.499	-64.37	-13	Pass	7840
814	860	0.1	RMS	846.27	18.02	60	Pass	460
860	1000	0.1	RMS	861.401	-64.15	-13	Pass	1400
1000	3000	1	RMS	1692.346	-42.02	-13	Pass	2000
3000	10000	1	RMS	6955.565	-42.36	-13	Pass	7000




2.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-65.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	Pass	2985
30	814	0.1	RMS	790.897	-64.31	-13	Pass	7840
814	860	0.1	RMS	846.27	17.85	60	Pass	460
860	1000	0.1	RMS	869.707	-64.05	-13	Pass	1400
1000	3000	1	RMS	1692.346	-42.19	-13	Pass	2000
3000	10000	1	RMS	6959.566	-42.42	-13	Pass	7000




2.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-65.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.33	-13	Pass	2985
30	814	0.1	RMS	809.299	-64.17	-13	Pass	7840
814	860	0.1	RMS	824.322	17.59	60	Pass	460
860	1000	0.1	RMS	860.2	-63.98	-13	Pass	1400
1000	3000	1	RMS	2958.979	-48.78	-13	Pass	2000
3000	10000	1	RMS	6959.566	-42.34	-13	Pass	7000




2.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.051	-65.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.05	-13	Pass	2985
30	814	0.1	RMS	805.199	-64.22	-13	Pass	7840
814	860	0.1	RMS	824.322	17.56	60	Pass	460
860	1000	0.1	RMS	864.904	-64.12	-13	Pass	1400
1000	3000	1	RMS	1648.324	-43.28	-13	Pass	2000
3000	10000	1	RMS	6958.566	-42.31	-13	Pass	7000




2.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.051	-64.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.61	-13	Pass	2985
30	814	0.1	RMS	813.5	-64.3	-13	Pass	7840
814	860	0.1	RMS	834.344	18.92	60	Pass	460
860	1000	0.1	RMS	860.2	-63.94	-13	Pass	1400
1000	3000	1	RMS	1668.334	-43.3	-13	Pass	2000
3000	10000	1	RMS	6959.566	-42.35	-13	Pass	7000




2.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.053	-64.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.2	-13	Pass	2985
30	814	0.1	RMS	798.698	-64.14	-13	Pass	7840
814	860	0.1	RMS	834.344	18.48	60	Pass	460
860	1000	0.1	RMS	860.3	-63.75	-13	Pass	1400
1000	3000	1	RMS	1668.334	-43.64	-13	Pass	2000
3000	10000	1	RMS	6959.566	-42.35	-13	Pass	7000




2.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-65.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.3	-13	Pass	2985
30	814	0.1	RMS	813.8	-64.05	-13	Pass	7840
814	860	0.1	RMS	844.366	18.43	60	Pass	460
860	1000	0.1	RMS	860.1	-64.02	-13	Pass	1400
1000	3000	1	RMS	2955.978	-48.84	-13	Pass	2000
3000	10000	1	RMS	6960.566	-42.26	-13	Pass	7000




2.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-65.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.54	-13	Pass	2985
30	814	0.1	RMS	801.998	-64.31	-13	Pass	7840
814	860	0.1	RMS	844.366	18.17	60	Pass	460
860	1000	0.1	RMS	860.901	-64	-13	Pass	1400
1000	3000	1	RMS	2960.98	-48.83	-13	Pass	2000
3000	10000	1	RMS	6960.566	-42.32	-13	Pass	7000




**2.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-65.18	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-13	Pass	2985
30	814	0.1	RMS	813.9	-64	-13	Pass	7840
814	860	0.1	RMS	824.623	18.15	60	Pass	460
860	1000	0.1	RMS	876.612	-64.13	-13	Pass	1400
1000	3000	1	RMS	1648.324	-43.01	-13	Pass	2000
3000	10000	1	RMS	6962.566	-42.26	-13	Pass	7000




2.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.052	-64.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.53	-13	Pass	2985
30	814	0.1	RMS	813.9	-63.8	-13	Pass	7840
814	860	0.1	RMS	824.623	17.72	60	Pass	460
860	1000	0.1	RMS	860.1	-63.75	-13	Pass	1400
1000	3000	1	RMS	1648.324	-43.31	-13	Pass	2000
3000	10000	1	RMS	6959.566	-42.37	-13	Pass	7000




2.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-64.58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.19	-13	Pass	2985
30	814	0.1	RMS	813.1	-64.26	-13	Pass	7840
814	860	0.1	RMS	832.039	18.31	60	Pass	460
860	1000	0.1	RMS	885.618	-64.08	-13	Pass	1400
1000	3000	1	RMS	1663.332	-41.73	-13	Pass	2000
3000	10000	1	RMS	6957.565	-42.31	-13	Pass	7000




2.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-64.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.21	-13	Pass	2985
30	814	0.1	RMS	804.199	-64.16	-13	Pass	7840
814	860	0.1	RMS	832.139	18.34	60	Pass	460
860	1000	0.1	RMS	860.2	-64.01	-13	Pass	1400
1000	3000	1	RMS	1663.332	-41.72	-13	Pass	2000
3000	10000	1	RMS	6959.566	-42.35	-13	Pass	7000




2.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.051	-65.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.83	-13	Pass	2985
30	814	0.1	RMS	811.9	-64.21	-13	Pass	7840
814	860	0.1	RMS	839.556	18.9	60	Pass	460
860	1000	0.1	RMS	888.52	-64.01	-13	Pass	1400
1000	3000	1	RMS	1678.339	-46.78	-13	Pass	2000
3000	10000	1	RMS	6958.566	-42.23	-13	Pass	7000



2.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.051	-64.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.8	-13	Pass	2985
30	814	0.1	RMS	809.199	-64.32	-13	Pass	7840
814	860	0.1	RMS	839.556	18.69	60	Pass	460
860	1000	0.1	RMS	861.101	-64.05	-13	Pass	1400
1000	3000	1	RMS	1678.339	-47	-13	Pass	2000
3000	10000	1	RMS	6959.566	-42.37	-13	Pass	7000



3. LTE_Band7


3.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.049	-66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.72	-25	Pass	2985
30	1000	0.1	RMS	838.699	-63.87	-25	Pass	9699
1000	2490	1	RMS	2490	-50.16	-25	Pass	1490
2490	2580	1	RMS	2500.125	21.04	60	Pass	401
2580	3000	1	RMS	2945.871	-48.81	-25	Pass	420
3000	12000	1	RMS	11854.82	-51.48	-25	Pass	9000
12000	26000	1	RMS	25998	-37.8	-25	Pass	14000




3.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.054	-66.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.81	-25	Pass	2985
30	1000	0.1	RMS	856.91	-63.81	-25	Pass	9699
1000	2490	1	RMS	2482.995	-50.02	-25	Pass	1490
2490	2580	1	RMS	2500.125	20.79	60	Pass	401
2580	3000	1	RMS	2957.9	-48.8	-25	Pass	420
3000	12000	1	RMS	7500.549	-45.9	-25	Pass	9000
12000	26000	1	RMS	25989.998	-37.82	-25	Pass	14000




3.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.049	-64.44	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.9	-25	Pass	2985
30	1000	0.1	RMS	840.699	-63.84	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.63	-25	Pass	1490
2490	2580	1	RMS	2532.75	21.85	60	Pass	401
2580	3000	1	RMS	2953.89	-48.82	-25	Pass	420
3000	12000	1	RMS	7598.561	-47.64	-25	Pass	9000
12000	26000	1	RMS	25996.999	-37.82	-25	Pass	14000




3.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.051	-65.39	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.98	-25	Pass	2985
30	1000	0.1	RMS	845.4	-63.81	-25	Pass	9699
1000	2490	1	RMS	2476.991	-50.68	-25	Pass	1490
2490	2580	1	RMS	2532.75	21.75	60	Pass	401
2580	3000	1	RMS	2957.9	-48.8	-25	Pass	420
3000	12000	1	RMS	11843.807	-51.47	-25	Pass	9000
12000	26000	1	RMS	25988.998	-37.84	-25	Pass	14000




3.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.33	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.59	-25	Pass	2986
30	1000	0.1	RMS	925.6	-61.7	-25	Pass	9701
1000	2490	1	RMS	2487	-48.1	-25	Pass	1491
2490	2580	1	RMS	2565.3	22.38	60	Pass	601
2580	3000	1	RMS	2642.3	-46.72	-25	Pass	601
3000	12000	1	RMS	7696	-48.55	-25	Pass	9001
12000	26000	1	RMS	25010	-29.12	-25	Pass	14001




3.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.054	-64.88	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.41	-25	Pass	2985
30	1000	0.1	RMS	873.532	-63.89	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.4	-25	Pass	1490
2490	2580	1	RMS	2565.15	21.49	60	Pass	401
2580	3000	1	RMS	2958.902	-48.8	-25	Pass	420
3000	12000	1	RMS	7695.573	-48.75	-25	Pass	9000
12000	26000	1	RMS	25993.999	-37.81	-25	Pass	14000




3.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-64.79	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.76	-25	Pass	2985
30	1000	0.1	RMS	826.197	-63.9	-25	Pass	9699
1000	2490	1	RMS	2482.995	-45.58	-25	Pass	1490
2490	2580	1	RMS	2500.575	21.92	60	Pass	401
2580	3000	1	RMS	2958.902	-48.8	-25	Pass	420
3000	12000	1	RMS	7501.55	-42.39	-25	Pass	9000
12000	26000	1	RMS	25991.999	-37.86	-25	Pass	14000




3.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-66.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-25	Pass	2985
30	1000	0.1	RMS	842.999	-63.9	-25	Pass	9699
1000	2490	1	RMS	2482.995	-47.07	-25	Pass	1490
2490	2580	1	RMS	2500.575	19.37	60	Pass	401
2580	3000	1	RMS	2958.902	-48.78	-25	Pass	420
3000	12000	1	RMS	7501.55	-38.45	-25	Pass	9000
12000	26000	1	RMS	25993.999	-37.74	-25	Pass	14000




3.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.051	-65.43	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.12	-25	Pass	2985
30	1000	0.1	RMS	858.012	-63.85	-25	Pass	9699
1000	2490	1	RMS	2490	-50.62	-25	Pass	1490
2490	2580	1	RMS	2530.5	22.14	60	Pass	401
2580	3000	1	RMS	2956.897	-48.8	-25	Pass	420
3000	12000	1	RMS	7591.56	-47.39	-25	Pass	9000
12000	26000	1	RMS	25990.998	-37.82	-25	Pass	14000




3.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-65.43	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.52	-25	Pass	2985
30	1000	0.1	RMS	849.901	-63.88	-25	Pass	9699
1000	2490	1	RMS	2482.995	-50.66	-25	Pass	1490
2490	2580	1	RMS	2530.5	21.9	60	Pass	401
2580	3000	1	RMS	2957.9	-48.79	-25	Pass	420
3000	12000	1	RMS	7591.56	-47.82	-25	Pass	9000
12000	26000	1	RMS	25989.998	-37.69	-25	Pass	14000




3.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-66.31	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72	-25	Pass	2985
30	1000	0.1	RMS	838.499	-63.79	-25	Pass	9699
1000	2490	1	RMS	2481.995	-50.64	-25	Pass	1490
2490	2580	1	RMS	2560.425	19.37	60	Pass	401
2580	3000	1	RMS	2959.905	-48.82	-25	Pass	420
3000	12000	1	RMS	7681.571	-47.61	-25	Pass	9000
12000	26000	1	RMS	25992.999	-37.77	-25	Pass	14000




3.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.053	-64.71	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.95	-25	Pass	2985
30	1000	0.1	RMS	599.87	-63.21	-25	Pass	9699
1000	2490	1	RMS	2438.966	-50.41	-25	Pass	1490
2490	2580	1	RMS	2560.425	21.74	60	Pass	401
2580	3000	1	RMS	2952.888	-48.82	-25	Pass	420
3000	12000	1	RMS	7681.571	-47.96	-25	Pass	9000
12000	26000	1	RMS	25995.999	-37.75	-25	Pass	14000




3.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.053	-64.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-25	Pass	2985
30	1000	0.1	RMS	847.2	-63.73	-25	Pass	9699
1000	2490	1	RMS	2487.999	-46.71	-25	Pass	1490
2490	2580	1	RMS	2500.8	21.55	60	Pass	401
2580	3000	1	RMS	2959.905	-48.77	-25	Pass	420
3000	12000	1	RMS	7502.55	-42.83	-25	Pass	9000
12000	26000	1	RMS	25995.999	-37.81	-25	Pass	14000




3.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.051	-65.64	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.6	-25	Pass	2985
30	1000	0.1	RMS	844.799	-63.83	-25	Pass	9699
1000	2490	1	RMS	2487.999	-46.07	-25	Pass	1490
2490	2580	1	RMS	2500.8	21.32	60	Pass	401
2580	3000	1	RMS	2959.905	-48.81	-25	Pass	420
3000	12000	1	RMS	7502.55	-42.78	-25	Pass	9000
12000	26000	1	RMS	25998	-37.82	-25	Pass	14000




3.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-66.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-25	Pass	2985
30	1000	0.1	RMS	850.201	-63.87	-25	Pass	9699
1000	2490	1	RMS	2464.983	-50.64	-25	Pass	1490
2490	2580	1	RMS	2528.25	19.85	60	Pass	401
2580	3000	1	RMS	2955.895	-48.77	-25	Pass	420
3000	12000	1	RMS	7584.56	-46.66	-25	Pass	9000
12000	26000	1	RMS	25999	-37.79	-25	Pass	14000




3.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-64.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-25	Pass	2985
30	1000	0.1	RMS	846.3	-63.81	-25	Pass	9699
1000	2490	1	RMS	2445.97	-50.63	-25	Pass	1490
2490	2580	1	RMS	2528.25	21.82	60	Pass	401
2580	3000	1	RMS	2956.897	-48.78	-25	Pass	420
3000	12000	1	RMS	7584.56	-49.1	-25	Pass	9000
12000	26000	1	RMS	25996.999	-37.76	-25	Pass	14000




3.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-64.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.89	-25	Pass	2985
30	1000	0.1	RMS	595.169	-63.09	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.61	-25	Pass	1490
2490	2580	1	RMS	2555.7	22.18	60	Pass	401
2580	3000	1	RMS	2582.005	-33.82	-25	Pass	420
3000	12000	1	RMS	7667.57	-49.28	-25	Pass	9000
12000	26000	1	RMS	25988.998	-37.83	-25	Pass	14000




3.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.051	-64.45	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.08	-25	Pass	2985
30	1000	0.1	RMS	834.598	-63.9	-25	Pass	9699
1000	2490	1	RMS	2484.997	-50.57	-25	Pass	1490
2490	2580	1	RMS	2555.7	21.79	60	Pass	401
2580	3000	1	RMS	2582.005	-34.28	-25	Pass	420
3000	12000	1	RMS	7667.57	-49.35	-25	Pass	9000
12000	26000	1	RMS	25999	-37.79	-25	Pass	14000




3.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.049	-65.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.06	-25	Pass	2985
30	1000	0.1	RMS	839.499	-63.74	-25	Pass	9699
1000	2490	1	RMS	2482.995	-47.03	-25	Pass	1490
2490	2580	1	RMS	2501.025	21.55	60	Pass	401
2580	3000	1	RMS	2956.897	-48.77	-25	Pass	420
3000	12000	1	RMS	7503.55	-43.78	-25	Pass	9000
12000	26000	1	RMS	25991.999	-37.81	-25	Pass	14000




3.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.053	-64.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.68	-25	Pass	2985
30	1000	0.1	RMS	851.103	-63.7	-25	Pass	9699
1000	2490	1	RMS	2482.995	-47.55	-25	Pass	1490
2490	2580	1	RMS	2501.025	21.06	60	Pass	401
2580	3000	1	RMS	2956.897	-48.83	-25	Pass	420
3000	12000	1	RMS	7503.55	-44.05	-25	Pass	9000
12000	26000	1	RMS	25995.999	-37.74	-25	Pass	14000




3.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.19	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.55	-25	Pass	2985
30	1000	0.1	RMS	853.105	-63.86	-25	Pass	9699
1000	2490	1	RMS	2490	-46.01	-25	Pass	1490
2490	2580	1	RMS	2526	21.82	60	Pass	401
2580	3000	1	RMS	2958.902	-48.82	-25	Pass	420
3000	12000	1	RMS	7578.559	-48.97	-25	Pass	9000
12000	26000	1	RMS	26000	-37.79	-25	Pass	14000




3.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.16	-25	Pass	401
0.15	30	0.01	RMS	0.33	-72.9	-25	Pass	2985
30	1000	0.1	RMS	845.7	-63.89	-25	Pass	9699
1000	2490	1	RMS	2490	-45.87	-25	Pass	1490
2490	2580	1	RMS	2526	21.58	60	Pass	401
2580	3000	1	RMS	2956.897	-48.8	-25	Pass	420
3000	12000	1	RMS	7578.559	-48.85	-25	Pass	9000
12000	26000	1	RMS	25990.998	-37.76	-25	Pass	14000




3.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.66	-25	Pass	401
0.15	30	0.01	RMS	0.24	-72.25	-25	Pass	2985
30	1000	0.1	RMS	843.499	-63.89	-25	Pass	9699
1000	2490	1	RMS	2478.993	-50.65	-25	Pass	1490
2490	2580	1	RMS	2550.975	18.74	60	Pass	401
2580	3000	1	RMS	2586.014	-39.72	-25	Pass	420
3000	12000	1	RMS	7653.568	-48.79	-25	Pass	9000
12000	26000	1	RMS	25998	-37.84	-25	Pass	14000



3.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-25	Pass	2985
30	1000	0.1	RMS	590.368	-63.4	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.65	-25	Pass	1490
2490	2580	1	RMS	2550.975	21.32	60	Pass	401
2580	3000	1	RMS	2586.014	-36.3	-25	Pass	420
3000	12000	1	RMS	7653.568	-49.52	-25	Pass	9000
12000	26000	1	RMS	25999	-37.72	-25	Pass	14000



--BLANK BELOW--