

# APPENDIX REPORT

Project No.	SHT2202043703EW	Radio Specification	WIFI 2.4G
Test sample No.	YPHT22020437006	Model No.	L681
Start test date	2022-03-07	Finish date	2022-03-07
Temperature	23.4℃	Humidity	36%
Test Engineer	Xiaoqin Li	Auditor	Xiaodong Zheo

Appendix clause	Test item	Result
A	Conducted Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty Cycle	PASS
F	Band edge and Spurious Emissions (conducted)	PASS

**Appendix A: Conducted Peak Output Power**

Type	Channel	Peak Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
802.11b	01	15.82	13.40	≤ 30.00	Pass
	06	16.60	13.97		
	11	16.22	13.76		
802.11g	01	15.73	13.16	≤ 30.00	Pass
	06	16.58	14.02		
	11	16.19	13.62		
802.11n (HT20)	01	15.60	13.04	≤ 30.00	Pass
	06	16.50	13.86		
	11	16.12	13.48		
802.11n(HT40)	03	16.24	13.46	≤ 30.00	Pass
	06	16.59	13.92		
	09	17.03	14.72		

**Appendix B: Power Spectral Density**

Type	Channel	Power Spectral Density (dBm/30KHz)	Limit (dBm/3KHz)	Result
802.11b	01	2.12	≤8.00	Pass
	06	1.95		
	11	1.03		
802.11g	01	-6.27	≤8.00	Pass
	06	-7.99		
	11	-6.93		
802.11n(HT20)	01	-8.51	≤8.00	Pass
	06	-8.44		
	11	-8.61		
802.11n(HT40)	03	-9.36	≤8.00	Pass
	06	-11.51		
	09	-7.07		

Type:	802.11 b
CH01	<p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz  Att 30 dB SWI 1.78 ms VBW 100 kHz Mode Auto Sweep Count 100/100  MI[1] 2.12 dBm  2.4124960 GHz</p> <p>CF 2.412 GHz 1001 pts 1.6 MHz/ Span 16.0 MHz</p> <p>Date: 7.MAR.2022 10:37:06</p>
CH06	<p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz  Att 30 dB SWI 1.78 ms VBW 100 kHz Mode Auto Sweep Count 100/100  MI[1] 1.95 dBm  2.4374960 GHz</p> <p>CF 2.437 GHz 1001 pts 1.6 MHz/ Span 16.0 MHz</p> <p>Date: 7.MAR.2022 10:39:47</p>
CH11	<p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz  Att 30 dB SWI 1.78 ms VBW 100 kHz Mode Auto Sweep Count 100/100  MI[1] 1.03 dBm  2.4615290 GHz</p> <p>CF 2.462 GHz 1001 pts 1.6 MHz/ Span 16.0 MHz</p> <p>Date: 7.MAR.2022 10:36:00</p>

Type:	802.11 g
CH01	<p>MultiView Spectrum          Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz          Att 30 dB SWI 279 us (-15 ms) VBW 100 kHz Mode Auto FFT          Count 100/100          1 Frequency Sweep          MI[1] 6.27 dBm          2.414980 GHz          CF 2.412 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz          Date: 7.MAR.2022 10:45:20</p>
CH06	<p>MultiView Spectrum          Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz          Att 30 dB SWI 279 us (-15 ms) VBW 100 kHz Mode Auto FFT          Count 100/100          1 Frequency Sweep          MI[1] 7.99 dBm          2.4357260 GHz          CF 2.437 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz          Date: 7.MAR.2022 10:46:08</p>
CH11	<p>MultiView Spectrum          Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz          Att 30 dB SWI 279 us (-15 ms) VBW 100 kHz Mode Auto FFT          Count 100/100          1 Frequency Sweep          MI[1] 6.93 dBm          2.4569800 GHz          CF 2.462 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz          Date: 7.MAR.2022 10:51:22</p>

Type:	802.11n(HT20)
CH01	<p>MultiView Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 us (-1.5 ms) VBW 100 kHz Mode Auto FFT</p> <p>Count 100/100</p> <p>1 Frequency Sweep</p> <p>M1[1] -8.51 dBm 2.4138980 GHz</p> <p>CF 2.412 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz</p> <p>Date: 7.MAR.2022 10:56:17</p>
CH06	<p>MultiView Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 us (-1.5 ms) VBW 100 kHz Mode Auto FFT</p> <p>Count 100/100</p> <p>1 Frequency Sweep</p> <p>M1[1] -8.44 dBm 2.4419950 GHz</p> <p>CF 2.437 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz</p> <p>Date: 7.MAR.2022 11:00:04</p>
CH11	<p>MultiView Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 us (-1.5 ms) VBW 100 kHz Mode Auto FFT</p> <p>Count 100/100</p> <p>1 Frequency Sweep</p> <p>M1[1] -8.61 dBm 2.4551320 GHz</p> <p>CF 2.462 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz</p> <p>Date: 7.MAR.2022 10:56:04</p>


Type:	802.11n(HT40)
CH03	<p> <b>Spectrum</b>                      Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz                      Att 30 dB SWI 558 us (~27 ms) VBW 100 kHz Mode Auto FFT                      Count 100/100                      1 Frequency Sweep                      MI[1] -9.36 dBm                      2.4178790 GHz                      CF 2.422 GHz 1001 pts 5.5 MHz/ Span 55.0 MHz                      Date: 7.MAR.2022 11:07:20                 </p>
CH06	<p> <b>Spectrum</b>                      Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz                      Att 30 dB SWI 558 us (~27 ms) VBW 100 kHz Mode Auto FFT                      Count 100/100                      1 Frequency Sweep                      MI[1] -11.51 dBm                      2.4195270 GHz                      CF 2.437 GHz 1001 pts 5.5 MHz/ Span 55.0 MHz                      Date: 7.MAR.2022 11:10:40                 </p>
CH09	<p> <b>Spectrum</b>                      Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz                      Att 30 dB SWI 558 us (~27 ms) VBW 100 kHz Mode Auto FFT                      Count 100/100                      1 Frequency Sweep                      MI[1] -7.07 dBm                      2.4545270 GHz                      CF 2.452 GHz 1001 pts 5.5 MHz/ Span 55.0 MHz                      Date: 7.MAR.2022 11:05:40                 </p>




**Appendix C: 6dB bandwidth**

Type	Channel	6dB Bandwidth (MHz)	Limit (MHz)	Result
802.11b	01	7.14	≥0.5	Pass
	06	8.13		
	11	8.61		
802.11g	01	12.66	≥0.5	Pass
	06	16.35		
	11	15.72		
802.11n(HT20)	01	14.22	≥0.5	Pass
	06	17.37		
	11	16.35		
802.11n(HT40)	03	18.90	≥0.5	Pass
	06	36.42		
	09	16.44		



Type:	802.11 b																												
CH01	<p>Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.40891 GHz</td> <td>-2.37 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.41299 GHz</td> <td>5.54 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>7.14 MHz</td> <td>1.69 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 7 MAR 2022 10:37:20</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.40891 GHz	-2.37 dBm			M2	1		2.41299 GHz	5.54 dBm			D3	M1	1	7.14 MHz	1.69 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.40891 GHz	-2.37 dBm																									
M2	1		2.41299 GHz	5.54 dBm																									
D3	M1	1	7.14 MHz	1.69 dB																									
CH06	<p>Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.43292 GHz</td> <td>-2.12 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.43649 GHz</td> <td>5.64 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>8.13 MHz</td> <td>1.16 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 7 MAR 2022 10:39:26</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.43292 GHz	-2.12 dBm			M2	1		2.43649 GHz	5.64 dBm			D3	M1	1	8.13 MHz	1.16 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.43292 GHz	-2.12 dBm																									
M2	1		2.43649 GHz	5.64 dBm																									
D3	M1	1	8.13 MHz	1.16 dB																									
CH11	<p>Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.45693 GHz</td> <td>-2.35 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.46101 GHz</td> <td>5.59 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>8.61 MHz</td> <td>1.47 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 7 MAR 2022 10:35:45</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.45693 GHz	-2.35 dBm			M2	1		2.46101 GHz	5.59 dBm			D3	M1	1	8.61 MHz	1.47 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.45693 GHz	-2.35 dBm																									
M2	1		2.46101 GHz	5.59 dBm																									
D3	M1	1	8.61 MHz	1.47 dB																									





Type:	802.11n(HT20)																												
CH01	 <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.40567 GHz</td> <td>-7.98 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.41449 GHz</td> <td>-1.75 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>14.22 MHz</td> <td>-0.04 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 7.MAR.2022 10:54:02</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.40567 GHz	-7.98 dBm			M2	1		2.41449 GHz	-1.75 dBm			D3	M1	1	14.22 MHz	-0.04 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.40567 GHz	-7.98 dBm																									
M2	1		2.41449 GHz	-1.75 dBm																									
D3	M1	1	14.22 MHz	-0.04 dB																									
CH06	 <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.42842 GHz</td> <td>-9.07 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.43574 GHz</td> <td>-2.03 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.37 MHz</td> <td>0.68 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 7.MAR.2022 10:54:50</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.42842 GHz	-9.07 dBm			M2	1		2.43574 GHz	-2.03 dBm			D3	M1	1	17.37 MHz	0.68 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.42842 GHz	-9.07 dBm																									
M2	1		2.43574 GHz	-2.03 dBm																									
D3	M1	1	17.37 MHz	0.68 dB																									
CH11	 <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.45318 GHz</td> <td>-8.38 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.45699 GHz</td> <td>-1.12 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>16.35 MHz</td> <td>1.20 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 7.MAR.2022 10:55:59</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.45318 GHz	-8.38 dBm			M2	1		2.45699 GHz	-1.12 dBm			D3	M1	1	16.35 MHz	1.20 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.45318 GHz	-8.38 dBm																									
M2	1		2.45699 GHz	-1.12 dBm																									
D3	M1	1	16.35 MHz	1.20 dB																									




Type:	802.11n(HT40)																												
CH03	<p><b>Spectrum</b>          Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz          Att 30 dB SWI 1.07 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep          M1(1) -9.43 dBm          M2(1) 2.4094000 GHz          2.29 dBm          2.4169600 GHz</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.4094 GHz</td> <td>-9.43 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.41696 GHz</td> <td>-2.29 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>16.9 MHz</td> <td>0.01 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 7 MAR 2022 11:07:06</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.4094 GHz	-9.43 dBm			M2	1		2.41696 GHz	-2.29 dBm			D3	M1	1	16.9 MHz	0.01 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.4094 GHz	-9.43 dBm																									
M2	1		2.41696 GHz	-2.29 dBm																									
D3	M1	1	16.9 MHz	0.01 dB																									
CH06	<p><b>Spectrum</b>          Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz          Att 30 dB SWI 1.07 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep          M1(1) -11.68 dBm          M2(1) 2.4187600 GHz          -4.04 dBm          2.4520000 GHz</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41876 GHz</td> <td>-11.68 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.452 GHz</td> <td>-4.04 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>36.42 MHz</td> <td>1.45 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 7 MAR 2022 11:10:26</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41876 GHz	-11.68 dBm			M2	1		2.452 GHz	-4.04 dBm			D3	M1	1	36.42 MHz	1.45 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.41876 GHz	-11.68 dBm																									
M2	1		2.452 GHz	-4.04 dBm																									
D3	M1	1	36.42 MHz	1.45 dB																									
CH09	<p><b>Spectrum</b>          Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz          Att 30 dB SWI 1.07 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep          M1(1) -11.65 dBm          M2(1) 2.4443800 GHz          -1.16 dBm          2.4545200 GHz</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.44438 GHz</td> <td>-11.65 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.45452 GHz</td> <td>-1.16 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>16.44 MHz</td> <td>3.19 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 7 MAR 2022 11:05:25</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.44438 GHz	-11.65 dBm			M2	1		2.45452 GHz	-1.16 dBm			D3	M1	1	16.44 MHz	3.19 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.44438 GHz	-11.65 dBm																									
M2	1		2.45452 GHz	-1.16 dBm																									
D3	M1	1	16.44 MHz	3.19 dB																									

**Appendix D: 99% Occupied Bandwidth**




Type	Channel	99% Bandwidth (MHz)	Limit (kHz)	Result
802.11b	01	12.56	-	Pass
	06	13.13		
	11	13.07		
802.11g	01	16.57	-	Pass
	06	16.99		
	11	16.81		
802.11n(HT20)	01	17.59	-	Pass
	06	17.92		
	11	17.83		
802.11n(HT40)	03	35.54	-	Pass
	06	36.98		
	09	35.49		






Type:	802.11n(HT20)																												
CH01	 <p><b>2.414338 GHz</b> <b>0.83 dBm</b></p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.414338 GHz</td> <td>0.83 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4033087 GHz</td> <td>-7.52 dBm</td> <td>Occ Bw</td> <td>17.592407592 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4209011 GHz</td> <td>-8.43 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 7 MAR 2022 10:56:11</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.414338 GHz	0.83 dBm			T1	1		2.4033087 GHz	-7.52 dBm	Occ Bw	17.592407592 MHz	T2	1		2.4209011 GHz	-8.43 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.414338 GHz	0.83 dBm																									
T1	1		2.4033087 GHz	-7.52 dBm	Occ Bw	17.592407592 MHz																							
T2	1		2.4209011 GHz	-8.43 dBm																									
CH06	 <p><b>2.439218 GHz</b> <b>0.60 dBm</b></p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.439218 GHz</td> <td>0.60 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.428039 GHz</td> <td>-7.44 dBm</td> <td>Occ Bw</td> <td>17.922077922 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.445961 GHz</td> <td>-6.90 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 7 MAR 2022 10:59:58</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.439218 GHz	0.60 dBm			T1	1		2.428039 GHz	-7.44 dBm	Occ Bw	17.922077922 MHz	T2	1		2.445961 GHz	-6.90 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.439218 GHz	0.60 dBm																									
T1	1		2.428039 GHz	-7.44 dBm	Occ Bw	17.922077922 MHz																							
T2	1		2.445961 GHz	-6.90 dBm																									
CH11	 <p><b>2.457175 GHz</b> <b>1.59 dBm</b></p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.457175 GHz</td> <td>1.59 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4528891 GHz</td> <td>-7.54 dBm</td> <td>Occ Bw</td> <td>17.832167832 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4707213 GHz</td> <td>-7.87 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 7 MAR 2022 10:56:07</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.457175 GHz	1.59 dBm			T1	1		2.4528891 GHz	-7.54 dBm	Occ Bw	17.832167832 MHz	T2	1		2.4707213 GHz	-7.87 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.457175 GHz	1.59 dBm																									
T1	1		2.4528891 GHz	-7.54 dBm	Occ Bw	17.832167832 MHz																							
T2	1		2.4707213 GHz	-7.87 dBm																									




Type:	802.11n(HT40)																												
CH03	 <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 500 Hz Att 30 dB SWI 1.01 ms VBW 2 MHz Mode Auto Sweep Count 500/500</p> <p>Occupied Bandwidth</p> <p>MI(1) 2.83 dBm 2.4168450 GHz</p> <p>CF 2.422 GHz 1001 pts 6.0 MHz/ Span 60.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.416845 GHz</td> <td>2.83 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4040779 GHz</td> <td>-7.23 dBm</td> <td>Occ Bw</td> <td>35.544455544 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4396224 GHz</td> <td>-9.19 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 7 MAR 2022 11:07:04</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.416845 GHz	2.83 dBm			T1	1		2.4040779 GHz	-7.23 dBm	Occ Bw	35.544455544 MHz	T2	1		2.4396224 GHz	-9.19 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.416845 GHz	2.83 dBm																									
T1	1		2.4040779 GHz	-7.23 dBm	Occ Bw	35.544455544 MHz																							
T2	1		2.4396224 GHz	-9.19 dBm																									
CH06	 <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 500 Hz Att 30 dB SWI 1.01 ms VBW 2 MHz Mode Auto Sweep Count 500/500</p> <p>Occupied Bandwidth</p> <p>MI(1) 0.48 dBm 2.4524650 GHz</p> <p>CF 2.437 GHz 1001 pts 6.0 MHz/ Span 60.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.452465 GHz</td> <td>0.48 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4184785 GHz</td> <td>-6.53 dBm</td> <td>Occ Bw</td> <td>36.983016983 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4554615 GHz</td> <td>-6.89 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 7 MAR 2022 11:02:04</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.452465 GHz	0.48 dBm			T1	1		2.4184785 GHz	-6.53 dBm	Occ Bw	36.983016983 MHz	T2	1		2.4554615 GHz	-6.89 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.452465 GHz	0.48 dBm																									
T1	1		2.4184785 GHz	-6.53 dBm	Occ Bw	36.983016983 MHz																							
T2	1		2.4554615 GHz	-6.89 dBm																									
CH09	 <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 500 Hz Att 30 dB SWI 1.01 ms VBW 2 MHz Mode Auto Sweep Count 500/500</p> <p>Occupied Bandwidth</p> <p>MI(1) 3.29 dBm 2.4537980 GHz</p> <p>CF 2.452 GHz 1001 pts 6.0 MHz/ Span 60.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.453798 GHz</td> <td>3.29 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4342577 GHz</td> <td>-7.94 dBm</td> <td>Occ Bw</td> <td>35.484515485 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4697423 GHz</td> <td>-6.96 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 7 MAR 2022 11:05:03</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.453798 GHz	3.29 dBm			T1	1		2.4342577 GHz	-7.94 dBm	Occ Bw	35.484515485 MHz	T2	1		2.4697423 GHz	-6.96 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.453798 GHz	3.29 dBm																									
T1	1		2.4342577 GHz	-7.94 dBm	Occ Bw	35.484515485 MHz																							
T2	1		2.4697423 GHz	-6.96 dBm																									



### Appendix E: Duty Cycle



Modulation Type	Test Frequency (MHz)	T <sub>on time</sub> for single burst (ms)	T <sub>period</sub> (ms)	Duty cycle	1/T <sub>on time</sub> (kHz)
11b	2437	8.36	8.41	99.4%	0.1
11g	2437	1.39	1.43	97.2%	0.7
11n20	2437	1.29	1.34	96.3%	0.8
11n40	2437	0.63	0.72	87.5%	1.6










### Appendix F: Band edge and Spurious Emissions (conducted)

Test Item:	Bandedge	Type:	802.11 b																																										
CH01	 <p><b>2 Marker Table</b></p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41299 GHz</td> <td>5.48 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-51.57 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-62.07 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-63.93 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.39848 GHz</td> <td>-47.28 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 7/31/AR/2022 10:27:46</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41299 GHz	5.48 dBm			M2	1		2.4 GHz	-51.57 dBm			M3	1		2.39 GHz	-62.07 dBm			M4	1		2.31 GHz	-63.93 dBm			M5	1		2.39848 GHz	-47.28 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41299 GHz	5.48 dBm																																									
M2	1		2.4 GHz	-51.57 dBm																																									
M3	1		2.39 GHz	-62.07 dBm																																									
M4	1		2.31 GHz	-63.93 dBm																																									
M5	1		2.39848 GHz	-47.28 dBm																																									
CH11	 <p><b>2 Marker Table</b></p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.460991 GHz</td> <td>5.63 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-59.57 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-64.59 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.486752 GHz</td> <td>-58.28 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 7/31/AR/2022 10:26:09</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.460991 GHz	5.63 dBm			M2	1		2.4835 GHz	-59.57 dBm			M3	1		2.5 GHz	-64.59 dBm			M4	1		2.486752 GHz	-58.28 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.460991 GHz	5.63 dBm																																									
M2	1		2.4835 GHz	-59.57 dBm																																									
M3	1		2.5 GHz	-64.59 dBm																																									
M4	1		2.486752 GHz	-58.28 dBm																																									

Test Item:	Bandedge	Type:	802.11 g																																										
CH01	 <p><b>2 Marker Table</b></p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41445 GHz</td> <td>-1.55 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-47.83 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-61.62 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-64.60 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399824 GHz</td> <td>-47.53 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 7.MAR.2022 10:48:22</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41445 GHz	-1.55 dBm			M2	1		2.4 GHz	-47.83 dBm			M3	1		2.39 GHz	-61.62 dBm			M4	1		2.31 GHz	-64.60 dBm			M5	1		2.399824 GHz	-47.53 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41445 GHz	-1.55 dBm																																									
M2	1		2.4 GHz	-47.83 dBm																																									
M3	1		2.39 GHz	-61.62 dBm																																									
M4	1		2.31 GHz	-64.60 dBm																																									
M5	1		2.399824 GHz	-47.53 dBm																																									
CH11	 <p><b>2 Marker Table</b></p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.456963 GHz</td> <td>-1.15 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-59.47 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-63.81 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.483632 GHz</td> <td>-55.56 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 7.MAR.2022 10:51:22</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.456963 GHz	-1.15 dBm			M2	1		2.4835 GHz	-59.47 dBm			M3	1		2.5 GHz	-63.81 dBm			M4	1		2.483632 GHz	-55.56 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.456963 GHz	-1.15 dBm																																									
M2	1		2.4835 GHz	-59.47 dBm																																									
M3	1		2.5 GHz	-63.81 dBm																																									
M4	1		2.483632 GHz	-55.56 dBm																																									


Test Item:	Bandedge	Type:	802.11 n(HT20)																																										
CH01	<p><b>2 Marker Table</b></p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41445 GHz</td> <td>-1.52 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-47.78 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-61.72 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-63.90 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399376 GHz</td> <td>-46.33 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 7.MAR.2022 10:56:27</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41445 GHz	-1.52 dBm			M2	1		2.4 GHz	-47.78 dBm			M3	1		2.39 GHz	-61.72 dBm			M4	1		2.31 GHz	-63.90 dBm			M5	1		2.399376 GHz	-46.33 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41445 GHz	-1.52 dBm																																									
M2	1		2.4 GHz	-47.78 dBm																																									
M3	1		2.39 GHz	-61.72 dBm																																									
M4	1		2.31 GHz	-63.90 dBm																																									
M5	1		2.399376 GHz	-46.33 dBm																																									
CH11	<p><b>2 Marker Table</b></p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.456963 GHz</td> <td>-1.18 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-59.24 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-63.83 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.483632 GHz</td> <td>-57.96 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 7.MAR.2022 10:56:24</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.456963 GHz	-1.18 dBm			M2	1		2.4835 GHz	-59.24 dBm			M3	1		2.5 GHz	-63.83 dBm			M4	1		2.483632 GHz	-57.96 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.456963 GHz	-1.18 dBm																																									
M2	1		2.4835 GHz	-59.24 dBm																																									
M3	1		2.5 GHz	-63.83 dBm																																									
M4	1		2.483632 GHz	-57.96 dBm																																									

Test Item:	Bandedge	Type:	802.11 n(HT40)
CH03			
CH09			


Test Item:	SE	Type:	802.11b
<p>CH01 Reference level</p>		 <p>Ref Level 30.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 M1[1] 5.23 dBm 2.4129890 GHz CF 2.412 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 7 MAR 2022 10:27:52</p>	
<p>CH01 30MHz~1000MHz</p>		 <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -60.80 dBm 594.4730 MHz h1 -14.770 dBm 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 7 MAR 2022 10:28:09</p>	
<p>CH01 1GHz~26GHz</p>		 <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -52.24 dBm 25.950633 GHz h1 -14.770 dBm 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 7 MAR 2022 10:28:25</p>	




CH06  
Reference level




CH06  
30MHz~1000MHz




CH06  
1GHz~26GHz




CH11  
Reference level






CH11  
30MHz~1000MHz




CH11  
1GHz~26GHz




Test Item:	SE	Type:	802.11g
<p>CH01 Reference level</p>			
<p>CH01 30MHz~1000MHz</p>			
<p>CH01 1GHz~26GHz</p>			

CH06  
Reference level




Date: 7 MAR 2022 10:46:14

CH06  
30MHz~1000MHz




Date: 7 MAR 2022 10:46:51

CH06  
1GHz~26GHz




Date: 7 MAR 2022 10:46:47


CH11  
Reference level






CH11  
30MHz~1000MHz




CH11  
1GHz~26GHz




Test Item:	SE	Type:	802.11n(HT20)
<p>CH01 Reference level</p>			
<p>CH01 30MHz~1000MHz</p>			
<p>CH01 1GHz~26GHz</p>			


CH06  
Reference level




CH06  
30MHz~1000MHz



CH06  
1GHz~26GHz




CH11  
Reference level




Date: 7 MAR 2022 10:56:56

CH11  
30MHz~1000MHz



Date: 7 MAR 2022 10:57:12

CH11  
1GHz~26GHz




Date: 7 MAR 2022 10:57:29




Test Item:	SE	Type:	802.11n(HT40)
<p>CH03 Reference level</p>			
<p>CH03 30MHz~1000MHz</p>			
<p>CH03 1GHz~26GHz</p>			

CH06  
Reference level




Date: 7 MAR 2022 11:10:46

CH06  
30MHz~1000MHz




Date: 7 MAR 2022 11:11:52

CH06  
1GHz~26GHz




Date: 7 MAR 2022 11:11:28


CH09  
Reference level



CH09  
30MHz~1000MHz



CH09  
1GHz~26GHz



-----End of Report-----