

APPENDIX REPORT

Project No.	SHT2104022901EW	Radio Specification	WIFI 2.4G
Test sample No.	YPHT21040229001	Model No.	VX3160
Start test date	2021-04-26	Finish date	2021-04-26
Temperature	25.7°C	Humidity	47%
Test Engineer	Hailey Chen	Auditor	Xiaodong Zhu


Appendix clause	Test item	Result
A	Conducted Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty Cycle	PASS
F	Band edge and Spurious Emissions (conducted)	PASS


Appendix A: Conducted Peak Output Power




Type	Channel	Peak Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
802.11b	01	15.45	13.00	≤ 30.00	Pass
	06	15.64	13.05		
	11	15.36	12.94		
802.11g	01	15.10	12.19	≤ 30.00	Pass
	06	15.19	12.21		
	11	15.06	12.16		
802.11n (HT20)	01	15.20	12.14	≤ 30.00	Pass
	06	15.27	12.28		
	11	15.07	12.04		
802.11n(HT40)	03	15.13	12.06	≤ 30.00	Pass
	06	15.14	12.07		
	09	15.06	12.01		




Appendix B: Power Spectral Density

Type	Channel	Power Spectral Density (dBm/30KHz)	Limit (dBm/3KHz)	Result
802.11b	01	-3.56	≤8.00	Pass
	06	-3.10		
	11	-2.93		
802.11g	01	-10.35	≤8.00	Pass
	06	-10.33		
	11	-9.26		
802.11n(HT20)	01	-10.45	≤8.00	Pass
	06	-10.16		
	11	-10.19		
802.11n(HT40)	03	-14.19	≤8.00	Pass
	06	-13.54		
	09	-12.97		







Type:	802.11n(HT20)
CH01	 The spectrum plot for CH01 shows a signal at 2.412 GHz. The peak level is -10.45 dBm. The plot includes a frequency sweep from 2.412 GHz to 2.437 GHz, with a span of 25.0 MHz. The signal is centered at 2.412 GHz, and the peak level is -10.45 dBm. The plot also shows a reference level of 20.00 dBm and an offset of 30 dB. The signal is identified as M1[1].
CH06	 The spectrum plot for CH06 shows a signal at 2.437 GHz. The peak level is -10.16 dBm. The plot includes a frequency sweep from 2.437 GHz to 2.462 GHz, with a span of 25.0 MHz. The signal is centered at 2.437 GHz, and the peak level is -10.16 dBm. The plot also shows a reference level of 20.00 dBm and an offset of 30 dB. The signal is identified as M1[1].
CH11	 The spectrum plot for CH11 shows a signal at 2.462 GHz. The peak level is -10.19 dBm. The plot includes a frequency sweep from 2.462 GHz to 2.487 GHz, with a span of 25.0 MHz. The signal is centered at 2.462 GHz, and the peak level is -10.19 dBm. The plot also shows a reference level of 20.00 dBm and an offset of 30 dB. The signal is identified as M1[1].


Type:	802.11n(HT40)
CH03	 Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 558 us (~27 ms) VBW 100 kHz Mode Auto FFT Count 100/100 MI[1] -14.19 dBm 2.4363410 GHz CF 2.422 GHz 1001 pts 5.5 MHz/ Span 55.0 MHz Date: 26 Apr 2021 18:08:55
CH06	 Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 558 us (~27 ms) VBW 100 kHz Mode Auto FFT Count 100/100 MI[1] -13.54 dBm 2.4526040 GHz CF 2.437 GHz 1001 pts 5.5 MHz/ Span 55.0 MHz Date: 26 Apr 2021 18:00:40
CH09	 Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 558 us (~27 ms) VBW 100 kHz Mode Auto FFT Count 100/100 MI[1] -12.97 dBm 2.4538680 GHz CF 2.452 GHz 1001 pts 5.5 MHz/ Span 55.0 MHz Date: 26 Apr 2021 18:02:05


Appendix C: 6dB bandwidth

Type	Channel	6dB Bandwidth (MHz)	Limit (MHz)	Result
802.11b	01	10.17	≥0.5	Pass
	06	10.17		
	11	10.14		
802.11g	01	16.62	≥0.5	Pass
	06	16.62		
	11	16.62		
802.11n(HT20)	01	17.76	≥0.5	Pass
	06	17.76		
	11	17.76		
802.11n(HT40)	03	36.60	≥0.5	Pass
	06	36.60		
	09	36.66		













Appendix D: 99% Occupied Bandwidth

Type	Channel	99% Bandwidth (MHz)	Limit (kHz)	Result
802.11b	01	15.10	-	Pass
	06	15.10		
	11	15.13		
802.11g	01	16.81	-	Pass
	06	16.75		
	11	16.81		
802.11n(HT20)	01	17.89	-	Pass
	06	17.86		
	11	17.86		
802.11n(HT40)	03	36.74	-	Pass
	06	36.68		
	09	36.68		











Appendix E: Duty Cycle



Modulation Type	Test Frequency (MHz)	T _{on time} for single burst (ms)	T _{period} (ms)	Duty cycle	1/T _{on time} (kHz)
11b	2437	1.00	1.00	100%	1.0
11g	2437	1.00	1.00	100%	1.0
11n20	2437	1.00	1.00	100%	1.0
11n40	2437	1.00	1.00	100%	1.0

11b





11g




11n20	 Ref Level 30.00 dBm Att 40 dB RBW 1 MHz SWT 10 ms VBW 1 MHz Zero Span CF 2.437 GHz 8000 pts 1.0 ms Date: 26 APR 2021 18:02:57
11n40	 Ref Level 30.00 dBm Att 40 dB RBW 1 MHz SWT 10 ms VBW 1 MHz Zero Span CF 2.437 GHz 8000 pts 1.0 ms Date: 26 APR 2021 18:09:49




Appendix F: Band edge and Spurious Emissions (conducted)

Test Item:	Bandedge	Type:	802.11 b																																										
CH01	MultiviewSpectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.12 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep  2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz 2 Marker Table <table><thead><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr></thead><tbody><tr><td>M1</td><td>1</td><td></td><td>2.41243 GHz</td><td>1.73 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-40.97 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-60.14 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-63.09 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399936 GHz</td><td>-40.40 dBm</td><td></td><td></td></tr></tbody></table> Date: 26 APR 2021 17:46:20			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41243 GHz	1.73 dBm			M2	1		2.4 GHz	-40.97 dBm			M3	1		2.39 GHz	-60.14 dBm			M4	1		2.31 GHz	-63.09 dBm			M5	1		2.399936 GHz	-40.40 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41243 GHz	1.73 dBm																																									
M2	1		2.4 GHz	-40.97 dBm																																									
M3	1		2.39 GHz	-60.14 dBm																																									
M4	1		2.31 GHz	-63.09 dBm																																									
M5	1		2.399936 GHz	-40.40 dBm																																									
CH11	MultiviewSpectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.03 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep  2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz 2 Marker Table <table><thead><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr></thead><tbody><tr><td>M1</td><td>1</td><td></td><td>2.462478 GHz</td><td>2.50 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-55.39 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-58.68 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.488 GHz</td><td>-53.15 dBm</td><td></td><td></td></tr></tbody></table> Date: 26 APR 2021 17:43:53			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.462478 GHz	2.50 dBm			M2	1		2.4835 GHz	-55.39 dBm			M3	1		2.5 GHz	-58.68 dBm			M4	1		2.488 GHz	-53.15 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.462478 GHz	2.50 dBm																																									
M2	1		2.4835 GHz	-55.39 dBm																																									
M3	1		2.5 GHz	-58.68 dBm																																									
M4	1		2.488 GHz	-53.15 dBm																																									


Test Item:	Bandedge	Type:	802.11 g
CH01	</		

Test Item:	Bandedge	Type:	802.11 n(HT20)																																										
CH01	MultViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 1.12 ms VBW 300 kHz Mode Auto Sweep Count 300/300 Frequency Sweep M1[1] -6.81 dBm 2.406620 GHz M2[1] -41.95 dBm 2.400000 GHz M1 M2 H1 -26.810 dBm 2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz 2 Marker Table <table><thead><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr></thead><tbody><tr><td>M1</td><td>1</td><td></td><td>2.40662 GHz</td><td>-6.81 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-41.95 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-58.38 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-63.83 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399824 GHz</td><td>-42.40 dBm</td><td></td><td></td></tr></tbody></table> Date: 26 APR 2021 18:01:47			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.40662 GHz	-6.81 dBm			M2	1		2.4 GHz	-41.95 dBm			M3	1		2.39 GHz	-58.38 dBm			M4	1		2.31 GHz	-63.83 dBm			M5	1		2.399824 GHz	-42.40 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.40662 GHz	-6.81 dBm																																									
M2	1		2.4 GHz	-41.95 dBm																																									
M3	1		2.39 GHz	-58.38 dBm																																									
M4	1		2.31 GHz	-63.83 dBm																																									
M5	1		2.399824 GHz	-42.40 dBm																																									
CH11	MultViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 1.03 ms VBW 300 kHz Mode Auto Sweep Count 300/300 Frequency Sweep M1[1] -6.10 dBm 2.4565790 GHz M2[1] -58.06 dBm 2.4835000 GHz M1 M2 H1 -25.100 dBm 2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz 2 Marker Table <table><thead><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr></thead><tbody><tr><td>M1</td><td>1</td><td></td><td>2.456579 GHz</td><td>-6.10 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-57.11 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-58.26 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.484592 GHz</td><td>-54.98 dBm</td><td></td><td></td></tr></tbody></table> Date: 26 APR 2021 18:05:22			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.456579 GHz	-6.10 dBm			M2	1		2.4835 GHz	-57.11 dBm			M3	1		2.5 GHz	-58.26 dBm			M4	1		2.484592 GHz	-54.98 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.456579 GHz	-6.10 dBm																																									
M2	1		2.4835 GHz	-57.11 dBm																																									
M3	1		2.5 GHz	-58.26 dBm																																									
M4	1		2.484592 GHz	-54.98 dBm																																									


Test Item:	Bandedge	Type:	802.11 n(HT40)																																										
CH03	MultViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 1.52 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep  M1[1] -9.91 dBm M2[1] -41.20 dBm M3[1] -57.20 dBm M4[1] -63.53 dBm M5[1] -41.98 dBm 2 Marker Table <table><thead><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr></thead><tbody><tr><td>M1</td><td>1</td><td></td><td>2.42545 GHz</td><td>-9.91 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-41.20 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-57.20 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-63.53 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.39976 GHz</td><td>-41.98 dBm</td><td></td><td></td></tr></tbody></table> Date: 26 APR 2021 18:08:25			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.42545 GHz	-9.91 dBm			M2	1		2.4 GHz	-41.20 dBm			M3	1		2.39 GHz	-57.20 dBm			M4	1		2.31 GHz	-63.53 dBm			M5	1		2.39976 GHz	-41.98 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.42545 GHz	-9.91 dBm																																									
M2	1		2.4 GHz	-41.20 dBm																																									
M3	1		2.39 GHz	-57.20 dBm																																									
M4	1		2.31 GHz	-63.53 dBm																																									
M5	1		2.39976 GHz	-41.98 dBm																																									
CH09	MultViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 1.1 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep  M1[1] -9.76 dBm M2[1] -55.43 dBm M3[1] -59.73 dBm M4[1] -55.43 dBm 2 Marker Table <table><thead><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr></thead><tbody><tr><td>M1</td><td>1</td><td></td><td>2.450444 GHz</td><td>-9.76 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-55.43 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-59.73 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.483544 GHz</td><td>-55.43 dBm</td><td></td><td></td></tr></tbody></table> Date: 26 APR 2021 18:02:55			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.450444 GHz	-9.76 dBm			M2	1		2.4835 GHz	-55.43 dBm			M3	1		2.5 GHz	-59.73 dBm			M4	1		2.483544 GHz	-55.43 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.450444 GHz	-9.76 dBm																																									
M2	1		2.4835 GHz	-55.43 dBm																																									
M3	1		2.5 GHz	-59.73 dBm																																									
M4	1		2.483544 GHz	-55.43 dBm																																									

Test Item:	SE	Type:	802.11b
CH01 Reference level			
CH01 30MHz~1000MHz			
CH01 1GHz~26GHz			


CH06
Reference level









CH06
30MHz~1000MHz









CH06
1GHz~26GHz






CH11 Reference level	 Date: 26 APR 2021 17:13:59
CH11 30MHz~1000MHz	 Date: 26 APR 2021 17:14:14
CH11 1GHz~26GHz	 Date: 26 APR 2021 17:14:30


Test Item:	SE	Type:	802.11g
CH01 Reference level		 Ref Level 30.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 M1[1] 6.96 dBm 2.4184740 GHz 2.412 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 26 APR 2021 17:45:21	
CH01 30MHz~1000MHz		 Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -59.86 dBm 538.3440 MHz 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 26 APR 2021 17:45:37	
CH01 1GHz~26GHz		 Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -52.37 dBm 25.981667 GHz 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 26 APR 2021 17:45:53	

CH06 Reference level	 Ref Level 30.00 dBm Offset 1.00 dB BW 100 kHz Att 30.0 dB SWI 1.04 ms VSW 300 kHz Mode Auto Sweep Count 100/100 M1[1] -6.69 dBm 2.4411060 GHz CF 2.437 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 26 APR 2021 17:47:05
CH06 30MHz~1000MHz	 Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30.0 dB SWI 30.1 ms VSW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -60.54 dBm 552.9580 MHz 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 26 APR 2021 17:47:21
CH06 1GHz~26GHz	 Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30.0 dB SWI 250 ms VSW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -52.83 dBm 25.978333 GHz 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 26 APR 2021 17:47:37


CH11 Reference level	 Ref Level 30.00 dBm Offset 1.00 dB BW 100 kHz Att 30.0 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 M1[1] -6.12 dBm 2.4661060 GHz CF 2.462 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 26 APR 2021 17:49:23
CH11 30MHz~1000MHz	 Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30.0 dB SWI 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -60.76 dBm 553.9600 MHz 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 26 APR 2021 17:49:28
CH11 1GHz~26GHz	 Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30.0 dB SWI 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -52.34 dBm 25.956667 GHz 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 26 APR 2021 17:49:55

Test Item:	SE	Type:	802.11n(HT20)
CH01 Reference level		 Ref Level 30.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 M1[1] -61.21 dBm 2.4066050 GHz 2.412 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 26 APR 2021 18:01:24	
CH01 30MHz~1000MHz		 Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -61.21 dBm 560.0060 MHz 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 26 APR 2021 18:01:40	
CH01 1GHz~26GHz		 Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -52.31 dBm 25.97633 GHz 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 26 APR 2021 18:01:56	


CH06
Reference level




CH06
30MHz~1000MHz




CH06
1GHz~26GHz




CH11
Reference level






CH11
30MHz~1000MHz




CH11
1GHz~26GHz




Test Item:	SE	Type:	802.11n(HT40)
CH03 Reference level			
CH03 30MHz~1000MHz			
CH03 1GHz~26GHz			


CH06
Reference level




CH06
30MHz~1000MHz




CH06
1GHz~26GHz




CH09
Reference level



CH09
30MHz~1000MHz



CH09
1GHz~26GHz



-----End of Report-----