



Explanatory Memorandum

1. Schematic diagram of appearance and keys of remote control



2. Module appearance and pin function diagram



3. Description of operation function:

- 1) ON/OFF. Lamp code/clear code/start/shut down button

#1 Match Code: Long press this key for 5 seconds, see the red indicator light of the remote control blinking, and see the lamp slow flashing three times, start to flash can release this key, three times after the end of the code is successful (that is, after the lamp is connected to the power, the lamp is opened or closed under the indefinite operation). It can be one-to-one or one-to-many.

#2 Clear Code: Long press this key for 5 seconds, see the red indicator light of the remote control blinking, and see the lamp flash five times, start to flash can release this key, five times after the end of the code clearing success (that is, after the lamp is connected to the power, the lamp open or close under the unlimited operation). It can be one-to-one or one-to-many.

- 2) Brightness adjustment button (Brightness +): Short press increase the lowest gear by 5% and the rest by 10%. Long press this key for stepless dimming to maximum stop (10 gears, 5%, 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, 100%).
- 3) Brightness adjustment button (Brightness -): Short press reduces the lowest gear by 5% and the rest by 10%. Long press this key for stepless dimming to minimum stop (10 gears, 100%, 90%, 80%, 70%, 60%, 50%, 40%, night light 5% brightness neutral light).
- 4) Color temperature+/-: Warm white light color temperature adjustment, power on the default warm light is 100% brightness.

4. FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.