











WIFI		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																							
ANT		802.11g CH06 2437MHz - R																																							
2	Horizontal	Fundamental																																							
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900188 fax: +86-512-57900958 http://www.sparton.com.cn Site Condition Project Mode Plane IMEI Power setting ANT 030906-KS FCC PART 15C 3m 3117 SN 70957 HORIZONTAL RSM 1000.000KHz YBW 3000.000KHz SMT Auto (FPU)#R274042 40 2 Full-directivity #3 15.5 ANT 2 Level (dBm/100kHz)  FCC PART 15C (dBm) Frequency (MHz) <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2485.12</td><td>54.26</td><td>-19.74</td><td>74.00</td><td>48.72</td><td>31.70</td><td>7.27</td><td>33.43</td><td>159</td><td>18</td><td>Peak</td><td>HORIZONTAL</td></tr></table>		Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas		MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1	2485.12	54.26	-19.74	74.00	48.72	31.70	7.27	33.43	159	18	Peak	HORIZONTAL	Left blank
		Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																												
	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																															
1	2485.12	54.26	-19.74	74.00	48.72	31.70	7.27	33.43	159	18	Peak	HORIZONTAL																													
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900188 fax: +86-512-57900958 http://www.sparton.com.cn Site Condition Project Mode Plane IMEI Power setting ANT 030906-KS FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL RSM 1000.000KHz YBW 3.7500KHz SMT Auto (FPU)#R274042 40 2 Full-directivity #3 15.5 ANT 2 Level (dBm/100kHz)  FCC PART 15C (AVG) (dBm) Frequency (MHz) <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2485.66</td><td>43.77</td><td>-10.23</td><td>54.00</td><td>38.23</td><td>31.70</td><td>7.27</td><td>33.43</td><td>159</td><td>18</td><td>Average</td><td>HORIZONTAL</td></tr></table>		Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas		MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1	2485.66	43.77	-10.23	54.00	38.23	31.70	7.27	33.43	159	18	Average	HORIZONTAL	Left blank
		Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																												
	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																															
1	2485.66	43.77	-10.23	54.00	38.23	31.70	7.27	33.43	159	18	Average	HORIZONTAL																													







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																								
ANT	802.11g CH06 2437MHz - L																																																																																																																																								
2	Vertical	Fundamental																																																																																																																																							
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:3000.000KHz SWT:Auto Mode : (FR)MR214042 Plane : 2 Full-directivity IMEI : 43 PowerSetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2351.08</td><td>55.57</td><td>-18.43</td><td>74.00</td><td>49.08</td><td>32.87</td><td>7.07</td><td>33.45</td><td>379</td><td>92 Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:3000.000KHz SWT:Auto Mode : (FR)MR214042 Plane : 2 Full-directivity IMEI : 43 PowerSetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2438.00</td><td>101.93</td><td>95.03</td><td>33.11</td><td>7.23</td><td>33.44</td><td>379</td><td></td><td>92 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	2351.08	55.57	-18.43	74.00	49.08	32.87	7.07	33.45	379	92 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	2438.00	101.93	95.03	33.11	7.23	33.44	379		92 Peak	VERTICAL	Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:3.7500KHz SWT:Auto Mode : (FR)MR214042 Plane : 2 Full-directivity IMEI : 43 PowerSetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2386.83</td><td>45.23</td><td>-8.77</td><td>54.00</td><td>38.02</td><td>33.50</td><td>7.16</td><td>33.40</td><td>379</td><td>92 Average</td><td>VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:3.7500KHz SWT:Auto Mode : (FR)MR214042 Plane : 2 Full-directivity IMEI : 43 PowerSetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2438.00</td><td>94.20</td><td>87.30</td><td>33.11</td><td>7.23</td><td>33.44</td><td>379</td><td></td><td>92 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	2386.83	45.23	-8.77	54.00	38.02	33.50	7.16	33.40	379	92 Average	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	2438.00	94.20	87.30	33.11	7.23	33.44	379		92 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																														
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																																																	
1	2351.08	55.57	-18.43	74.00	49.08	32.87	7.07	33.45	379	92 Peak	VERTICAL																																																																																																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																															
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																																																	
1	2438.00	101.93	95.03	33.11	7.23	33.44	379		92 Peak	VERTICAL																																																																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																															
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																																																	
1	2386.83	45.23	-8.77	54.00	38.02	33.50	7.16	33.40	379	92 Average	VERTICAL																																																																																																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																															
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																																																	
1	2438.00	94.20	87.30	33.11	7.23	33.44	379		92 Average	VERTICAL																																																																																																																															







WIFI		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																		
ANT		802.11g CH06 2437MHz - R																																		
2	Vertical	Fundamental																																		
Peak	 Site Condition: 030906-KS FCC PART 15C 3m 3117 SN 70957 VERTICAL RSM 1000.000KHz YBW 3000.000KHz DWT Auto Project: JFW R2714042 Mode: 40 Plane: 2 Full-directivity IMEI: 15.5 Power setting: ANT 2 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2498.86</td><td>55.64</td><td>-18.36</td><td>74.00</td><td>49.03</td><td>32.73</td><td>7.30</td><td>33.42</td><td>379</td><td>92 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	cm	deg			1	2498.86	55.64	-18.36	74.00	49.03	32.73	7.30	33.42	379	92 Peak	VERTICAL	Left Blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																										
MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	cm	deg																												
1	2498.86	55.64	-18.36	74.00	49.03	32.73	7.30	33.42	379	92 Peak	VERTICAL																									
Avg.	 Site Condition: 030906-KS FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL RSM 1000.000KHz YBW 0.7500KHz DWT Auto Project: JFW R2714042 Mode: 40 Plane: 2 Full-directivity IMEI: 15.5 Power setting: ANT 2 ANT: 2 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2486.62</td><td>44.65</td><td>-9.35</td><td>54.00</td><td>37.94</td><td>32.86</td><td>7.27</td><td>33.42</td><td>379</td><td>92 Average</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	cm	deg			1	2486.62	44.65	-9.35	54.00	37.94	32.86	7.27	33.42	379	92 Average	VERTICAL	Left Blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																										
MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dBuV/m	cm	deg																												
1	2486.62	44.65	-9.35	54.00	37.94	32.86	7.27	33.42	379	92 Average	VERTICAL																									







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																								
ANT	802.11g CH11 2462MHz																																																																																																																																								
2	Horizontal	Fundamental																																																																																																																																							
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-K5 Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3000.000KHz SWT:Auto Mode : (FR)R214042 Plane : 2 Full-directivity IMEI : 83 Powersetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.50</td><td>54.65</td><td>-19.35</td><td>74.00</td><td>49.01</td><td>31.80</td><td>7.27</td><td>33.43</td><td>300</td><td>162 Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-K5 Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3000.000KHz SWT:Auto Mode : (FR)R214042 Plane : 2 Full-directivity IMEI : 83 Powersetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2462.00</td><td>98.52</td><td></td><td>92.80</td><td>31.90</td><td>7.25</td><td>33.43</td><td>300</td><td>162 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	2483.50	54.65	-19.35	74.00	49.01	31.80	7.27	33.43	300	162 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	2462.00	98.52		92.80	31.90	7.25	33.43	300	162 Peak	HORIZONTAL	Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-K5 Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3.7500KHz SWT:Auto Mode : (FR)R214042 Plane : 2 Full-directivity IMEI : 83 Powersetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.50</td><td>44.17</td><td>-9.83</td><td>54.00</td><td>38.53</td><td>31.80</td><td>7.27</td><td>33.43</td><td>300</td><td>162 Average</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-K5 Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3.7500KHz SWT:Auto Mode : (FR)R214042 Plane : 2 Full-directivity IMEI : 83 Powersetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2462.00</td><td>90.92</td><td></td><td>85.20</td><td>31.90</td><td>7.25</td><td>33.43</td><td>300</td><td>162 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	2483.50	44.17	-9.83	54.00	38.53	31.80	7.27	33.43	300	162 Average	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	2462.00	90.92		85.20	31.90	7.25	33.43	300	162 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																														
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																																																	
1	2483.50	54.65	-19.35	74.00	49.01	31.80	7.27	33.43	300	162 Peak	HORIZONTAL																																																																																																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																															
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																																																	
1	2462.00	98.52		92.80	31.90	7.25	33.43	300	162 Peak	HORIZONTAL																																																																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																															
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																																																	
1	2483.50	44.17	-9.83	54.00	38.53	31.80	7.27	33.43	300	162 Average	HORIZONTAL																																																																																																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																															
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																																																	
1	2462.00	90.92		85.20	31.90	7.25	33.43	300	162 Average	HORIZONTAL																																																																																																																															







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																										
ANT	802.11g CH11 2462MHz																																																																																																																										
2	Vertical	Fundamental																																																																																																																									
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Antenna : Full-directivity Antenna : 15.5 Power setting : 15.5 Antenna : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.68</td><td>57.62</td><td>-16.38</td><td>74.00</td><td>50.92</td><td>32.86</td><td>7.27</td><td>33.43</td><td>367</td><td>92</td><td>Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Antenna : Full-directivity Antenna : 15.5 Power setting : 15.5 Antenna : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2462.00</td><td>102.10</td><td>95.29</td><td>32.99</td><td>7.25</td><td>33.43</td><td>367</td><td>92</td><td>Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg			1	2483.68	57.62	-16.38	74.00	50.92	32.86	7.27	33.43	367	92	Peak	VERTICAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg			1	2462.00	102.10	95.29	32.99	7.25	33.43	367	92	Peak	VERTICAL	Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-K5 Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:3.7500KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Antenna : Full-directivity Antenna : 15.5 Power setting : 15.5 Antenna : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.56</td><td>45.75</td><td>-8.25</td><td>54.00</td><td>39.05</td><td>32.86</td><td>7.27</td><td>33.43</td><td>367</td><td>92</td><td>Average</td><td>VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-K5 Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:3.7500KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Antenna : Full-directivity Antenna : 15.5 Power setting : 15.5 Antenna : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2462.00</td><td>94.42</td><td>87.61</td><td>32.99</td><td>7.25</td><td>33.43</td><td>367</td><td>92</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg			1	2483.56	45.75	-8.25	54.00	39.05	32.86	7.27	33.43	367	92	Average	VERTICAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg			1	2462.00	94.42	87.61	32.99	7.25	33.43	367	92	Average	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																		
MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg																																																																																																																					
1	2483.68	57.62	-16.38	74.00	50.92	32.86	7.27	33.43	367	92	Peak	VERTICAL																																																																																																															
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																			
MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg																																																																																																																					
1	2462.00	102.10	95.29	32.99	7.25	33.43	367	92	Peak	VERTICAL																																																																																																																	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																			
MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg																																																																																																																					
1	2483.56	45.75	-8.25	54.00	39.05	32.86	7.27	33.43	367	92	Average	VERTICAL																																																																																																															
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																			
MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg																																																																																																																					
1	2462.00	94.42	87.61	32.99	7.25	33.43	367	92	Average	VERTICAL																																																																																																																	











WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																						
ANT	802.11g CH12 2467MHz																																																																																																																																						
2	Horizontal	Fundamental																																																																																																																																					
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Polarization : Full-directivity IMEI : 83 PowerSetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.68</td><td>65.61</td><td>-8.39</td><td>74.00</td><td>59.97</td><td>31.80</td><td>7.27</td><td>33.43</td><td>225</td><td>19 Peak</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Polarization : Full-directivity IMEI : 83 PowerSetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2466.00</td><td>101.29</td><td>95.57</td><td>31.90</td><td>7.25</td><td>33.43</td><td>225</td><td>19 Peak</td><td>HORIZONTAL</td><td></td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2483.68	65.61	-8.39	74.00	59.97	31.80	7.27	33.43	225	19 Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2466.00	101.29	95.57	31.90	7.25	33.43	225	19 Peak	HORIZONTAL		Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3.7500KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Polarization : Full-directivity IMEI : 83 PowerSetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.50</td><td>48.02</td><td>-5.98</td><td>54.00</td><td>42.38</td><td>31.80</td><td>7.27</td><td>33.43</td><td>225</td><td>19 Average</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3.7500KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Polarization : Full-directivity IMEI : 83 PowerSetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2466.00</td><td>93.82</td><td>88.10</td><td>31.90</td><td>7.25</td><td>33.43</td><td>225</td><td>19 Average</td><td>HORIZONTAL</td><td></td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2483.50	48.02	-5.98	54.00	42.38	31.80	7.27	33.43	225	19 Average	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2466.00	93.82	88.10	31.90	7.25	33.43	225	19 Average	HORIZONTAL	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	2483.68	65.61	-8.39	74.00	59.97	31.80	7.27	33.43	225	19 Peak																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	2466.00	101.29	95.57	31.90	7.25	33.43	225	19 Peak	HORIZONTAL																																																																																																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	2483.50	48.02	-5.98	54.00	42.38	31.80	7.27	33.43	225	19 Average																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	2466.00	93.82	88.10	31.90	7.25	33.43	225	19 Average	HORIZONTAL																																																																																																																														







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																						
ANT	802.11g CH12 2467MHz																																																																																																																																						
2	Vertical	Fundamental																																																																																																																																					
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSW 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Full-directivity IMEI : 43 Powersetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.16</td><td>66.74</td><td>-7.26</td><td>74.00</td><td>60.04</td><td>32.86</td><td>7.27</td><td>33.43</td><td>343</td><td>48 Peak VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSW 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Full-directivity IMEI : 43 Powersetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2466.00</td><td>101.86</td><td>95.05</td><td>32.99</td><td>7.25</td><td>33.43</td><td>343</td><td>48 Peak VERTICAL</td><td></td><td></td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2484.16	66.74	-7.26	74.00	60.04	32.86	7.27	33.43	343	48 Peak VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2466.00	101.86	95.05	32.99	7.25	33.43	343	48 Peak VERTICAL			Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-K5 Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSW 1000.000KHz VSW:3.7500KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Full-directivity IMEI : 43 Powersetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.80</td><td>50.39</td><td>-3.61</td><td>54.00</td><td>43.69</td><td>32.86</td><td>7.27</td><td>33.43</td><td>343</td><td>48 Average VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-K5 Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSW 1000.000KHz VSW:3.7500KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Full-directivity IMEI : 43 Powersetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2466.00</td><td>94.33</td><td>87.52</td><td>32.99</td><td>7.25</td><td>33.43</td><td>343</td><td>48 Average VERTICAL</td><td></td><td></td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2483.80	50.39	-3.61	54.00	43.69	32.86	7.27	33.43	343	48 Average VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2466.00	94.33	87.52	32.99	7.25	33.43	343	48 Average VERTICAL		
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	2484.16	66.74	-7.26	74.00	60.04	32.86	7.27	33.43	343	48 Peak VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	2466.00	101.86	95.05	32.99	7.25	33.43	343	48 Peak VERTICAL																																																																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	2483.80	50.39	-3.61	54.00	43.69	32.86	7.27	33.43	343	48 Average VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	2466.00	94.33	87.52	32.99	7.25	33.43	343	48 Average VERTICAL																																																																																																																															



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																
ANT	802.11g CH13 2472MHz																																																																																																																
2	Horizontal	Fundamental																																																																																																															
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RSW-1000.000KHz VSW-3000.000KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Polarization : Full-directivity Power setting : 12 Ant : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2485.36</td><td>66.05</td><td>-7.95</td><td>74.00</td><td>60.51</td><td>31.70</td><td>7.27 33.43</td><td>296</td><td>19 Peak HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RSW-1000.000KHz VSW-3000.000KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Polarization : Full-directivity Power setting : 12 Ant : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2474.00</td><td>99.43</td><td>93.79</td><td>31.80</td><td>7.27</td><td>33.43</td><td>296</td><td>19 Peak HORIZONTAL</td></tr></table> <tr><td rowspan="2">Avg.</td><td>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSW-1000.000KHz VSW-3000.000KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Polarization : Full-directivity Power setting : 12 Ant : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.50</td><td>49.65</td><td>-4.35</td><td>54.00</td><td>44.01</td><td>31.80</td><td>7.27 33.43</td><td>296</td><td>19 Average HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSW-1000.000KHz VSW-3000.000KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Polarization : Full-directivity Power setting : 12 Ant : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2474.00</td><td>91.68</td><td>86.04</td><td>31.80</td><td>7.27</td><td>33.43</td><td>296</td><td>19 Average HORIZONTAL</td></tr></table> </td></tr>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2485.36	66.05	-7.95	74.00	60.51	31.70	7.27 33.43	296	19 Peak HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2474.00	99.43	93.79	31.80	7.27	33.43	296	19 Peak HORIZONTAL	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSW-1000.000KHz VSW-3000.000KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Polarization : Full-directivity Power setting : 12 Ant : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.50</td><td>49.65</td><td>-4.35</td><td>54.00</td><td>44.01</td><td>31.80</td><td>7.27 33.43</td><td>296</td><td>19 Average HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSW-1000.000KHz VSW-3000.000KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Polarization : Full-directivity Power setting : 12 Ant : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2474.00</td><td>91.68</td><td>86.04</td><td>31.80</td><td>7.27</td><td>33.43</td><td>296</td><td>19 Average HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2483.50	49.65	-4.35	54.00	44.01	31.80	7.27 33.43	296	19 Average HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2474.00	91.68	86.04	31.80	7.27	33.43	296	19 Average HORIZONTAL
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																										
1	2485.36	66.05	-7.95	74.00	60.51	31.70	7.27 33.43	296	19 Peak HORIZONTAL																																																																																																								
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																										
1	2474.00	99.43	93.79	31.80	7.27	33.43	296	19 Peak HORIZONTAL																																																																																																									
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSW-1000.000KHz VSW-3000.000KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Polarization : Full-directivity Power setting : 12 Ant : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.50</td><td>49.65</td><td>-4.35</td><td>54.00</td><td>44.01</td><td>31.80</td><td>7.27 33.43</td><td>296</td><td>19 Average HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSW-1000.000KHz VSW-3000.000KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Polarization : Full-directivity Power setting : 12 Ant : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2474.00</td><td>91.68</td><td>86.04</td><td>31.80</td><td>7.27</td><td>33.43</td><td>296</td><td>19 Average HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2483.50	49.65	-4.35	54.00	44.01	31.80	7.27 33.43	296	19 Average HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2474.00	91.68	86.04	31.80	7.27	33.43	296	19 Average HORIZONTAL																																																									
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																										
1	2483.50	49.65	-4.35	54.00	44.01	31.80	7.27 33.43	296	19 Average HORIZONTAL																																																																																																								
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																										
1	2474.00	91.68	86.04	31.80	7.27	33.43	296	19 Average HORIZONTAL																																																																																																									







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																						
ANT	802.11g CH13 2472MHz																																																																																																																																						
2	Vertical	Fundamental																																																																																																																																					
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSW-1000 0000KHz VSW-3000 0000KHz SMT-Auto Mode : (FR) R21-4042 Plane : 2 Full-directivity JMEI : 43 Power setting : 12 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2485.42</td><td>65.05</td><td>-8.95</td><td>74.00</td><td>58.35</td><td>32.86</td><td>7.27</td><td>33.43</td><td>335</td><td>43 Peak</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSW-1000 0000KHz VSW-3000 0000KHz SMT-Auto Mode : (FR) R21-4042 Plane : 2 Full-directivity JMEI : 43 Power setting : 12 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2470.00</td><td>99.90</td><td></td><td>93.09</td><td>32.99</td><td>7.25</td><td>33.43</td><td>335</td><td>43 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dBm/100m	dB	cm	deg			1	2485.42	65.05	-8.95	74.00	58.35	32.86	7.27	33.43	335	43 Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dBm/100m	dB	cm	deg			1	2470.00	99.90		93.09	32.99	7.25	33.43	335	43 Peak	VERTICAL	Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-K5 Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSW-1000 0000KHz VSW-3000 0000KHz SMT-Auto Mode : (FR) R21-4042 Plane : 2 Full-directivity JMEI : 43 Power setting : 12 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.56</td><td>50.81</td><td>-3.19</td><td>54.00</td><td>44.11</td><td>32.86</td><td>7.27</td><td>33.43</td><td>335</td><td>43 Average</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-K5 Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSW-1000 0000KHz VSW-3000 0000KHz SMT-Auto Mode : (FR) R21-4042 Plane : 2 Full-directivity JMEI : 43 Power setting : 12 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2470.00</td><td>92.07</td><td></td><td>85.26</td><td>32.99</td><td>7.25</td><td>33.43</td><td>335</td><td>43 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dBm/100m	dB	cm	deg			1	2483.56	50.81	-3.19	54.00	44.11	32.86	7.27	33.43	335	43 Average	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dBm/100m	dB	cm	deg			1	2470.00	92.07		85.26	32.99	7.25	33.43	335	43 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dBm/100m	dB	cm	deg																																																																																																																															
1	2485.42	65.05	-8.95	74.00	58.35	32.86	7.27	33.43	335	43 Peak																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dBm/100m	dB	cm	deg																																																																																																																															
1	2470.00	99.90		93.09	32.99	7.25	33.43	335	43 Peak	VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dBm/100m	dB	cm	deg																																																																																																																															
1	2483.56	50.81	-3.19	54.00	44.11	32.86	7.27	33.43	335	43 Average																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dBm/100m	dB	cm	deg																																																																																																																															
1	2470.00	92.07		85.26	32.99	7.25	33.43	335	43 Average	VERTICAL																																																																																																																													



2.4GHz 2400~2483.5MHz---ANT 2





WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH01 2412MHz	
2	Horizontal	Fundamental
Peak		
Avg.		





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH01 2412MHz	
2	Vertical	Fundamental
Peak	SPORTON LAB No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Date: 19 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 Frequency (MHz) 2310 2320 2340 2360 2380 2400 2420 2440 FCC PART 15C 70.2 58.5 46.8 100 99 98 Site : 030906-KS Condition : FCC PART 15C 3m 3117 SN 75957 VERTICAL Project : R8W-1000.000KHz VSW:3000.000KHz SWT:Auto Mode : 44 Plane : Z Full-directivity : 44 IMEI : #3 Power setting : 16 ANT : ANT 2 Freq Level Limit Line Level Factor Loss Factor dB cm T/Pos deg Remark Pol/Phas 1 2389.82 67.04 -6.96 74.00 59.83 33.50 7.16 33.45 100 99 Peak VERTICAL	SPORTON LAB No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Date: 21 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 Frequency (MHz) 1000 1300 1500 1700 1900 2100 2300 2500 2700 2900 3000 FCC PART 15C 70.2 58.5 46.8 100 99 98 Site : 030906-KS Condition : FCC PART 15C 3m 3117 SN 75957 VERTICAL Project : R8W-1000.000KHz VSW:3000.000KHz SWT:Auto Mode : 44 Plane : Z Full-directivity : 44 IMEI : #3 Power setting : 16 ANT : ANT 2 Freq Level Limit Line Level Factor Loss Factor dB cm T/Pos deg Remark Pol/Phas 1 * 2412.00 103.98 29.98 74.00 96.87 33.37 7.18 33.44 100 99 Peak VERTICAL
	Avg.	SPORTON LAB No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Date: 20 Level (dBm/Vm) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 Frequency (MHz) 2310 2320 2340 2360 2380 2400 2420 2440 FCC PART 15C (AVG) 70.2 58.5 46.8 100 99 98 Site : 030906-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 75957 VERTICAL Project : R8W-1000.000KHz VSW:0.820KHz SWT:Auto Mode : 44 Plane : Z Full-directivity : 44 IMEI : #3 Power setting : 16 ANT : ANT 2 Freq Level Limit Line Level Factor Loss Factor dB cm T/Pos deg Remark Pol/Phas 1 1 2389.95 49.56 -4.44 54.00 42.35 33.50 7.16 33.45 100 99 Average VERTICAL







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																						
ANT	802.11n HT20 CH06 2437MHz - L																																																																																																																																						
2	Horizontal	Fundamental																																																																																																																																					
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RRM 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Full-directivity IMEI : 83 Powersetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2385.14</td><td>55.12</td><td>-18.88</td><td>74.00</td><td>49.29</td><td>32.15</td><td>7.13</td><td>33.45</td><td>329</td><td>341 Peak</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RRM 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Full-directivity IMEI : 83 Powersetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2438.00</td><td>102.57</td><td></td><td>96.78</td><td>32.00</td><td>7.23</td><td>33.44</td><td>329</td><td>341 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg			1	2385.14	55.12	-18.88	74.00	49.29	32.15	7.13	33.45	329	341 Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg			1	2438.00	102.57		96.78	32.00	7.23	33.44	329	341 Peak	HORIZONTAL	Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RRM 1000.000KHz VSW:3.000KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Full-directivity IMEI : 83 Powersetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2382.54</td><td>44.29</td><td>-9.71</td><td>54.00</td><td>38.51</td><td>32.10</td><td>7.13</td><td>33.40</td><td>329</td><td>341 Average</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RRM 1000.000KHz VSW:3.000KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Full-directivity IMEI : 15.5 Powersetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2438.00</td><td>94.96</td><td></td><td>89.17</td><td>32.00</td><td>7.23</td><td>33.44</td><td>329</td><td>341 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg			1	2382.54	44.29	-9.71	54.00	38.51	32.10	7.13	33.40	329	341 Average	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg			1	2438.00	94.96		89.17	32.00	7.23	33.44	329	341 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																															
1	2385.14	55.12	-18.88	74.00	49.29	32.15	7.13	33.45	329	341 Peak																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																															
1	2438.00	102.57		96.78	32.00	7.23	33.44	329	341 Peak	HORIZONTAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																															
1	2382.54	44.29	-9.71	54.00	38.51	32.10	7.13	33.40	329	341 Average																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dB	cm	deg																																																																																																																															
1	2438.00	94.96		89.17	32.00	7.23	33.44	329	341 Average	HORIZONTAL																																																																																																																													





WIFI		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																			
ANT		802.11n HT20 CH06 2437MHz - R																																			
2		Horizontal																																			
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 3  Site : 030906-KS Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000, 000KHz YBW 3000, 000KHz SMT Auto Model : Z Plane : 2 IMEI : Full-directivity Power setting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2491.00</td><td>54.70</td><td>-19.30</td><td>74.00</td><td>49.12</td><td>31.70</td><td>7.30</td><td>33.42</td><td>329</td><td>341 Peak</td><td>HORIZONTAL</td></tr></table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1	2491.00	54.70	-19.30	74.00	49.12	31.70	7.30	33.42	329	341 Peak	HORIZONTAL	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																													
1	2491.00	54.70	-19.30	74.00	49.12	31.70	7.30	33.42	329	341 Peak	HORIZONTAL																										
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 4  Site : 030906-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000, 000KHz YBW 3000, 000KHz SMT Auto Model : Z Plane : 2 IMEI : Full-directivity Power setting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2484.76</td><td>44.78</td><td>-9.72</td><td>54.00</td><td>38.64</td><td>31.80</td><td>7.27</td><td>33.43</td><td>329</td><td>341 Average</td><td>HORIZONTAL</td></tr></table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1	2484.76	44.78	-9.72	54.00	38.64	31.80	7.27	33.43	329	341 Average	HORIZONTAL	Left blank
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																													
1	2484.76	44.78	-9.72	54.00	38.64	31.80	7.27	33.43	329	341 Average	HORIZONTAL																										







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																					
ANT	802.11n HT20 CH06 2437MHz - L																																																																																																																																					
2	Vertical	Fundamental																																																																																																																																				
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)R21A042 Plane : 2 Full-directivity IMEI : 43 Powersetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2384.88</td><td>56.01</td><td>-17.99</td><td>74.00</td><td>49.04</td><td>33.29</td><td>7.13</td><td>33.45</td><td>298</td><td>6 Peak VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)R21A042 Plane : 2 Full-directivity IMEI : 43 Powersetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2438.00</td><td>101.91</td><td></td><td>95.01</td><td>33.11</td><td>7.23</td><td>33.44</td><td>298</td><td>6 Peak VERTICAL</td><td></td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	2384.88	56.01	-17.99	74.00	49.04	33.29	7.13	33.45	298	6 Peak VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	2438.00	101.91		95.01	33.11	7.23	33.44	298	6 Peak VERTICAL		 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:0.000KHz SMT:Auto Mode : (FR)R21A042 Plane : 2 Full-directivity IMEI : 43 Powersetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2389.17</td><td>45.36</td><td>-8.64</td><td>54.00</td><td>38.15</td><td>33.50</td><td>7.16</td><td>33.45</td><td>298</td><td>6 Average VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:0.000KHz SMT:Auto Mode : (FR)R21A042 Plane : 2 Full-directivity IMEI : 43 Powersetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2438.00</td><td>94.12</td><td></td><td>87.22</td><td>33.11</td><td>7.23</td><td>33.44</td><td>298</td><td>6 Average VERTICAL</td><td></td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	2389.17	45.36	-8.64	54.00	38.15	33.50	7.16	33.45	298	6 Average VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	2438.00	94.12		87.22	33.11	7.23	33.44	298	6 Average VERTICAL	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																																														
1	2384.88	56.01	-17.99	74.00	49.04	33.29	7.13	33.45	298	6 Peak VERTICAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																																														
1	2438.00	101.91		95.01	33.11	7.23	33.44	298	6 Peak VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																																														
1	2389.17	45.36	-8.64	54.00	38.15	33.50	7.16	33.45	298	6 Average VERTICAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																																														
1	2438.00	94.12		87.22	33.11	7.23	33.44	298	6 Average VERTICAL																																																																																																																													







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																			
ANT	802.11n HT20 CH06 2437MHz - R																																			
2	Vertical	Fundamental																																		
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 9  Site : 030R06-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : R0W 1000.000KHz Y0W 3000.000KHz SRT:Auto Model : Z Plane : 2 Polarization : Full-directivity Pre-setting : 15.5 Power setting : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2486.74</td><td>55.61</td><td>-18.39</td><td>74.00</td><td>48.90</td><td>32.86</td><td>7.27</td><td>33.42</td><td>298</td><td>6 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1	2486.74	55.61	-18.39	74.00	48.90	32.86	7.27	33.42	298	6 Peak	VERTICAL	Left Blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																										
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																												
1	2486.74	55.61	-18.39	74.00	48.90	32.86	7.27	33.42	298	6 Peak	VERTICAL																									
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 10  Site : 030R06-K5 Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : R0W 1000.000KHz Y0W 3000.000KHz SRT:Auto Model : Z Plane : 2 Polarization : Full-directivity Pre-setting : 15.5 Power setting : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2484.40</td><td>44.91</td><td>-9.09</td><td>54.00</td><td>38.21</td><td>32.86</td><td>7.27</td><td>33.43</td><td>298</td><td>6 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1	2484.40	44.91	-9.09	54.00	38.21	32.86	7.27	33.43	298	6 Average	VERTICAL	Left Blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																										
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																												
1	2484.40	44.91	-9.09	54.00	38.21	32.86	7.27	33.43	298	6 Average	VERTICAL																									







WIFI	2.4GHz 2400~2483.5MHz Fundamental @ 3m																																																													
ANT	802.11n HT20 CH11 2462MHz																																																													
2	Vertical	Fundamental																																																												
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900188 Fax: +86-512-57900958 http://www.sparton.com.cn Site : 030906-KS Condition : FCC PART 15C 3m 3117 SN 75957 VERTICAL Project : R8W-1000.000KHz VSW:3000.000KHz SWT:Auto Mode : (FRI)M214042 Plane : Z Antenna : Full-directivity IMEI : #3 Power setting : 16 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.74</td><td>66.59</td><td>-7.41</td><td>74.00</td><td>59.89</td><td>32.86</td><td>7.27</td><td>33.43</td><td>285</td><td>243 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2483.74	66.59	-7.41	74.00	59.89	32.86	7.27	33.43	285	243 Peak	VERTICAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900188 Fax: +86-512-57900958 http://www.sparton.com.cn Site : 030906-KS Condition : FCC PART 15C 3m 3117 SN 75957 VERTICAL Project : R8W-1000.000KHz VSW:3000.000KHz SWT:Auto Mode : (FRI)M214042 Plane : Z Antenna : Full-directivity IMEI : #3 Power setting : 16 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2460.00</td><td>104.28</td><td>30.28</td><td>74.00</td><td>97.47</td><td>32.99</td><td>7.25</td><td>33.43</td><td>285</td><td>243 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2460.00	104.28	30.28	74.00	97.47	32.99	7.25	33.43	285	243 Peak	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1	2483.74	66.59	-7.41	74.00	59.89	32.86	7.27	33.43	285	243 Peak	VERTICAL																																																			
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1	2460.00	104.28	30.28	74.00	97.47	32.99	7.25	33.43	285	243 Peak	VERTICAL																																																			
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900188 Fax: +86-512-57900958 http://www.sparton.com.cn Site : 030906-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 75957 VERTICAL Project : R8W-1000.000KHz VSW:0.820KHz SWT:Auto Mode : 46 Plane : Z Antenna : Full-directivity IMEI : #3 Power setting : 16 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.68</td><td>50.09</td><td>-3.91</td><td>54.00</td><td>43.39</td><td>32.86</td><td>7.27</td><td>33.43</td><td>285</td><td>243 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2483.68	50.09	-3.91	54.00	43.39	32.86	7.27	33.43	285	243 Average	VERTICAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900188 Fax: +86-512-57900958 http://www.sparton.com.cn Site : 030906-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 75957 VERTICAL Project : R8W-1000.000KHz VSW:0.820KHz SWT:Auto Mode : (FRI)M214042 Plane : Z Antenna : Full-directivity IMEI : #3 Power setting : 16 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2464.00</td><td>96.42</td><td>42.42</td><td>54.00</td><td>89.61</td><td>32.99</td><td>7.25</td><td>33.43</td><td>285</td><td>243 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2464.00	96.42	42.42	54.00	89.61	32.99	7.25	33.43	285	243 Average	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1	2483.68	50.09	-3.91	54.00	43.39	32.86	7.27	33.43	285	243 Average	VERTICAL																																																			
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1	2464.00	96.42	42.42	54.00	89.61	32.99	7.25	33.43	285	243 Average	VERTICAL																																																			



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																
ANT	802.11n HT20 CH12 2467MHz																																																																
2	Horizontal	Fundamental																																																															
Peak	 Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RRM 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)HR214042 Plane : 2 Antenna : Full-directivity IMEI : 83 PowerSetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.50</td><td>62.88</td><td>-11.12</td><td>74.00</td><td>57.24</td><td>31.80</td><td>7.27</td><td>33.43</td><td>223</td><td>339 Peak</td><td>HORI/20NT</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	2483.50	62.88	-11.12	74.00	57.24	31.80	7.27	33.43	223	339 Peak	HORI/20NT	 Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RRM 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)HR214042 Plane : 2 Antenna : Full-directivity IMEI : 83 PowerSetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2466.00</td><td>97.90</td><td></td><td>92.18</td><td>31.90</td><td>7.25</td><td>33.43</td><td>223</td><td>339 Peak</td><td>HORI/20NT</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	2466.00	97.90		92.18	31.90	7.25	33.43	223	339 Peak	HORI/20NT
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																									
1	2483.50	62.88	-11.12	74.00	57.24	31.80	7.27	33.43	223	339 Peak	HORI/20NT																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																									
1	2466.00	97.90		92.18	31.90	7.25	33.43	223	339 Peak	HORI/20NT																																																							
Avg.	 Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RRM 1000.000KHz VSW:3.000KHz SMT:Auto Mode : (FR)HR214042 Plane : 2 Antenna : Full-directivity IMEI : 83 PowerSetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.50</td><td>47.88</td><td>-6.12</td><td>54.00</td><td>42.24</td><td>31.80</td><td>7.27</td><td>33.43</td><td>223</td><td>339 Average</td><td>HORI/20NT</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	2483.50	47.88	-6.12	54.00	42.24	31.80	7.27	33.43	223	339 Average	HORI/20NT	 Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RRM 1000.000KHz VSW:3.000KHz SMT:Auto Mode : (FR)HR214042 Plane : 2 Antenna : Full-directivity IMEI : 83 PowerSetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2466.00</td><td>90.16</td><td></td><td>84.44</td><td>31.90</td><td>7.25</td><td>33.43</td><td>223</td><td>339 Average</td><td>HORI/20NT</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	2466.00	90.16		84.44	31.90	7.25	33.43	223	339 Average	HORI/20NT
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																									
1	2483.50	47.88	-6.12	54.00	42.24	31.80	7.27	33.43	223	339 Average	HORI/20NT																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																									
1	2466.00	90.16		84.44	31.90	7.25	33.43	223	339 Average	HORI/20NT																																																							







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																						
ANT	802.11n HT20 CH12 2467MHz																																																																																																																																						
2	Vertical	Fundamental																																																																																																																																					
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSW-1000.000KHz VSW-3000.000KHz SMT-Auto Mode : (FIR)R21-4042 Plane : 2 Full-directivity IMEI : 83 Power setting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2485.12</td><td>64.05</td><td>-9.95</td><td>74.00</td><td>57.35</td><td>32.86</td><td>7.27</td><td>33.43</td><td>262</td><td>21 Peak</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSW-1000.000KHz VSW-3000.000KHz SMT-Auto Mode : (FIR)R21-4042 Plane : 2 Full-directivity IMEI : 83 Power setting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2464.00</td><td>101.02</td><td></td><td>94.21</td><td>32.99</td><td>7.25</td><td>33.43</td><td>262</td><td>21 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2485.12	64.05	-9.95	74.00	57.35	32.86	7.27	33.43	262	21 Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2464.00	101.02		94.21	32.99	7.25	33.43	262	21 Peak	VERTICAL	Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSW-1000.000KHz VSW-3000.000KHz SMT-Auto Mode : (FIR)R21-4042 Plane : 2 Full-directivity IMEI : 83 Power setting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.86</td><td>50.11</td><td>-3.89</td><td>54.00</td><td>43.41</td><td>32.86</td><td>7.27</td><td>33.43</td><td>262</td><td>21 Average</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSW-1000.000KHz VSW-3000.000KHz SMT-Auto Mode : (FIR)R21-4042 Plane : 2 Full-directivity IMEI : 83 Power setting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2466.00</td><td>93.04</td><td></td><td>86.23</td><td>32.99</td><td>7.25</td><td>33.43</td><td>262</td><td>21 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2483.86	50.11	-3.89	54.00	43.41	32.86	7.27	33.43	262	21 Average	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2466.00	93.04		86.23	32.99	7.25	33.43	262	21 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																															
1	2485.12	64.05	-9.95	74.00	57.35	32.86	7.27	33.43	262	21 Peak																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																															
1	2464.00	101.02		94.21	32.99	7.25	33.43	262	21 Peak	VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																															
1	2483.86	50.11	-3.89	54.00	43.41	32.86	7.27	33.43	262	21 Average																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																															
1	2466.00	93.04		86.23	32.99	7.25	33.43	262	21 Average	VERTICAL																																																																																																																													



FCC RF Test Report



Report No. : FR170813-01C

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																						
ANT	802.11n HT20 CH13 2472MHz																																																																																																																																						
2	Vertical	Fundamental																																																																																																																																					
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 25  Site : 032006-KS Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RRM-1000.000kHz VSW-3000.000kHz SWT-Auto Model : (FR)RR214042 Plane : 48 Polar : 2 Full-directivity IME1 : Full-directivity Powersetting : 43 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.50</td><td>63.66</td><td>-10.34</td><td>74.00</td><td>55.96</td><td>32.86</td><td>7.27</td><td>33.43</td><td>300</td><td>265 Peak VERTICAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 27  Site : 032006-KS Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RRM-1000.000kHz VSW-3000.000kHz SWT-Auto Model : (FR)RR214042 Plane : 48 Polar : 2 Full-directivity IME1 : Full-directivity Powersetting : 43 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2474.00</td><td>95.50</td><td>21.50</td><td>74.00</td><td>88.80</td><td>32.86</td><td>7.27</td><td>33.43</td><td>300</td><td>265 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2483.50	63.66	-10.34	74.00	55.96	32.86	7.27	33.43	300	265 Peak VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2474.00	95.50	21.50	74.00	88.80	32.86	7.27	33.43	300	265 Peak VERTICAL	Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 26  Site : 032006-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RRM-1000.000kHz VSW-3000.000kHz SWT-Auto Model : (FR)RR214042 Plane : 48 Polar : 2 Full-directivity IME1 : Full-directivity Powersetting : 43 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.50</td><td>48.93</td><td>-5.07</td><td>54.00</td><td>42.23</td><td>32.86</td><td>7.27</td><td>33.43</td><td>300</td><td>265 Average VERTICAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 28  Site : 032006-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RRM-1000.000kHz VSW-3000.000kHz SWT-Auto Model : (FR)RR214042 Plane : 48 Polar : 2 Full-directivity IME1 : Full-directivity Powersetting : 43 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2474.00</td><td>87.66</td><td>33.66</td><td>54.00</td><td>80.85</td><td>32.99</td><td>7.25</td><td>33.43</td><td>300</td><td>265 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2483.50	48.93	-5.07	54.00	42.23	32.86	7.27	33.43	300	265 Average VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2474.00	87.66	33.66	54.00	80.85	32.99	7.25	33.43	300	265 Average VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																															
1	2483.50	63.66	-10.34	74.00	55.96	32.86	7.27	33.43	300	265 Peak VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																															
1	2474.00	95.50	21.50	74.00	88.80	32.86	7.27	33.43	300	265 Peak VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																															
1	2483.50	48.93	-5.07	54.00	42.23	32.86	7.27	33.43	300	265 Average VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																															
1	2474.00	87.66	33.66	54.00	80.85	32.99	7.25	33.43	300	265 Average VERTICAL																																																																																																																													







2.4GHz 2400~2483.5MHz---ANT 2





WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																									
ANT	802.11b CH01 2412MHz																																																																									
2	Horizontal	Vertical																																																																								
Peak Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Data: 13  Site : 030806-K3 Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RSW 1000 000KHz VSW 3000 000KHz SMT Auto Mode : (F)WET14042 Plane : 2 Full-directivity : Power setting : 63 ANT : 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4824.00</td><td>44.04</td><td>-29.96</td><td>74.00</td><td>60.61</td><td>34.98</td><td>10.26</td><td>61.81</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1	4824.00	44.04	-29.96	74.00	60.61	34.98	10.26	61.81	300	0 Peak	HORIZONTAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Data: 14  Site : 030806-K3 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSW 1000 000KHz VSW 3000 000KHz SMT Auto Mode : (F)WET14042 Plane : 2 Full-directivity : Power setting : 63 ANT : 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4824.00</td><td>44.42</td><td>-29.58</td><td>74.00</td><td>61.13</td><td>34.84</td><td>10.26</td><td>61.81</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1	4824.00	44.42	-29.58	74.00	61.13	34.84	10.26	61.81	300	360 Peak	VERTICAL
	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																														
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																																																																	
1	4824.00	44.04	-29.96	74.00	60.61	34.98	10.26	61.81	300	0 Peak	HORIZONTAL																																																															
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																															
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																																																																	
1	4824.00	44.42	-29.58	74.00	61.13	34.84	10.26	61.81	300	360 Peak	VERTICAL																																																															







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																																																																									
ANT	802.11b CH06 2437MHz																																																																																																																																																																																									
2	Horizontal	Vertical																																																																																																																																																																																								
Peak Avg.	 Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RBW 1000.000KHz VSW: 3000.000KHz SWF: Auto Plane : (FREQ) 164242 Mode : 25 Plane : 2 IMEI : Full-directivity Pre-setting : 43 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4872.00</td><td>43.58</td><td>-30.42</td><td>74.00</td><td>59.99</td><td>35.04</td><td>10.32</td><td>61.77</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7308.00</td><td>44.12</td><td>-29.88</td><td>74.00</td><td>56.57</td><td>36.86</td><td>12.75</td><td>62.06</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RBW 1000.000KHz VSW: 3000.000KHz SWF: Auto Plane : (FREQ) 164242 Mode : 25 Plane : 2 IMEI : Full-directivity Pre-setting : 43 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4872.00</td><td>43.58</td><td>-30.42</td><td>74.00</td><td>59.99</td><td>35.04</td><td>10.32</td><td>61.77</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7308.00</td><td>44.12</td><td>-29.88</td><td>74.00</td><td>56.57</td><td>36.86</td><td>12.75</td><td>62.06</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4872.00	43.58	-30.42	74.00	59.99	35.04	10.32	61.77	300	0 Peak	HORIZONTAL	2	7308.00	44.12	-29.88	74.00	56.57	36.86	12.75	62.06	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4872.00	43.58	-30.42	74.00	59.99	35.04	10.32	61.77	300	0 Peak	HORIZONTAL	2	7308.00	44.12	-29.88	74.00	56.57	36.86	12.75	62.06	300	0 Peak	HORIZONTAL	 Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RBW 1000.000KHz VSW: 3000.000KHz SWF: Auto Plane : (FREQ) 164242 Mode : 25 Plane : 2 IMEI : Full-directivity Pre-setting : 43 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4872.00</td><td>45.38</td><td>-28.62</td><td>74.00</td><td>62.00</td><td>34.83</td><td>10.32</td><td>61.77</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7308.00</td><td>42.73</td><td>-31.77</td><td>74.00</td><td>55.15</td><td>26.39</td><td>12.75</td><td>62.06</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></table>  Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RBW 1000.000KHz VSW: 3000.000KHz SWF: Auto Plane : (FREQ) 164242 Mode : 25 Plane : 2 IMEI : Full-directivity Pre-setting : 43 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4872.00</td><td>45.38</td><td>-28.62</td><td>74.00</td><td>62.00</td><td>34.83</td><td>10.32</td><td>61.77</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7308.00</td><td>42.73</td><td>-31.77</td><td>74.00</td><td>55.15</td><td>26.39</td><td>12.75</td><td>62.06</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4872.00	45.38	-28.62	74.00	62.00	34.83	10.32	61.77	300	360 Peak	VERTICAL	2	7308.00	42.73	-31.77	74.00	55.15	26.39	12.75	62.06	300	360 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4872.00	45.38	-28.62	74.00	62.00	34.83	10.32	61.77	300	360 Peak	VERTICAL	2	7308.00	42.73	-31.77	74.00	55.15	26.39	12.75	62.06	300	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																	
1	4872.00	43.58	-30.42	74.00	59.99	35.04	10.32	61.77	300	0 Peak	HORIZONTAL																																																																																																																																																																															
2	7308.00	44.12	-29.88	74.00	56.57	36.86	12.75	62.06	300	0 Peak	HORIZONTAL																																																																																																																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																	
1	4872.00	43.58	-30.42	74.00	59.99	35.04	10.32	61.77	300	0 Peak	HORIZONTAL																																																																																																																																																																															
2	7308.00	44.12	-29.88	74.00	56.57	36.86	12.75	62.06	300	0 Peak	HORIZONTAL																																																																																																																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																	
1	4872.00	45.38	-28.62	74.00	62.00	34.83	10.32	61.77	300	360 Peak	VERTICAL																																																																																																																																																																															
2	7308.00	42.73	-31.77	74.00	55.15	26.39	12.75	62.06	300	360 Peak	VERTICAL																																																																																																																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																	
1	4872.00	45.38	-28.62	74.00	62.00	34.83	10.32	61.77	300	360 Peak	VERTICAL																																																																																																																																																																															
2	7308.00	42.73	-31.77	74.00	55.15	26.39	12.75	62.06	300	360 Peak	VERTICAL																																																																																																																																																																															





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																																																																	
ANT	802.11b CH11 2462MHz																																																																																																																																																																																	
2	Horizontal	Vertical																																																																																																																																																																																
Peak Avg.	 No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RW-1000.000KHz VSW:3000.000KHz SWT:Auto Plane : 2 Mode : 2 Polarization : Full-directivity IMEI : 83 Pre-setting : 17 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4926.00</td><td>42.73</td><td>-31.27</td><td>74.00</td><td>58.98</td><td>35.10</td><td>10.39</td><td>61.74</td><td>300</td><td>0 Peak HORIZONTAL</td></tr><tr><td>2</td><td>7386.00</td><td>43.74</td><td>-30.26</td><td>74.00</td><td>56.10</td><td>36.88</td><td>12.83</td><td>62.07</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></table>  No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RW-1000.000KHz VSW:3000.000KHz SWT:Auto Plane : 2 Mode : 2 Polarization : Full-directivity IMEI : 83 Pre-setting : 17 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4926.00</td><td>45.27</td><td>-28.73</td><td>74.00</td><td>61.80</td><td>34.82</td><td>10.39</td><td>61.74</td><td>300</td><td>360 Peak VERTICAL</td></tr><tr><td>2</td><td>7386.00</td><td>42.38</td><td>-31.62</td><td>74.00</td><td>55.18</td><td>36.44</td><td>12.83</td><td>62.07</td><td>300</td><td>360 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4926.00	42.73	-31.27	74.00	58.98	35.10	10.39	61.74	300	0 Peak HORIZONTAL	2	7386.00	43.74	-30.26	74.00	56.10	36.88	12.83	62.07	300	0 Peak HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4926.00	45.27	-28.73	74.00	61.80	34.82	10.39	61.74	300	360 Peak VERTICAL	2	7386.00	42.38	-31.62	74.00	55.18	36.44	12.83	62.07	300	360 Peak VERTICAL	 Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RW-1000.000KHz VSW:3000.000KHz SWT:Auto Plane : 2 Mode : 2 Polarization : Full-directivity IMEI : 83 Pre-setting : 17 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4926.00</td><td>42.73</td><td>-31.27</td><td>74.00</td><td>58.98</td><td>35.10</td><td>10.39</td><td>61.74</td><td>300</td><td>0 Peak HORIZONTAL</td></tr><tr><td>2</td><td>7386.00</td><td>43.74</td><td>-30.26</td><td>74.00</td><td>56.10</td><td>36.88</td><td>12.80</td><td>62.07</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></table>  Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RW-1000.000KHz VSW:3000.000KHz SWT:Auto Plane : 2 Mode : 2 Polarization : Full-directivity IMEI : 83 Pre-setting : 17 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4926.00</td><td>45.27</td><td>-28.73</td><td>74.00</td><td>61.80</td><td>34.82</td><td>10.39</td><td>61.74</td><td>300</td><td>360 Peak VERTICAL</td></tr><tr><td>2</td><td>7386.00</td><td>42.38</td><td>-31.62</td><td>74.00</td><td>55.18</td><td>36.44</td><td>12.83</td><td>62.07</td><td>300</td><td>360 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4926.00	42.73	-31.27	74.00	58.98	35.10	10.39	61.74	300	0 Peak HORIZONTAL	2	7386.00	43.74	-30.26	74.00	56.10	36.88	12.80	62.07	300	0 Peak HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4926.00	45.27	-28.73	74.00	61.80	34.82	10.39	61.74	300	360 Peak VERTICAL	2	7386.00	42.38	-31.62	74.00	55.18	36.44	12.83	62.07	300	360 Peak VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																									
1	4926.00	42.73	-31.27	74.00	58.98	35.10	10.39	61.74	300	0 Peak HORIZONTAL																																																																																																																																																																								
2	7386.00	43.74	-30.26	74.00	56.10	36.88	12.83	62.07	300	0 Peak HORIZONTAL																																																																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																									
1	4926.00	45.27	-28.73	74.00	61.80	34.82	10.39	61.74	300	360 Peak VERTICAL																																																																																																																																																																								
2	7386.00	42.38	-31.62	74.00	55.18	36.44	12.83	62.07	300	360 Peak VERTICAL																																																																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																									
1	4926.00	42.73	-31.27	74.00	58.98	35.10	10.39	61.74	300	0 Peak HORIZONTAL																																																																																																																																																																								
2	7386.00	43.74	-30.26	74.00	56.10	36.88	12.80	62.07	300	0 Peak HORIZONTAL																																																																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																									
1	4926.00	45.27	-28.73	74.00	61.80	34.82	10.39	61.74	300	360 Peak VERTICAL																																																																																																																																																																								
2	7386.00	42.38	-31.62	74.00	55.18	36.44	12.83	62.07	300	360 Peak VERTICAL																																																																																																																																																																								



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																																																																	
ANT	802.11b CH12 2467MHz																																																																																																																																																																																	
2	Horizontal	Vertical																																																																																																																																																																																
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RBW 1000.000KHz VSW: 3000.000KHz SWF: Auto Mode : 27 Plane : 2 IMEI : Full-directivity Pre-setting : 43 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4932.00</td><td>43.13</td><td>-30.87</td><td>74.00</td><td>59.38</td><td>35.10</td><td>10.39</td><td>61.74</td><td>300</td><td>0 Peak HORIZONTAL</td></tr><tr><td>2</td><td>7604.00</td><td>43.31</td><td>-30.79</td><td>74.00</td><td>55.55</td><td>36.88</td><td>12.80</td><td>62.07</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RBW 1000.000KHz VSW: 3000.000KHz SWF: Auto Mode : 27 Plane : 2 IMEI : Full-directivity Pre-setting : 43 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4932.00</td><td>43.13</td><td>-30.87</td><td>74.00</td><td>59.38</td><td>35.10</td><td>10.39</td><td>61.74</td><td>300</td><td>0 Peak HORIZONTAL</td></tr><tr><td>2</td><td>7604.00</td><td>43.31</td><td>-30.79</td><td>74.00</td><td>55.55</td><td>36.88</td><td>12.80</td><td>62.07</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4932.00	43.13	-30.87	74.00	59.38	35.10	10.39	61.74	300	0 Peak HORIZONTAL	2	7604.00	43.31	-30.79	74.00	55.55	36.88	12.80	62.07	300	0 Peak HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4932.00	43.13	-30.87	74.00	59.38	35.10	10.39	61.74	300	0 Peak HORIZONTAL	2	7604.00	43.31	-30.79	74.00	55.55	36.88	12.80	62.07	300	0 Peak HORIZONTAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RBW 1000.000KHz VSW: 3000.000KHz SWF: Auto Mode : 27 Plane : 2 IMEI : Full-directivity Pre-setting : 43 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4932.00</td><td>45.24</td><td>-28.76</td><td>74.00</td><td>61.77</td><td>34.82</td><td>10.39</td><td>61.74</td><td>300</td><td>360 Peak VERTICAL</td></tr><tr><td>2</td><td>7604.00</td><td>42.41</td><td>-31.59</td><td>74.00</td><td>55.18</td><td>36.40</td><td>12.80</td><td>62.07</td><td>300</td><td>360 Peak VERTICAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RBW 1000.000KHz VSW: 3000.000KHz SWF: Auto Mode : 27 Plane : 2 IMEI : Full-directivity Pre-setting : 43 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4932.00</td><td>45.24</td><td>-28.76</td><td>74.00</td><td>61.77</td><td>34.82</td><td>10.39</td><td>61.74</td><td>300</td><td>360 Peak VERTICAL</td></tr><tr><td>2</td><td>7604.00</td><td>42.41</td><td>-31.59</td><td>74.00</td><td>55.18</td><td>36.40</td><td>12.80</td><td>62.07</td><td>300</td><td>360 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4932.00	45.24	-28.76	74.00	61.77	34.82	10.39	61.74	300	360 Peak VERTICAL	2	7604.00	42.41	-31.59	74.00	55.18	36.40	12.80	62.07	300	360 Peak VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4932.00	45.24	-28.76	74.00	61.77	34.82	10.39	61.74	300	360 Peak VERTICAL	2	7604.00	42.41	-31.59	74.00	55.18	36.40	12.80	62.07	300	360 Peak VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																									
1	4932.00	43.13	-30.87	74.00	59.38	35.10	10.39	61.74	300	0 Peak HORIZONTAL																																																																																																																																																																								
2	7604.00	43.31	-30.79	74.00	55.55	36.88	12.80	62.07	300	0 Peak HORIZONTAL																																																																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																									
1	4932.00	43.13	-30.87	74.00	59.38	35.10	10.39	61.74	300	0 Peak HORIZONTAL																																																																																																																																																																								
2	7604.00	43.31	-30.79	74.00	55.55	36.88	12.80	62.07	300	0 Peak HORIZONTAL																																																																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																									
1	4932.00	45.24	-28.76	74.00	61.77	34.82	10.39	61.74	300	360 Peak VERTICAL																																																																																																																																																																								
2	7604.00	42.41	-31.59	74.00	55.18	36.40	12.80	62.07	300	360 Peak VERTICAL																																																																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																									
1	4932.00	45.24	-28.76	74.00	61.77	34.82	10.39	61.74	300	360 Peak VERTICAL																																																																																																																																																																								
2	7604.00	42.41	-31.59	74.00	55.18	36.40	12.80	62.07	300	360 Peak VERTICAL																																																																																																																																																																								





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																													
ANT	802.11b CH13 2472MHz																																																																																													
2	Horizontal	Vertical																																																																																												
Peak Avg.	 Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RBW 1000.000KHz VSW: 3000.000KHz SWF: Auto Mode : 2 Plane : Full-directivity IMEI : 42 Pre-setting : 17 ANT : ANT 2 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>4944.00</td><td>42.84</td><td>-31.16</td><td>74.00</td><td>59.04</td><td>35.12</td><td>10.41</td><td>61.73</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7416.00</td><td>42.85</td><td>-31.15</td><td>74.00</td><td>55.19</td><td>36.88</td><td>12.85</td><td>62.07</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	4944.00	42.84	-31.16	74.00	59.04	35.12	10.41	61.73	300	0 Peak	HORIZONTAL	2	7416.00	42.85	-31.15	74.00	55.19	36.88	12.85	62.07	300	0 Peak	HORIZONTAL	 Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RBW 1000.000KHz VSW: 3000.000KHz SWF: Auto Mode : 2 Plane : Full-directivity IMEI : 42 Pre-setting : 17 ANT : ANT 2 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>4944.00</td><td>45.61</td><td>-28.39</td><td>74.00</td><td>62.12</td><td>34.81</td><td>10.41</td><td>61.73</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7416.00</td><td>42.40</td><td>-31.60</td><td>74.00</td><td>55.17</td><td>36.45</td><td>12.85</td><td>62.07</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	4944.00	45.61	-28.39	74.00	62.12	34.81	10.41	61.73	300	360 Peak	VERTICAL	2	7416.00	42.40	-31.60	74.00	55.17	36.45	12.85	62.07	300	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																						
1	4944.00	42.84	-31.16	74.00	59.04	35.12	10.41	61.73	300	0 Peak	HORIZONTAL																																																																																			
2	7416.00	42.85	-31.15	74.00	55.19	36.88	12.85	62.07	300	0 Peak	HORIZONTAL																																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																						
1	4944.00	45.61	-28.39	74.00	62.12	34.81	10.41	61.73	300	360 Peak	VERTICAL																																																																																			
2	7416.00	42.40	-31.60	74.00	55.17	36.45	12.85	62.07	300	360 Peak	VERTICAL																																																																																			





2.4GHz 2400~2483.5MHz---ANT 2



WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																									
ANT	802.11g CH01 2412MHz																																																																									
2	Horizontal	Vertical																																																																								
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sparton.co.uk.cn Data: 13  Site : 030906-K3 Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RSW 1000.000KHz VSW 3000.000KHz SMT Auto Mode : 29 Plane : 2 Full-directivity Power setting : 15.5 Power setting : 15.5 ANT : 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4824.00</td><td>41.78</td><td>-32.22</td><td>74.00</td><td>58.35</td><td>34.98</td><td>10.26</td><td>61.81</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	dB	cm	deg			1	4824.00	41.78	-32.22	74.00	58.35	34.98	10.26	61.81	300	0 Peak	HORIZONTAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sparton.co.uk.cn Data: 14  Site : 030906-K3 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSW 1000.000KHz VSW 3000.000KHz SMT Auto Mode : 29 Plane : 2 Full-directivity Power setting : 15.5 Power setting : 15.5 ANT : 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4824.00</td><td>41.18</td><td>-32.82</td><td>74.00</td><td>57.89</td><td>34.84</td><td>10.26</td><td>61.81</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	dB	cm	deg			1	4824.00	41.18	-32.82	74.00	57.89	34.84	10.26	61.81	300	360 Peak	VERTICAL
	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas																																																														
MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	dB	cm	deg																																																																	
1	4824.00	41.78	-32.22	74.00	58.35	34.98	10.26	61.81	300	0 Peak	HORIZONTAL																																																															
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas																																																															
MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	dB	cm	deg																																																																	
1	4824.00	41.18	-32.82	74.00	57.89	34.84	10.26	61.81	300	360 Peak	VERTICAL																																																															



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																
ANT	802.11g CH06 2437MHz																																																																																
2	Horizontal	Vertical																																																																															
Peak Avg.	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RBW 1000.000KHz VBW 3000.000KHz SMT Auto Preset : FREQ1642 Plane : 2 IME1 : Full-directivity Presetting : TS 5 ANT : ANT 2 <table><thead><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr></thead><tbody><tr><td>1 4872.00</td><td>41.10</td><td>-32.90</td><td>74.00</td><td>57.51</td><td>35.04</td><td>10.32</td><td>61.77</td><td>300</td><td>0 Peak HORIZONTAL</td></tr><tr><td>2 7308.00</td><td>43.43</td><td>-30.57</td><td>74.00</td><td>55.88</td><td>36.86</td><td>12.75</td><td>62.06</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></tbody></table>  No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RBW 1000.000KHz VBW 3000.000KHz SMT Auto Preset : FREQ1642 Plane : 2 IME1 : Full-directivity Presetting : TS 5 ANT : ANT 2 <table><thead><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr></thead><tbody><tr><td>1 4872.00</td><td>40.82</td><td>-33.18</td><td>74.00</td><td>57.44</td><td>34.83</td><td>10.32</td><td>61.77</td><td>300</td><td>360 Peak VERTICAL</td></tr><tr><td>2 7308.00</td><td>43.50</td><td>-30.50</td><td>74.00</td><td>56.42</td><td>36.39</td><td>12.75</td><td>62.06</td><td>300</td><td>360 Peak VERTICAL</td></tr></tbody></table>	Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cn	deg	1 4872.00	41.10	-32.90	74.00	57.51	35.04	10.32	61.77	300	0 Peak HORIZONTAL	2 7308.00	43.43	-30.57	74.00	55.88	36.86	12.75	62.06	300	0 Peak HORIZONTAL	Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cn	deg	1 4872.00	40.82	-33.18	74.00	57.44	34.83	10.32	61.77	300	360 Peak VERTICAL	2 7308.00	43.50	-30.50	74.00	56.42	36.39	12.75	62.06	300	360 Peak VERTICAL
	Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cn	deg																																																																								
1 4872.00	41.10	-32.90	74.00	57.51	35.04	10.32	61.77	300	0 Peak HORIZONTAL																																																																								
2 7308.00	43.43	-30.57	74.00	55.88	36.86	12.75	62.06	300	0 Peak HORIZONTAL																																																																								
Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cn	deg																																																																								
1 4872.00	40.82	-33.18	74.00	57.44	34.83	10.32	61.77	300	360 Peak VERTICAL																																																																								
2 7308.00	43.50	-30.50	74.00	56.42	36.39	12.75	62.06	300	360 Peak VERTICAL																																																																								



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																								
ANT	802.11g CH11 2462MHz																																																																																								
2	Horizontal	Vertical																																																																																							
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RSW-1000 000KHz VSW-3000 000KHz SWT:Auto Bode : 41 Plane : 2 IME1 : Full-directivity Pre-setting : 15.5 ANT : ANT-2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4926.00</td><td>40.55</td><td>-33.45</td><td>74.00</td><td>56.89</td><td>35.10</td><td>10.39</td><td>61.74</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7386.00</td><td>42.56</td><td>-31.44</td><td>74.00</td><td>54.92</td><td>36.88</td><td>12.83</td><td>62.07</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSW-1000 000KHz VSW-3000 000KHz SWT:Auto Bode : 41 Plane : 2 IME1 : Full-directivity Pre-setting : 15.5 ANT : ANT-2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4926.00</td><td>40.24</td><td>-33.76</td><td>74.00</td><td>56.77</td><td>34.82</td><td>10.39</td><td>61.74</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7386.00</td><td>42.49</td><td>-31.51</td><td>74.00</td><td>55.79</td><td>36.46</td><td>12.83</td><td>62.07</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg	1	4926.00	40.55	-33.45	74.00	56.89	35.10	10.39	61.74	300	0 Peak	HORIZONTAL	2	7386.00	42.56	-31.44	74.00	54.92	36.88	12.83	62.07	300	0 Peak	HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg	1	4926.00	40.24	-33.76	74.00	56.77	34.82	10.39	61.74	300	360 Peak	VERTICAL	2	7386.00	42.49	-31.51	74.00	55.79	36.46	12.83	62.07	300	360 Peak	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																
1	4926.00	40.55	-33.45	74.00	56.89	35.10	10.39	61.74	300	0 Peak	HORIZONTAL																																																																														
2	7386.00	42.56	-31.44	74.00	54.92	36.88	12.83	62.07	300	0 Peak	HORIZONTAL																																																																														
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																
1	4926.00	40.24	-33.76	74.00	56.77	34.82	10.39	61.74	300	360 Peak	VERTICAL																																																																														
2	7386.00	42.49	-31.51	74.00	55.79	36.46	12.83	62.07	300	360 Peak	VERTICAL																																																																														





2.4GHz 2400~2483.5MHz---ANT 2



WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																												
ANT	802.11n HT20 CH01 2412MHz																																																												
2	Horizontal	Vertical																																																											
Peak Avg.	Site : 030806-KS Condition : FCC PART 15C 3m 3117 EN 75957 HORIZONTAL Project : RRM 1000, 000KHz VSW:3000, 000KHz SW: Auto Mode : 24 Plane : 2 Full-directivity IME1 : #2 Powersetting : 16 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>41.22</td><td>-32.78</td><td>74.00</td><td>57.79</td><td>34.98</td><td>10.26</td><td>61.81</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table> Site : 030806-KS Condition : FCC PART 15C 3m 3117 EN 75957 VERTICAL Project : RRM 1000, 000KHz VSW:3000, 000KHz SW: Auto Mode : 24 Plane : 2 Full-directivity IME1 : #2 Powersetting : 16 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>41.00</td><td>-33.00</td><td>74.00</td><td>57.71</td><td>34.84</td><td>10.26</td><td>61.81</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cn	deg		1	4824.00	41.22	-32.78	74.00	57.79	34.98	10.26	61.81	300	0 Peak	HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cn	deg		1	4824.00	41.00	-33.00	74.00	57.71	34.84	10.26	61.81	300	360 Peak	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	cn	deg																																																						
1	4824.00	41.22	-32.78	74.00	57.79	34.98	10.26	61.81	300	0 Peak	HORIZONTAL																																																		
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cn	deg																																																						
1	4824.00	41.00	-33.00	74.00	57.71	34.84	10.26	61.81	300	360 Peak	VERTICAL																																																		







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																	
ANT	802.11n HT20 CH06 2437MHz																																																																																	
2	Horizontal	Vertical																																																																																
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn SPORTON LAB. Date: 17 Level (dBuV/m) Frequency (MHz) FCC PART 15C (dB) FCC PART 15C (AVG) Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RBW 1000.000KHz VSW: 3000.000KHz SWF: Auto Plane : 45 Polar : 2 Full-directivity IME1 : 45 Pre-setting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4872.00</td><td>40.28</td><td>-32.72</td><td>74.00</td><td>55.69</td><td>35.04</td><td>10.32</td><td>61.77</td><td>300 0 Peak HORIZONTAL</td></tr><tr><td>2</td><td>7208.00</td><td>43.36</td><td>-30.64</td><td>74.00</td><td>55.81</td><td>36.86</td><td>12.75</td><td>62.06</td><td>300 0 Peak HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg	1	4872.00	40.28	-32.72	74.00	55.69	35.04	10.32	61.77	300 0 Peak HORIZONTAL	2	7208.00	43.36	-30.64	74.00	55.81	36.86	12.75	62.06	300 0 Peak HORIZONTAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn SPORTON LAB. Date: 18 Level (dBuV/m) Frequency (MHz) FCC PART 15C (dB) FCC PART 15C (AVG) Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RBW 1000.000KHz VSW: 3000.000KHz SWF: Auto Plane : 45 Polar : 2 Full-directivity IME1 : 45 Pre-setting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4872.00</td><td>41.09</td><td>-32.91</td><td>74.00</td><td>57.71</td><td>34.83</td><td>10.32</td><td>61.77</td><td>300 360 Peak VERTICAL</td></tr><tr><td>2</td><td>7208.00</td><td>42.64</td><td>-31.36</td><td>74.00</td><td>55.56</td><td>35.39</td><td>12.75</td><td>62.06</td><td>300 360 Peak VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg	1	4872.00	41.09	-32.91	74.00	57.71	34.83	10.32	61.77	300 360 Peak VERTICAL	2	7208.00	42.64	-31.36	74.00	55.56	35.39	12.75	62.06	300 360 Peak VERTICAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																									
1	4872.00	40.28	-32.72	74.00	55.69	35.04	10.32	61.77	300 0 Peak HORIZONTAL																																																																									
2	7208.00	43.36	-30.64	74.00	55.81	36.86	12.75	62.06	300 0 Peak HORIZONTAL																																																																									
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																									
1	4872.00	41.09	-32.91	74.00	57.71	34.83	10.32	61.77	300 360 Peak VERTICAL																																																																									
2	7208.00	42.64	-31.36	74.00	55.56	35.39	12.75	62.06	300 360 Peak VERTICAL																																																																									





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																	
ANT	802.11n HT20 CH11 2462MHz																																																																																	
2	Horizontal	Vertical																																																																																
Peak Avg.	 No. 1099, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030906-KS Condition : FCC PART 15C 3m 3117 SN 75957 HORIZONTAL Project : (FR)H214042 Mode : 40 Plane : Z Polarization : Full-directivity IMEI : #3 Power setting : 16 ANT : ANT 2 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4926.00</td><td>41.18</td><td>-32.82</td><td>74.00</td><td>57.43</td><td>35.10</td><td>10.39</td><td>61.74</td><td>300</td></tr><tr><td>2</td><td>7386.00</td><td>44.05</td><td>-29.99</td><td>74.00</td><td>56.41</td><td>36.88</td><td>12.83</td><td>62.07</td><td>300</td></tr></tbody></table> 0 Peak HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg		1	4926.00	41.18	-32.82	74.00	57.43	35.10	10.39	61.74	300	2	7386.00	44.05	-29.99	74.00	56.41	36.88	12.83	62.07	300	 No. 1099, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030906-KS Condition : FCC PART 15C 3m 3117 SN 75957 VERTICAL Project : (FR)H214042 Mode : 40 Plane : Z Polarization : Full-directivity IMEI : #3 Power setting : 16 ANT : ANT 2 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4926.00</td><td>42.25</td><td>-31.75</td><td>74.00</td><td>58.78</td><td>34.82</td><td>10.39</td><td>61.74</td><td>300</td></tr><tr><td>2</td><td>7386.00</td><td>44.16</td><td>-29.84</td><td>74.00</td><td>56.96</td><td>36.64</td><td>12.83</td><td>62.07</td><td>300</td></tr></tbody></table> 360 Peak VERTICAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg		1	4926.00	42.25	-31.75	74.00	58.78	34.82	10.39	61.74	300	2	7386.00	44.16	-29.84	74.00	56.96	36.64	12.83	62.07	300
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																								
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg																																																																										
1	4926.00	41.18	-32.82	74.00	57.43	35.10	10.39	61.74	300																																																																									
2	7386.00	44.05	-29.99	74.00	56.41	36.88	12.83	62.07	300																																																																									
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																									
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg																																																																										
1	4926.00	42.25	-31.75	74.00	58.78	34.82	10.39	61.74	300																																																																									
2	7386.00	44.16	-29.84	74.00	56.96	36.64	12.83	62.07	300																																																																									



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																																																																									
ANT	802.11n HT20 CH12 2462MHz																																																																																																																																																																																									
2	Horizontal	Vertical																																																																																																																																																																																								
Peak Avg.	 Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RBW 1000.000KHz VSW: 3000.000KHz SWF: Auto Mode : 47 Plane : 2 IMEI : Full-directivity Pre-setting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4932.00</td><td>41.20</td><td>-32.80</td><td>74.00</td><td>57.45</td><td>35.10</td><td>10.39</td><td>61.74</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7404.00</td><td>43.71</td><td>-30.29</td><td>74.00</td><td>56.00</td><td>36.88</td><td>12.85</td><td>62.07</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RBW 1000.000KHz VSW: 3000.000KHz SWF: Auto Mode : 47 Plane : 2 IMEI : Full-directivity Pre-setting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4932.00</td><td>41.20</td><td>-32.80</td><td>74.00</td><td>57.45</td><td>35.10</td><td>10.39</td><td>61.74</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7404.00</td><td>43.71</td><td>-30.29</td><td>74.00</td><td>56.00</td><td>36.88</td><td>12.85</td><td>62.07</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	4932.00	41.20	-32.80	74.00	57.45	35.10	10.39	61.74	300	0 Peak	HORIZONTAL	2	7404.00	43.71	-30.29	74.00	56.00	36.88	12.85	62.07	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	4932.00	41.20	-32.80	74.00	57.45	35.10	10.39	61.74	300	0 Peak	HORIZONTAL	2	7404.00	43.71	-30.29	74.00	56.00	36.88	12.85	62.07	300	0 Peak	HORIZONTAL	 Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RBW 1000.000KHz VSW: 3000.000KHz SWF: Auto Mode : 47 Plane : 2 IMEI : Full-directivity Pre-setting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4932.00</td><td>40.83</td><td>-33.17</td><td>74.00</td><td>57.36</td><td>34.82</td><td>10.39</td><td>61.74</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7404.00</td><td>42.79</td><td>-31.81</td><td>74.00</td><td>54.96</td><td>36.45</td><td>12.85</td><td>62.07</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></table>  Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RBW 1000.000KHz VSW: 3000.000KHz SWF: Auto Mode : 47 Plane : 2 IMEI : Full-directivity Pre-setting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4932.00</td><td>40.83</td><td>-33.17</td><td>74.00</td><td>57.36</td><td>34.82</td><td>10.39</td><td>61.74</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7404.00</td><td>42.79</td><td>-31.81</td><td>74.00</td><td>54.96</td><td>36.45</td><td>12.85</td><td>62.07</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	4932.00	40.83	-33.17	74.00	57.36	34.82	10.39	61.74	300	360 Peak	VERTICAL	2	7404.00	42.79	-31.81	74.00	54.96	36.45	12.85	62.07	300	360 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	4932.00	40.83	-33.17	74.00	57.36	34.82	10.39	61.74	300	360 Peak	VERTICAL	2	7404.00	42.79	-31.81	74.00	54.96	36.45	12.85	62.07	300	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																																																																		
1	4932.00	41.20	-32.80	74.00	57.45	35.10	10.39	61.74	300	0 Peak	HORIZONTAL																																																																																																																																																																															
2	7404.00	43.71	-30.29	74.00	56.00	36.88	12.85	62.07	300	0 Peak	HORIZONTAL																																																																																																																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																																																																		
1	4932.00	41.20	-32.80	74.00	57.45	35.10	10.39	61.74	300	0 Peak	HORIZONTAL																																																																																																																																																																															
2	7404.00	43.71	-30.29	74.00	56.00	36.88	12.85	62.07	300	0 Peak	HORIZONTAL																																																																																																																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																																																																		
1	4932.00	40.83	-33.17	74.00	57.36	34.82	10.39	61.74	300	360 Peak	VERTICAL																																																																																																																																																																															
2	7404.00	42.79	-31.81	74.00	54.96	36.45	12.85	62.07	300	360 Peak	VERTICAL																																																																																																																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																																																																		
1	4932.00	40.83	-33.17	74.00	57.36	34.82	10.39	61.74	300	360 Peak	VERTICAL																																																																																																																																																																															
2	7404.00	42.79	-31.81	74.00	54.96	36.45	12.85	62.07	300	360 Peak	VERTICAL																																																																																																																																																																															







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																													
ANT	802.11n HT20 CH13 2472MHz																																																																																													
2	Horizontal	Vertical																																																																																												
Peak Avg.	 Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RBW 1000.000KHz VSW: 3000.000KHz SWF: Auto Mode : 2 Plane : 45 IMEI : Full-directivity Pre-setting : 43 ANT : ANT 2 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4944.00</td><td>41.40</td><td>-32.60</td><td>74.00</td><td>57.60</td><td>35.12</td><td>10.41</td><td>61.73</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7416.00</td><td>43.11</td><td>-30.89</td><td>74.00</td><td>55.45</td><td>36.88</td><td>12.85</td><td>62.07</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	cm	deg	1	4944.00	41.40	-32.60	74.00	57.60	35.12	10.41	61.73	300	0 Peak	HORIZONTAL	2	7416.00	43.11	-30.89	74.00	55.45	36.88	12.85	62.07	300	0 Peak	HORIZONTAL	 Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RBW 1000.000KHz VSW: 3000.000KHz SWF: Auto Mode : 2 Plane : 45 IMEI : Full-directivity Pre-setting : 43 ANT : ANT 2 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4944.00</td><td>40.00</td><td>-34.00</td><td>74.00</td><td>56.51</td><td>34.81</td><td>10.41</td><td>61.73</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7416.00</td><td>42.45</td><td>-31.55</td><td>74.00</td><td>55.72</td><td>36.45</td><td>12.85</td><td>62.07</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	cm	deg	1	4944.00	40.00	-34.00	74.00	56.51	34.81	10.41	61.73	300	360 Peak	VERTICAL	2	7416.00	42.45	-31.55	74.00	55.72	36.45	12.85	62.07	300	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	cm	deg																																																																																				
1	4944.00	41.40	-32.60	74.00	57.60	35.12	10.41	61.73	300	0 Peak	HORIZONTAL																																																																																			
2	7416.00	43.11	-30.89	74.00	55.45	36.88	12.85	62.07	300	0 Peak	HORIZONTAL																																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	cm	deg																																																																																				
1	4944.00	40.00	-34.00	74.00	56.51	34.81	10.41	61.73	300	360 Peak	VERTICAL																																																																																			
2	7416.00	42.45	-31.55	74.00	55.72	36.45	12.85	62.07	300	360 Peak	VERTICAL																																																																																			







WIFI Tx With AP15(US)

2.4GHz 2400~2483.5MHz---ANT 2

WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																														
ANT	802.11g CH13 2472MHz																																																														
2	Horizontal	Fundamental																																																													
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900108 fax: +86-512-57900958 http://www.sparton.com.cn Site : 030906-KS Condition : FCC PART 15C 3m 3117 SN 79957 HORIZONTAL Project : RSW 1000.000MHz VSW 3000.000MHz SMT Auto Mode : (FRI)M214042 Plane : 2 Antenna : Full-directivity MEI : 63 Powersetting : 11 ANT : ANT 2 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2485.42</td><td>66.82</td><td>-7.18</td><td>74.00</td><td>61.28</td><td>31.70</td><td>7.27</td><td>33.43</td><td>109</td><td>40</td><td>Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1	2485.42	66.82	-7.18	74.00	61.28	31.70	7.27	33.43	109	40	Peak	HORIZONTAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900108 fax: +86-512-57900958 http://www.sparton.com.cn Site : 030906-KS Condition : FCC PART 15C 3m 3117 SN 79957 HORIZONTAL Project : RSW 1000.000MHz VSW 3000.000MHz SMT Auto Mode : (FRI)M214042 Plane : 2 Antenna : Full-directivity MEI : 63 Powersetting : 11 ANT : ANT 2 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>101.74</td><td></td><td>96.10</td><td>31.80</td><td>7.27</td><td>33.43</td><td>109</td><td>40</td><td>Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1	2472.00	101.74		96.10	31.80	7.27	33.43	109	40	Peak	HORIZONTAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																							
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																																																									
1	2485.42	66.82	-7.18	74.00	61.28	31.70	7.27	33.43	109	40	Peak	HORIZONTAL																																																			
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																							
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																																																									
1	2472.00	101.74		96.10	31.80	7.27	33.43	109	40	Peak	HORIZONTAL																																																				
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900108 fax: +86-512-57900958 http://www.sparton.com.cn Site : 030906-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 HORIZONTAL Project : RSW 1000.000MHz VSW 3000.000MHz SMT Auto Mode : (FRI)M214042 Plane : 2 Antenna : Full-directivity MEI : 63 Powersetting : 11 ANT : ANT 2 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>49.82</td><td>-4.18</td><td>54.00</td><td>44.18</td><td>31.80</td><td>7.27</td><td>33.43</td><td>109</td><td>40</td><td>Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1	2483.50	49.82	-4.18	54.00	44.18	31.80	7.27	33.43	109	40	Average	HORIZONTAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900108 fax: +86-512-57900958 http://www.sparton.com.cn Site : 030906-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 HORIZONTAL Project : RSW 1000.000MHz VSW 3000.000MHz SMT Auto Mode : (FRI)M214042 Plane : 2 Antenna : Full-directivity MEI : 63 Powersetting : 11 ANT : ANT 2 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2470.00</td><td>94.19</td><td></td><td>88.57</td><td>31.80</td><td>7.25</td><td>33.43</td><td>109</td><td>40</td><td>Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1	2470.00	94.19		88.57	31.80	7.25	33.43	109	40	Average	HORIZONTAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																							
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																																																									
1	2483.50	49.82	-4.18	54.00	44.18	31.80	7.27	33.43	109	40	Average	HORIZONTAL																																																			
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																							
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																																																									
1	2470.00	94.19		88.57	31.80	7.25	33.43	109	40	Average	HORIZONTAL																																																				





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																								
ANT	802.11g CH13 2472MHz																																																																																																																																								
2	Vertical	Fundamental																																																																																																																																							
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-KS Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Polarization : Full-directivity IMEI : 43 PowerSetting : 11 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2486.26</td><td>64.40</td><td>-9.60</td><td>74.00</td><td>57.69</td><td>32.86</td><td>7.27</td><td>33.42</td><td>295</td><td>91 Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-KS Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Polarization : Full-directivity IMEI : 43 PowerSetting : 11 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2470.00</td><td>97.03</td><td></td><td>90.22</td><td>32.99</td><td>7.25</td><td>33.43</td><td>295</td><td>91 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dBm/100m	dB	cm	deg			1	2486.26	64.40	-9.60	74.00	57.69	32.86	7.27	33.42	295	91 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dBm/100m	dB	cm	deg			1	2470.00	97.03		90.22	32.99	7.25	33.43	295	91 Peak	VERTICAL	Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:3.7500KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Polarization : Full-directivity IMEI : 43 PowerSetting : 11 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.50</td><td>48.60</td><td>-5.40</td><td>54.00</td><td>41.90</td><td>32.86</td><td>7.27</td><td>33.43</td><td>295</td><td>91 Average</td><td>VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:3.7500KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Polarization : Full-directivity IMEI : 43 PowerSetting : 11 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2470.00</td><td>89.19</td><td></td><td>82.38</td><td>32.99</td><td>7.25</td><td>33.43</td><td>295</td><td>91 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dBm/100m	dB	cm	deg			1	2483.50	48.60	-5.40	54.00	41.90	32.86	7.27	33.43	295	91 Average	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dBm/100m	dB	cm	deg			1	2470.00	89.19		82.38	32.99	7.25	33.43	295	91 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																														
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dBm/100m	dB	cm	deg																																																																																																																																	
1	2486.26	64.40	-9.60	74.00	57.69	32.86	7.27	33.42	295	91 Peak	VERTICAL																																																																																																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																															
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dBm/100m	dB	cm	deg																																																																																																																																	
1	2470.00	97.03		90.22	32.99	7.25	33.43	295	91 Peak	VERTICAL																																																																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																															
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dBm/100m	dB	cm	deg																																																																																																																																	
1	2483.50	48.60	-5.40	54.00	41.90	32.86	7.27	33.43	295	91 Average	VERTICAL																																																																																																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																															
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dBm/100m	dB	cm	deg																																																																																																																																	
1	2470.00	89.19		82.38	32.99	7.25	33.43	295	91 Average	VERTICAL																																																																																																																															



2.4GHz 2400~2483.5MHz---ANT 2



WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																
ANT	802.11g CH13 2472MHz																																																																																																
2	Horizontal	Vertical																																																																																															
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sparton.co.uk.cn Data: 29  Site : 030906-KS Condition : FCC PART 15C 3m 3117 SN 79957 HORIZONTAL Project : RSW 1000.000KHz VSW 3000.000KHz SMT Auto Mode : 49 Plane : 2 Polarization : Full-directivity Power setting : 11 Power setting : 11 ANT : ANT 2 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBm/1m</th><th>dBm/1m</th><th>dB</th><th>dB</th><th>dBm/1m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>4944.00</td><td>41.32</td><td>-32.68</td><td>74.00</td><td>57.52</td><td>35.12</td><td>10.41</td><td>61.73</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7416.00</td><td>43.64</td><td>-30.36</td><td>74.00</td><td>55.98</td><td>36.88</td><td>12.85</td><td>62.07</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sparton.co.uk.cn Data: 30  Site : 030906-KS Condition : FCC PART 15C 3m 3117 SN 79957 VERTICAL Project : RSW 1000.000KHz VSW 3000.000KHz SMT Auto Mode : 49 Plane : 2 Polarization : Full-directivity Power setting : 11 Power setting : 11 ANT : ANT 2 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBm/1m</th><th>dBm/1m</th><th>dB</th><th>dB</th><th>dBm/1m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>4944.00</td><td>42.34</td><td>-32.66</td><td>74.00</td><td>56.85</td><td>34.81</td><td>10.41</td><td>61.73</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7416.00</td><td>42.70</td><td>-31.80</td><td>74.00</td><td>54.17</td><td>36.46</td><td>12.85</td><td>62.07</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBm/1m	dBm/1m	dB	dB	dBm/1m	dB	dB	cm	deg			1	4944.00	41.32	-32.68	74.00	57.52	35.12	10.41	61.73	300	0 Peak	HORIZONTAL	2	7416.00	43.64	-30.36	74.00	55.98	36.88	12.85	62.07	300	0 Peak	HORIZONTAL	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBm/1m	dBm/1m	dB	dB	dBm/1m	dB	dB	cm	deg			1	4944.00	42.34	-32.66	74.00	56.85	34.81	10.41	61.73	300	360 Peak	VERTICAL	2	7416.00	42.70	-31.80	74.00	54.17	36.46	12.85	62.07	300	360 Peak	VERTICAL
	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																					
MHz	dBm/1m	dBm/1m	dB	dB	dBm/1m	dB	dB	cm	deg																																																																																								
1	4944.00	41.32	-32.68	74.00	57.52	35.12	10.41	61.73	300	0 Peak	HORIZONTAL																																																																																						
2	7416.00	43.64	-30.36	74.00	55.98	36.88	12.85	62.07	300	0 Peak	HORIZONTAL																																																																																						
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																						
MHz	dBm/1m	dBm/1m	dB	dB	dBm/1m	dB	dB	cm	deg																																																																																								
1	4944.00	42.34	-32.66	74.00	56.85	34.81	10.41	61.73	300	360 Peak	VERTICAL																																																																																						
2	7416.00	42.70	-31.80	74.00	54.17	36.46	12.85	62.07	300	360 Peak	VERTICAL																																																																																						



Emission below 1GHz---ANT 2

2.4GHz WIFI 802.11g (LF)

WIFI	2.4GHz 2400~2483.5MHz																																																																																																																																																																																	
ANT	802.11g LF																																																																																																																																																																																	
2	Horizontal	Vertical																																																																																																																																																																																
QP / Peak	 Site : 030602-KS Condition : FCC PART 15C 3m CBG1170 SN23182 HORIZONTAL Project : RSR 100.000KHz VBR 300.000KHz SRT Auto Mode : RES4042 Plane : Y Full-directivity Power setting : 12 13 <table><tr><th>Over</th><th>Level</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>21.64</td><td>-18.36</td><td>40.00</td><td>27.69</td><td>24.60</td><td>0.98</td><td>31.23</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>153.19</td><td>18.20</td><td>-25.24</td><td>43.50</td><td>31.24</td><td>16.35</td><td>1.99</td><td>31.32</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>3</td><td>163.86</td><td>18.10</td><td>-25.40</td><td>43.50</td><td>31.49</td><td>15.88</td><td>2.50</td><td>31.33</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>4</td><td>290.93</td><td>25.91</td><td>-20.09</td><td>46.00</td><td>35.40</td><td>19.34</td><td>2.70</td><td>31.59</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>5</td><td>313.24</td><td>26.64</td><td>-19.36</td><td>46.00</td><td>35.84</td><td>19.57</td><td>2.87</td><td>31.64</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>6</td><td>737.13</td><td>27.80</td><td>-18.20</td><td>46.00</td><td>29.04</td><td>25.47</td><td>4.41</td><td>31.12</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Over	Level	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Limit	Line	Level Factor	Loss Factor			dB	deg	1	30.00	21.64	-18.36	40.00	27.69	24.60	0.98	31.23	---	Peak	HORIZONTAL	2	153.19	18.20	-25.24	43.50	31.24	16.35	1.99	31.32	---	Peak	HORIZONTAL	3	163.86	18.10	-25.40	43.50	31.49	15.88	2.50	31.33	---	Peak	HORIZONTAL	4	290.93	25.91	-20.09	46.00	35.40	19.34	2.70	31.59	---	Peak	HORIZONTAL	5	313.24	26.64	-19.36	46.00	35.84	19.57	2.87	31.64	---	Peak	HORIZONTAL	6	737.13	27.80	-18.20	46.00	29.04	25.47	4.41	31.12	---	Peak	HORIZONTAL	 Site : 030602-KS Condition : FCC PART 15C 3m CBG1170 SN23182 VERTICAL Project : RSR 100.000KHz VBR 300.000KHz SRT Auto Mode : RES4042 Plane : Y Full-directivity Power setting : 12 13 <table><tr><th>Over</th><th>Level</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>26.32</td><td>-13.68</td><td>40.00</td><td>32.37</td><td>24.60</td><td>0.98</td><td>31.23</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>180.20</td><td>17.22</td><td>-26.28</td><td>43.50</td><td>31.20</td><td>15.15</td><td>2.20</td><td>31.33</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>3</td><td>297.72</td><td>20.85</td><td>-25.15</td><td>46.00</td><td>35.37</td><td>15.31</td><td>2.80</td><td>31.63</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>4</td><td>538.08</td><td>21.99</td><td>-24.01</td><td>46.00</td><td>35.17</td><td>24.63</td><td>3.77</td><td>31.57</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>5</td><td>741.98</td><td>27.88</td><td>-18.12</td><td>46.00</td><td>29.61</td><td>25.56</td><td>4.43</td><td>31.12</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>6</td><td>928.22</td><td>29.16</td><td>-16.84</td><td>46.00</td><td>28.07</td><td>26.81</td><td>4.96</td><td>30.68</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr></table>	Over	Level	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Limit	Line	Level Factor	Loss Factor			dB	deg	1	30.00	26.32	-13.68	40.00	32.37	24.60	0.98	31.23	---	Peak	VERTICAL	2	180.20	17.22	-26.28	43.50	31.20	15.15	2.20	31.33	---	Peak	VERTICAL	3	297.72	20.85	-25.15	46.00	35.37	15.31	2.80	31.63	---	Peak	VERTICAL	4	538.08	21.99	-24.01	46.00	35.17	24.63	3.77	31.57	---	Peak	VERTICAL	5	741.98	27.88	-18.12	46.00	29.61	25.56	4.43	31.12	---	Peak	VERTICAL	6	928.22	29.16	-16.84	46.00	28.07	26.81	4.96	30.68	---	Peak	VERTICAL
Over	Level	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																											
Limit	Line	Level Factor	Loss Factor			dB	deg																																																																																																																																																																											
1	30.00	21.64	-18.36	40.00	27.69	24.60	0.98	31.23	---	Peak	HORIZONTAL																																																																																																																																																																							
2	153.19	18.20	-25.24	43.50	31.24	16.35	1.99	31.32	---	Peak	HORIZONTAL																																																																																																																																																																							
3	163.86	18.10	-25.40	43.50	31.49	15.88	2.50	31.33	---	Peak	HORIZONTAL																																																																																																																																																																							
4	290.93	25.91	-20.09	46.00	35.40	19.34	2.70	31.59	---	Peak	HORIZONTAL																																																																																																																																																																							
5	313.24	26.64	-19.36	46.00	35.84	19.57	2.87	31.64	---	Peak	HORIZONTAL																																																																																																																																																																							
6	737.13	27.80	-18.20	46.00	29.04	25.47	4.41	31.12	---	Peak	HORIZONTAL																																																																																																																																																																							
Over	Level	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																											
Limit	Line	Level Factor	Loss Factor			dB	deg																																																																																																																																																																											
1	30.00	26.32	-13.68	40.00	32.37	24.60	0.98	31.23	---	Peak	VERTICAL																																																																																																																																																																							
2	180.20	17.22	-26.28	43.50	31.20	15.15	2.20	31.33	---	Peak	VERTICAL																																																																																																																																																																							
3	297.72	20.85	-25.15	46.00	35.37	15.31	2.80	31.63	---	Peak	VERTICAL																																																																																																																																																																							
4	538.08	21.99	-24.01	46.00	35.17	24.63	3.77	31.57	---	Peak	VERTICAL																																																																																																																																																																							
5	741.98	27.88	-18.12	46.00	29.61	25.56	4.43	31.12	---	Peak	VERTICAL																																																																																																																																																																							
6	928.22	29.16	-16.84	46.00	28.07	26.81	4.96	30.68	---	Peak	VERTICAL																																																																																																																																																																							

Appendix E. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	100	-	-	10HZ
802.11g	96.97	1.390	0.719	0.75KHZ
802.11n HT20	96.74	1.290	0.775	0.82KHZ




802.11b



Date: 8.OCT.2021 14:18:45


802.11g



Date: 9.OCT.2021 03:42:32



802.11n HT20



Date: 9.OCT.2021 03:53:51