



FCC - TEST REPORT
Appendix A for 709502405776-00F


Table of Contents


1	Duty Cycle.....	2
2	Maximum Conducted Output Power	25
3	-26dB Bandwidth	48
4	Occupied Channel Bandwidth	66
5	Maximum Power Spectral Density Level	89
6	-6dB Bandwidth.....	112





1 Duty Cycle




Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5180	Ant1	87.32	0.59
NVNT	a	5200	Ant1	87.32	0.59
NVNT	a	5240	Ant1	87.32	0.59
NVNT	a	5260	Ant1	87.32	0.59
NVNT	a	5280	Ant1	87.32	0.59
NVNT	a	5320	Ant1	87.32	0.59
NVNT	a	5500	Ant1	87.39	0.59
NVNT	a	5600	Ant1	87.39	0.59
NVNT	a	5700	Ant1	87.32	0.59
NVNT	a	5720	Ant1	87.32	0.59
NVNT	a	5745	Ant1	87.39	0.59
NVNT	a	5785	Ant1	87.32	0.59
NVNT	a	5825	Ant1	87.32	0.59
NVNT	n20	5180	Ant1	86.57	0.63
NVNT	n20	5200	Ant1	86.57	0.63
NVNT	n20	5240	Ant1	86.57	0.63
NVNT	n20	5260	Ant1	86.57	0.63
NVNT	n20	5280	Ant1	86.57	0.63
NVNT	n20	5320	Ant1	86.57	0.63
NVNT	n20	5500	Ant1	86.64	0.62
NVNT	n20	5600	Ant1	86.57	0.63
NVNT	n20	5700	Ant1	86.57	0.63
NVNT	n20	5720	Ant1	86.57	0.63
NVNT	n20	5745	Ant1	86.57	0.63
NVNT	n20	5785	Ant1	86.57	0.63
NVNT	n20	5825	Ant1	86.57	0.63
NVNT	n40	5190	Ant1	76.17	1.18
NVNT	n40	5230	Ant1	76.17	1.18
NVNT	n40	5270	Ant1	76.17	1.18
NVNT	n40	5310	Ant1	76.17	1.18
NVNT	n40	5510	Ant1	76.17	1.18
NVNT	n40	5590	Ant1	76.17	1.18
NVNT	n40	5670	Ant1	76.17	1.18
NVNT	n40	5710	Ant1	76.17	1.18
NVNT	n40	5755	Ant1	76.17	1.18
NVNT	n40	5795	Ant1	76.17	1.18
NVNT	ac20	5180	Ant1	83.13	0.8
NVNT	ac20	5200	Ant1	83.13	0.8
NVNT	ac20	5240	Ant1	83.13	0.8
NVNT	ac20	5260	Ant1	83.13	0.8
NVNT	ac20	5280	Ant1	83.13	0.8
NVNT	ac20	5320	Ant1	83.13	0.8
NVNT	ac20	5500	Ant1	83.22	0.8
NVNT	ac20	5600	Ant1	83.22	0.8
NVNT	ac20	5700	Ant1	83.22	0.8
NVNT	ac20	5720	Ant1	83.13	0.8
NVNT	ac20	5745	Ant1	83.13	0.8
NVNT	ac20	5785	Ant1	83.13	0.8
NVNT	ac20	5825	Ant1	83.13	0.8
NVNT	ac40	5190	Ant1	71.2	1.48
NVNT	ac40	5230	Ant1	71.2	1.48
NVNT	ac40	5270	Ant1	71.2	1.48
NVNT	ac40	5310	Ant1	71.2	1.48
NVNT	ac40	5510	Ant1	71.2	1.48
NVNT	ac40	5590	Ant1	71.2	1.48
NVNT	ac40	5670	Ant1	71.2	1.48
NVNT	ac40	5710	Ant1	71.2	1.48
NVNT	ac40	5755	Ant1	71.2	1.48
NVNT	ac40	5795	Ant1	71.2	1.48
NVNT	ac80	5210	Ant1	55.8	2.53
NVNT	ac80	5290	Ant1	55.8	2.53
NVNT	ac80	5530	Ant1	55.8	2.53
NVNT	ac80	5610	Ant1	55.8	2.53
NVNT	ac80	5690	Ant1	55.8	2.53
NVNT	ac80	5775	Ant1	55.8	2.53






























































2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Ant	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	FCC Limit (dBm)	Verdict
NVNT	a	5180	Ant1	10.25	0.59	10.84	24	Pass
NVNT	a	5200	Ant1	10.14	0.59	10.73	24	Pass
NVNT	a	5240	Ant1	9.33	0.59	9.92	24	Pass
NVNT	a	5260	Ant1	9.33	0.59	9.92	24	Pass
NVNT	a	5280	Ant1	9.42	0.59	10.01	24	Pass
NVNT	a	5320	Ant1	9.74	0.59	10.33	24	Pass
NVNT	a	5500	Ant1	12.44	0.59	13.03	24	Pass
NVNT	a	5600	Ant1	12.13	0.59	12.72	24	Pass
NVNT	a	5700	Ant1	12.51	0.59	13.1	24	Pass
NVNT	a	5720	Ant1	12.39	0.59	12.98	24	Pass
NVNT	a	5745	Ant1	11.71	0.59	12.3	30	Pass
NVNT	a	5785	Ant1	11.8	0.59	12.39	30	Pass
NVNT	a	5825	Ant1	11.4	0.59	11.99	30	Pass
NVNT	n20	5180	Ant1	10.43	0.63	11.06	24	Pass
NVNT	n20	5200	Ant1	10.28	0.63	10.91	24	Pass
NVNT	n20	5240	Ant1	9.34	0.63	9.97	24	Pass
NVNT	n20	5260	Ant1	9.3	0.63	9.93	24	Pass
NVNT	n20	5280	Ant1	9.45	0.63	10.08	24	Pass
NVNT	n20	5320	Ant1	9.59	0.63	10.22	24	Pass
NVNT	n20	5500	Ant1	12.36	0.62	12.98	24	Pass
NVNT	n20	5600	Ant1	12.32	0.63	12.95	24	Pass
NVNT	n20	5700	Ant1	12.38	0.63	13.01	24	Pass
NVNT	n20	5720	Ant1	12.22	0.63	12.85	24	Pass
NVNT	n20	5745	Ant1	11.6	0.63	12.23	30	Pass
NVNT	n20	5785	Ant1	11.73	0.63	12.36	30	Pass
NVNT	n20	5825	Ant1	11.56	0.63	12.19	30	Pass
NVNT	n40	5190	Ant1	8.85	1.18	10.03	24	Pass
NVNT	n40	5230	Ant1	7.72	1.18	8.9	24	Pass
NVNT	n40	5270	Ant1	7.73	1.18	8.91	24	Pass
NVNT	n40	5310	Ant1	8.07	1.18	9.25	24	Pass
NVNT	n40	5510	Ant1	10.37	1.18	11.55	24	Pass
NVNT	n40	5590	Ant1	10.46	1.18	11.64	24	Pass
NVNT	n40	5670	Ant1	10.67	1.18	11.85	24	Pass
NVNT	n40	5710	Ant1	10.49	1.18	11.67	24	Pass
NVNT	n40	5755	Ant1	9.74	1.18	10.92	30	Pass
NVNT	n40	5795	Ant1	9.31	1.18	10.49	30	Pass
NVNT	ac20	5180	Ant1	10	0.8	10.8	24	Pass
NVNT	ac20	5200	Ant1	9.71	0.8	10.51	24	Pass
NVNT	ac20	5240	Ant1	8.81	0.8	9.61	24	Pass
NVNT	ac20	5260	Ant1	9.13	0.8	9.93	24	Pass
NVNT	ac20	5280	Ant1	9.15	0.8	9.95	24	Pass
NVNT	ac20	5320	Ant1	9.54	0.8	10.34	24	Pass
NVNT	ac20	5500	Ant1	12.12	0.8	12.92	24	Pass
NVNT	ac20	5600	Ant1	11.94	0.8	12.74	24	Pass
NVNT	ac20	5700	Ant1	12.14	0.8	12.94	24	Pass
NVNT	ac20	5720	Ant1	12.01	0.8	12.81	24	Pass
NVNT	ac20	5745	Ant1	11.08	0.8	11.88	30	Pass
NVNT	ac20	5785	Ant1	11.29	0.8	12.09	30	Pass
NVNT	ac20	5825	Ant1	11.07	0.8	11.87	30	Pass
NVNT	ac40	5190	Ant1	8.23	1.48	9.71	24	Pass
NVNT	ac40	5230	Ant1	7.87	1.48	9.35	24	Pass
NVNT	ac40	5270	Ant1	7.33	1.48	8.81	24	Pass
NVNT	ac40	5310	Ant1	7.59	1.48	9.07	24	Pass
NVNT	ac40	5510	Ant1	10.48	1.48	11.96	24	Pass
NVNT	ac40	5590	Ant1	10.2	1.48	11.68	24	Pass
NVNT	ac40	5670	Ant1	10.47	1.48	11.95	24	Pass
NVNT	ac40	5710	Ant1	10.2	1.48	11.68	24	Pass
NVNT	ac40	5755	Ant1	9.73	1.48	11.21	30	Pass
NVNT	ac40	5795	Ant1	9.21	1.48	10.69	30	Pass
NVNT	ac80	5210	Ant1	6.14	2.53	8.67	24	Pass
NVNT	ac80	5290	Ant1	5.58	2.53	8.11	24	Pass
NVNT	ac80	5530	Ant1	8.59	2.53	11.12	24	Pass
NVNT	ac80	5610	Ant1	8.71	2.53	11.24	24	Pass
NVNT	ac80	5690	Ant1	8.76	2.53	11.29	24	Pass
NVNT	ac80	5775	Ant1	8.16	2.53	10.69	30	Pass

