





FR1 n48 / 40MHz+40MHz / Middle Channel / MASK

QPSK




16:56:06 19.04.2024

16QAM




17:04:26 19.04.2024

64QAM



17:11:46 19.04.2024

256QAM




17:18:16 19.04.2024




FR1 n48 / 40MHz+40MHz / Highest Channel / MASK

QPSK




16:11:55 19.04.2024

16QAM




16:21:35 19.04.2024

64QAM



16:26:13 19.04.2024

256QAM



16:31:19 19.04.2024




FR1 n48 / 10MHz+10MHz / Non Contiguous / MASK


QPSK

Lowest Channel

Highest Channel



11:27:58 11.06.2024




14:43:50 11.06.2024


16QAM

Lowest Channel

Highest Channel



11:39:36 11.06.2024




14:49:52 11.06.2024




64QAM

Lowest Channel




Highest Channel




256QAM

Lowest Channel



Highest Channel







FR1 n48 / 40MHz+40MHz / Non Contiguous / MASK

QPSK

Lowest Channel



Highest Channel



16QAM

Lowest Channel


Highest Channel






64QAM

Lowest Channel




Highest Channel




256QAM

Lowest Channel



Highest Channel







Conducted Spurious Emission

FR1 n48 / 10MHz+10MHz / QPSK / CSE


Lowest Channel



Middle Channel




Highest Channel






FR1 n48 / 10MHz+20MHz / QPSK / CSE


Lowest Channel



Middle Channel




Highest Channel






FR1 n48 / 10MHz+40MHz / QPSK / CSE


Lowest Channel



Middle Channel




Highest Channel






FR1 n48 / 20MHz+10MHz / QPSK / CSE

Lowest Channel




15:43:47 06.06.2024

Middle Channel



17:26:08 06.06.2024

Highest Channel




10:19:39 07.06.2024




FR1 n48 / 20MHz+20MHz / QPSK / CSE


Lowest Channel



Middle Channel




Highest Channel






FR1 n48 / 20MHz+40MHz / QPSK / CSE


Lowest Channel



Middle Channel




Highest Channel






FR1 n48 / 40MHz+10MHz / QPSK / CSE


Lowest Channel



Middle Channel




Highest Channel






FR1 n48 / 40MHz+20MHz / QPSK / CSE


Lowest Channel



Middle Channel




Highest Channel






FR1 n48 / 40MHz+40MHz / QPSK / CSE


Lowest Channel



Middle Channel




Highest Channel






FR1 n48 / 10MHz+10MHz (Non Contiguous) / QPSK / CSE

Lowest Channel




Highest Channel




FR1 n48 / 40MHz+40MHz (Non Contiguous) / QPSK / CSE

Lowest Channel



Highest Channel





Appendix B. Test Results of Radiated Test

B1. Summary of each worse mode

<DC Power>

Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp\Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	Part 96	NR CA n48	H	10322	-45.28	RMS	38.72	-50.48	0.24	-95.23	61.47	-40.00	-5.28	V	1+2+3+4

<AC Power>

Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp\Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	Part 96	NR CA n48	L	14280	-50.02	RMS	40.90	-47.89	0.45	-95.23	51.75	-40.00	-10.02	V	1+2+3+4




<DC Power>

MIMO <Ant. 1+2+3+4>

Part 96 Mode 1

NR CA n48 40M + 40M Ch638000 106RB0 QPSK + Ch640666 106RB0 QPSK

L




Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m BBHA 9120 D_9120D-02038 Horizontal

: SA n48 40M Ch638000 106RB0 QPSK

: SA n48 40M Ch640666 106RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7140.00	-57.31	RMS	36.54	-51.94	0.90	-95.23	0.00	-40.00	-17.31	Horizontal
2	7220.00	-56.79	RMS	36.94	-51.95	0.88	-95.23	52.57	-40.00	-16.79	Horizontal
3	10322.00	-45.61	RMS	38.72	-50.48	0.24	-95.23	61.14	-40.00	-5.61	Horizontal
4	10710.00	-52.67	RMS	39.20	-49.99	0.26	-95.23	53.09	-40.00	-12.67	Horizontal
5	10830.00	-53.13	RMS	39.17	-49.83	0.27	-95.23	52.49	-40.00	-13.13	Horizontal
6	14280.00	-50.28	RMS	41.14	-45.76	0.45	-95.23	49.12	-40.00	-10.28	Horizontal
7	14440.00	-49.78	RMS	41.00	-45.49	0.44	-95.23	49.50	-40.00	-9.78	Horizontal



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m BBHA 9120 D_9120D-02038 Vertical

: SA n48 40M Ch638000 106RB0 QPSK

: SA n48 40M Ch640666 106RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7140.00	-57.02	RMS	36.54	-51.94	0.90	-95.23	52.71	-40.00	-17.02	Vertical
2	7220.00	-56.82	RMS	36.94	-51.95	0.88	-95.23	52.54	-40.00	-16.82	Vertical
3	10322.00	-45.51	RMS	38.72	-50.48	0.24	-95.23	61.24	-40.00	-5.51	Vertical
4	10710.00	-52.63	RMS	39.20	-49.99	0.26	-95.23	53.13	-40.00	-12.63	Vertical
5	10830.00	-53.30	RMS	39.17	-49.83	0.27	-95.23	52.32	-40.00	-13.30	Vertical
6	14280.00	-49.74	RMS	41.14	-45.76	0.45	-95.23	49.66	-40.00	-9.74	Vertical
7	14440.00	-49.65	RMS	41.00	-45.49	0.44	-95.23	49.63	-40.00	-9.65	Vertical




MIMO <Ant. 1+2+3+4>

Part 96 Mode 1

NR CA n48 40M + 40M Ch640332 106RB0 QPSK + Ch643000 106RB0 QPSK

M




Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m BBHA 9120 D_9120D-02038 Horizontal

: SA n48 40M Ch640332 106RB0 QPSK

: SA n48 40M Ch643000 106RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7210.00	-57.10	RMS	36.92	-51.97	0.89	-95.23	52.29	-40.00	-17.10
2	7290.00	-56.57	RMS	36.92	-51.81	0.86	-95.23	52.69	-40.00	-16.57
3	10322.00	-45.61	RMS	38.72	-50.48	0.24	-95.23	61.14	-40.00	-5.61
4	10815.00	-52.95	RMS	39.19	-49.85	0.27	-95.23	52.68	-40.00	-12.95
5	10935.00	-53.35	RMS	38.99	-49.69	0.27	-95.23	52.31	-40.00	-13.35
6	14420.00	-48.68	RMS	41.00	-45.53	0.44	-95.23	50.64	-40.00	-8.68
7	14580.00	-49.71	RMS	40.76	-45.45	0.43	-95.23	49.78	-40.00	-9.71



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m BBHA 9120 D_9120D-02038 Vertical

: SA n48 40M Ch640332 106RB0 QPSK

: SA n48 40M Ch643000 106RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7210.00	-56.87	RMS	36.92	-51.97	0.89	-95.23	52.52	-40.00	-16.87
2	7290.00	-56.79	RMS	36.92	-51.81	0.86	-95.23	52.47	-40.00	-16.79
3	10322.00	-45.48	RMS	38.72	-50.48	0.24	-95.23	61.27	-40.00	-5.48
4	10815.00	-52.85	RMS	39.19	-49.85	0.27	-95.23	52.78	-40.00	-12.85
5	10935.00	-53.25	RMS	38.99	-49.69	0.27	-95.23	52.41	-40.00	-13.25
6	14420.00	-48.70	RMS	41.00	-45.53	0.44	-95.23	50.62	-40.00	-8.70
7	14580.00	-49.74	RMS	40.76	-45.45	0.43	-95.23	49.75	-40.00	-9.74




MIMO <Ant. 1+2+3+4>

Part 96 Mode 1

NR CA n48 40M + 40M Ch642667 106RB0 QPSK + Ch645332 106RB0 QPSK

H




Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m BBHA 9120 D_9120D-02038 Horizontal

: SA n48 40M Ch642667 106RB0 QPSK

: SA n48 40M Ch645332 106RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBm	dB	
1	7280.00	-56.61	RMS	36.94	-51.83	0.86	-95.23	52.65	-40.00	-16.61 Horizontal
2	7360.00	-56.06	RMS	36.74	-51.67	0.83	-95.23	53.27	-40.00	-16.06 Horizontal
3	10322.00	-46.55	RMS	38.72	-50.48	0.24	-95.23	60.20	-40.00	-6.55 Horizontal
4	10920.00	-53.55	RMS	39.04	-49.71	0.27	-95.23	52.08	-40.00	-13.55 Horizontal
5	11040.00	-54.08	RMS	38.84	-49.49	0.28	-95.23	51.52	-40.00	-14.08 Horizontal
6	14560.00	-50.36	RMS	40.82	-45.43	0.43	-95.23	49.05	-40.00	-10.36 Horizontal
7	14720.00	-49.55	RMS	40.66	-45.55	0.42	-95.23	50.15	-40.00	-9.55 Horizontal



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m BBHA 9120 D_9120D-02038 Vertical

: SA n48 40M Ch642667 106RB0 QPSK

: SA n48 40M Ch645332 106RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBm	dB	
1	7280.00	-56.42	RMS	36.94	-51.83	0.86	-95.23	52.84	-40.00	-16.42 Vertical
2	7360.00	-55.88	RMS	36.74	-51.67	0.83	-95.23	53.45	-40.00	-15.88 Vertical
3	10322.00	-45.28	RMS	38.72	-50.48	0.24	-95.23	61.47	-40.00	-5.28 Vertical
4	10920.00	-53.46	RMS	39.04	-49.71	0.27	-95.23	52.17	-40.00	-13.46 Vertical
5	11040.00	-54.19	RMS	38.84	-49.49	0.28	-95.23	51.41	-40.00	-14.19 Vertical
6	14560.00	-50.13	RMS	40.82	-45.43	0.43	-95.23	49.28	-40.00	-10.13 Vertical
7	14720.00	-49.78	RMS	40.66	-45.55	0.42	-95.23	49.92	-40.00	-9.78 Vertical




MIMO <Ant. 1+2+3+4>

Part 96 Mode 1

NR CA n48 40M + 40M Ch642667 106RB0 QPSK + Ch645332 106RB0 QPSK

H



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m BBHA 9120 D_9120D-02038 Horizontal


: SA n48 40M Ch642667 106RB0 QPSK

: SA n48 40M Ch645332 106RB0 QPSK

: #1 is fundamental signal which can be ignored.

: #2 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3640.00	-62.96	RMS		29.70	-57.17	0.58	-95.23	59.16	-40.00	-22.96	Horizontal
2	3680.00	-63.07	RMS		29.83	-57.27	0.60	-95.23	59.00	-40.00	-23.07	Horizontal



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m BBHA 9120 D_9120D-02038 Vertical

: SA n48 40M Ch642667 106RB0 QPSK

: SA n48 40M Ch645332 106RB0 QPSK

: #1 is fundamental signal which can be ignored.

: #2 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3640.00	-62.89	RMS		29.70	-57.17	0.58	-95.23	59.23	-40.00	-22.89	Vertical
2	3680.00	-63.53	RMS		29.83	-57.27	0.60	-95.23	58.54	-40.00	-23.53	Vertical

Remark: #1 and #2 are fundamental signal which can be ignored.




<AC Power>

MIMO <Ant. 1+2+3+4>

Part 96 Mode 1

NR CA 48C 40M + 40M Ch638000 106RB0 QPSK + Ch640666 106RB0 QPSK

L




Site : 03CH12-HY

Condition: PART 96 LIMIT -40 1m BBHA9170_1224_240624 Horizontal

: SA n48 40M Ch638000 106RB0 QPSK

: SA n48 40M Ch640666 106RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7140.00	-59.03	RMS	36.76	-53.55	0.90	-95.23	52.09	-40.00	-19.03	Horizontal
2	7220.00	-58.95	RMS	37.08	-53.50	0.88	-95.23	51.82	-40.00	-18.95	Horizontal
3	10710.00	-56.91	RMS	39.18	-51.93	0.26	-95.23	50.81	-40.00	-16.91	Horizontal
4	10830.00	-55.61	RMS	39.20	-51.80	0.27	-95.23	51.95	-40.00	-15.61	Horizontal
5	14280.00	-50.72	RMS	40.90	-47.89	0.45	-95.23	51.05	-40.00	-10.72	Horizontal
6	14440.00	-53.09	RMS	40.62	-47.61	0.44	-95.23	48.69	-40.00	-13.09	Horizontal



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 1m BBHA9170_1224_240624 Vertical

: SA n48 40M Ch638000 106RB0 QPSK

: SA n48 40M Ch640666 106RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7140.00	-58.67	RMS	36.76	-53.55	0.90	-95.23	52.45	-40.00	-18.67	Vertical
2	7220.00	-57.54	RMS	37.08	-53.50	0.88	-95.23	53.23	-40.00	-17.54	Vertical
3	10710.00	-56.81	RMS	39.18	-51.93	0.26	-95.23	50.91	-40.00	-16.81	Vertical
4	10830.00	-56.14	RMS	39.20	-51.80	0.27	-95.23	51.42	-40.00	-16.14	Vertical
5	14280.00	-50.02	RMS	40.90	-47.89	0.45	-95.23	51.75	-40.00	-10.02	Vertical
6	14440.00	-53.31	RMS	40.62	-47.61	0.44	-95.23	48.47	-40.00	-13.31	Vertical




MIMO <Ant. 1+2+3+4>

Part 96 Mode 1

NR CA 48C 40M + 40M Ch640332 106RB0 QPSK + Ch643000 106RB0 QPSK

M




Site : 03CH12-HY

Condition: PART 96 LIMIT -40 1m BBHA9170_1224_240624 Horizontal

: SA n48 40M Ch640332 106RB0 QPSK

: SA n48 40M Ch643000 106RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Factor		Amp\Cb		Filter dB	EIRPCF dB	Readin dBuV	Limit dBm	Margin dB	Pol
1	7210.00	-59.06	RMS	37.04	-53.50	0.89	-95.23	51.74	-40.00	-19.06	Horizontal		
2	7290.00	-58.60	RMS	37.20	-53.47	0.86	-95.23	52.04	-40.00	-18.60	Horizontal		
3	10815.00	-56.10	RMS	39.20	-51.82	0.27	-95.23	51.48	-40.00	-16.10	Horizontal		
4	10935.00	-55.88	RMS	39.03	-51.69	0.27	-95.23	51.74	-40.00	-15.88	Horizontal		
5	14420.00	-51.41	RMS	40.66	-47.64	0.44	-95.23	50.36	-40.00	-11.41	Horizontal		
6	14580.00	-53.38	RMS	40.80	-47.67	0.43	-95.23	48.29	-40.00	-13.38	Horizontal		



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 1m BBHA9170_1224_240624 Vertical

: SA n48 40M Ch640332 106RB0 QPSK

: SA n48 40M Ch643000 106RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Factor		Amp\Cb		Filter dB	EIRPCF dB	Readin dBuV	Limit dBm	Margin dB	Pol
1	7210.00	-58.86	RMS	37.04	-53.50	0.89	-95.23	51.94	-40.00	-18.86	Vertical		
2	7290.00	-58.59	RMS	37.20	-53.47	0.86	-95.23	52.05	-40.00	-18.59	Vertical		
3	10815.00	-56.08	RMS	39.20	-51.82	0.27	-95.23	51.50	-40.00	-16.08	Vertical		
4	10935.00	-55.88	RMS	39.03	-51.69	0.27	-95.23	51.74	-40.00	-15.88	Vertical		
5	14420.00	-50.76	RMS	40.66	-47.64	0.44	-95.23	51.01	-40.00	-10.76	Vertical		
6	14580.00	-53.29	RMS	40.80	-47.67	0.43	-95.23	48.38	-40.00	-13.29	Vertical		




MIMO <Ant. 1+2+3+4>

Part 96 Mode 1

NR CA 48C 40M + 40M Ch642667 106RB0 QPSK + Ch645332 106RB0 QPSK

H




Site : 03CH12-HY

Condition: PART 96 LIMIT -40 1m BBHA9170_1224_240624 Horizontal

: SA n48 40M Ch642667 106RB0 QPSK

: SA n48 40M Ch645332 106RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Factor		Amp\Cb		Filter dB	EIRPCF dB	Readin dBuV	Limit dBm	Margin dB	Pol
1	7280.00	-58.94	RMS	37.20	-53.48	0.86	-95.23	0.86	-95.23	51.71	-40.00	-18.94	Horizontal
2	7360.00	-58.53	RMS	36.84	-53.44	0.83	-95.23	0.83	-95.23	52.47	-40.00	-18.53	Horizontal
3	10920.00	-55.99	RMS	39.06	-51.70	0.27	-95.23	0.27	-95.23	51.61	-40.00	-15.99	Horizontal
4	11040.00	-56.47	RMS	38.90	-51.55	0.28	-95.23	0.28	-95.23	51.13	-40.00	-16.47	Horizontal
5	14560.00	-53.67	RMS	40.80	-47.63	0.43	-95.23	0.43	-95.23	47.96	-40.00	-13.67	Horizontal
6	14720.00	-53.66	RMS	40.66	-47.95	0.42	-95.23	0.42	-95.23	48.44	-40.00	-13.66	Horizontal



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 1m BBHA9170_1224_240624 Vertical

: SA n48 40M Ch642667 106RB0 QPSK

: SA n48 40M Ch645332 106RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Factor		Amp\Cb		Filter dB	EIRPCF dB	Readin dBuV	Limit dBm	Margin dB	Pol
1	7280.00	-58.86	RMS	37.20	-53.48	0.86	-95.23	0.86	-95.23	51.79	-40.00	-18.86	Vertical
2	7360.00	-58.64	RMS	36.84	-53.44	0.83	-95.23	0.83	-95.23	52.36	-40.00	-18.64	Vertical
3	10920.00	-55.92	RMS	39.06	-51.70	0.27	-95.23	0.27	-95.23	51.68	-40.00	-15.92	Vertical
4	11040.00	-56.38	RMS	38.90	-51.55	0.28	-95.23	0.28	-95.23	51.22	-40.00	-16.38	Vertical
5	14560.00	-51.15	RMS	40.80	-47.63	0.43	-95.23	0.43	-95.23	50.48	-40.00	-11.15	Vertical
6	14720.00	-53.55	RMS	40.66	-47.95	0.42	-95.23	0.42	-95.23	48.55	-40.00	-13.55	Vertical




MIMO <Ant. 1+2+3+4>

Part 96 Mode 1


NR CA 48C 40M + 40M Ch638000 106RB0 QPSK + Ch640666 106RB0 QPSK

L



Site : 03CH12-HY
Condition: PART 96 LIMIT -40 3m 9120D-02114-240711 Horizontal
: SA n48 40M Ch638000 106RB0 QPSK
: SA n48 40M Ch640666 106RB0 QPSK
: #1 is fundamental signal which can be ignored.
: #2 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1							
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	3570.00	-65.71	RMS	29.60	-57.90	0.55	-95.23	57.27	-40.00	-25.71	Horizontal	
2	3610.00	-66.15	RMS	29.64	-57.88	0.57	-95.23	56.75	-40.00	-26.15	Horizontal	



Site : 03CH12-HY
Condition: PART 96 LIMIT -40 3m 9120D-02114-240711 Vertical
: SA n48 40M Ch638000 106RB0 QPSK
: SA n48 40M Ch640666 106RB0 QPSK
: #1 is fundamental signal which can be ignored.
: #2 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1							
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	3570.00	-65.76	RMS	29.60	-57.90	0.55	-95.23	57.22	-40.00	-25.76	Vertical	
2	3610.00	-67.30	RMS	29.64	-57.88	0.57	-95.23	55.60	-40.00	-27.30	Vertical	

Remark: #1 and #2 are fundamental signal which can be ignored.