




Test Graphs




GSM850-128-30~1000




GSM850-128-1000~10000




GSM850-190-30~1000




GSM850-190-1000~10000




GSM850-251-30~1000




GSM850-251-1000~10000




GPRS850-128-30~1000




GPRS850-128-1000~10000




GPRS850-190-30~1000




GPRS850-190-1000~10000



GPRS850-251-30~1000




GPRS850-251-1000~10000



GSM1900-512-30~1000




GSM1900-512-1000~20000




GSM1900-661-30~1000




GSM1900-661-1000~20000



GSM1900-810-30~1000




GSM1900-810-1000~20000



GPRS1900-512-30~1000




GPRS1900-512-1000~20000



GPRS1900-661-30~1000



GPRS1900-661-1000~20000



GPRS1900-810-30~1000



GPRS1900-810-1000~20000

8.6 Appendix F: Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM850	128	VL	TN	-4.68	-0.005678	2.5	PASS
GSM850	128	VN	TN	-8.59	-0.010422	2.5	PASS
GSM850	128	VH	TN	-3.42	-0.004149	2.5	PASS
GSM850	190	VL	TN	-11.56	-0.013818	2.5	PASS
GSM850	190	VN	TN	-6.17	-0.007375	2.5	PASS
GSM850	190	VH	TN	-8.88	-0.010614	2.5	PASS
GSM850	251	VL	TN	3.07	0.003617	2.5	PASS
GSM850	251	VN	TN	1.19	0.001402	2.5	PASS
GSM850	251	VH	TN	-9.72	-0.011451	2.5	PASS
GPRS850	128	VL	TN	2.32	0.002815	2.5	PASS
GPRS850	128	VN	TN	0.23	0.000279	2.5	PASS
GPRS850	128	VH	TN	4.04	0.004902	2.5	PASS
GPRS850	190	VL	TN	-12.27	-0.014667	2.5	PASS
GPRS850	190	VN	TN	-15.05	-0.017989	2.5	PASS
GPRS850	190	VH	TN	-6.46	-0.007722	2.5	PASS
GPRS850	251	VL	TN	-3.10	-0.003652	2.5	PASS
GPRS850	251	VN	TN	-3.42	-0.004029	2.5	PASS
GPRS850	251	VH	TN	-5.20	-0.006126	2.5	PASS
GSM1900	512	VL	TN	-1.94	-0.001049	2.5	PASS
GSM1900	512	VN	TN	-9.62	-0.005199	2.5	PASS
GSM1900	512	VH	TN	-11.33	-0.006124	2.5	PASS
GSM1900	661	VL	TN	-8.65	-0.004601	2.5	PASS
GSM1900	661	VN	TN	-6.23	-0.003314	2.5	PASS
GSM1900	661	VH	TN	-2.91	-0.001548	2.5	PASS
GSM1900	810	VL	TN	-23.99	-0.012562	2.5	PASS
GSM1900	810	VN	TN	-25.99	-0.013609	2.5	PASS
GSM1900	810	VH	TN	-22.50	-0.011781	2.5	PASS
GPRS1900	512	VL	TN	-5.88	-0.003178	2.5	PASS
GPRS1900	512	VN	TN	4.97	0.002686	2.5	PASS
GPRS1900	512	VH	TN	-1.00	-0.000540	2.5	PASS
GPRS1900	661	VL	TN	-1.39	-0.000739	2.5	PASS
GPRS1900	661	VN	TN	-8.94	-0.004755	2.5	PASS
GPRS1900	661	VH	TN	-8.07	-0.004293	2.5	PASS
GPRS1900	810	VL	TN	-14.98	-0.007844	2.5	PASS
GPRS1900	810	VN	TN	-16.24	-0.008504	2.5	PASS

GPRS1900	810	VH	TN	-20.44	-0.010703	2.5	PASS
----------	-----	----	----	--------	-----------	-----	------

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM850	128	VN	-30	-10.94	-0.013273	2.5	PASS
GSM850	128	VN	-20	-14.30	-0.017350	2.5	PASS
GSM850	128	VN	-10	-6.39	-0.007753	2.5	PASS
GSM850	128	VN	0	-11.14	-0.013516	2.5	PASS
GSM850	128	VN	10	-8.52	-0.010337	2.5	PASS
GSM850	128	VN	20	0.23	0.000279	2.5	PASS
GSM850	128	VN	30	-8.14	-0.009876	2.5	PASS
GSM850	128	VN	40	-10.49	-0.012727	2.5	PASS
GSM850	128	VN	50	-10.59	-0.012849	2.5	PASS
GSM850	190	VN	-30	-16.89	-0.020189	2.5	PASS
GSM850	190	VN	-20	-10.11	-0.012085	2.5	PASS
GSM850	190	VN	-10	-13.56	-0.016208	2.5	PASS
GSM850	190	VN	0	-15.17	-0.018133	2.5	PASS
GSM850	190	VN	10	-13.24	-0.015826	2.5	PASS
GSM850	190	VN	20	-12.01	-0.014356	2.5	PASS
GSM850	190	VN	30	-15.01	-0.017942	2.5	PASS
GSM850	190	VN	40	-10.62	-0.012694	2.5	PASS
GSM850	190	VN	50	-5.42	-0.006479	2.5	PASS
GSM850	251	VN	-30	-5.20	-0.006126	2.5	PASS
GSM850	251	VN	-20	-4.07	-0.004795	2.5	PASS
GSM850	251	VN	-10	-8.43	-0.009932	2.5	PASS
GSM850	251	VN	0	-1.36	-0.001602	2.5	PASS
GSM850	251	VN	10	-2.26	-0.002663	2.5	PASS
GSM850	251	VN	20	-5.97	-0.007033	2.5	PASS
GSM850	251	VN	30	-10.23	-0.012052	2.5	PASS
GSM850	251	VN	40	-0.29	-0.000342	2.5	PASS
GSM850	251	VN	50	-2.10	-0.002474	2.5	PASS
GPRS850	128	VN	-30	4.10	0.004975	2.5	PASS
GPRS850	128	VN	-20	-0.97	-0.001177	2.5	PASS
GPRS850	128	VN	-10	-12.30	-0.014924	2.5	PASS
GPRS850	128	VN	0	-3.81	-0.004623	2.5	PASS
GPRS850	128	VN	10	-7.26	-0.008809	2.5	PASS
GPRS850	128	VN	20	-3.13	-0.003798	2.5	PASS
GPRS850	128	VN	30	-10.14	-0.012303	2.5	PASS
GPRS850	128	VN	40	-0.61	-0.000740	2.5	PASS
GPRS850	128	VN	50	-11.36	-0.013783	2.5	PASS
GPRS850	190	VN	-30	-4.33	-0.005176	2.5	PASS
GPRS850	190	VN	-20	-12.53	-0.014977	2.5	PASS

GPRS850	190	VN	-10	-11.59	-0.013854	2.5	PASS
GPRS850	190	VN	0	-12.07	-0.014427	2.5	PASS
GPRS850	190	VN	10	-7.17	-0.008570	2.5	PASS
GPRS850	190	VN	20	-10.53	-0.012587	2.5	PASS
GPRS850	190	VN	30	-3.81	-0.004554	2.5	PASS
GPRS850	190	VN	40	-10.01	-0.011965	2.5	PASS
GPRS850	190	VN	50	-4.55	-0.005439	2.5	PASS
GPRS850	251	VN	-30	-1.49	-0.001755	2.5	PASS
GPRS850	251	VN	-20	-4.68	-0.005514	2.5	PASS
GPRS850	251	VN	-10	1.58	0.001861	2.5	PASS
GPRS850	251	VN	0	-2.74	-0.003228	2.5	PASS
GPRS850	251	VN	10	-3.81	-0.004489	2.5	PASS
GPRS850	251	VN	20	-5.42	-0.006385	2.5	PASS
GPRS850	251	VN	30	-4.65	-0.005478	2.5	PASS
GPRS850	251	VN	40	-3.52	-0.004147	2.5	PASS
GPRS850	251	VN	50	-5.33	-0.006279	2.5	PASS
GSM1900	512	VN	-30	-16.27	-0.008794	2.5	PASS
GSM1900	512	VN	-20	-24.47	-0.013226	2.5	PASS
GSM1900	512	VN	-10	-14.69	-0.007940	2.5	PASS
GSM1900	512	VN	0	-7.30	-0.003946	2.5	PASS
GSM1900	512	VN	10	-3.45	-0.001865	2.5	PASS
GSM1900	512	VN	20	-13.17	-0.007118	2.5	PASS
GSM1900	512	VN	30	-14.82	-0.008010	2.5	PASS
GSM1900	512	VN	40	1.36	0.000735	2.5	PASS
GSM1900	512	VN	50	-21.83	-0.011799	2.5	PASS
GSM1900	661	VN	-30	9.30	0.004947	2.5	PASS
GSM1900	661	VN	-20	3.49	0.001856	2.5	PASS
GSM1900	661	VN	-10	-1.94	-0.001032	2.5	PASS
GSM1900	661	VN	0	-10.40	-0.005532	2.5	PASS
GSM1900	661	VN	10	-13.14	-0.006989	2.5	PASS
GSM1900	661	VN	20	-13.75	-0.007314	2.5	PASS
GSM1900	661	VN	30	0.52	0.000277	2.5	PASS
GSM1900	661	VN	40	-9.23	-0.004910	2.5	PASS
GSM1900	661	VN	50	-25.28	-0.013447	2.5	PASS
GSM1900	810	VN	-30	-25.15	-0.013169	2.5	PASS
GSM1900	810	VN	-20	-17.14	-0.008975	2.5	PASS
GSM1900	810	VN	-10	-21.37	-0.011190	2.5	PASS
GSM1900	810	VN	0	-16.50	-0.008640	2.5	PASS
GSM1900	810	VN	10	-23.70	-0.012410	2.5	PASS
GSM1900	810	VN	20	-25.51	-0.013357	2.5	PASS
GSM1900	810	VN	30	-24.89	-0.013033	2.5	PASS
GSM1900	810	VN	40	-23.60	-0.012357	2.5	PASS

GSM1900	810	VN	50	-16.30	-0.008535	2.5	PASS
GPRS1900	512	VN	-30	-2.81	-0.001519	2.5	PASS
GPRS1900	512	VN	-20	-4.16	-0.002248	2.5	PASS
GPRS1900	512	VN	-10	-13.40	-0.007242	2.5	PASS
GPRS1900	512	VN	0	-6.94	-0.003751	2.5	PASS
GPRS1900	512	VN	10	-2.81	-0.001519	2.5	PASS
GPRS1900	512	VN	20	-5.42	-0.002929	2.5	PASS
GPRS1900	512	VN	30	-9.69	-0.005237	2.5	PASS
GPRS1900	512	VN	40	-8.10	-0.004378	2.5	PASS
GPRS1900	512	VN	50	-15.95	-0.008621	2.5	PASS
GPRS1900	661	VN	-30	-8.56	-0.004553	2.5	PASS
GPRS1900	661	VN	-20	-5.84	-0.003106	2.5	PASS
GPRS1900	661	VN	-10	-4.68	-0.002489	2.5	PASS
GPRS1900	661	VN	0	-13.69	-0.007282	2.5	PASS
GPRS1900	661	VN	10	-11.33	-0.006027	2.5	PASS
GPRS1900	661	VN	20	-10.91	-0.005803	2.5	PASS
GPRS1900	661	VN	30	-6.88	-0.003660	2.5	PASS
GPRS1900	661	VN	40	-9.94	-0.005287	2.5	PASS
GPRS1900	661	VN	50	-15.79	-0.008399	2.5	PASS
GPRS1900	810	VN	-30	-36.22	-0.018965	2.5	PASS
GPRS1900	810	VN	-20	-27.35	-0.014321	2.5	PASS
GPRS1900	810	VN	-10	-20.44	-0.010703	2.5	PASS
GPRS1900	810	VN	0	-25.86	-0.013541	2.5	PASS
GPRS1900	810	VN	10	-13.98	-0.007320	2.5	PASS
GPRS1900	810	VN	20	-21.41	-0.011211	2.5	PASS
GPRS1900	810	VN	30	-23.47	-0.012289	2.5	PASS
GPRS1900	810	VN	40	-22.05	-0.011546	2.5	PASS
GPRS1900	810	VN	50	-14.59	-0.007640	2.5	PASS

8.7 Appendix G: ERP and EIRP

Test Result

Band	Mode	Conducted Power (dBm)	Antenna Gain (dBi)	ERP		Limit (W)	Verdict
				(dBm)	(W)		
GSM850	GSM	32.56	-0.16	30.25	1.0593	7	PASS
	GPRS	32.45	-0.16	30.14	1.0328	7	PASS

Band	Mode	Conducted Power (dBm)	Antenna Gain (dBi)	EIRP		Limit (W)	Verdict
				(dBm)	(W)		
GSM1900	GSM	29.17	0.34	29.51	0.8933	2	PASS
	GPRS	29.05	0.34	29.39	0.8690	2	PASS

-----End of the Report -----