

Appendix: Bluetooth Classic

Contents

Contents.....2

Dwell Time3

Duty Cycle13

Maximum Peak Conducted Output Power19

-20dB Bandwidth25

Occupied Channel Bandwidth31

Carrier Frequencies Separation37

Band Edge43



Band Edge(Hopping)50



Conducted RF Spurious Emission.....57



Number of Hopping Channel67



Dwell Time



Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH1	2441	Ant1	0.381	120.777	317	31600	400	Pass
NVNT	1-DH3	2441	Ant1	1.637	239.002	146	31600	400	Pass
NVNT	1-DH5	2441	Ant1	2.885	351.97	122	31600	400	Pass
NVNT	2-DH1	2441	Ant1	0.387	122.292	316	31600	400	Pass
NVNT	2-DH3	2441	Ant1	1.639	257.323	157	31600	400	Pass
NVNT	2-DH5	2441	Ant1	2.888	300.352	104	31600	400	Pass
NVNT	3-DH1	2441	Ant1	0.387	122.679	317	31600	400	Pass
NVNT	3-DH3	2441	Ant1	1.638	248.976	152	31600	400	Pass
NVNT	3-DH5	2441	Ant1	2.89	300.56	104	31600	400	Pass




















Date: 10. APR. 2023 10:20:22




Date: 10. APR. 2023 10:20:55







Date: 10. APR 2023 10:26:02



Date: 10. APR 2023 10:26:35

Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	76.96	1.14	0.35
NVNT	1-DH5	2441	Ant1	76.96	1.14	0.35
NVNT	1-DH5	2480	Ant1	76.99	1.14	0.35
NVNT	2-DH5	2402	Ant1	77.04	1.13	0.35
NVNT	2-DH5	2441	Ant1	77.04	1.13	0.35
NVNT	2-DH5	2480	Ant1	77.04	1.13	0.35
NVNT	3-DH5	2402	Ant1	77.08	1.13	0.35
NVNT	3-DH5	2441	Ant1	77.08	1.13	0.35
NVNT	3-DH5	2480	Ant1	77.08	1.13	0.35