







Band5-4132-4




Band5-4132-5




Band5-4233-1




Band5-4233-2




Band5-4233-3



Band5-4233-4



Band5-4233-5



AppendixE:Conducted SpuriousEmission**Test Result**


Band	Channel	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band2	9262	0.009~0.15MHz	0.02	-72.03	-43	PASS
Band2	9262	0.15~30MHz	0.33	-51.37	-23	PASS
Band2	9262	30~1000MHz	749.5	-34.12	-13	PASS
Band2	9262	1000~3000MHz	2858	-40.48	-13	PASS
Band2	9262	3000~10000MHz	7852	-51.32	-13	PASS
Band2	9262	10000~20000MHz	19890	-44.1	-13	PASS
Band2	9400	0.009~0.15MHz	0.01	-69.57	-43	PASS
Band2	9400	0.15~30MHz	0.95	-50.09	-23	PASS
Band2	9400	30~1000MHz	504.8	-33.95	-13	PASS
Band2	9400	1000~3000MHz	2861	-40.39	-13	PASS
Band2	9400	3000~10000MHz	7893	-51.26	-13	PASS
Band2	9400	10000~20000MHz	19900	-44.1	-13	PASS
Band2	9538	0.009~0.15MHz	0.01	-70.03	-43	PASS
Band2	9538	0.15~30MHz	0.46	-50.81	-23	PASS
Band2	9538	30~1000MHz	800.7	-33.65	-13	PASS
Band2	9538	1000~3000MHz	2855	-40.43	-13	PASS
Band2	9538	3000~10000MHz	7845	-51.29	-13	PASS
Band2	9538	10000~20000MHz	19880	-44.16	-13	PASS
Band4	1312	0.009~0.15MHz	0.02	-72.49	-43	PASS

Band4	1312	0.15~30MHz	0.49	-50.75	-23	PASS
Band4	1312	30~1000MHz	396.3	-34.14	-13	PASS
Band4	1312	1000~3000MHz	2863	-40.63	-13	PASS
Band4	1312	3000~10000MHz	7881	-51.34	-13	PASS
Band4	1312	10000~20000MHz	19900	-44.19	-13	PASS
Band4	1413	0.009~0.15MHz	0.02	-71.95	-43	PASS
Band4	1413	0.15~30MHz	0.74	-51.18	-23	PASS
Band4	1413	30~1000MHz	525	-34.52	-13	PASS
Band4	1413	1000~3000MHz	2853	-40.8	-13	PASS
Band4	1413	3000~10000MHz	7700	-51.4	-13	PASS
Band4	1413	10000~20000MHz	19880	-44.22	-13	PASS
Band4	1513	0.009~0.15MHz	0.01	-71.31	-43	PASS
Band4	1513	0.15~30MHz	3.21	-52.29	-23	PASS
Band4	1513	30~1000MHz	886	-34.71	-13	PASS
Band4	1513	1000~3000MHz	2861	-40.75	-13	PASS
Band4	1513	3000~10000MHz	7864	-51.33	-13	PASS
Band4	1513	10000~20000MHz	19860	-44.24	-13	PASS
Band5	4132	0.009~0.15MHz	0.01	-71.73	-33	PASS
Band5	4132	0.15~30MHz	0.37	-48.71	-13	PASS
Band5	4132	30~1000MHz	445.2	-33.75	-13	PASS
Band5	4132	1000~3000MHz	2860	-40.53	-13	PASS
Band5	4132	3000~10000MHz	7886	-51.24	-13	PASS
Band5	4132	10000~18000MHz	17779	-45.69	-13	PASS


Band5	4182	0.009~0.15MHz	0.01	-71.44	-33	PASS
Band5	4182	0.15~30MHz	0.35	-50.79	-13	PASS
Band5	4182	30~1000MHz	606.4	-34.35	-13	PASS
Band5	4182	1000~3000MHz	2872	-40.47	-13	PASS
Band5	4182	3000~10000MHz	7901	-51.27	-13	PASS
Band5	4182	10000~18000MHz	16401	-45.54	-13	PASS
Band5	4233	0.009~0.15MHz	0.01	-68.98	-33	PASS
Band5	4233	0.15~30MHz	0.42	-49.4	-13	PASS
Band5	4233	30~1000MHz	488.2	-34.37	-13	PASS
Band5	4233	1000~3000MHz	2853	-40.5	-13	PASS
Band5	4233	3000~10000MHz	7842	-51.22	-13	PASS
Band5	4233	10000~18000MHz	17742	-45.72	-13	PASS

Test Graphs


Band2-9262-0.009~0.15MHz




Band2-9262-0.15~30MHz




Band2-9262-30~1000MHz




Band2-9262-1000~3000MHz




Band2-9262-3000~10000MHz




Band2-9262-10000~20000MHz




Band2-9400-0.009~0.15MHz







Band2-9400-1000~3000MHz




Band2-9400-3000~10000MHz




Band2-9400-10000~20000MHz




Band2-9538-0.009~0.15MHz




Band2-9538-0.15~30MHz




Band2-9538-30~1000MHz




Band2-9538-1000~3000MHz




Band2-9538-3000~10000MHz




Band2-9538-10000~20000MHz




Band4-1312-0.009~0.15MHz




Band4-1312-0.15~30MHz




Band4-1312-30~1000MHz




Band4-1312-1000~3000MHz




Band4-1312-3000~10000MHz




Band4-1312-10000~20000MHz




Band4-1413-0.009~0.15MHz




Band4-1413-0.15~30MHz




Band4-1413-30~1000MHz




Band4-1413-1000~3000MHz




Band4-1413-3000~10000MHz




Band4-1413-10000~20000MHz




Band4-1513-0.009~0.15MHz




Band4-1513-0.15~30MHz




Band4-1513-30~1000MHz




Band4-1513-1000~3000MHz




Band4-1513-3000~10000MHz




Band4-1513-10000~20000MHz




Band5-4132-0.009~0.15MHz




Band5-4132-0.15~30MHz




Band5-4132-30~1000MHz




Band5-4132-1000~3000MHz




Band5-4132-3000~10000MHz




Band5-4132-10000~18000MHz




Band5-4182-0.009~0.15MHz




Band5-4182-0.15~30MHz




Band5-4182-30~1000MHz




Band5-4182-1000~3000MHz




Band5-4182-3000~10000MHz




Band5-4182-10000~18000MHz




Band5-4233-0.009~0.15MHz




Band5-4233-0.15~30MHz




Band5-4233-30~1000MHz



Band5-4233-1000~3000MHz



Band5-4233-3000~10000MHz



Appendix F: Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VL	NT	11.97	0.006462	±2.5	PASS
Band2	9262	VN	NT	10.60	0.005722	±2.5	PASS
Band2	9262	VH	NT	11.37	0.006138	±2.5	PASS
Band2	9400	VL	NT	11.64	0.006191	±2.5	PASS
Band2	9400	VN	NT	10.68	0.005681	±2.5	PASS
Band2	9400	VH	NT	11.95	0.006356	±2.5	PASS
Band2	9538	VL	NT	12.61	0.006610	±2.5	PASS
Band2	9538	VN	NT	11.67	0.006118	±2.5	PASS
Band2	9538	VH	NT	11.97	0.006275	±2.5	PASS
Band4	1312	VL	NT	4.41	0.002575	±2.5	PASS
Band4	1312	VN	NT	4.58	0.002675	±2.5	PASS
Band4	1312	VH	NT	4.36	0.002546	±2.5	PASS
Band4	1413	VL	NT	-12.02	-0.006938	±2.5	PASS
Band4	1413	VN	NT	-11.39	-0.006574	±2.5	PASS
Band4	1413	VH	NT	-11.68	-0.006741	±2.5	PASS
Band4	1513	VL	NT	2.84	0.001620	±2.5	PASS
Band4	1513	VN	NT	3.51	0.002003	±2.5	PASS
Band4	1513	VH	NT	3.35	0.001911	±2.5	PASS

Band5	4132	VL	NT	-0.96	-0.001162	±2.5	PASS
Band5	4132	VN	NT	-0.66	-0.000799	±2.5	PASS
Band5	4132	VH	NT	-0.82	-0.000992	±2.5	PASS
Band5	4182	VL	NT	-0.44	-0.000526	±2.5	PASS
Band5	4182	VN	NT	-0.27	-0.000323	±2.5	PASS
Band5	4182	VH	NT	-0.27	-0.000323	±2.5	PASS
Band5	4233	VL	NT	0.06	0.000071	±2.5	PASS
Band5	4233	VN	NT	-0.25	-0.000295	±2.5	PASS
Band5	4233	VH	NT	-0.66	-0.000780	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	10.66	0.005755	±2.5	PASS
Band2	9262	NV	-20	11.21	0.006052	±2.5	PASS
Band2	9262	NV	0	10.98	0.005927	±2.5	PASS
Band2	9262	NV	10	10.74	0.005798	±2.5	PASS
Band2	9262	NV	20	10.95	0.005911	±2.5	PASS
Band2	9400	NV	-30	11.54	0.006138	±2.5	PASS
Band2	9400	NV	-20	12.02	0.006394	±2.5	PASS
Band2	9400	NV	0	13.62	0.007245	±2.5	PASS
Band2	9400	NV	10	11.78	0.006266	±2.5	PASS
Band2	9400	NV	20	11.90	0.006330	±2.5	PASS

Band2	9538	NV	-30	12.54	0.006574	±2.5	PASS
Band2	9538	NV	-20	12.51	0.006558	±2.5	PASS
Band2	9538	NV	0	11.94	0.006259	±2.5	PASS
Band2	9538	NV	10	12.55	0.006579	±2.5	PASS
Band2	9538	NV	20	12.55	0.006579	±2.5	PASS
Band4	1312	NV	-30	4.80	0.002803	±2.5	PASS
Band4	1312	NV	-20	5.03	0.002937	±2.5	PASS
Band4	1312	NV	0	4.29	0.002505	±2.5	PASS
Band4	1312	NV	10	4.58	0.002675	±2.5	PASS
Band4	1312	NV	20	5.19	0.003031	±2.5	PASS
Band4	1413	NV	-30	-11.72	-0.006764	±2.5	PASS
Band4	1413	NV	-20	-11.79	-0.006805	±2.5	PASS
Band4	1413	NV	0	-11.99	-0.006920	±2.5	PASS
Band4	1413	NV	10	-12.40	-0.007157	±2.5	PASS
Band4	1413	NV	20	-11.87	-0.006851	±2.5	PASS
Band4	1513	NV	-30	3.45	0.001969	±2.5	PASS
Band4	1513	NV	-20	3.10	0.001769	±2.5	PASS
Band4	1513	NV	0	3.26	0.001860	±2.5	PASS
Band4	1513	NV	10	2.58	0.001472	±2.5	PASS
Band4	1513	NV	20	3.08	0.001757	±2.5	PASS
Band5	4132	NV	-30	-0.74	-0.000895	±2.5	PASS
Band5	4132	NV	-20	-0.49	-0.000593	±2.5	PASS
Band5	4132	NV	0	-0.68	-0.000823	±2.5	PASS

Band5	4132	NV	10	-0.35	-0.000424	±2.5	PASS
Band5	4132	NV	20	-0.54	-0.000653	±2.5	PASS
Band5	4182	NV	-30	-0.12	-0.000143	±2.5	PASS
Band5	4182	NV	-20	-0.39	-0.000466	±2.5	PASS
Band5	4182	NV	0	-0.48	-0.000574	±2.5	PASS
Band5	4182	NV	10	0.06	0.000072	±2.5	PASS
Band5	4182	NV	20	-0.26	-0.000311	±2.5	PASS
Band5	4233	NV	-30	-0.32	-0.000378	±2.5	PASS
Band5	4233	NV	-20	-0.21	-0.000248	±2.5	PASS
Band5	4233	NV	0	-0.33	-0.000390	±2.5	PASS
Band5	4233	NV	10	-0.43	-0.000508	±2.5	PASS
Band5	4233	NV	20	-0.39	-0.000461	±2.5	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VL	NT	10.39	0.005609	±2.5	PASS
Band2	9262	1	VN	NT	11.41	0.006160	±2.5	PASS
Band2	9262	1	VH	NT	10.14	0.005474	±2.5	PASS
Band2	9262	2	VL	NT	9.70	0.005236	±2.5	PASS
Band2	9262	2	VN	NT	11.84	0.006392	±2.5	PASS
Band2	9262	2	VH	NT	9.33	0.005037	±2.5	PASS
Band2	9262	3	VL	NT	10.99	0.005933	±2.5	PASS
Band2	9262	3	VN	NT	8.45	0.004562	±2.5	PASS
Band2	9262	3	VH	NT	9.78	0.005280	±2.5	PASS
Band2	9262	4	VL	NT	11.64	0.006284	±2.5	PASS
Band2	9262	4	VN	NT	11.57	0.006246	±2.5	PASS
Band2	9262	4	VH	NT	10.68	0.005765	±2.5	PASS
Band2	9400	1	VL	NT	10.80	0.005745	±2.5	PASS
Band2	9400	1	VN	NT	10.18	0.005415	±2.5	PASS
Band2	9400	1	VH	NT	9.41	0.005005	±2.5	PASS
Band2	9400	2	VL	NT	11.09	0.005899	±2.5	PASS
Band2	9400	2	VN	NT	11.04	0.005872	±2.5	PASS
Band2	9400	2	VH	NT	9.93	0.005282	±2.5	PASS
Band2	9400	3	VL	NT	9.41	0.005005	±2.5	PASS

Band2	9400	3	VN	NT	10.21	0.005431	±2.5	PASS
Band2	9400	3	VH	NT	10.79	0.005739	±2.5	PASS
Band2	9400	4	VL	NT	11.29	0.006005	±2.5	PASS
Band2	9400	4	VN	NT	11.97	0.006367	±2.5	PASS
Band2	9400	4	VH	NT	9.14	0.004862	±2.5	PASS
Band2	9538	1	VL	NT	10.41	0.005457	±2.5	PASS
Band2	9538	1	VN	NT	11.18	0.005861	±2.5	PASS
Band2	9538	1	VH	NT	9.86	0.005169	±2.5	PASS
Band2	9538	2	VL	NT	10.47	0.005489	±2.5	PASS
Band2	9538	2	VN	NT	10.18	0.005337	±2.5	PASS
Band2	9538	2	VH	NT	11.40	0.005976	±2.5	PASS
Band2	9538	3	VL	NT	10.72	0.005620	±2.5	PASS
Band2	9538	3	VN	NT	10.99	0.005761	±2.5	PASS
Band2	9538	3	VH	NT	11.46	0.006008	±2.5	PASS
Band2	9538	4	VL	NT	9.47	0.004964	±2.5	PASS
Band2	9538	4	VN	NT	10.39	0.005447	±2.5	PASS
Band2	9538	4	VH	NT	8.73	0.004576	±2.5	PASS
Band4	1312	1	VL	NT	1.34	0.000783	±2.5	PASS
Band4	1312	1	VN	NT	1.88	0.001098	±2.5	PASS
Band4	1312	1	VH	NT	1.92	0.001121	±2.5	PASS
Band4	1312	2	VL	NT	1.77	0.001034	±2.5	PASS
Band4	1312	2	VN	NT	1.74	0.001016	±2.5	PASS
Band4	1312	2	VH	NT	2.06	0.001203	±2.5	PASS

Band4	1312	3	VL	NT	1.65	0.000964	±2.5	PASS
Band4	1312	3	VN	NT	2.04	0.001191	±2.5	PASS
Band4	1312	3	VH	NT	2.41	0.001407	±2.5	PASS
Band4	1312	4	VL	NT	2.20	0.001285	±2.5	PASS
Band4	1312	4	VN	NT	1.91	0.001115	±2.5	PASS
Band4	1312	4	VH	NT	2.37	0.001384	±2.5	PASS
Band4	1413	1	VL	NT	1.87	0.001079	±2.5	PASS
Band4	1413	1	VN	NT	1.75	0.001010	±2.5	PASS
Band4	1413	1	VH	NT	2.07	0.001195	±2.5	PASS
Band4	1413	2	VL	NT	1.87	0.001079	±2.5	PASS
Band4	1413	2	VN	NT	1.97	0.001137	±2.5	PASS
Band4	1413	2	VH	NT	2.33	0.001345	±2.5	PASS
Band4	1413	3	VL	NT	2.38	0.001374	±2.5	PASS
Band4	1413	3	VN	NT	2.12	0.001224	±2.5	PASS
Band4	1413	3	VH	NT	2.06	0.001189	±2.5	PASS
Band4	1413	4	VL	NT	2.28	0.001316	±2.5	PASS
Band4	1413	4	VN	NT	1.85	0.001068	±2.5	PASS
Band4	1413	4	VH	NT	1.99	0.001149	±2.5	PASS
Band4	1513	1	VL	NT	2.45	0.001398	±2.5	PASS
Band4	1513	1	VN	NT	1.53	0.000873	±2.5	PASS
Band4	1513	1	VH	NT	2.14	0.001221	±2.5	PASS
Band4	1513	2	VL	NT	2.07	0.001181	±2.5	PASS
Band4	1513	2	VN	NT	2.25	0.001284	±2.5	PASS

Band4	1513	2	VH	NT	2.38	0.001358	±2.5	PASS
Band4	1513	3	VL	NT	1.32	0.000753	±2.5	PASS
Band4	1513	3	VN	NT	1.54	0.000879	±2.5	PASS
Band4	1513	3	VH	NT	1.67	0.000953	±2.5	PASS
Band4	1513	4	VL	NT	1.97	0.001124	±2.5	PASS
Band4	1513	4	VN	NT	2.08	0.001187	±2.5	PASS
Band4	1513	4	VH	NT	2.53	0.001444	±2.5	PASS
Band5	4132	1	VL	NT	-1.06	-0.001283	±2.5	PASS
Band5	4132	1	VN	NT	-0.31	-0.000375	±2.5	PASS
Band5	4132	1	VH	NT	-0.64	-0.000774	±2.5	PASS
Band5	4132	2	VL	NT	-0.88	-0.001065	±2.5	PASS
Band5	4132	2	VN	NT	-0.84	-0.001016	±2.5	PASS
Band5	4132	2	VH	NT	-0.82	-0.000992	±2.5	PASS
Band5	4132	3	VL	NT	-0.84	-0.001016	±2.5	PASS
Band5	4132	3	VN	NT	-0.80	-0.000968	±2.5	PASS
Band5	4132	3	VH	NT	-0.46	-0.000557	±2.5	PASS
Band5	4132	4	VL	NT	-0.60	-0.000726	±2.5	PASS
Band5	4132	4	VN	NT	-0.33	-0.000399	±2.5	PASS
Band5	4132	4	VH	NT	-0.65	-0.000787	±2.5	PASS
Band5	4182	1	VL	NT	-0.77	-0.000921	±2.5	PASS
Band5	4182	1	VN	NT	-0.41	-0.000490	±2.5	PASS
Band5	4182	1	VH	NT	-0.34	-0.000407	±2.5	PASS
Band5	4182	2	VL	NT	-0.66	-0.000789	±2.5	PASS

Band5	4182	2	VN	NT	-0.31	-0.000371	±2.5	PASS
Band5	4182	2	VH	NT	-0.74	-0.000885	±2.5	PASS
Band5	4182	3	VL	NT	-0.76	-0.000909	±2.5	PASS
Band5	4182	3	VN	NT	-0.67	-0.000801	±2.5	PASS
Band5	4182	3	VH	NT	-0.94	-0.001124	±2.5	PASS
Band5	4182	4	VL	NT	-0.42	-0.000502	±2.5	PASS
Band5	4182	4	VN	NT	-0.82	-0.000980	±2.5	PASS
Band5	4182	4	VH	NT	-0.84	-0.001004	±2.5	PASS
Band5	4233	1	VL	NT	-0.79	-0.000933	±2.5	PASS
Band5	4233	1	VN	NT	-0.51	-0.000602	±2.5	PASS
Band5	4233	1	VH	NT	-1.07	-0.001264	±2.5	PASS
Band5	4233	2	VL	NT	-0.64	-0.000756	±2.5	PASS
Band5	4233	2	VN	NT	-0.70	-0.000827	±2.5	PASS
Band5	4233	2	VH	NT	-0.06	-0.000071	±2.5	PASS
Band5	4233	3	VL	NT	-0.84	-0.000992	±2.5	PASS
Band5	4233	3	VN	NT	-0.42	-0.000496	±2.5	PASS
Band5	4233	3	VH	NT	-0.80	-0.000945	±2.5	PASS
Band5	4233	4	VL	NT	-0.50	-0.000591	±2.5	PASS
Band5	4233	4	VN	NT	-0.63	-0.000744	±2.5	PASS
Band5	4233	4	VH	NT	-0.47	-0.000555	±2.5	PASS

Temperature

Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	11.96	0.006456	±2.5	PASS
Band2	9262	1	NV	-20	11.12	0.006003	±2.5	PASS
Band2	9262	1	NV	0	11.00	0.005938	±2.5	PASS
Band2	9262	1	NV	10	11.00	0.005938	±2.5	PASS
Band2	9262	1	NV	20	11.13	0.006008	±2.5	PASS
Band2	9262	2	NV	-30	10.52	0.005679	±2.5	PASS
Band2	9262	2	NV	-20	10.44	0.005636	±2.5	PASS
Band2	9262	2	NV	0	11.34	0.006122	±2.5	PASS
Band2	9262	2	NV	10	11.85	0.006397	±2.5	PASS
Band2	9262	2	NV	20	11.60	0.006262	±2.5	PASS
Band2	9262	3	NV	-30	9.41	0.005080	±2.5	PASS
Band2	9262	3	NV	-20	11.18	0.006035	±2.5	PASS
Band2	9262	3	NV	0	10.65	0.005749	±2.5	PASS
Band2	9262	3	NV	10	10.67	0.005760	±2.5	PASS
Band2	9262	3	NV	20	11.14	0.006014	±2.5	PASS
Band2	9262	4	NV	-30	11.82	0.006381	±2.5	PASS
Band2	9262	4	NV	-20	11.84	0.006392	±2.5	PASS
Band2	9262	4	NV	0	10.74	0.005798	±2.5	PASS
Band2	9262	4	NV	10	11.10	0.005992	±2.5	PASS
Band2	9262	4	NV	20	11.00	0.005938	±2.5	PASS
Band2	9400	1	NV	-30	9.89	0.005261	±2.5	PASS

Band2	9400	1	NV	-20	10.84	0.005766	±2.5	PASS
Band2	9400	1	NV	0	11.22	0.005968	±2.5	PASS
Band2	9400	1	NV	10	10.86	0.005777	±2.5	PASS
Band2	9400	1	NV	20	11.08	0.005894	±2.5	PASS
Band2	9400	2	NV	-30	11.20	0.005957	±2.5	PASS
Band2	9400	2	NV	-20	9.48	0.005043	±2.5	PASS
Band2	9400	2	NV	0	10.37	0.005516	±2.5	PASS
Band2	9400	2	NV	10	10.78	0.005734	±2.5	PASS
Band2	9400	2	NV	20	11.44	0.006085	±2.5	PASS
Band2	9400	3	NV	-30	10.97	0.005835	±2.5	PASS
Band2	9400	3	NV	-20	11.19	0.005952	±2.5	PASS
Band2	9400	3	NV	0	11.17	0.005941	±2.5	PASS
Band2	9400	3	NV	10	12.28	0.006532	±2.5	PASS
Band2	9400	3	NV	20	10.06	0.005351	±2.5	PASS
Band2	9400	4	NV	-30	11.21	0.005963	±2.5	PASS
Band2	9400	4	NV	-20	11.07	0.005888	±2.5	PASS
Band2	9400	4	NV	0	11.19	0.005952	±2.5	PASS
Band2	9400	4	NV	10	10.66	0.005670	±2.5	PASS
Band2	9400	4	NV	20	11.30	0.006011	±2.5	PASS
Band2	9538	1	NV	-30	10.56	0.005536	±2.5	PASS
Band2	9538	1	NV	-20	8.85	0.004639	±2.5	PASS
Band2	9538	1	NV	0	9.33	0.004891	±2.5	PASS
Band2	9538	1	NV	10	10.59	0.005551	±2.5	PASS

Band2	9538	1	NV	20	10.64	0.005578	±2.5	PASS
Band2	9538	2	NV	-30	9.98	0.005232	±2.5	PASS
Band2	9538	2	NV	-20	9.18	0.004812	±2.5	PASS
Band2	9538	2	NV	0	10.62	0.005567	±2.5	PASS
Band2	9538	2	NV	10	10.64	0.005578	±2.5	PASS
Band2	9538	2	NV	20	11.30	0.005924	±2.5	PASS
Band2	9538	3	NV	-30	10.35	0.005426	±2.5	PASS
Band2	9538	3	NV	-20	10.97	0.005751	±2.5	PASS
Band2	9538	3	NV	0	11.54	0.006049	±2.5	PASS
Band2	9538	3	NV	10	10.05	0.005268	±2.5	PASS
Band2	9538	3	NV	20	11.59	0.006076	±2.5	PASS
Band2	9538	4	NV	-30	11.34	0.005945	±2.5	PASS
Band2	9538	4	NV	-20	10.61	0.005562	±2.5	PASS
Band2	9538	4	NV	0	11.29	0.005918	±2.5	PASS
Band2	9538	4	NV	10	9.78	0.005127	±2.5	PASS
Band2	9538	4	NV	20	10.56	0.005536	±2.5	PASS
Band4	1312	1	NV	-30	1.52	0.000888	±2.5	PASS
Band4	1312	1	NV	-20	2.57	0.001501	±2.5	PASS
Band4	1312	1	NV	0	2.41	0.001407	±2.5	PASS
Band4	1312	1	NV	10	1.79	0.001045	±2.5	PASS
Band4	1312	1	NV	20	1.80	0.001051	±2.5	PASS
Band4	1312	2	NV	-30	2.12	0.001238	±2.5	PASS
Band4	1312	2	NV	-20	1.81	0.001057	±2.5	PASS

Band4	1312	2	NV	0	2.49	0.001454	±2.5	PASS
Band4	1312	2	NV	10	1.51	0.000882	±2.5	PASS
Band4	1312	2	NV	20	1.99	0.001162	±2.5	PASS
Band4	1312	3	NV	-30	2.45	0.001431	±2.5	PASS
Band4	1312	3	NV	-20	2.68	0.001565	±2.5	PASS
Band4	1312	3	NV	0	1.63	0.000952	±2.5	PASS
Band4	1312	3	NV	10	1.31	0.000765	±2.5	PASS
Band4	1312	3	NV	20	1.89	0.001104	±2.5	PASS
Band4	1312	4	NV	-30	1.90	0.001110	±2.5	PASS
Band4	1312	4	NV	-20	1.90	0.001110	±2.5	PASS
Band4	1312	4	NV	0	2.30	0.001343	±2.5	PASS
Band4	1312	4	NV	10	1.65	0.000964	±2.5	PASS
Band4	1312	4	NV	20	1.94	0.001133	±2.5	PASS
Band4	1413	1	NV	-30	1.56	0.000900	±2.5	PASS
Band4	1413	1	NV	-20	1.96	0.001131	±2.5	PASS
Band4	1413	1	NV	0	1.80	0.001039	±2.5	PASS
Band4	1413	1	NV	10	2.15	0.001241	±2.5	PASS
Band4	1413	1	NV	20	2.15	0.001241	±2.5	PASS
Band4	1413	2	NV	-30	1.66	0.000958	±2.5	PASS
Band4	1413	2	NV	-20	2.55	0.001472	±2.5	PASS
Band4	1413	2	NV	0	2.55	0.001472	±2.5	PASS
Band4	1413	2	NV	10	1.79	0.001033	±2.5	PASS
Band4	1413	2	NV	20	2.26	0.001304	±2.5	PASS

Band4	1413	3	NV	-30	2.07	0.001195	±2.5	PASS
Band4	1413	3	NV	-20	1.20	0.000693	±2.5	PASS
Band4	1413	3	NV	0	2.00	0.001154	±2.5	PASS
Band4	1413	3	NV	10	2.01	0.001160	±2.5	PASS
Band4	1413	3	NV	20	2.41	0.001391	±2.5	PASS
Band4	1413	4	NV	-30	2.15	0.001241	±2.5	PASS
Band4	1413	4	NV	-20	2.95	0.001703	±2.5	PASS
Band4	1413	4	NV	0	1.51	0.000872	±2.5	PASS
Band4	1413	4	NV	10	1.82	0.001050	±2.5	PASS
Band4	1413	4	NV	20	1.90	0.001097	±2.5	PASS
Band4	1513	1	NV	-30	1.60	0.000913	±2.5	PASS
Band4	1513	1	NV	-20	1.72	0.000981	±2.5	PASS
Band4	1513	1	NV	0	1.83	0.001044	±2.5	PASS
Band4	1513	1	NV	10	1.86	0.001061	±2.5	PASS
Band4	1513	1	NV	20	2.17	0.001238	±2.5	PASS
Band4	1513	2	NV	-30	1.68	0.000959	±2.5	PASS
Band4	1513	2	NV	-20	2.20	0.001255	±2.5	PASS
Band4	1513	2	NV	0	1.83	0.001044	±2.5	PASS
Band4	1513	2	NV	10	2.37	0.001352	±2.5	PASS
Band4	1513	2	NV	20	1.83	0.001044	±2.5	PASS
Band4	1513	3	NV	-30	2.38	0.001358	±2.5	PASS
Band4	1513	3	NV	-20	1.34	0.000765	±2.5	PASS
Band4	1513	3	NV	0	2.35	0.001341	±2.5	PASS

Band4	1513	3	NV	10	2.12	0.001210	±2.5	PASS
Band4	1513	3	NV	20	1.90	0.001084	±2.5	PASS
Band4	1513	4	NV	-30	1.22	0.000696	±2.5	PASS
Band4	1513	4	NV	-20	2.00	0.001141	±2.5	PASS
Band4	1513	4	NV	0	2.22	0.001267	±2.5	PASS
Band4	1513	4	NV	10	1.55	0.000884	±2.5	PASS
Band4	1513	4	NV	20	2.00	0.001141	±2.5	PASS
Band5	4132	1	NV	-30	-0.41	-0.000496	±2.5	PASS
Band5	4132	1	NV	-20	-0.36	-0.000436	±2.5	PASS
Band5	4132	1	NV	0	-0.91	-0.001101	±2.5	PASS
Band5	4132	1	NV	10	-0.48	-0.000581	±2.5	PASS
Band5	4132	1	NV	20	-0.75	-0.000908	±2.5	PASS
Band5	4132	2	NV	-30	-0.54	-0.000653	±2.5	PASS
Band5	4132	2	NV	-20	-0.29	-0.000351	±2.5	PASS
Band5	4132	2	NV	0	-0.70	-0.000847	±2.5	PASS
Band5	4132	2	NV	10	-0.94	-0.001137	±2.5	PASS
Band5	4132	2	NV	20	-0.42	-0.000508	±2.5	PASS
Band5	4132	3	NV	-30	-0.80	-0.000968	±2.5	PASS
Band5	4132	3	NV	-20	-0.79	-0.000956	±2.5	PASS
Band5	4132	3	NV	0	-0.46	-0.000557	±2.5	PASS
Band5	4132	3	NV	10	0.07	0.000085	±2.5	PASS
Band5	4132	3	NV	20	-1.02	-0.001234	±2.5	PASS
Band5	4132	4	NV	-30	-0.52	-0.000629	±2.5	PASS

Band5	4132	4	NV	-20	-0.50	-0.000605	±2.5	PASS
Band5	4132	4	NV	0	-0.62	-0.000750	±2.5	PASS
Band5	4132	4	NV	10	-0.67	-0.000811	±2.5	PASS
Band5	4132	4	NV	20	-0.81	-0.000980	±2.5	PASS
Band5	4182	1	NV	-30	-1.36	-0.001626	±2.5	PASS
Band5	4182	1	NV	-20	-0.85	-0.001016	±2.5	PASS
Band5	4182	1	NV	0	-0.64	-0.000765	±2.5	PASS
Band5	4182	1	NV	10	-0.64	-0.000765	±2.5	PASS
Band5	4182	1	NV	20	-0.69	-0.000825	±2.5	PASS
Band5	4182	2	NV	-30	-0.19	-0.000227	±2.5	PASS
Band5	4182	2	NV	-20	-0.57	-0.000681	±2.5	PASS
Band5	4182	2	NV	0	-0.82	-0.000980	±2.5	PASS
Band5	4182	2	NV	10	0.34	0.000407	±2.5	PASS
Band5	4182	2	NV	20	-0.41	-0.000490	±2.5	PASS
Band5	4182	3	NV	-30	-0.62	-0.000741	±2.5	PASS
Band5	4182	3	NV	-20	-0.77	-0.000921	±2.5	PASS
Band5	4182	3	NV	0	-0.70	-0.000837	±2.5	PASS
Band5	4182	3	NV	10	-0.90	-0.001076	±2.5	PASS
Band5	4182	3	NV	20	-0.68	-0.000813	±2.5	PASS
Band5	4182	4	NV	-30	-0.94	-0.001124	±2.5	PASS
Band5	4182	4	NV	-20	-0.76	-0.000909	±2.5	PASS
Band5	4182	4	NV	0	-0.72	-0.000861	±2.5	PASS
Band5	4182	4	NV	10	-0.77	-0.000921	±2.5	PASS

Band5	4182	4	NV	20	-0.60	-0.000717	±2.5	PASS
Band5	4233	1	NV	-30	-0.82	-0.000969	±2.5	PASS
Band5	4233	1	NV	-20	-0.87	-0.001028	±2.5	PASS
Band5	4233	1	NV	0	-0.63	-0.000744	±2.5	PASS
Band5	4233	1	NV	10	-0.69	-0.000815	±2.5	PASS
Band5	4233	1	NV	20	-0.29	-0.000343	±2.5	PASS
Band5	4233	2	NV	-30	-0.50	-0.000591	±2.5	PASS
Band5	4233	2	NV	-20	-0.79	-0.000933	±2.5	PASS
Band5	4233	2	NV	0	-0.36	-0.000425	±2.5	PASS
Band5	4233	2	NV	10	-0.34	-0.000402	±2.5	PASS
Band5	4233	2	NV	20	-0.78	-0.000921	±2.5	PASS
Band5	4233	3	NV	-30	-0.80	-0.000945	±2.5	PASS
Band5	4233	3	NV	-20	-0.67	-0.000791	±2.5	PASS
Band5	4233	3	NV	0	-0.64	-0.000756	±2.5	PASS
Band5	4233	3	NV	10	-0.71	-0.000839	±2.5	PASS
Band5	4233	3	NV	20	-0.71	-0.000839	±2.5	PASS
Band5	4233	4	NV	-30	-0.51	-0.000602	±2.5	PASS
Band5	4233	4	NV	-20	-1.18	-0.001394	±2.5	PASS
Band5	4233	4	NV	0	-0.62	-0.000732	±2.5	PASS
Band5	4233	4	NV	10	-0.71	-0.000839	±2.5	PASS
Band5	4233	4	NV	20	-0.74	-0.000874	±2.5	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VL	NT	12.93	0.006980	±2.5	PASS
Band2	9262	1	VN	NT	12.62	0.006813	±2.5	PASS
Band2	9262	1	VH	NT	13.07	0.007056	±2.5	PASS
Band2	9262	2	VL	NT	13.30	0.007180	±2.5	PASS
Band2	9262	2	VN	NT	13.17	0.007110	±2.5	PASS
Band2	9262	2	VH	NT	13.22	0.007137	±2.5	PASS
Band2	9262	3	VL	NT	12.92	0.006975	±2.5	PASS
Band2	9262	3	VN	NT	12.73	0.006872	±2.5	PASS
Band2	9262	3	VH	NT	13.62	0.007353	±2.5	PASS
Band2	9262	4	VL	NT	13.02	0.007029	±2.5	PASS
Band2	9262	4	VN	NT	13.07	0.007056	±2.5	PASS
Band2	9262	4	VH	NT	13.23	0.007142	±2.5	PASS
Band2	9262	5	VL	NT	13.66	0.007374	±2.5	PASS
Band2	9262	5	VN	NT	13.21	0.007131	±2.5	PASS
Band2	9262	5	VH	NT	12.99	0.007013	±2.5	PASS
Band2	9400	1	VL	NT	13.04	0.006936	±2.5	PASS
Band2	9400	1	VN	NT	12.30	0.006543	±2.5	PASS
Band2	9400	1	VH	NT	13.38	0.007117	±2.5	PASS
Band2	9400	2	VL	NT	13.30	0.007074	±2.5	PASS

Band2	9400	2	VN	NT	12.43	0.006612	±2.5	PASS
Band2	9400	2	VH	NT	13.05	0.006941	±2.5	PASS
Band2	9400	3	VL	NT	12.42	0.006606	±2.5	PASS
Band2	9400	3	VN	NT	13.00	0.006915	±2.5	PASS
Band2	9400	3	VH	NT	13.07	0.006952	±2.5	PASS
Band2	9400	4	VL	NT	13.10	0.006968	±2.5	PASS
Band2	9400	4	VN	NT	13.00	0.006915	±2.5	PASS
Band2	9400	4	VH	NT	13.12	0.006979	±2.5	PASS
Band2	9400	5	VL	NT	12.89	0.006856	±2.5	PASS
Band2	9400	5	VN	NT	13.29	0.007069	±2.5	PASS
Band2	9400	5	VH	NT	13.04	0.006936	±2.5	PASS
Band2	9538	1	VL	NT	13.57	0.007114	±2.5	PASS
Band2	9538	1	VN	NT	12.41	0.006506	±2.5	PASS
Band2	9538	1	VH	NT	12.92	0.006773	±2.5	PASS
Band2	9538	2	VL	NT	13.77	0.007218	±2.5	PASS
Band2	9538	2	VN	NT	12.92	0.006773	±2.5	PASS
Band2	9538	2	VH	NT	13.95	0.007313	±2.5	PASS
Band2	9538	3	VL	NT	13.07	0.006852	±2.5	PASS
Band2	9538	3	VN	NT	13.58	0.007119	±2.5	PASS
Band2	9538	3	VH	NT	12.75	0.006684	±2.5	PASS
Band2	9538	4	VL	NT	13.50	0.007077	±2.5	PASS
Band2	9538	4	VN	NT	11.54	0.006049	±2.5	PASS
Band2	9538	4	VH	NT	13.82	0.007245	±2.5	PASS

Band2	9538	5	VL	NT	13.04	0.006836	±2.5	PASS
Band2	9538	5	VN	NT	14.15	0.007418	±2.5	PASS
Band2	9538	5	VH	NT	13.44	0.007046	±2.5	PASS
Band4	1312	1	VL	NT	7.35	0.004292	±2.5	PASS
Band4	1312	1	VN	NT	7.50	0.004380	±2.5	PASS
Band4	1312	1	VH	NT	7.65	0.004467	±2.5	PASS
Band4	1312	2	VL	NT	7.23	0.004222	±2.5	PASS
Band4	1312	2	VN	NT	7.21	0.004210	±2.5	PASS
Band4	1312	2	VH	NT	7.86	0.004590	±2.5	PASS
Band4	1312	3	VL	NT	7.61	0.004444	±2.5	PASS
Band4	1312	3	VN	NT	7.97	0.004654	±2.5	PASS
Band4	1312	3	VH	NT	7.66	0.004473	±2.5	PASS
Band4	1312	4	VL	NT	7.44	0.004345	±2.5	PASS
Band4	1312	4	VN	NT	7.44	0.004345	±2.5	PASS
Band4	1312	4	VH	NT	7.64	0.004462	±2.5	PASS
Band4	1312	5	VL	NT	7.52	0.004391	±2.5	PASS
Band4	1312	5	VN	NT	7.82	0.004567	±2.5	PASS
Band4	1312	5	VH	NT	7.48	0.004368	±2.5	PASS
Band4	1413	1	VL	NT	7.36	0.004248	±2.5	PASS
Band4	1413	1	VN	NT	7.67	0.004427	±2.5	PASS
Band4	1413	1	VH	NT	8.56	0.004941	±2.5	PASS
Band4	1413	2	VL	NT	7.27	0.004196	±2.5	PASS
Band4	1413	2	VN	NT	7.88	0.004548	±2.5	PASS

Band4	1413	2	VH	NT	7.56	0.004363	±2.5	PASS
Band4	1413	3	VL	NT	7.85	0.004531	±2.5	PASS
Band4	1413	3	VN	NT	7.73	0.004462	±2.5	PASS
Band4	1413	3	VH	NT	7.70	0.004444	±2.5	PASS
Band4	1413	4	VL	NT	7.38	0.004259	±2.5	PASS
Band4	1413	4	VN	NT	7.54	0.004352	±2.5	PASS
Band4	1413	4	VH	NT	7.75	0.004473	±2.5	PASS
Band4	1413	5	VL	NT	7.38	0.004259	±2.5	PASS
Band4	1413	5	VN	NT	8.14	0.004698	±2.5	PASS
Band4	1413	5	VH	NT	7.51	0.004335	±2.5	PASS
Band4	1513	1	VL	NT	7.87	0.004490	±2.5	PASS
Band4	1513	1	VN	NT	7.81	0.004456	±2.5	PASS
Band4	1513	1	VH	NT	7.50	0.004279	±2.5	PASS
Band4	1513	2	VL	NT	7.17	0.004091	±2.5	PASS
Band4	1513	2	VN	NT	7.52	0.004291	±2.5	PASS
Band4	1513	2	VH	NT	8.16	0.004656	±2.5	PASS
Band4	1513	3	VL	NT	7.21	0.004114	±2.5	PASS
Band4	1513	3	VN	NT	8.20	0.004679	±2.5	PASS
Band4	1513	3	VH	NT	8.00	0.004565	±2.5	PASS
Band4	1513	4	VL	NT	7.14	0.004074	±2.5	PASS
Band4	1513	4	VN	NT	7.72	0.004405	±2.5	PASS
Band4	1513	4	VH	NT	7.94	0.004530	±2.5	PASS
Band4	1513	5	VL	NT	7.46	0.004257	±2.5	PASS

Band4	1513	5	VN	NT	7.79	0.004445	±2.5	PASS
Band4	1513	5	VH	NT	7.52	0.004291	±2.5	PASS
Band5	4132	1	VL	NT	0.94	0.001137	±2.5	PASS
Band5	4132	1	VN	NT	1.19	0.001440	±2.5	PASS
Band5	4132	1	VH	NT	0.96	0.001162	±2.5	PASS
Band5	4132	2	VL	NT	0.64	0.000774	±2.5	PASS
Band5	4132	2	VN	NT	0.90	0.001089	±2.5	PASS
Band5	4132	2	VH	NT	0.76	0.000920	±2.5	PASS
Band5	4132	3	VL	NT	0.91	0.001101	±2.5	PASS
Band5	4132	3	VN	NT	0.79	0.000956	±2.5	PASS
Band5	4132	3	VH	NT	0.61	0.000738	±2.5	PASS
Band5	4132	4	VL	NT	0.46	0.000557	±2.5	PASS
Band5	4132	4	VN	NT	0.79	0.000956	±2.5	PASS
Band5	4132	4	VH	NT	0.36	0.000436	±2.5	PASS
Band5	4132	5	VL	NT	0.64	0.000774	±2.5	PASS
Band5	4132	5	VN	NT	0.70	0.000847	±2.5	PASS
Band5	4132	5	VH	NT	0.32	0.000387	±2.5	PASS
Band5	4182	1	VL	NT	0.58	0.000693	±2.5	PASS
Band5	4182	1	VN	NT	0.62	0.000741	±2.5	PASS
Band5	4182	1	VH	NT	0.73	0.000873	±2.5	PASS
Band5	4182	2	VL	NT	0.64	0.000765	±2.5	PASS
Band5	4182	2	VN	NT	0.52	0.000622	±2.5	PASS
Band5	4182	2	VH	NT	0.47	0.000562	±2.5	PASS

Band5	4182	3	VL	NT	0.18	0.000215	±2.5	PASS
Band5	4182	3	VN	NT	0.07	0.000084	±2.5	PASS
Band5	4182	3	VH	NT	0.59	0.000705	±2.5	PASS
Band5	4182	4	VL	NT	0.12	0.000143	±2.5	PASS
Band5	4182	4	VN	NT	0.57	0.000681	±2.5	PASS
Band5	4182	4	VH	NT	0.58	0.000693	±2.5	PASS
Band5	4182	5	VL	NT	0.29	0.000347	±2.5	PASS
Band5	4182	5	VN	NT	0.49	0.000586	±2.5	PASS
Band5	4182	5	VH	NT	0.42	0.000502	±2.5	PASS
Band5	4233	1	VL	NT	0.66	0.000780	±2.5	PASS
Band5	4233	1	VN	NT	0.48	0.000567	±2.5	PASS
Band5	4233	1	VH	NT	1.18	0.001394	±2.5	PASS
Band5	4233	2	VL	NT	0.49	0.000579	±2.5	PASS
Band5	4233	2	VN	NT	0.46	0.000543	±2.5	PASS
Band5	4233	2	VH	NT	0.74	0.000874	±2.5	PASS
Band5	4233	3	VL	NT	0.73	0.000862	±2.5	PASS
Band5	4233	3	VN	NT	0.69	0.000815	±2.5	PASS
Band5	4233	3	VH	NT	0.67	0.000791	±2.5	PASS
Band5	4233	4	VL	NT	0.36	0.000425	±2.5	PASS
Band5	4233	4	VN	NT	0.66	0.000780	±2.5	PASS
Band5	4233	4	VH	NT	0.41	0.000484	±2.5	PASS
Band5	4233	5	VL	NT	0.91	0.001075	±2.5	PASS
Band5	4233	5	VN	NT	0.65	0.000768	±2.5	PASS

Band5	4233	5	VH	NT	0.87	0.001028	±2.5	PASS
-------	------	---	----	----	------	----------	------	------

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	12.85	0.006937	±2.5	PASS
Band2	9262	1	NV	-20	12.65	0.006829	±2.5	PASS
Band2	9262	1	NV	0	12.96	0.006996	±2.5	PASS
Band2	9262	1	NV	10	12.85	0.006937	±2.5	PASS
Band2	9262	1	NV	20	12.29	0.006635	±2.5	PASS
Band2	9262	2	NV	-30	13.27	0.007164	±2.5	PASS
Band2	9262	2	NV	-20	12.72	0.006867	±2.5	PASS
Band2	9262	2	NV	0	12.67	0.006840	±2.5	PASS
Band2	9262	2	NV	10	12.88	0.006953	±2.5	PASS
Band2	9262	2	NV	20	12.58	0.006791	±2.5	PASS
Band2	9262	3	NV	-30	12.47	0.006732	±2.5	PASS
Band2	9262	3	NV	-20	13.21	0.007131	±2.5	PASS
Band2	9262	3	NV	0	13.40	0.007234	±2.5	PASS
Band2	9262	3	NV	10	13.30	0.007180	±2.5	PASS
Band2	9262	3	NV	20	13.11	0.007077	±2.5	PASS
Band2	9262	4	NV	-30	12.26	0.006618	±2.5	PASS
Band2	9262	4	NV	-20	12.85	0.006937	±2.5	PASS

Band2	9262	4	NV	0	12.02	0.006489	±2.5	PASS
Band2	9262	4	NV	10	12.45	0.006721	±2.5	PASS
Band2	9262	4	NV	20	11.52	0.006219	±2.5	PASS
Band2	9262	5	NV	-30	12.26	0.006618	±2.5	PASS
Band2	9262	5	NV	-20	12.60	0.006802	±2.5	PASS
Band2	9262	5	NV	0	12.51	0.006753	±2.5	PASS
Band2	9262	5	NV	10	13.23	0.007142	±2.5	PASS
Band2	9262	5	NV	20	13.16	0.007104	±2.5	PASS
Band2	9400	1	NV	-30	12.90	0.006862	±2.5	PASS
Band2	9400	1	NV	-20	12.97	0.006899	±2.5	PASS
Band2	9400	1	NV	0	12.84	0.006830	±2.5	PASS
Band2	9400	1	NV	10	13.13	0.006984	±2.5	PASS
Band2	9400	1	NV	20	12.35	0.006569	±2.5	PASS
Band2	9400	2	NV	-30	12.61	0.006707	±2.5	PASS
Band2	9400	2	NV	-20	13.21	0.007027	±2.5	PASS
Band2	9400	2	NV	0	12.33	0.006559	±2.5	PASS
Band2	9400	2	NV	10	12.95	0.006888	±2.5	PASS
Band2	9400	2	NV	20	12.82	0.006819	±2.5	PASS
Band2	9400	3	NV	-30	13.10	0.006968	±2.5	PASS
Band2	9400	3	NV	-20	13.53	0.007197	±2.5	PASS
Band2	9400	3	NV	0	12.96	0.006894	±2.5	PASS
Band2	9400	3	NV	10	13.21	0.007027	±2.5	PASS
Band2	9400	3	NV	20	12.74	0.006777	±2.5	PASS

Band2	9400	4	NV	-30	12.89	0.006856	±2.5	PASS
Band2	9400	4	NV	-20	13.10	0.006968	±2.5	PASS
Band2	9400	4	NV	0	12.87	0.006846	±2.5	PASS
Band2	9400	4	NV	10	12.37	0.006580	±2.5	PASS
Band2	9400	4	NV	20	12.67	0.006739	±2.5	PASS
Band2	9400	5	NV	-30	13.32	0.007085	±2.5	PASS
Band2	9400	5	NV	-20	13.30	0.007074	±2.5	PASS
Band2	9400	5	NV	0	13.50	0.007181	±2.5	PASS
Band2	9400	5	NV	10	13.15	0.006995	±2.5	PASS
Band2	9400	5	NV	20	13.70	0.007287	±2.5	PASS
Band2	9538	1	NV	-30	13.65	0.007156	±2.5	PASS
Band2	9538	1	NV	-20	13.40	0.007025	±2.5	PASS
Band2	9538	1	NV	0	12.99	0.006810	±2.5	PASS
Band2	9538	1	NV	10	14.08	0.007381	±2.5	PASS
Band2	9538	1	NV	20	13.24	0.006941	±2.5	PASS
Band2	9538	2	NV	-30	12.89	0.006757	±2.5	PASS
Band2	9538	2	NV	-20	13.11	0.006873	±2.5	PASS
Band2	9538	2	NV	0	13.46	0.007056	±2.5	PASS
Band2	9538	2	NV	10	13.14	0.006888	±2.5	PASS
Band2	9538	2	NV	20	13.20	0.006920	±2.5	PASS
Band2	9538	3	NV	-30	12.90	0.006762	±2.5	PASS
Band2	9538	3	NV	-20	12.32	0.006458	±2.5	PASS
Band2	9538	3	NV	0	13.14	0.006888	±2.5	PASS

Band2	9538	3	NV	10	13.36	0.007004	±2.5	PASS
Band2	9538	3	NV	20	13.18	0.006909	±2.5	PASS
Band2	9538	4	NV	-30	12.65	0.006631	±2.5	PASS
Band2	9538	4	NV	-20	13.58	0.007119	±2.5	PASS
Band2	9538	4	NV	0	13.19	0.006914	±2.5	PASS
Band2	9538	4	NV	10	14.68	0.007696	±2.5	PASS
Band2	9538	4	NV	20	12.92	0.006773	±2.5	PASS
Band2	9538	5	NV	-30	13.04	0.006836	±2.5	PASS
Band2	9538	5	NV	-20	13.58	0.007119	±2.5	PASS
Band2	9538	5	NV	0	13.00	0.006815	±2.5	PASS
Band2	9538	5	NV	10	13.33	0.006988	±2.5	PASS
Band2	9538	5	NV	20	13.19	0.006914	±2.5	PASS
Band4	1312	1	NV	-30	7.32	0.004275	±2.5	PASS
Band4	1312	1	NV	-20	6.99	0.004082	±2.5	PASS
Band4	1312	1	NV	0	7.71	0.004502	±2.5	PASS
Band4	1312	1	NV	10	7.46	0.004356	±2.5	PASS
Band4	1312	1	NV	20	7.64	0.004462	±2.5	PASS
Band4	1312	2	NV	-30	7.69	0.004491	±2.5	PASS
Band4	1312	2	NV	-20	7.85	0.004584	±2.5	PASS
Band4	1312	2	NV	0	7.37	0.004304	±2.5	PASS
Band4	1312	2	NV	10	7.19	0.004199	±2.5	PASS
Band4	1312	2	NV	20	7.71	0.004502	±2.5	PASS
Band4	1312	3	NV	-30	7.57	0.004421	±2.5	PASS

Band4	1312	3	NV	-20	7.72	0.004508	±2.5	PASS
Band4	1312	3	NV	0	7.85	0.004584	±2.5	PASS
Band4	1312	3	NV	10	7.40	0.004321	±2.5	PASS
Band4	1312	3	NV	20	7.62	0.004450	±2.5	PASS
Band4	1312	4	NV	-30	7.40	0.004321	±2.5	PASS
Band4	1312	4	NV	-20	7.75	0.004526	±2.5	PASS
Band4	1312	4	NV	0	7.57	0.004421	±2.5	PASS
Band4	1312	4	NV	10	7.55	0.004409	±2.5	PASS
Band4	1312	4	NV	20	7.82	0.004567	±2.5	PASS
Band4	1312	5	NV	-30	7.84	0.004578	±2.5	PASS
Band4	1312	5	NV	-20	8.15	0.004759	±2.5	PASS
Band4	1312	5	NV	0	7.95	0.004643	±2.5	PASS
Band4	1312	5	NV	10	7.77	0.004537	±2.5	PASS
Band4	1312	5	NV	20	8.03	0.004689	±2.5	PASS
Band4	1413	1	NV	-30	7.67	0.004427	±2.5	PASS
Band4	1413	1	NV	-20	7.85	0.004531	±2.5	PASS
Band4	1413	1	NV	0	7.82	0.004513	±2.5	PASS
Band4	1413	1	NV	10	7.64	0.004410	±2.5	PASS
Band4	1413	1	NV	20	7.55	0.004358	±2.5	PASS
Band4	1413	2	NV	-30	7.57	0.004369	±2.5	PASS
Band4	1413	2	NV	-20	8.04	0.004640	±2.5	PASS
Band4	1413	2	NV	0	7.62	0.004398	±2.5	PASS
Band4	1413	2	NV	10	7.45	0.004300	±2.5	PASS

Band4	1413	2	NV	20	7.60	0.004386	±2.5	PASS
Band4	1413	3	NV	-30	8.04	0.004640	±2.5	PASS
Band4	1413	3	NV	-20	7.82	0.004513	±2.5	PASS
Band4	1413	3	NV	0	7.39	0.004265	±2.5	PASS
Band4	1413	3	NV	10	7.78	0.004490	±2.5	PASS
Band4	1413	3	NV	20	7.53	0.004346	±2.5	PASS
Band4	1413	4	NV	-30	8.00	0.004617	±2.5	PASS
Band4	1413	4	NV	-20	8.42	0.004860	±2.5	PASS
Band4	1413	4	NV	0	7.55	0.004358	±2.5	PASS
Band4	1413	4	NV	10	7.14	0.004121	±2.5	PASS
Band4	1413	4	NV	20	7.58	0.004375	±2.5	PASS
Band4	1413	5	NV	-30	7.77	0.004485	±2.5	PASS
Band4	1413	5	NV	-20	7.55	0.004358	±2.5	PASS
Band4	1413	5	NV	0	7.62	0.004398	±2.5	PASS
Band4	1413	5	NV	10	7.34	0.004236	±2.5	PASS
Band4	1413	5	NV	20	8.22	0.004744	±2.5	PASS
Band4	1513	1	NV	-30	7.13	0.004068	±2.5	PASS
Band4	1513	1	NV	-20	7.75	0.004422	±2.5	PASS
Band4	1513	1	NV	0	7.39	0.004217	±2.5	PASS
Band4	1513	1	NV	10	7.98	0.004553	±2.5	PASS
Band4	1513	1	NV	20	7.60	0.004336	±2.5	PASS
Band4	1513	2	NV	-30	8.08	0.004610	±2.5	PASS
Band4	1513	2	NV	-20	7.62	0.004348	±2.5	PASS

Band4	1513	2	NV	0	7.35	0.004194	±2.5	PASS
Band4	1513	2	NV	10	7.57	0.004319	±2.5	PASS
Band4	1513	2	NV	20	7.67	0.004376	±2.5	PASS
Band4	1513	3	NV	-30	7.46	0.004257	±2.5	PASS
Band4	1513	3	NV	-20	8.02	0.004576	±2.5	PASS
Band4	1513	3	NV	0	8.03	0.004582	±2.5	PASS
Band4	1513	3	NV	10	7.90	0.004508	±2.5	PASS
Band4	1513	3	NV	20	7.91	0.004513	±2.5	PASS
Band4	1513	4	NV	-30	8.05	0.004593	±2.5	PASS
Band4	1513	4	NV	-20	7.55	0.004308	±2.5	PASS
Band4	1513	4	NV	0	8.07	0.004605	±2.5	PASS
Band4	1513	4	NV	10	7.44	0.004245	±2.5	PASS
Band4	1513	4	NV	20	8.07	0.004605	±2.5	PASS
Band4	1513	5	NV	-30	7.66	0.004371	±2.5	PASS
Band4	1513	5	NV	-20	7.92	0.004519	±2.5	PASS
Band4	1513	5	NV	0	7.87	0.004490	±2.5	PASS
Band4	1513	5	NV	10	7.23	0.004125	±2.5	PASS
Band4	1513	5	NV	20	8.01	0.004570	±2.5	PASS
Band5	4132	1	NV	-30	1.15	0.001392	±2.5	PASS
Band5	4132	1	NV	-20	0.90	0.001089	±2.5	PASS
Band5	4132	1	NV	0	0.92	0.001113	±2.5	PASS
Band5	4132	1	NV	10	1.10	0.001331	±2.5	PASS
Band5	4132	1	NV	20	0.95	0.001150	±2.5	PASS

Band5	4132	2	NV	-30	0.74	0.000895	±2.5	PASS
Band5	4132	2	NV	-20	0.76	0.000920	±2.5	PASS
Band5	4132	2	NV	0	0.89	0.001077	±2.5	PASS
Band5	4132	2	NV	10	0.79	0.000956	±2.5	PASS
Band5	4132	2	NV	20	0.33	0.000399	±2.5	PASS
Band5	4132	3	NV	-30	0.67	0.000811	±2.5	PASS
Band5	4132	3	NV	-20	0.91	0.001101	±2.5	PASS
Band5	4132	3	NV	0	0.59	0.000714	±2.5	PASS
Band5	4132	3	NV	10	0.77	0.000932	±2.5	PASS
Band5	4132	3	NV	20	0.85	0.001029	±2.5	PASS
Band5	4132	4	NV	-30	0.79	0.000956	±2.5	PASS
Band5	4132	4	NV	-20	0.76	0.000920	±2.5	PASS
Band5	4132	4	NV	0	0.79	0.000956	±2.5	PASS
Band5	4132	4	NV	10	0.31	0.000375	±2.5	PASS
Band5	4132	4	NV	20	0.39	0.000472	±2.5	PASS
Band5	4132	5	NV	-30	0.55	0.000666	±2.5	PASS
Band5	4132	5	NV	-20	0.47	0.000569	±2.5	PASS
Band5	4132	5	NV	0	0.36	0.000436	±2.5	PASS
Band5	4132	5	NV	10	0.35	0.000424	±2.5	PASS
Band5	4132	5	NV	20	0.33	0.000399	±2.5	PASS
Band5	4182	1	NV	-30	0.53	0.000634	±2.5	PASS
Band5	4182	1	NV	-20	0.54	0.000646	±2.5	PASS
Band5	4182	1	NV	0	0.06	0.000072	±2.5	PASS

Band5	4182	1	NV	10	0.24	0.000287	±2.5	PASS
Band5	4182	1	NV	20	0.29	0.000347	±2.5	PASS
Band5	4182	2	NV	-30	0.39	0.000466	±2.5	PASS
Band5	4182	2	NV	-20	0.19	0.000227	±2.5	PASS
Band5	4182	2	NV	0	0.23	0.000275	±2.5	PASS
Band5	4182	2	NV	10	0.51	0.000610	±2.5	PASS
Band5	4182	2	NV	20	0.53	0.000634	±2.5	PASS
Band5	4182	3	NV	-30	0.40	0.000478	±2.5	PASS
Band5	4182	3	NV	-20	0.57	0.000681	±2.5	PASS
Band5	4182	3	NV	0	0.34	0.000407	±2.5	PASS
Band5	4182	3	NV	10	0.51	0.000610	±2.5	PASS
Band5	4182	3	NV	20	0.22	0.000263	±2.5	PASS
Band5	4182	4	NV	-30	0.55	0.000658	±2.5	PASS
Band5	4182	4	NV	-20	0.50	0.000598	±2.5	PASS
Band5	4182	4	NV	0	0.97	0.001160	±2.5	PASS
Band5	4182	4	NV	10	0.62	0.000741	±2.5	PASS
Band5	4182	4	NV	20	0.39	0.000466	±2.5	PASS
Band5	4182	5	NV	-30	0.87	0.001040	±2.5	PASS
Band5	4182	5	NV	-20	0.64	0.000765	±2.5	PASS
Band5	4182	5	NV	0	0.67	0.000801	±2.5	PASS
Band5	4182	5	NV	10	0.93	0.001112	±2.5	PASS
Band5	4182	5	NV	20	0.56	0.000670	±2.5	PASS
Band5	4233	1	NV	-30	0.42	0.000496	±2.5	PASS

Band5	4233	1	NV	-20	0.92	0.001087	±2.5	PASS
Band5	4233	1	NV	0	0.72	0.000850	±2.5	PASS
Band5	4233	1	NV	10	0.29	0.000343	±2.5	PASS
Band5	4233	1	NV	20	0.72	0.000850	±2.5	PASS
Band5	4233	2	NV	-30	0.72	0.000850	±2.5	PASS
Band5	4233	2	NV	-20	0.21	0.000248	±2.5	PASS
Band5	4233	2	NV	0	0.62	0.000732	±2.5	PASS
Band5	4233	2	NV	10	0.71	0.000839	±2.5	PASS
Band5	4233	2	NV	20	0.91	0.001075	±2.5	PASS
Band5	4233	3	NV	-30	0.80	0.000945	±2.5	PASS
Band5	4233	3	NV	-20	0.94	0.001110	±2.5	PASS
Band5	4233	3	NV	0	0.99	0.001169	±2.5	PASS
Band5	4233	3	NV	10	0.82	0.000969	±2.5	PASS
Band5	4233	3	NV	20	0.74	0.000874	±2.5	PASS
Band5	4233	4	NV	-30	0.79	0.000933	±2.5	PASS
Band5	4233	4	NV	-20	0.46	0.000543	±2.5	PASS
Band5	4233	4	NV	0	1.09	0.001288	±2.5	PASS
Band5	4233	4	NV	10	0.59	0.000697	±2.5	PASS
Band5	4233	4	NV	20	0.39	0.000461	±2.5	PASS
Band5	4233	5	NV	-30	0.57	0.000673	±2.5	PASS
Band5	4233	5	NV	-20	0.68	0.000803	±2.5	PASS
Band5	4233	5	NV	0	0.49	0.000579	±2.5	PASS
Band5	4233	5	NV	10	0.50	0.000591	±2.5	PASS

Band5	4233	5	NV	20	0.69	0.000815	±2.5	PASS
-------	------	---	----	----	------	----------	------	------

END OF REPORT