

Manual

Manufacture's Name: HEALTH DEVICES CORPORATION DBA DOC JOHNSON ENTERPRISES

Product Name : PANTYVIBE WITH REMOTE CONTROL	Model Name:MU-5000-06
--	-----------------------

over view	Product appearance, function, and selling point brief introduction: slapping+vibrating G-point wearable massager This vibration product is composed of a main liner, silicone sleeve, circuit board, battery, and motor. There are 10 modes of circuit board control. Usage: Long press for 2 seconds to turn on/off the product host, short press to switch gears, cycle switching, remote control+key short press to switch down to 10 gears, - key short press to switch back to 10 gears. Long press the+or - sign for 2 seconds to pause the host. Short press the+or - sign again to resume operation. The charging method is magnetic charging.		
	product	remote control	Dimension: 92*44*25mm Product weight:74g
Product image			

manual	Host on/off: Press and hold for 2 seconds to turn on/off +Key: Control 10 gears to switch down and briefly press for 2 seconds to pause -Key: Control 10 gears to switch back and forth. Short press for 2 seconds to pause Charging indicator light: Breathing flashing		
	working voltage	3.7v	
	battery	3v	
	charging time	2h	
	Continuous working hours	1h	

Remarks:

1. Please fill in the waterproof grade according to the grade standard, and do not fill in "domestic waterproof". The waterproof level standards are as follows:

IPX-0 does not have waterproof protection

IPX-1 device can provide waterproof protection equivalent to 3-5 millimeters per minute of rainfall for 10 minutes under normal operating conditions.

IPX-2 level is basically the same as IPX-1, but it can pass waterproof testing with a 15 degree upward tilt in all directions.

The IPX-3 splashing waterproof protection at a 60 degree angle provides waterproof protection at a flow rate of 10 liters/second for 2-5 minutes and a pressure of 80-100n/m.

The IPX-4 level is basically the same as IPX-3, but it can provide all-round and angle splash waterproof protection.

IPX-5 provides comprehensive and angular waterproof protection, providing a flow rate of 12.5 liters/second for 2-3 minutes and a pressure of 30n/m. The waterproof protection of

IPX-6 waves can withstand a depth of 3 meters underwater for 2-3 minutes, a flow rate of 100 liters/minute, and a pressure of 100n/m.

IPX-7 can soak for 30 minutes at 1 meter underwater.

IPX-8 is completely waterproof and can be used continuously in water for a long time.

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- (1) This device may not cause interference.
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

RF exposure statement:

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

L'appareil ne doit pas produire de brouillage;

L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

Déclaration d'exposition RF:

L'appareil a été évalué pour répondre aux exigences générales d'exposition aux RF. L'appareil peut être utilisé sans restriction dans des conditions d'exposition portables.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note :

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation . This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instruction, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Warning: changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment

The devices has been evaluated to meet general RF exposure requirement , the device can be used in Portable exposure condition without restriction