



## Interface Introduction



## Connection Guide



The Synido LiveDock A20 is a portable instrument recording audio interface with a dual-core chip and a high-performance 32-bit DSP core. It features independent high-performance AD/DA conversion supporting 24-bit, 96 kHz audio sampling.

Plug and play, compatible with phones/computers

Supports high-definition stereo recording

BT wireless accompaniment

Built-in speaker and monitoring

Bluetooth 5.0 Wireless Accompaniment

### Product Specification

Product Category: Instrument Recording Audio Interface
Product Model: Synido Live Dock A20
Product Size: 85*63*20mm
Product Weight: 80g
Package list: Live Dock A20 *1, User Manual *1, 3.5mm Audio Cable *1, 6.35mm adapter *1, Certificate of Conformity *1
Input: Live Dock A20 *1, Operating temperature: -20~85°C

For more FAQ, visit Support Center: [Synido.com/support](https://synido.com/support) or scan the QR code

or email us through [cs@synido.com](mailto:cs@synido.com)

WORKING TIME: 9:00 - 18:00 ( MONDAY TO FRIDAY, GMT+8 )



### FCC regulatory conformance :

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

{1}This device may not cause harmful interference.

{2}This device must accept any interference received, including interference that may cause undesired operation.

### NOTE:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

### NOTE:

The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

### RF Exposure

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.


# Synido

## 快速连接指南 Quick Start Guide


# Live Dock<sup>A20</sup>

Audio Adapter/ 音频扩展坞

## 接口介绍



## 连接指南



Synido LiveDock A20一款便携式乐器内录转换器。内置双核芯片，高性能 32 位 DSP 内核。独立AD/DA转换，支持24-bit, 96 kHz音频采样。

即连即用，兼容手机/电脑

支持高清立体声录制

蓝牙无线伴奏

配置内录及监听耳返

支持乐器增益调节

### 产品信息

产品类目：乐器内录转换器
产品型号：Synido Live dock A20
产品尺寸：85*63*20mm
产品重量：80g
产品清单：产品主机 * 1，说明书 * 1，3.5mm音频线 * 1，6.35转接头* 1，合格证 * 1
输入：5V~2A 使用温度：-20~85℃

若您有任何售后问题，微信扫描下方二维码，联系官方客服：

Synido小助手

工作时间：

10:00-19:00(周一至周五)



# Synido

Follow us for the latest news:

Synido.com

@synidotech

@Synido\_Official

关注我们，最新资讯、活动一网打尽：



哔哩哔哩  
Synido森林岛



小红书  
Synido森林岛



微信公众号  
Synido森林岛