

TEST REPORT

Product Name : Wall light Remote control
Model Number : RS-W32, RS-W31, RS-W33
FCC ID : 2BA8Q-RS-W32

Prepared for : NINGBO JIANGBEI REALSHINE ELECTRONICS CO. , LTD
Address : 4F, 1 Building, No.6 Hongxing Rd, Hongtang Street, Jiangbei District, Ningbo City
Prepared by : EMTEK (DONGGUAN) CO., LTD.
Address : -1&2F., Building 2, Zone A, Zhongda Marine Biotechnology Research and Development Base, No. 9, Xincheng Avenue, Songshanlu High-technology Industrial Development Zone, Dongguan, Guangdong, China
Tel : +86-0769-22807078
Fax: +86-0769-22807079

Report Number : EDG2304100024E01402R
Date(s) of Tests : May 23, 2023 to May 28, 2023
Date of Issue : June 13, 2023

TABLE OF CONTENT

TEST REPORT.....	1
1. FACILITIES AND ACCREDITATIONS.....	5
1.1. TEST FACILITY.....	5
1.2. LABORATORY ACCREDITATIONS AND LISTINGS.....	5
2. GENERAL PRODUCT INFORMATION.....	6
3. LIMIT.....	7
4. TEST RESULTS.....	8



Test Report Description

Applicant : NINGBO JIANGBEI REALSHINE ELECTRONICS CO. , LTD
Address : 4F, 1 Building, No.6 Hongxing Rd, Hongtang Street, Jiangbei District, Ningbo City
Manufacturer : NINGBO JIANGBEI REALSHINE ELECTRONICS CO. , LTD
Address : 4F, 1 Building, No.6 Hongxing Rd, Hongtang Street, Jiangbei District, Ningbo City
EUT : Wall light Remote control
Model Name : RS-W32, RS-W31, RS-W33
Trademark : N/A


The device described above is tested by EMTEK (DONGGUAN) CO., LTD. to determine the maximum emission levels emanating from the device and the severe levels of the device can endure and its performance criterion. This report shows the EUT to be technically compliant with the FCC 1.1310 and KDB 447498 D01 General RF Exposure Guidance v07 requirements. The test results are contained in this report and EMTEK (DONGGUAN) CO., LTD. is assumed full responsibility for the accuracy and completeness of these tests.

This report applies to above tested sample only and shall not be reproduced in part without written approval of EMTEK (DONGGUAN) CO., LTD.


Date of Test : May 23, 2023 to May 28, 2023



Prepared by : Warren deng /Engineer



Reviewer : Tim Dong /Supervisor



Sam Lv /Manager

Approved & Authorized Signer : 

Modified Information

Version	Report No.	Revision Date	Summary
/	EDG2304100024E01402R	/	Original Report



1. Facilities And Accreditations

1.1. Test Facility

All measurement facilities used to collect the measurement data are located at

-1&2F., Building 2, Zone A, Zhongda Marine Biotechnology Research and Development Base, No. 9, Xincheng Avenue, Songshanhu High-technology Industrial Development Zone, Dongguan, Guangdong, China

The sites are constructed in conformance with the requirements of ANSI C63.7, ANSI C63.4 and CISPR Publication 32.

1.2. LABORATORY ACCREDITATIONS AND LISTINGS

Site Description

EMC Lab. : Accredited by CNAS, 2020.08.27
The certificate is valid until 2024.07.05
The Laboratory has been assessed and proved to be in compliance with CNAS/CL01:2018
The Certificate Registration Number is L3150

Designation by FCC

Designation Number: CN1300
Test Firm Registration Number: 945551

Accredited by A2LA, April 05, 2021

The Certificate Registration Number is 4321.02

Accredited by Industry Canada

The Certificate Registration Number is CN0113

Name of Firm

: EMTEK (DONGGUAN) CO., LTD.

Site Location

: -1&2F., Building 2, Zone A, Zhongda Marine Biotechnology Research and Development Base, No. 9, Xincheng Avenue, Songshanhu High-technology Industrial Development Zone, Dongguan, Guangdong, China

2. General Product Information

Characteristics	Description
Product:	Wall light Remote control
Model Number:	RS-W32, RS-W31, RS-W33 Note: RS-W31 and RS-W33 are only named differently, and other designs such as schematic PCB are all the same. The RS-W32 has one more button than the other two models, and other designs such as the schematic PCB are all the same. We chose RS-W32 for RF testing.
Sample Number:	EDG2304100024E014-1-1
Modulation:	FSK modulation
Operating Frequency:	433.92MHz
Number of Channels:	1 channel
Max Transmit Power:	43.19 dBuV/m
Antenna Type :	PCB Antenna
Antenna Gain:	0.0 dBi
Power supply:	DC 3V for Battery
Temperature Range:	-40°C ~ +85°C
Date of Received:	April 10, 2023

Note: for more details, please refer to the User's manual of the EUT.

3. Limit

According to §15.249(i) and §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the Commission's guidelines.

According to KDB447498 D01 General RF Exposure Guidance V07

The 1-g and 10-g SAR test exclusion thresholds for 100 MHz to 6 GHz at test separation distances \leq 50 mm are determined by:

$[(\text{max. power of channel, including tune-up tolerance, mW}) / (\text{min. test separation distance, mm})] * [\sqrt{f(\text{GHz})}] \leq 3.0$ for 1-g SAR and ≤ 7.5 for 10-g extremity SAR, where

$f(\text{GHz})$ is the RF channel transmit frequency in GHz;

Power and distance are rounded to the nearest mW and mm before calculation;

The result is rounded to one decimal place for comparison;

The test exclusions are applicable only when the minimum test separation distance is \leq 50 mm and for transmission frequencies between 100 MHz and 6 GHz. When the minimum test separation distance is $<$ 5 mm, a distance of 5 mm is applied to determine SAR test exclusion.

We use 5mm as separation distance to calculate.

4. Test Results

Maximum measured transmitter power:

$$\text{EIRP} = E + 20\log(d) - 104.7 = 43.19 + 9.54 - 104.7 = -51.97 \text{ dBm}$$

Transmit Frequency (MHz)	Mode	EIRP Power (dBm)	tune up maximum power(dBm)	Result calculation	1-g SAR
433.92	FSK	-51.97 dBm	-51.0	0.0000024	3

Conclusion:

For the max result : $0.0000024 \leq 3.0$ for 1-g SAR extremity SAR, No SAR is required.

*** End of Report ***

声 明 Statement

1. 本报告无授权批准人签字及“检验报告专用章”无效；

This report will be void without authorized signature or special seal for testing report.

2. 未经许可本报告不得部分复制；

This report shall not be copied partly without authorization.

3. 本报告的检测结果仅对送测样品有效，委托方对样品的代表性和资料的真实性负责；

The test results or observations are applicable only to tested sample. Client shall be responsible for representativeness of the sample and authenticity of the material.

4. 本检测报告中检测项目标注有特殊符号则该项目不在资质认定范围内，仅作为客户委托、科研、教学或内部质量控制等目的使用；

The observations or tests with special mark fall outside the scope of accreditation, and are only used for purpose of commission, research, training, internal quality control etc.

5. 本检测报告以实测值进行符合性判定，未考虑不确定度所带来的风险，本实验室不承担相关责任，特别约定、标准或规范中有明确规定的除外；

The test results or observations are provided in accordance with measured value, without taking risks caused by uncertainty into account. Without explicit stipulation in special agreements, standards or regulations, EMTEK shall not assume any responsibility.

6. 对本检测报告若有异议，请于收到报告之日起 20 日内提出；

Objections shall be raised within 20 days from the date receiving the report.