

Antenna Specification


Specifications

Summary

ITEM	SPEC.
Model Name	
Center Frequency	2405MHz -1.60dBi 2450MHz -3.00dBi 2470MHz -2.7dBi
MAX. GAIN	-1.6 dBi
Polarization	Horizontal
Azimuth Beam Pattern	Omni-directional
Impedance	50 Ω

AntennaPhoto&Length (mm)


Ant Manufacturer	:	Dongguanshi Shunjinrun Dianzikeji Youxiangongsi
Address	:	jiumingcunlu 22hao 101fang zhangmutou zhen dongguan city guangdong 523617, China



1. Main antenna : 2405MHz

1.1

Horizontal




Frequency (MHZ) : 2405 Antenna Polarity: Horizontal

Maximum Value (dBi) : -1. 6

Average Gain (dBi) : -1. 4

Minimum Gain (dBi) : -61. 26

1.2 Vertical



Frequency (MHZ) : 2405 Antenna Polarity: Vertical


Maximum Value (dBi) : -2.85

Average Gain (dBi) : -12

Minimum Gain (dBi) : -64

2. Main antenna : 2450 MHz

2.1 Horizontal




Frequency (MHZ) : 2450 Antenna Polarity: Horizontal

Maximum Value (dBi) : -2.6

Average Gain (dBi) : -5.4

Minimum Gain (dBi) : -60

2.2 Vertical



Frequency(MHZ) : 2450 Antenna Polarity: Vertical


Maximum Value (dBi) : -2.6

Average Gain (dBi) : -10.1

Minimum Gain (dBi) : -54

3. Main antenna : 2470MHz

2.1 Horizontal




Frequency(MHZ) : 2480 Antenna Polarity: Horizontal

Maximum Value(dBi) : -3

Average Gain(dBi) : -4.6

Minimum Gain(dBi) : -52

2.2 Vertical



Frequency(MHZ) : 2470 Antenna Polarity: Vertical

Maximum Value (dBi) : -3

Average Gain (dBi) : -11

Minimum Gain (dBi) : -50