



深圳市飞敏科技有限公司

ShenZhen City FeiMin Technology CO.,LTD.

产品承认书

SPECIFICATION FOR APPROVED

客户

CUSTOMER: _____

产品名称

PRODUCTS: _____ U段天线 /U-segment antenna

客户料号

PART NO: _____

产品型号

Spec.: _____ FM-S1912 - U段

日期

Data: _____ 2021.12.08

供应商		
SUPPLIER		
拟制 PREPARED BY	审核 CHECKED BY	批准 APPROVED BY
杨轩	夏兴喜	马冬冬

客户		
CUSTOMER		
承认 ACCEPTED BY	审核 CHECKED BY	批准 APPROVED BY

备注：承认盖章后请回复一份承认书（或复印件）给我司，其余由贵公司存档

REMARK: Please send us one(or copy) of this approval with stamp after accepting, other _____ copies filed by the customer.

地址：深圳市宝安区西乡街道固戍社区恒南一路 C栋厂房 303室

ADD: Room 303, Building C, Hengnan one Road, Gushu community, Xixiang Street, Bao'an District, Shenzhen City

电话 Tel: 0755 - 23035723

传真 Fax: 0755- 23036702

邮箱 E-mail: ant0_01@fmant.cn

网址 HTTP www.fmant.cn

目录

产品承认书	1
1. 项目信息 Project Information.....	2
1.1. 外观尺寸 Appearance and Dimensions.....	2
2. 电气性能 Electrical Characteristics.....	3.
2.1. 测试环境条件 Test Environment Conditions.....	3
2.2. 测试方法 Measurement method.....	3.
2.2. 天线参数 Pictorial view.....	3
3. 备注 Notes.....	3
4. 产品包装规范 Product packaging specification.....	4

ANTENNA SPECIFICATION

Revision history

版本	日期	状态
A1	2022- 2- 23	首版

Change content:

First change:


Before change: (Please add corresponding pictures if necessary, and the change details here should be described clearly)

After the change: (Please add corresponding pictures if necessary, and the change details here should be described clearly)

ANTENNA SPECIFICATION

1. 项目信息 Project Information

1.1. 外观尺寸 Appearance and Dimensions




2. 电气性能 Electrical Characteristics

2.1. 测试环境条件 Test Environment Conditions

温度 Temperature	Ordinary Temperature (5 to 35 °C)
湿度 Humidity	Ordinary Humidity (25 to 85% RH)

2.2. 测试方法 Measurement method



2.2. 天线参数 Pictorial view

天线的主要参数 Main Technical Specifications				
频段 (MHz) Frequency Range	阻抗 (Ω) Impedence	极化方式 Polarization mode	匹配网络 Matching network	Antenna Gain 天线增益
UHF	50	线极化 Line polarization	π 型	1dBi

3. 备注 Notes

1、安装时注意不能离金属部分太近，以避免影响天线性能。
2、此款天线只适用此机型，天线的位置不可以随意改动，若用于其它机器上导致效果变差，与我司无关。

1. Do not install too close to the metal part to avoid affecting the antenna performance.
- 2.This antenna is only applicable to this model. The position of the antenna can not be changed at will. If it is used on other machines, it has nothing to do with our company.

4. 产品包装规范 Product packaging specification

产品名称: U段天线

天线形式: 金属导线

一、标签要求

内标签长 7CM, 宽 4CM左右

外标签长 7CM, 5CM左右


供 应 商	深圳市飞敏科技有限公司
产品名称	*****
物料编码	*****
规格型号	*****
数 量	***PCS

客户名称			
供 应 商	深圳市飞敏科技有限公司		
订单编号	*****		
物料编码	*****		
规格型号	*****	产品名称	*****
数 量	*****PCS	检 验	
备 品	***PCS	备 注	

二、Packing process

Operation instructions:

1. Products___ PCS shall be packed in PE open bags, and each small bag shall be properly labeled; Will___ The small bag is put into the large PE sealing tape bag, excluding the tail and spare parts.
2. Each box___ For large bag products, the box shall be sealed with adhesive tape in "I" shape.
3. The outer label shall be pasted on the upper right corner of the box, and there shall be no missing or wrong filling.



三、Precautions

When packing, pay attention to place the antenna flat, and there shall be no serious shaking after sealant sealing. If the whole box is not filled, it shall be filled with foam to avoid defective products during transportation.