

Appendix

Test Data

for BTEK250606005AE004

Start date	2025/6/19	Finish date	2025/6/19
Temperature	23.0℃	Humidity	50%
RF specifications	5.8G WIFI	Test Engineer	Zora




Table of Contents

1. -6dB Emission Bandwidth.....	3
2. -26dB and 99% Emission Bandwidth.....	13
3. Duty Cycle.....	32
4. Maximum Conducted Output Power	42
5. Power Spectral Density.....	52
6. Bandedge.....	62
7. Spurious Emission.....	70
8. Frequency Stability	80





1. -6dB Emission Bandwidth



Condition	Antenna	Mode	Frequency(MHz)	-6dB_Emission_Bandwidth(MHz)	Limit(MHz)	Result
NVNT	ANT1	802.11a	5745.00	16.442	0.500	Pass
NVNT	ANT1	802.11a	5785.00	16.448	0.500	Pass
NVNT	ANT1	802.11a	5825.00	16.445	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	17.694	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	17.692	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	17.694	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	17.695	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	17.696	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	17.695	0.500	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	19.178	0.500	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	19.176	0.500	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	19.177	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	36.484	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	36.477	0.500	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	36.486	0.500	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	36.491	0.500	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	38.268	0.500	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	38.270	0.500	Pass




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11a_5785_20M













-6dB Emission Bandwidth_NVNT_ANT1_802_11ac(VHT20)_5745_20M




-6dB Emission Bandwidth_NVNT_ANT1_802_11ac(VHT20)_5785_20M










-6dB Emission Bandwidth_NVNT_ANT1_802_11ax(HE20)_5785_20M




-6dB Emission Bandwidth_NVNT_ANT1_802_11ax(HE20)_5825_20M










-6dB Emission Bandwidth_NVNT_ANT1_802_11ac(VHT40)_5755_40M



-6dB Emission Bandwidth_NVNT_ANT1_802_11ac(VHT40)_5795_40M














2. -26dB and 99% Emission Bandwidth



Condition	Antenna	Modulation	Frequency(MHz)	-26dB Emission Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5745.00	16.93	16.39
NVNT	ANT1	802.11a	5785.00	16.93	16.40
NVNT	ANT1	802.11a	5825.00	16.93	16.39
NVNT	ANT1	802.11n(HT20)	5745.00	18.29	17.66
NVNT	ANT1	802.11n(HT20)	5785.00	18.23	17.65
NVNT	ANT1	802.11n(HT20)	5825.00	18.21	17.65
NVNT	ANT1	802.11ac(VHT20)	5745.00	18.28	17.66
NVNT	ANT1	802.11ac(VHT20)	5785.00	18.20	17.64
NVNT	ANT1	802.11ac(VHT20)	5825.00	18.18	17.64
NVNT	ANT1	802.11ax(HE20)	5745.00	19.70	19.11
NVNT	ANT1	802.11ax(HE20)	5785.00	19.67	19.11
NVNT	ANT1	802.11ax(HE20)	5825.00	19.68	19.11
NVNT	ANT1	802.11n(HT40)	5755.00	51.20	36.34
NVNT	ANT1	802.11n(HT40)	5795.00	51.25	36.33
NVNT	ANT1	802.11ac(VHT40)	5755.00	37.45	36.24
NVNT	ANT1	802.11ac(VHT40)	5795.00	37.46	36.24
NVNT	ANT1	802.11ax(HE40)	5755.00	39.23	37.93
NVNT	ANT1	802.11ax(HE40)	5795.00	39.19	37.90



































































3. Duty Cycle



Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5745.00	100	0.00
NVNT	ANT1	802.11a	5785.00	100	0.00
NVNT	ANT1	802.11a	5825.00	100	0.00
NVNT	ANT1	802.11n(HT20)	5745.00	100	0.00
NVNT	ANT1	802.11n(HT20)	5785.00	100	0.00
NVNT	ANT1	802.11n(HT20)	5825.00	100	0.00
NVNT	ANT1	802.11ac(VHT20)	5745.00	100	0.00
NVNT	ANT1	802.11ac(VHT20)	5785.00	100	0.00
NVNT	ANT1	802.11ac(VHT20)	5825.00	100	0.00
NVNT	ANT1	802.11ax(HE20)	5745.00	100	0.00
NVNT	ANT1	802.11ax(HE20)	5785.00	100	0.00
NVNT	ANT1	802.11ax(HE20)	5825.00	100	0.00
NVNT	ANT1	802.11n(HT40)	5755.00	100	0.00
NVNT	ANT1	802.11n(HT40)	5795.00	100	0.00
NVNT	ANT1	802.11ac(VHT40)	5755.00	100	0.00
NVNT	ANT1	802.11ac(VHT40)	5795.00	100	0.00
NVNT	ANT1	802.11ax(HE40)	5755.00	100	0.00
NVNT	ANT1	802.11ax(HE40)	5795.00	100	0.00

Duty_Cycle_NVNT_ANT1_802_11a_5745





Duty_Cycle_NVNT_ANT1_802_11a_5785







Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5745







Duty Cycle NVNT_ANT1_802_11n(HT20)_5825







Duty Cycle NVNT_ANT1_802_11ac(VHT20)_5785







Duty Cycle NVNT_ANT1_802_11ax(HE20)_5745







Duty Cycle NVNT_ANT1_802_11ax(HE20)_5825







Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5795






Duty Cycle NVNT_ANT1_802_11ac(VHT40)_5795






Duty Cycle_NVNT_ANT1_802_11ax(HE40)_5795







4. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	7.93	0.00	7.93	30	Pass
NVNT	ANT1	802.11a	5785.00	8.18	0.00	8.18	30	Pass
NVNT	ANT1	802.11a	5825.00	8.01	0.00	8.01	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	7.97	0.00	7.97	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	8.18	0.00	8.18	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	8.05	0.00	8.05	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	6.93	0.00	6.93	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	7.77	0.00	7.77	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	7.63	0.00	7.63	30	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	6.00	0.00	6.00	30	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	6.31	0.00	6.31	30	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	5.87	0.00	5.87	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	7.87	0.00	7.87	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	7.93	0.00	7.93	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	7.68	0.00	7.68	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	7.60	0.00	7.60	30	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	6.05	0.00	6.05	30	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	6.13	0.00	6.13	30	Pass





Maximum Conducted Output Power NVNT ANT1 802.11a 5785






Maximum Conducted Output Power NVNT_ANT1_802_11n(HT20)_5745






Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5825






Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5745




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5785







Maximum Conducted Output Power_NVNT_ANT1_802_11ac(VHT20)_5825





Maximum Conducted Output Power_NVNT_ANT1_802_11ax(HE20)_5745






Maximum Conducted Output Power_NVNT_ANT1_802_11ax(HE20)_5825






Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5795







Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5755




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5795





Maximum Conducted Output Power_NVNT_ANT1_802_11ax(HE40)_5795






5. Power Spectral Density


Condition	Antenna	Modulation	Frequency (MHz)	PSD_SA(dBm/RBW)	Duty factor(dB)	RB factor(dB)	PSD(dBm/500k Hz)	limit(dBm/500k Hz)	Result
NVNT	ANT1	802.11a	5745.00	-6.83	0.00	-0.09	-6.92	30	Pass
NVNT	ANT1	802.11a	5785.00	-6.63	0.00	-0.09	-6.72	30	Pass
NVNT	ANT1	802.11a	5825.00	-6.68	0.00	-0.09	-6.76	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	-7.19	0.00	-0.09	-7.27	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	-6.91	0.00	-0.09	-7.00	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	-6.93	0.00	-0.09	-7.02	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	-8.17	0.00	-0.09	-8.26	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	-7.32	0.00	-0.09	-7.40	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	-7.41	0.00	-0.09	-7.49	30	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	-10.09	0.00	-0.09	-10.18	30	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	-9.60	0.00	-0.09	-9.68	30	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	-10.26	0.00	-0.09	-10.35	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	-10.26	0.00	-0.09	-10.34	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	-10.18	0.00	-0.09	-10.27	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	-10.53	0.00	-0.09	-10.61	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	-10.49	0.00	-0.09	-10.57	30	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	-12.92	0.00	-0.09	-13.01	30	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	-12.89	0.00	-0.09	-12.97	30	Pass


Power Spectral Density_NVNT_ANT1_802_11a_5745



Power Spectral Density_NVNT_ANT1_802_11a_5785








Power Spectral Density NVNT_ANT1_802_11n(HT20)_5825






Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5785






Power Spectral Density NVNT ANT1_802_11ax(HE20)_5745






Power Spectral Density_NVNT_ANT1_802_11ax(HE20)_5785





Power Spectral Density_NVNT_ANT1_802_11ax(HE20)_5825







Power Spectral Density NVNT_ANT1_802_11n(HT40)_5795






Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5795





Power Spectral Density NVNT ANT1_802_11ax(HE40)_5795







6. Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Frequency Area(MHz)	Frequency(MHz)	Amplitude(dBm)	Limit(dBm)	Result
NVNT	ANT1	802.11a	LCH	5565-5655	5578.680	-48.95	-27.00	Pass
NVNT	ANT1	802.11a	LCH	5655-5700	5665.935	-48.30	-18.01	Pass
NVNT	ANT1	802.11a	LCH	5700-5720	5705.780	-47.19	11.62	Pass
NVNT	ANT1	802.11a	LCH	5720-5725	5721.905	-42.33	19.94	Pass
NVNT	ANT1	802.11a	HCH	5850-5855	5851.750	-48.00	23.01	Pass
NVNT	ANT1	802.11a	HCH	5855-5875	5873.060	-48.67	10.54	Pass
NVNT	ANT1	802.11a	HCH	5875-5920	5911.675	-49.22	-20.16	Pass
NVNT	ANT1	802.11a	HCH	5920-6005	5967.430	-44.45	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5565-5655	5588.760	-48.58	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5655-5700	5697.210	-46.35	7.71	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5700-5720	5711.540	-42.21	13.23	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5720-5725	5721.440	-38.97	18.88	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5850-5855	5854.920	-47.12	15.78	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5855-5875	5872.360	-47.49	10.74	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5875-5920	5918.470	-49.09	-25.74	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5920-6005	5993.865	-45.23	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5565-5655	5569.230	-48.43	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5655-5700	5657.340	-49.38	-25.08	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5700-5720	5704.920	-47.94	11.38	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5720-5725	5724.130	-40.90	25.02	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5850-5855	5854.775	-48.79	16.11	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5855-5875	5868.020	-48.97	11.95	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5875-5920	5918.740	-49.47	-25.96	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5920-6005	5992.250	-44.74	-27.00	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5565-5655	5576.250	-48.38	-27.00	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5655-5700	5655.675	-49.00	-26.44	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5700-5720	5719.920	-38.71	15.58	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5720-5725	5721.580	-36.14	19.20	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5850-5855	5851.020	-46.12	24.67	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5855-5875	5873.700	-47.88	10.36	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5875-5920	5919.640	-49.62	-26.70	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5920-6005	5927.140	-45.29	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5595-5655	5638.560	-49.34	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5655-5700	5695.230	-41.82	6.08	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5700-5720	5717.140	-37.35	14.80	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5720-5725	5724.825	-35.33	26.60	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5850-5855	5850.020	-38.73	26.95	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5855-5875	5856.320	-40.04	15.23	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5875-5920	5918.020	-49.53	-25.37	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5920-5955	5948.735	-44.87	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5595-5655	5628.720	-49.04	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5655-5700	5668.905	-49.63	-15.57	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5700-5720	5717.720	-43.55	14.96	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5720-5725	5720.275	-45.83	16.23	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5850-5855	5853.665	-48.48	18.64	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5855-5875	5870.620	-49.08	11.23	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5875-5920	5917.435	-49.28	-24.89	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5920-5955	5928.225	-45.09	-27.00	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5595-5655	5598.180	-49.31	-27.00	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5655-5700	5660.985	-49.52	-22.08	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5700-5720	5719.020	-39.15	15.33	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5720-5725	5722.325	-38.95	20.90	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5850-5855	5854.835	-49.34	15.98	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5855-5875	5873.140	-49.36	10.52	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5875-5920	5919.055	-49.41	-26.22	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5920-5955	5946.250	-44.79	-27.00	Pass



Bandedge_NVNT_ANT1_802_11a_5745







Bandedge_NVNT_ANT1_802_11n(HT20)_5745







Bandedge_NVNT_ANT1_802_11ac(VHT20)_5745






Bandedge_NVNT_ANT1_802_11ax(HE20)_5745







Bandedge_NVNT_ANT1_802_11n(HT40)_5755







Bandedge_NVNT_ANT1_802_11ac(VHT40)_5755





Bandedge_NVNT_ANT1_802_11ax(HE40)_5755






7. Spurious Emission



Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	11488.86	-32.97	-27	Pass
NVNT	ANT1	802.11a	5785.00	11570.92	-38.15	-27	Pass
NVNT	ANT1	802.11a	5825.00	26227.36	-41.63	-27	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	11491.51	-32.78	-27	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	11573.57	-36.93	-27	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	24800.63	-41.95	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	11491.51	-40.78	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	26224.71	-41.39	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	24752.98	-42.09	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	26187.65	-41.81	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	26298.83	-41.83	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	26166.48	-41.69	-27	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	704.99	-35.31	-27	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	26275.01	-41.99	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	24729.16	-41.96	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	24726.51	-41.47	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	24678.86	-41.74	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	24850.92	-40.42	-27	Pass

Spurious Emission_NVNT_ANT1_802_11a_5745





Spurious Emission_NVNT_ANT1_802_11a_5785







Spurious Emission_NVNT_ANT1_802_11n(HT20)_5745







Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5825







Spurious Emission_NVNT_ANT1_802_11ac(VHT20)_5785











Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5825







Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5795






Spurious Emission_NVNT_ANT1_802_11ac(VHT40)_5795





Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5795





8. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
55degrees C&&3.80V	ANT1	802.11a	5745.00	5745.038	5736.788	5753.288	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11a	5745.00	5745.038	5736.860	5753.216	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11a	5745.00	5745.034	5736.916	5753.152	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5745.00	5745.034	5736.960	5753.108	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11a	5745.00	5745.034	5737.004	5753.064	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11a	5745.00	5745.034	5737.044	5753.024	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11a	5745.00	5745.034	5737.084	5752.984	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11a	5745.00	5745.034	5737.124	5752.944	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5745.00	5745.028	5737.160	5752.896	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5745.00	5745.026	5737.200	5752.852	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5745.00	5745.020	5737.240	5752.800	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11a	5785.00	5785.026	5776.776	5793.276	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11a	5785.00	5785.024	5776.848	5793.200	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11a	5785.00	5785.024	5776.900	5793.148	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5785.00	5785.024	5776.944	5793.104	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11a	5785.00	5785.024	5776.988	5793.060	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11a	5785.00	5785.022	5777.028	5793.016	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11a	5785.00	5785.022	5777.064	5792.980	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11a	5785.00	5785.018	5777.104	5792.932	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5785.00	5785.014	5777.140	5792.888	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5785.00	5785.010	5777.180	5792.840	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5785.00	5785.004	5777.220	5792.788	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11a	5825.00	5825.060	5816.812	5833.308	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11a	5825.00	5825.056	5816.880	5833.232	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11a	5825.00	5825.056	5816.932	5833.180	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5825.00	5825.054	5816.976	5833.132	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11a	5825.00	5825.054	5817.020	5833.088	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11a	5825.00	5825.052	5817.056	5833.048	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11a	5825.00	5825.050	5817.096	5833.004	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11a	5825.00	5825.046	5817.132	5832.960	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5825.00	5825.040	5817.168	5832.912	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5825.00	5825.030	5817.204	5832.856	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5825.00	5825.026	5817.244	5832.808	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5745.026	5736.160	5753.892	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5745.032	5736.240	5753.824	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5745.030	5736.292	5753.768	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5745.034	5736.344	5753.724	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5745.034	5736.388	5753.680	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5745.034	5736.428	5753.640	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5745.034	5736.468	5753.600	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5745.036	5736.512	5753.560	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5745.00	5745.036	5736.552	5753.520	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5745.038	5736.592	5753.484	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5745.00	5745.036	5736.628	5753.444	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5785.030	5776.160	5793.900	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5785.028	5776.232	5793.824	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5785.028	5776.288	5793.768	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5785.028	5776.336	5793.720	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5785.028	5776.376	5793.680	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5785.028	5776.420	5793.636	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5785.028	5776.460	5793.596	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5785.026	5776.496	5793.556	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5785.00	5785.026	5776.536	5793.516	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5785.024	5776.576	5793.472	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5785.00	5785.024	5776.612	5793.436	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5825.028	5816.160	5833.896	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5825.022	5816.228	5833.816	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5825.022	5816.284	5833.760	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5825.020	5816.328	5833.712	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5825.018	5816.368	5833.668	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5825.016	5816.408	5833.624	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5825.016	5816.448	5833.584	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5825.012	5816.484	5833.540	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5825.00	5825.012	5816.524	5833.500	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5825.008	5816.560	5833.456	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5825.00	5825.008	5816.600	5833.416	5725~5850	Pass

ShenZhen BANTEK Testing Co.,Ltd.

Add : A5&A6, Building B1&B2, No.45 Gangtuo Road, Bogang Community, Shajing Street
Bao'an District, Shenzhen, Guangdong, China 518104

Tel : +(86)755-2334 4200 E-mail : Service@btek-lab.com Web : www.btek-lab.com



55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5745.060	5736.184	5753.936	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5745.064	5736.264	5753.864	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5745.062	5736.316	5753.808	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5745.066	5736.368	5753.764	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5745.064	5736.408	5753.720	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5745.066	5736.452	5753.680	5725~5850	Pass



-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5745.066	5736.492	5753.640	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5745.070	5736.536	5753.604	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5745.00	5745.066	5736.572	5753.560	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5745.070	5736.616	5753.524	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5745.00	5745.070	5736.656	5753.484	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5785.060	5776.196	5793.924	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5785.058	5776.268	5793.848	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5785.058	5776.320	5793.796	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5785.060	5776.368	5793.752	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5785.058	5776.408	5793.708	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5785.056	5776.448	5793.664	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5785.056	5776.488	5793.624	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5785.056	5776.528	5793.584	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5785.00	5785.056	5776.568	5793.544	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5785.056	5776.608	5793.504	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5785.00	5785.052	5776.644	5793.460	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5825.058	5816.192	5833.924	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5825.056	5816.264	5833.848	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5825.056	5816.316	5833.796	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5825.054	5816.360	5833.748	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5825.054	5816.404	5833.704	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5825.054	5816.444	5833.664	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5825.052	5816.484	5833.620	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5825.050	5816.520	5833.580	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5825.00	5825.050	5816.560	5833.540	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5825.048	5816.600	5833.496	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5825.00	5825.046	5816.636	5833.456	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5745.066	5735.484	5754.648	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5745.072	5735.564	5754.580	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5745.072	5735.612	5754.532	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5745.074	5735.660	5754.488	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5745.074	5735.696	5754.452	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5745.076	5735.736	5754.416	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5745.072	5735.768	5754.376	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5745.076	5735.812	5754.340	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5745.00	5745.074	5735.852	5754.296	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5745.078	5735.904	5754.252	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5745.00	5745.080	5735.960	5754.200	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5785.060	5775.476	5794.644	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5785.062	5775.552	5794.572	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5785.060	5775.600	5794.520	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5785.060	5775.644	5794.476	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5785.060	5775.680	5794.440	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5785.060	5775.720	5794.400	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5785.056	5775.752	5794.360	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5785.054	5775.788	5794.320	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5785.00	5785.046	5775.824	5794.268	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5785.044	5775.868	5794.220	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5785.00	5785.038	5775.916	5794.160	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5825.058	5815.480	5834.636	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5825.060	5815.556	5834.564	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5825.056	5815.600	5834.512	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5825.056	5815.644	5834.468	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5825.054	5815.680	5834.428	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5825.050	5815.712	5834.388	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5825.044	5815.744	5834.344	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5825.038	5815.780	5834.296	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5825.00	5825.030	5815.816	5834.244	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5825.020	5815.856	5834.184	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5825.00	5825.012	5815.900	5834.124	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.080	5736.888	5773.272	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.088	5737.008	5773.168	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.088	5737.096	5773.080	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.092	5737.184	5773.000	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.092	5737.272	5772.912	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.092	5737.360	5772.824	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.096	5737.456	5772.736	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.112	5737.568	5772.656	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5755.00	5755.112	5737.672	5772.552	5725~5850	Pass



25degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.116	5737.776	5772.456	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5755.00	5755.124	5737.880	5772.368	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5795.080	5776.888	5813.272	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5795.072	5776.992	5813.152	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5795.076	5777.080	5813.072	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5795.068	5777.160	5812.976	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5795.064	5777.248	5812.880	5725~5850	Pass



5degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5795.048	5777.320	5812.776	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5795.048	5777.408	5812.688	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5795.036	5777.496	5812.576	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5795.00	5795.036	5777.608	5812.464	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5795.032	5777.696	5812.368	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5795.00	5795.028	5777.784	5812.272	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.104	5736.936	5773.272	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.112	5737.048	5773.176	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.112	5737.136	5773.088	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.116	5737.224	5773.008	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.108	5737.304	5772.912	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.108	5737.392	5772.824	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.108	5737.480	5772.736	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.120	5737.592	5772.648	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5755.00	5755.120	5737.696	5772.544	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.124	5737.792	5772.456	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5755.00	5755.132	5737.896	5772.368	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.096	5776.928	5813.264	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.088	5777.024	5813.152	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.084	5777.112	5813.056	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.068	5777.184	5812.952	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.056	5777.264	5812.848	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.044	5777.344	5812.744	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.032	5777.424	5812.640	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.016	5777.504	5812.528	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5795.00	5795.016	5777.608	5812.424	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.012	5777.704	5812.320	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5795.00	5795.004	5777.792	5812.216	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5755.072	5736.048	5774.096	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5755.060	5736.168	5773.952	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5755.064	5736.264	5773.864	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5755.072	5736.360	5773.784	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5755.076	5736.448	5773.704	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5755.064	5736.528	5773.600	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5755.052	5736.632	5773.472	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5755.072	5736.760	5773.384	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE40)	5755.00	5755.092	5736.864	5773.320	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5755.116	5736.976	5773.256	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE40)	5755.00	5755.144	5737.096	5773.192	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5795.060	5776.048	5814.072	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5795.028	5776.144	5813.912	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5795.024	5776.232	5813.816	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5795.016	5776.312	5813.720	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5795.004	5776.400	5813.608	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.956	5776.464	5813.448	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.944	5776.536	5813.352	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.952	5776.624	5813.280	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE40)	5795.00	5794.976	5776.744	5813.208	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.964	5776.824	5813.104	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE40)	5795.00	5794.944	5776.928	5812.960	5725~5850	Pass

