





11A_5825



Date: 14 JAN 2024 14:14:00


11N20SISO_5745



Date: 14 JAN 2024 14:23:02




11N20SISO_5785



Date: 14 JAN 2024 14:24:05


11N20SISO_5825



Date: 14 JAN 2024 14:25:01




11N40SISO_5755




Date: 14 JAN 2024 14:42:02

11N40SISO_5795



Date: 14 JAN 2024 14:43:38





Maximum power spectral density

Test Result


TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	3.92	≤11.00	PASS
		5220	3.8	≤11.00	PASS
		5240	3.65	≤11.00	PASS
		5260	3.74	≤11.00	PASS
		5300	3.92	≤11.00	PASS
		5320	3.27	≤11.00	PASS
		5500	4.23	≤11.00	PASS
		5580	4.19	≤11.00	PASS
		5700	3.93	≤11.00	PASS
		5745	1.65	≤30.00	PASS
		5785	-1.25	≤30.00	PASS
		5825	1.77	≤30.00	PASS
11N20SISO	Ant1	5180	3.92	≤11.00	PASS
		5220	3.78	≤11.00	PASS
		5240	3.68	≤11.00	PASS
		5260	3.67	≤11.00	PASS
		5300	3.81	≤11.00	PASS
		5320	3.27	≤11.00	PASS
		5500	4.17	≤11.00	PASS
		5580	2.85	≤11.00	PASS
		5700	3.86	≤11.00	PASS
		5745	1.55	≤30.00	PASS
		5785	-2.32	≤30.00	PASS
		5825	1.77	≤30.00	PASS
11N40SISO	Ant1	5190	-0.05	≤11.00	PASS
		5230	-0.01	≤11.00	PASS
		5270	-0.03	≤11.00	PASS
		5310	-0.04	≤11.00	PASS
		5510	0.4	≤11.00	PASS
		5550	0.47	≤11.00	PASS
		5670	0.43	≤11.00	PASS
		5755	-2.27	≤30.00	PASS
		5795	-1.84	≤30.00	PASS
11AC80SISO	Ant1	5210	-7.38	≤11.00	PASS
		5290	-7	≤11.00	PASS
		5530	-6.82	≤11.00	PASS
		5775	-9.59	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11A_Ant1_5240



Date: 14. JAN. 2024 14:05:57


11A_Ant1_5260



Date: 14. JAN. 2024 14:06:43




11A_Ant1_5300



Date: 14. JAN. 2024 14:07:26


11A_Ant1_5320



Date: 14. JAN. 2024 14:08:49




11A_Ant1_5500



Date: 14 JAN 2024 14:09:34


11A_Ant1_5580



Date: 14 JAN 2024 14:10:19




11A_Ant1_5700



Date: 14 JAN 2024 14:11:01


11A_Ant1_5745



Date: 14 JAN 2024 14:12:09




11A_Ant1_5785



Date: 25 MAR 2024 17:33:28


11A_Ant1_5825



Date: 14 JAN 2024 14:14:16




11N20SISO_Ant1_5180



Date: 14 JAN 2024 14:15:07


11N20SISO_Ant1_5220



Date: 14 JAN 2024 14:15:46




11N20SISO_Ant1_5240



Date: 14 JAN 2024 14:16:27


11N20SISO_Ant1_5260



Date: 14 JAN 2024 14:17:11




11N20SISO_Ant1_5300



Date: 14. JAN. 2024 14:17:51


11N20SISO_Ant1_5320



Date: 14. JAN. 2024 14:18:31




11N20SISO_Ant1_5500



Date: 14 JAN 2024 14:20:12


11N20SISO_Ant1_5580



Date: 25 MAR 2024 17:35:40



11N20SISO_Ant1_5700



Date: 14 JAN 2024 14:22:25


11N20SISO_Ant1_5745



Date: 14 JAN 2024 14:23:18




11N20SISO_Ant1_5785



Date: 25 MAR 2024 17:36:43


11N20SISO_Ant1_5825



Date: 14 JAN 2024 14:25:16




11N40SISO_Ant1_5190



Date: 14. JAN. 2024 14:26:22


11N40SISO_Ant1_5230



Date: 14. JAN. 2024 14:27:18




11N40SISO_Ant1_5270



Date: 14. JAN 2024 14:28:12


11N40SISO_Ant1_5310



Date: 14. JAN 2024 14:29:57




11N40SISO_Ant1_5510



Date: 14 JAN 2024 14:30:38


11N40SISO_Ant1_5550



Date: 14 JAN 2024 14:32:31




11N40SISO_Ant1_5670



Date: 14 JAN 2024 14:41:11


11N40SISO_Ant1_5755



Date: 14 JAN 2024 14:42:18




11N40SISO_Ant1_5795



Date: 14 JAN 2024 14:43:53


11AC80SISO_Ant1_5210



Date: 14 JAN 2024 14:44:36




11AC80SISO_Ant1_5290




Date: 14. JAN 2024 14:45:41

11AC80SISO_Ant1_5530




Date: 14. JAN 2024 14:46:23






Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.150	51.02	-14.98	66.00	40.56	0.04	10.42	QP
2	0.150	32.62	-23.38	56.00	22.16	0.04	10.42	Average
3	0.170	49.72	-15.22	64.94	39.26	0.04	10.42	QP
4	0.170	32.92	-22.02	54.94	22.46	0.04	10.42	Average
5 *	0.178	49.71	-14.88	64.59	39.25	0.05	10.41	QP
6	0.178	36.11	-18.48	54.59	25.65	0.05	10.41	Average
7	0.188	45.91	-18.20	64.11	35.45	0.05	10.41	QP
8	0.188	29.01	-25.10	54.11	18.55	0.05	10.41	Average
9	0.217	43.19	-19.73	62.92	32.77	0.03	10.39	QP
10	0.217	28.69	-24.23	52.92	18.27	0.03	10.39	Average
11	17.475	34.88	-25.12	60.00	23.79	-0.19	11.28	QP
12	17.475	29.84	-20.16	50.00	18.75	-0.19	11.28	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	levi zhao	Relative Humidity :	41 ~ 42 %
		Temperature :	22 ~ 23 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	1	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	1	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	1	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	1	802.11a	52	5280	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	1	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	1	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	1	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	1	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	1	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	1	802.11n HT20	36	5180	MCS0	-	-
Mode 11	U-NII-1	5.15-5.25	1	802.11n HT20	44	5220	MCS0	-	-
Mode 12	U-NII-1	5.15-5.25	1	802.11n HT20	48	5240	MCS0	-	-
Mode 13	U-NII-2A	5.25-5.35	1	802.11n HT20	52	5280	MCS0	-	-
Mode 14	U-NII-2A	5.25-5.35	1	802.11n HT20	60	5300	MCS0	-	-
Mode 15	U-NII-2A	5.25-5.35	1	802.11n HT20	64	5320	MCS0	-	-
Mode 16	U-NII-2C	5.47-5.725	1	802.11n HT20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	1	802.11n HT20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	1	802.11n HT20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	1	802.11n HT40	38	5190	MCS0	-	-
Mode 20	U-NII-1	5.15-5.25	1	802.11n HT40	46	5230	MCS0	-	-
Mode 21	U-NII-2A	5.25-5.35	1	802.11n HT40	54	5270	MCS0	-	-
Mode 22	U-NII-2A	5.25-5.35	1	802.11n HT40	62	5310	MCS0	-	-
Mode 23	U-NII-2C	5.47-5.725	1	802.11n HT40	102	5510	MCS0	-	-
Mode 24	U-NII-2C	5.47-5.725	1	802.11n HT40	110	5550	MCS0	-	-
Mode 25	U-NII-2C	5.47-5.725	1	802.11n HT40	134	5670	MCS0	-	-
Mode 26	U-NII-1	5.15-5.25	1	802.11ac VHT80	42	5210	MCS0	-	-
Mode 27	U-NII-2A	5.25-5.35	1	802.11ac VHT80	58	5290	MCS0	-	-
Mode 28	U-NII-2C	5.47-5.725	1	802.11ac VHT80	106	5530	MCS0	-	-
Mode 29	U-NII-3	5.725-5.85	1	802.11a	149	5745	6Mbps	-	-
Mode 30	U-NII-3	5.725-5.85	1	802.11a	157	5785	6Mbps	-	-
Mode 31	U-NII-3	5.725-5.85	1	802.11a	165	5825	6Mbps	-	-
Mode 32	U-NII-3	5.725-5.85	1	802.11n HT20	149	5745	MCS0	-	-
Mode 33	U-NII-3	5.725-5.85	1	802.11n HT20	157	5785	MCS0	-	-
Mode 34	U-NII-3	5.725-5.85	1	802.11n HT20	165	5825	MCS0	-	-
Mode 35	U-NII-3	5.725-5.85	1	802.11n HT40	151	5755	MCS0	-	-
Mode 36	U-NII-3	5.725-5.85	1	802.11n HT40	159	5795	MCS0	-	-
Mode 37	U-NII-3	5.725-5.85	1	802.11ac VHT80	155	5775	MCS0	-	-







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5143.75	66.55	74.00	-7.45	H	PEAK	Pass	Band Edge
	802.11a	36	10360.00	45.38	68.20	-22.82	H	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
	802.11a	44	10440.00	45.39	68.20	-22.81	V	PEAK	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
	802.11a	48	10480.00	45.50	68.20	-22.70	H	PEAK	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
	802.11a	52	15774.00	43.94	54.00	-10.06	H	Average	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
	802.11a	60	7066.80	55.84	68.20	-12.36	H	Peak	Pass	Harmonic
6	802.11a	64	5350.00	44.82	54.00	-9.18	H	AVERAGE	Pass	Band Edge
6	802.11a	64	7093.20	53.16	68.20	-15.04	H	Peak	Pass	Harmonic
7	802.11a	100	5464.49	66.76	68.20	-1.44	H	PEAK	Pass	Band Edge
7	802.11a	100	7333.20	51.56	54.00	-2.44	H	Average	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	7440.00	51.28	54.00	-2.72	H	Average	Pass	Harmonic
9	802.11a	140	5727.60	64.28	68.20	-3.92	H	PEAK	Pass	Band Edge
9	802.11a	140	7599.60	47.47	54.00	-6.53	H	Average	Pass	Harmonic
10	802.11n HT20	36	5149.95	45.76	54.00	-8.24	H	AVERAGE	Pass	Band Edge
10	802.11n HT20	36	6907.20	56.90	68.20	-11.30	H	Peak	Pass	Harmonic
11	802.11n HT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11n HT20	44	6960.00	53.67	68.20	-14.53	H	Peak	Pass	Harmonic
12	802.11n HT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11n HT20	48	15723.60	42.28	54.00	-11.72	H	Average	Pass	Harmonic
13	802.11n HT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11n HT20	52	15782.40	42.39	54.00	-11.61	H	Average	Pass	Harmonic
14	802.11n HT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11n HT20	60	7066.80	57.17	68.20	-11.03	H	Peak	Pass	Harmonic
15	802.11n HT20	64	5350.44	44.23	54.00	-9.77	H	AVERAGE	Pass	Band Edge
15	802.11n HT20	64	7093.20	57.65	68.20	-10.55	H	Peak	Pass	Harmonic
16	802.11n HT20	100	5459.85	43.05	54.00	-10.95	H	AVERAGE	Pass	Band Edge
16	802.11n HT20	100	7333.20	50.11	54.00	-3.89	H	Average	Pass	Harmonic
17	802.11n HT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11n HT20	116	7440.00	52.28	54.00	-1.72	H	Average	Pass	Harmonic
18	802.11n HT20	140	5732.88	63.00	68.20	-5.20	H	PEAK	Pass	Band Edge
18	802.11n HT20	140	7599.60	48.87	54.00	-5.13	H	Average	Pass	Harmonic
19	802.11n HT40	38	5149.98	50.18	54.00	-3.82	H	AVERAGE	Pass	Band Edge
19	802.11n HT40	38	6920.40	51.40	68.20	-16.80	H	Peak	Pass	Harmonic
20	802.11n HT40	46	5148.09	41.60	54.00	-12.40	H	AVERAGE	Pass	Band Edge
20	802.11n HT40	46	6549.60	52.20	68.20	-16.00	H	Peak	Pass	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
21	802.11n HT40	54	5351.41	42.64	54.00	-11.36	H	AVERAGE	Pass	Band Edge
	802.11n HT40	54	7027.20	58.37	68.20	-9.83	H	Peak	Pass	Harmonic
22	802.11n HT40	62	5350.45	46.14	54.00	-7.86	H	AVERAGE	Pass	Band Edge
	802.11n HT40	62	7078.80	54.25	68.20	-13.95	H	Peak	Pass	Harmonic
23	802.11n HT40	102	5469.77	65.65	68.20	-2.55	H	PEAK	Pass	Band Edge
	802.11n HT40	102	7346.40	49.54	54.00	-4.46	H	Average	Pass	Harmonic
24	802.11n HT40	110	5458.71	42.10	54.00	-11.90	H	AVERAGE	Pass	Band Edge
	802.11n HT40	110	7400.40	46.08	54.00	-7.92	H	Average	Pass	Harmonic
25	802.11n HT40	134	5726.96	59.91	68.20	-8.29	H	PEAK	Pass	Band Edge
	802.11n HT40	134	7560.00	48.00	54.00	-6.00	H	Average	Pass	Harmonic
26	802.11ac VHT80	42	5149.98	48.06	54.00	-5.94	H	AVERAGE	Pass	Band Edge
26	802.11ac VHT80	42	6856.80	46.79	68.20	-21.41	H	Peak	Pass	Harmonic
27	802.11ac VHT80	58	5350.00	47.04	54.00	-6.96	H	AVERAGE	Pass	Band Edge
27	802.11ac VHT80	58	7053.60	48.72	68.20	-19.48	H	Peak	Pass	Harmonic
28	802.11ac VHT80	106	5459.05	49.20	54.00	-4.80	H	AVERAGE	Pass	Band Edge
28	802.11ac VHT80	106	11060.00	44.97	74.00	-29.03	H	PEAK	Pass	Harmonic
29	802.11a	149	5630.80	55.57	68.20	-12.63	H	PEAK	Pass	Band Edge
29	802.11a	149	7178.40	49.84	68.20	-18.36	H	Peak	Pass	Harmonic
30	802.11a	157	-	-	-	-	-	-	-	Band Edge
30	802.11a	157	7713.60	52.44	54.00	-1.56	H	Average	Pass	Harmonic
31	802.11a	165	5998.80	51.38	68.20	-16.82	H	PEAK	Pass	Band Edge
31	802.11a	165	7284.80	44.55	54.00	-9.45	H	Average	Pass	Harmonic
32	802.11n HT20	149	5638.80	54.56	68.20	-13.64	H	PEAK	Pass	Band Edge
32	802.11n HT20	149	7176.00	50.28	68.20	-17.92	H	Peak	Pass	Harmonic
33	802.11n HT20	157	-	-	-	-	-	-	-	Band Edge
33	802.11n HT20	157	7713.60	52.34	54.00	-1.66	H	Average	Pass	Harmonic
34	802.11n HT20	165	5995.60	50.40	68.20	-17.80	H	PEAK	Pass	Band Edge
34	802.11n HT20	165	7276.80	45.07	54.00	-8.93	H	Average	Pass	Harmonic
35	802.11n HT40	151	5604.03	54.27	68.20	-13.93	H	PEAK	Pass	Band Edge
35	802.11n HT40	151	7176.80	47.39	68.20	-20.81	H	Peak	Pass	Harmonic
36	802.11n HT40	159	5636.40	55.67	68.20	-12.53	H	PEAK	Pass	Band Edge
36	802.11n HT40	159	7726.40	50.27	54.00	-3.73	H	Average	Pass	Harmonic
37	802.11ac VHT80	155	5645.60	56.80	68.20	-11.40	H	PEAK	Pass	Band Edge
37	802.11ac VHT80	155	7700.00	47.11	74.00	-26.89	H	Peak	Pass	Harmonic





Mode	1																																																					
	Band Edge																																																					
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																					
ANT	1																																																					
Pol.	Horizontal						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5143.75</td><td>66.55</td><td>74.00</td><td>-7.45</td><td>58.48</td><td>34.13</td><td>10.60</td><td>36.66</td><td>0.00</td><td>100</td><td>96 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.75	66.55	74.00	-7.45	58.48	34.13	10.60	36.66	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5143.75	66.55	74.00	-7.45	58.48	34.13	10.60	36.66	0.00	100	96 PEAK																																											
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>107.57</td><td>-----</td><td>-----</td><td>99.30</td><td>34.24</td><td>10.64</td><td>36.61</td><td>0.00</td><td>100</td><td>96 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.57	-----	-----	99.30	34.24	10.64	36.61	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5180.00	107.57	-----	-----	99.30	34.24	10.64	36.61	0.00	100	96 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.85</td><td>44.57</td><td>54.00</td><td>-9.43</td><td>36.46</td><td>34.15</td><td>10.61</td><td>36.65</td><td>0.00</td><td>100</td><td>96 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.85	44.57	54.00	-9.43	36.46	34.15	10.61	36.65	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5149.85	44.57	54.00	-9.43	36.46	34.15	10.61	36.65	0.00	100	96 AVERAGE																																											
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>96.50</td><td>-----</td><td>-----</td><td>90.23</td><td>34.24</td><td>10.64</td><td>36.61</td><td>0.00</td><td>100</td><td>96 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	96.50	-----	-----	90.23	34.24	10.64	36.61	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5180.00	96.50	-----	-----	90.23	34.24	10.64	36.61	0.00	100	96 AVERAGE																																											





Mode	1																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5120.75</td><td>51.84</td><td>74.00</td><td>-22.16</td><td>43.90</td><td>34.06</td><td>10.58</td><td>36.70</td><td>0.00</td><td>400</td><td>154</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5120.75	51.84	74.00	-22.16	43.90	34.06	10.58	36.70	0.00	400	154
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5120.75	51.84	74.00	-22.16	43.90	34.06	10.58	36.70	0.00	400	154	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.30</td><td>-----</td><td>-----</td><td>94.07</td><td>34.22</td><td>10.63</td><td>36.62</td><td>0.00</td><td>400</td><td>154</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.30	-----	-----	94.07	34.22	10.63	36.62	0.00	400	154
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	102.30	-----	-----	94.07	34.22	10.63	36.62	0.00	400	154	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.95</td><td>40.00</td><td>54.00</td><td>-13.92</td><td>31.97</td><td>34.15</td><td>10.61</td><td>36.65</td><td>0.00</td><td>400</td><td>154</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.95	40.00	54.00	-13.92	31.97	34.15	10.61	36.65	0.00	400	154
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.95	40.00	54.00	-13.92	31.97	34.15	10.61	36.65	0.00	400	154	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>94.38</td><td>-----</td><td>-----</td><td>86.07</td><td>34.26</td><td>10.65</td><td>36.60</td><td>0.00</td><td>400</td><td>154</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	94.38	-----	-----	86.07	34.26	10.65	36.60	0.00	400	154
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	94.38	-----	-----	86.07	34.26	10.65	36.60	0.00	400	154	AVERAGE																																											





Mode	1																																																																																																	
	Harmonic																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.38</td><td>68.20</td><td>-22.82</td><td>59.22</td><td>37.45</td><td>15.45</td><td>66.74</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	45.38	68.20	-22.82	59.22	37.45	15.45	66.74	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.02</td><td>68.20</td><td>-23.18</td><td>58.88</td><td>37.45</td><td>15.44</td><td>66.75</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	45.02	68.20	-23.18	58.88	37.45	15.44	66.75	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10360.00	45.38	68.20	-22.82	59.22	37.45	15.45	66.74	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10360.00	45.02	68.20	-23.18	58.88	37.45	15.44	66.75	0.00	--	PEAK																																																																																							



Mode	2																																																																																																		
	Harmonic																																																																																																		
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>44.53</td><td>68.20</td><td>-23.67</td><td>58.20</td><td>37.51</td><td>15.53</td><td>66.71</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	44.53	68.20	-23.67	58.20	37.51	15.53	66.71	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>45.39</td><td>68.20</td><td>-22.81</td><td>59.07</td><td>37.51</td><td>15.52</td><td>66.71</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	45.39	68.20	-22.81	59.07	37.51	15.52	66.71	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10440.00	44.53	68.20	-23.67	58.20	37.51	15.53	66.71	0.00	--	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10440.00	45.39	68.20	-22.81	59.07	37.51	15.52	66.71	0.00	--	--	PEAK																																																																																							



Mode	3																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>45.50</td><td>68.20</td><td>-22.70</td><td>59.09</td><td>37.54</td><td>15.56</td><td>66.69</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>47.62</td><td>74.00</td><td>-26.38</td><td>52.34</td><td>40.25</td><td>19.16</td><td>64.13</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10480.00	45.50	68.20	-22.70	59.09	37.54	15.56	66.69	0.00	--	--	PEAK	2	15720.00	47.62	74.00	-26.38	52.34	40.25	19.16	64.13	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>44.80</td><td>68.20</td><td>-23.40</td><td>58.39</td><td>37.54</td><td>15.56</td><td>66.69</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>47.56</td><td>74.00</td><td>-26.44</td><td>52.28</td><td>40.25</td><td>19.16</td><td>64.13</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10480.00	44.80	68.20	-23.40	58.39	37.54	15.56	66.69	0.00	--	--	PEAK	2	15720.00	47.56	74.00	-26.44	52.28	40.25	19.16	64.13	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	10480.00	45.50	68.20	-22.70	59.09	37.54	15.56	66.69	0.00	--	--	PEAK																																																																																																																																
2	15720.00	47.62	74.00	-26.38	52.34	40.25	19.16	64.13	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	10480.00	44.80	68.20	-23.40	58.39	37.54	15.56	66.69	0.00	--	--	PEAK																																																																																																																																
2	15720.00	47.56	74.00	-26.44	52.28	40.25	19.16	64.13	0.00	--	--	PEAK																																																																																																																																







Mode	4																																																																																																												
	Harmonic																																																																																																												
	U-NII-2A_5.25-5.35_802.11a_CH52_5280MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Horizontal						Vertical																																																																																																						
Peak Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6572.40</td><td>54.01</td><td>68.20</td><td>-14.19</td><td>72.28</td><td>35.50</td><td>12.07</td><td>65.84</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7014.00</td><td>56.64</td><td>68.20</td><td>-11.56</td><td>74.17</td><td>35.61</td><td>12.47</td><td>65.61</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>10560.00</td><td>44.52</td><td>68.20</td><td>-23.68</td><td>57.96</td><td>37.59</td><td>15.63</td><td>66.66</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>15774.00</td><td>50.00</td><td>74.00</td><td>-23.20</td><td>55.42</td><td>40.30</td><td>19.20</td><td>64.12</td><td>0.00</td><td>300</td><td>185</td><td>Peak</td></tr><tr><td>5</td><td>15774.00</td><td>43.94</td><td>54.00</td><td>-10.06</td><td>48.56</td><td>40.30</td><td>19.20</td><td>64.12</td><td>0.00</td><td>300</td><td>185</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6572.40	54.01	68.20	-14.19	72.28	35.50	12.07	65.84	0.00	--	--	Peak	2	7014.00	56.64	68.20	-11.56	74.17	35.61	12.47	65.61	0.00	--	--	Peak	3	10560.00	44.52	68.20	-23.68	57.96	37.59	15.63	66.66	0.00	--	--	PEAK	4	15774.00	50.00	74.00	-23.20	55.42	40.30	19.20	64.12	0.00	300	185	Peak	5	15774.00	43.94	54.00	-10.06	48.56	40.30	19.20	64.12	0.00	300	185
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	6572.40	54.01	68.20	-14.19	72.28	35.50	12.07	65.84	0.00	--	--	Peak																																																																																																	
2	7014.00	56.64	68.20	-11.56	74.17	35.61	12.47	65.61	0.00	--	--	Peak																																																																																																	
3	10560.00	44.52	68.20	-23.68	57.96	37.59	15.63	66.66	0.00	--	--	PEAK																																																																																																	
4	15774.00	50.00	74.00	-23.20	55.42	40.30	19.20	64.12	0.00	300	185	Peak																																																																																																	
5	15774.00	43.94	54.00	-10.06	48.56	40.30	19.20	64.12	0.00	300	185	Average																																																																																																	







Mode	5																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																																																																	
ANT	1																																																																																																																																																																																	
Pol.	Horizontal								Vertical																																																																																																																																																																									
Peak Avg																																																																																																																																																																																		
	<table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6621.60</td><td>53.24</td><td>68.20</td><td>-14.96</td><td>71.50</td><td>35.52</td><td>12.11</td><td>65.89</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7066.80</td><td>55.84</td><td>68.20</td><td>-12.36</td><td>73.39</td><td>35.67</td><td>12.54</td><td>65.76</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>10600.01</td><td>44.15</td><td>74.00</td><td>-29.85</td><td>57.50</td><td>37.62</td><td>15.67</td><td>66.64</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>47.21</td><td>74.00</td><td>-26.79</td><td>51.61</td><td>40.41</td><td>19.28</td><td>64.09</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>									Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6621.60	53.24	68.20	-14.96	71.50	35.52	12.11	65.89	0.00	--	--	Peak	2	7066.80	55.84	68.20	-12.36	73.39	35.67	12.54	65.76	0.00	--	--	Peak	3	10600.01	44.15	74.00	-29.85	57.50	37.62	15.67	66.64	0.00	--	--	PEAK	4	15900.00	47.21	74.00	-26.79	51.61	40.41	19.28	64.09	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6622.80</td><td>47.74</td><td>68.20</td><td>-20.46</td><td>66.00</td><td>35.52</td><td>12.11</td><td>65.89</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7066.80</td><td>52.97</td><td>68.20</td><td>-15.23</td><td>70.52</td><td>35.67</td><td>12.54</td><td>65.76</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>10600.01</td><td>44.74</td><td>74.00</td><td>-29.26</td><td>58.09</td><td>37.62</td><td>15.67</td><td>66.64</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>48.59</td><td>74.00</td><td>-25.41</td><td>52.99</td><td>40.41</td><td>19.28</td><td>64.09</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>5</td><td>15900.00</td><td>38.17</td><td>54.00</td><td>-15.83</td><td>42.57</td><td>40.41</td><td>19.28</td><td>64.09</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></tbody></table>									Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6622.80	47.74	68.20	-20.46	66.00	35.52	12.11	65.89	0.00	--	--	Peak	2	7066.80	52.97	68.20	-15.23	70.52	35.67	12.54	65.76	0.00	--	--	Peak	3	10600.01	44.74	74.00	-29.26	58.09	37.62	15.67	66.64	0.00	--	--	PEAK	4	15900.00	48.59	74.00	-25.41	52.99	40.41	19.28	64.09	0.00	100	360	PEAK	5	15900.00	38.17	54.00	-15.83	42.57	40.41	19.28	64.09	0.00	100	360
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																							
1	6621.60	53.24	68.20	-14.96	71.50	35.52	12.11	65.89	0.00	--	--	Peak																																																																																																																																																																						
2	7066.80	55.84	68.20	-12.36	73.39	35.67	12.54	65.76	0.00	--	--	Peak																																																																																																																																																																						
3	10600.01	44.15	74.00	-29.85	57.50	37.62	15.67	66.64	0.00	--	--	PEAK																																																																																																																																																																						
4	15900.00	47.21	74.00	-26.79	51.61	40.41	19.28	64.09	0.00	--	--	PEAK																																																																																																																																																																						
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																							
1	6622.80	47.74	68.20	-20.46	66.00	35.52	12.11	65.89	0.00	--	--	Peak																																																																																																																																																																						
2	7066.80	52.97	68.20	-15.23	70.52	35.67	12.54	65.76	0.00	--	--	Peak																																																																																																																																																																						
3	10600.01	44.74	74.00	-29.26	58.09	37.62	15.67	66.64	0.00	--	--	PEAK																																																																																																																																																																						
4	15900.00	48.59	74.00	-25.41	52.99	40.41	19.28	64.09	0.00	100	360	PEAK																																																																																																																																																																						
5	15900.00	38.17	54.00	-15.83	42.57	40.41	19.28	64.09	0.00	100	360	AVERAGE																																																																																																																																																																						



Mode	6																																																																																																														
	Band Edge																																																																																																														
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.45</td><td>64.23</td><td>74.00</td><td>-9.77</td><td>55.35</td><td>34.50</td><td>10.75</td><td>36.37</td><td>0.00</td><td>110</td><td>84</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.45	64.23	74.00	-9.77	55.35	34.50	10.75	36.37	0.00	110	84	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>109.36</td><td>-----</td><td>-----</td><td>100.57</td><td>34.50</td><td>10.72</td><td>36.43</td><td>0.00</td><td>110</td><td>84</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	109.36	-----	-----	100.57	34.50	10.72	36.43	0.00	110	84
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.45	64.23	74.00	-9.77	55.35	34.50	10.75	36.37	0.00	110	84	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	109.36	-----	-----	100.57	34.50	10.72	36.43	0.00	110	84	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>44.82</td><td>54.00</td><td>-9.18</td><td>35.94</td><td>34.50</td><td>10.75</td><td>36.37</td><td>0.00</td><td>110</td><td>84</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	44.82	54.00	-9.18	35.94	34.50	10.75	36.37	0.00	110	84	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>100.42</td><td>-----</td><td>-----</td><td>91.61</td><td>34.50</td><td>10.73</td><td>36.42</td><td>0.00</td><td>110</td><td>84</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	100.42	-----	-----	91.61	34.50	10.73	36.42	0.00	110	84
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5350.00	44.82	54.00	-9.18	35.94	34.50	10.75	36.37	0.00	110	84	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	100.42	-----	-----	91.61	34.50	10.73	36.42	0.00	110	84	AVERAGE																																																																																																			







Mode	6																																																						
	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.35</td><td>49.70</td><td>74.00</td><td>-24.30</td><td>40.82</td><td>34.50</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>258</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.35	49.70	74.00	-24.30	40.82	34.50	10.75	36.37	0.00	100	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.35	49.70	74.00	-24.30	40.82	34.50	10.75	36.37	0.00	100	258	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>99.93</td><td>-----</td><td>-----</td><td>91.12</td><td>34.50</td><td>10.73</td><td>36.42</td><td>0.00</td><td>100</td><td>258</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	99.93	-----	-----	91.12	34.50	10.73	36.42	0.00	100	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	99.93	-----	-----	91.12	34.50	10.73	36.42	0.00	100	258	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.15</td><td>39.56</td><td>54.00</td><td>-14.44</td><td>30.68</td><td>34.50</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>258</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.15	39.56	54.00	-14.44	30.68	34.50	10.75	36.37	0.00	100	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.15	39.56	54.00	-14.44	30.68	34.50	10.75	36.37	0.00	100	258	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>91.09</td><td>-----</td><td>-----</td><td>82.28</td><td>34.50</td><td>10.73</td><td>36.42</td><td>0.00</td><td>100</td><td>258</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	91.09	-----	-----	82.28	34.50	10.73	36.42	0.00	100	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	91.09	-----	-----	82.28	34.50	10.73	36.42	0.00	100	258	AVERAGE																																											







Mode	6																																																																																																																																																
	Harmonic																																																																																																																																																
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																																
ANT	1																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																										
Peak Avg																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6657.60</td><td>52.50</td><td>68.20</td><td>-15.70</td><td>70.73</td><td>35.56</td><td>12.14</td><td>65.93</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7093.20</td><td>53.16</td><td>68.20</td><td>-15.04</td><td>70.72</td><td>35.69</td><td>12.58</td><td>65.83</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>10640.00</td><td>44.44</td><td>74.00</td><td>-29.56</td><td>57.70</td><td>37.65</td><td>15.71</td><td>66.62</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6657.60	52.50	68.20	-15.70	70.73	35.56	12.14	65.93	0.00	--	Peak	2	7093.20	53.16	68.20	-15.04	70.72	35.69	12.58	65.83	0.00	--	Peak	3	10640.00	44.44	74.00	-29.56	57.70	37.65	15.71	66.62	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6644.40</td><td>46.81</td><td>68.20</td><td>-21.39</td><td>65.05</td><td>35.54</td><td>12.13</td><td>65.91</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7093.20</td><td>49.66</td><td>68.20</td><td>-18.54</td><td>67.22</td><td>35.69</td><td>12.58</td><td>65.83</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>10640.00</td><td>44.40</td><td>74.00</td><td>-29.60</td><td>57.66</td><td>37.65</td><td>15.71</td><td>66.62</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6644.40	46.81	68.20	-21.39	65.05	35.54	12.13	65.91	0.00	--	Peak	2	7093.20	49.66	68.20	-18.54	67.22	35.69	12.58	65.83	0.00	--	Peak	3	10640.00	44.40	74.00	-29.60	57.66	37.65	15.71	66.62	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	6657.60	52.50	68.20	-15.70	70.73	35.56	12.14	65.93	0.00	--	Peak																																																																																																																																						
2	7093.20	53.16	68.20	-15.04	70.72	35.69	12.58	65.83	0.00	--	Peak																																																																																																																																						
3	10640.00	44.44	74.00	-29.56	57.70	37.65	15.71	66.62	0.00	--	PEAK																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	6644.40	46.81	68.20	-21.39	65.05	35.54	12.13	65.91	0.00	--	Peak																																																																																																																																						
2	7093.20	49.66	68.20	-18.54	67.22	35.69	12.58	65.83	0.00	--	Peak																																																																																																																																						
3	10640.00	44.40	74.00	-29.60	57.66	37.65	15.71	66.62	0.00	--	PEAK																																																																																																																																						



Mode	7																																																																																																												
	Band Edge																																																																																																												
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5443.53</td><td>58.22</td><td>74.00</td><td>-15.78</td><td>49.10</td><td>34.54</td><td>10.82</td><td>36.24</td><td>0.00</td><td>106</td><td>61 PEAK</td></tr><tr><td>2</td><td>5464.49</td><td>66.76</td><td>68.20</td><td>-1.44</td><td>57.56</td><td>34.56</td><td>10.85</td><td>36.21</td><td>0.00</td><td>106</td><td>61 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5443.53	58.22	74.00	-15.78	49.10	34.54	10.82	36.24	0.00	106	61 PEAK	2	5464.49	66.76	68.20	-1.44	57.56	34.56	10.85	36.21	0.00	106	61 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>110.89</td><td>-----</td><td>-----</td><td>101.57</td><td>34.60</td><td>10.88</td><td>36.16</td><td>0.00</td><td>106</td><td>61 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.89	-----	-----	101.57	34.60	10.88	36.16	0.00	106	61 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5443.53	58.22	74.00	-15.78	49.10	34.54	10.82	36.24	0.00	106	61 PEAK																																																																																																		
2	5464.49	66.76	68.20	-1.44	57.56	34.56	10.85	36.21	0.00	106	61 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5500.00	110.89	-----	-----	101.57	34.60	10.88	36.16	0.00	106	61 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.52</td><td>43.28</td><td>54.00</td><td>-10.72</td><td>34.10</td><td>34.56</td><td>10.84</td><td>36.22</td><td>0.00</td><td>106</td><td>61 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.52	43.28	54.00	-10.72	34.10	34.56	10.84	36.22	0.00	106	61 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>101.69</td><td>-----</td><td>-----</td><td>92.39</td><td>34.59</td><td>10.88</td><td>36.17</td><td>0.00</td><td>106</td><td>61 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.69	-----	-----	92.39	34.59	10.88	36.17	0.00	106	61 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5459.52	43.28	54.00	-10.72	34.10	34.56	10.84	36.22	0.00	106	61 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5500.00	101.69	-----	-----	92.39	34.59	10.88	36.17	0.00	106	61 AVERAGE																																																																																																		



Mode	7																																																																																																				
	Band Edge																																																																																																				
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5404.17	48.87	74.00	-25.13	39.88	34.50	10.78	36.29	0.00	391	140	PEAK	2	5465.77	54.62	68.20	-13.58	45.41	34.57	10.85	36.21	0.00	391	140	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>102.72</td><td>-----</td><td>-----</td><td>93.38</td><td>34.60</td><td>10.89</td><td>36.15</td><td>0.00</td><td>391</td><td>140</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.72	-----	-----	93.38	34.60	10.89	36.15	0.00	391	140
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5404.17	48.87	74.00	-25.13	39.88	34.50	10.78	36.29	0.00	391	140	PEAK																																																																																									
2	5465.77	54.62	68.20	-13.58	45.41	34.57	10.85	36.21	0.00	391	140	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	102.72	-----	-----	93.38	34.60	10.89	36.15	0.00	391	140	PEAK																																																																																									
Avg																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.29	37.87	54.00	-16.13	28.69	34.56	10.84	36.22	0.00	391	140	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>94.46</td><td>-----</td><td>-----</td><td>85.12</td><td>34.60</td><td>10.89</td><td>36.15</td><td>0.00</td><td>391</td><td>140</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	94.46	-----	-----	85.12	34.60	10.89	36.15	0.00	391	140	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5457.29	37.87	54.00	-16.13	28.69	34.56	10.84	36.22	0.00	391	140	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	94.46	-----	-----	85.12	34.60	10.89	36.15	0.00	391	140	AVERAGE																																																																																									







Mode	7																																																																																																																																																																																				
	Harmonic																																																																																																																																																																																				
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																																																																				
ANT	1																																																																																																																																																																																				
Pol.	Horizontal	Vertical																																																																																																																																																																																			
Peak Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6877.20</td><td>54.47</td><td>68.20</td><td>-13.73</td><td>72.29</td><td>35.58</td><td>12.33</td><td>65.73</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7333.20</td><td>58.63</td><td>74.00</td><td>-15.37</td><td>76.72</td><td>35.70</td><td>12.72</td><td>66.51</td><td>0.00</td><td>100</td><td>267</td><td>Peak</td></tr><tr><td>3</td><td>7333.20</td><td>51.56</td><td>54.00</td><td>-2.44</td><td>69.65</td><td>35.70</td><td>12.72</td><td>66.51</td><td>0.00</td><td>100</td><td>267</td><td>Average</td></tr><tr><td>4</td><td>11000.00</td><td>45.21</td><td>74.00</td><td>-28.79</td><td>57.74</td><td>37.90</td><td>16.04</td><td>66.47</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>5</td><td>16492.80</td><td>51.14</td><td>68.20</td><td>-17.06</td><td>54.80</td><td>40.89</td><td>19.67</td><td>64.22</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6877.20	54.47	68.20	-13.73	72.29	35.58	12.33	65.73	0.00	--	--	Peak	2	7333.20	58.63	74.00	-15.37	76.72	35.70	12.72	66.51	0.00	100	267	Peak	3	7333.20	51.56	54.00	-2.44	69.65	35.70	12.72	66.51	0.00	100	267	Average	4	11000.00	45.21	74.00	-28.79	57.74	37.90	16.04	66.47	0.00	--	--	PEAK	5	16492.80	51.14	68.20	-17.06	54.80	40.89	19.67	64.22	0.00	--	--	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6867.60</td><td>49.04</td><td>68.20</td><td>-19.16</td><td>66.89</td><td>35.57</td><td>12.32</td><td>65.74</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7333.20</td><td>53.91</td><td>74.00</td><td>-20.09</td><td>72.00</td><td>35.70</td><td>12.72</td><td>66.51</td><td>0.00</td><td>279</td><td>226</td><td>Peak</td></tr><tr><td>3</td><td>7333.20</td><td>46.91</td><td>54.00</td><td>-7.09</td><td>65.00</td><td>35.70</td><td>12.72</td><td>66.51</td><td>0.00</td><td>279</td><td>226</td><td>Average</td></tr><tr><td>4</td><td>11000.00</td><td>44.96</td><td>74.00</td><td>-29.04</td><td>57.49</td><td>37.90</td><td>16.04</td><td>66.47</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6867.60	49.04	68.20	-19.16	66.89	35.57	12.32	65.74	0.00	--	--	Peak	2	7333.20	53.91	74.00	-20.09	72.00	35.70	12.72	66.51	0.00	279	226	Peak	3	7333.20	46.91	54.00	-7.09	65.00	35.70	12.72	66.51	0.00	279	226	Average	4	11000.00	44.96	74.00	-29.04	57.49	37.90	16.04	66.47	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																											
1	6877.20	54.47	68.20	-13.73	72.29	35.58	12.33	65.73	0.00	--	--	Peak																																																																																																																																																																									
2	7333.20	58.63	74.00	-15.37	76.72	35.70	12.72	66.51	0.00	100	267	Peak																																																																																																																																																																									
3	7333.20	51.56	54.00	-2.44	69.65	35.70	12.72	66.51	0.00	100	267	Average																																																																																																																																																																									
4	11000.00	45.21	74.00	-28.79	57.74	37.90	16.04	66.47	0.00	--	--	PEAK																																																																																																																																																																									
5	16492.80	51.14	68.20	-17.06	54.80	40.89	19.67	64.22	0.00	--	--	Peak																																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																											
1	6867.60	49.04	68.20	-19.16	66.89	35.57	12.32	65.74	0.00	--	--	Peak																																																																																																																																																																									
2	7333.20	53.91	74.00	-20.09	72.00	35.70	12.72	66.51	0.00	279	226	Peak																																																																																																																																																																									
3	7333.20	46.91	54.00	-7.09	65.00	35.70	12.72	66.51	0.00	279	226	Average																																																																																																																																																																									
4	11000.00	44.96	74.00	-29.04	57.49	37.90	16.04	66.47	0.00	--	--	PEAK																																																																																																																																																																									



Mode	8																																																																																																																																																																
	Harmonic																																																																																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																																																																
ANT	1																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																										
Peak Avg																																																																																																																																																																	
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6972.00</td><td>53.24</td><td>68.20</td><td>-14.96</td><td>70.82</td><td>35.60</td><td>12.43</td><td>65.61</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>57.78</td><td>74.00</td><td>-16.22</td><td>76.07</td><td>35.74</td><td>12.78</td><td>66.81</td><td>0.00</td><td>108</td><td>268</td><td>Peak</td></tr><tr><td>3</td><td>7440.00</td><td>51.28</td><td>54.00</td><td>-2.72</td><td>69.57</td><td>35.74</td><td>12.78</td><td>66.81</td><td>0.00</td><td>108</td><td>268</td><td>Average</td></tr><tr><td>4</td><td>11160.00</td><td>46.63</td><td>74.00</td><td>-27.37</td><td>58.85</td><td>38.03</td><td>16.15</td><td>66.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6972.00	53.24	68.20	-14.96	70.82	35.60	12.43	65.61	0.00	--	--	Peak	2	7440.00	57.78	74.00	-16.22	76.07	35.74	12.78	66.81	0.00	108	268	Peak	3	7440.00	51.28	54.00	-2.72	69.57	35.74	12.78	66.81	0.00	108	268	Average	4	11160.00	46.63	74.00	-27.37	58.85	38.03	16.15	66.40	0.00	--	--	PEAK	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6972.00</td><td>47.05</td><td>68.20</td><td>-21.15</td><td>64.63</td><td>35.60</td><td>12.43</td><td>65.61</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>46.13</td><td>74.00</td><td>-27.87</td><td>64.42</td><td>35.74</td><td>12.78</td><td>66.81</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>11160.00</td><td>45.18</td><td>74.00</td><td>-28.82</td><td>57.40</td><td>38.03</td><td>16.15</td><td>66.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6972.00	47.05	68.20	-21.15	64.63	35.60	12.43	65.61	0.00	--	--	Peak	2	7440.00	46.13	74.00	-27.87	64.42	35.74	12.78	66.81	0.00	--	--	Peak	3	11160.00	45.18	74.00	-28.82	57.40	38.03	16.15	66.40	0.00	--	--
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																							
1	6972.00	53.24	68.20	-14.96	70.82	35.60	12.43	65.61	0.00	--	--	Peak																																																																																																																																																					
2	7440.00	57.78	74.00	-16.22	76.07	35.74	12.78	66.81	0.00	108	268	Peak																																																																																																																																																					
3	7440.00	51.28	54.00	-2.72	69.57	35.74	12.78	66.81	0.00	108	268	Average																																																																																																																																																					
4	11160.00	46.63	74.00	-27.37	58.85	38.03	16.15	66.40	0.00	--	--	PEAK																																																																																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																							
1	6972.00	47.05	68.20	-21.15	64.63	35.60	12.43	65.61	0.00	--	--	Peak																																																																																																																																																					
2	7440.00	46.13	74.00	-27.87	64.42	35.74	12.78	66.81	0.00	--	--	Peak																																																																																																																																																					
3	11160.00	45.18	74.00	-28.82	57.40	38.03	16.15	66.40	0.00	--	--	PEAK																																																																																																																																																					





Mode	9																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.60</td><td>64.28</td><td>68.20</td><td>-3.92</td><td>55.75</td><td>34.68</td><td>11.18</td><td>37.33</td><td>0.00</td><td>100</td><td>64</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.60	64.28	68.20	-3.92	55.75	34.68	11.18	37.33	0.00	100	64	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>109.39</td><td>-----</td><td>-----</td><td>100.39</td><td>34.60</td><td>11.13</td><td>36.73</td><td>0.00</td><td>100</td><td>64</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	109.39	-----	-----	100.39	34.60	11.13	36.73	0.00	100	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5727.60	64.28	68.20	-3.92	55.75	34.68	11.18	37.33	0.00	100	64	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	109.39	-----	-----	100.39	34.60	11.13	36.73	0.00	100	64	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.60</td><td>64.28</td><td>68.20</td><td>-3.92</td><td>55.75</td><td>34.68</td><td>11.18</td><td>37.33</td><td>0.00</td><td>100</td><td>64</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.60	64.28	68.20	-3.92	55.75	34.68	11.18	37.33	0.00	100	64	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>100.25</td><td>-----</td><td>-----</td><td>91.35</td><td>34.60</td><td>11.13</td><td>36.83</td><td>0.00</td><td>100</td><td>64</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	100.25	-----	-----	91.35	34.60	11.13	36.83	0.00	100	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5727.60	64.28	68.20	-3.92	55.75	34.68	11.18	37.33	0.00	100	64	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	100.25	-----	-----	91.35	34.60	11.13	36.83	0.00	100	64	AVERAGE																																																																																							







Mode	9																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5738.08</td><td>50.23</td><td>68.20</td><td>-17.97</td><td>41.83</td><td>34.71</td><td>11.19</td><td>37.50</td><td>0.00</td><td>100</td><td>256</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5738.08	50.23	68.20	-17.97	41.83	34.71	11.19	37.50	0.00	100	256	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>98.26</td><td>-----</td><td>-----</td><td>89.44</td><td>34.60</td><td>11.14</td><td>36.92</td><td>0.00</td><td>100</td><td>256</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	98.26	-----	-----	89.44	34.60	11.14	36.92	0.00	100	256
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5738.08	50.23	68.20	-17.97	41.83	34.71	11.19	37.50	0.00	100	256	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	98.26	-----	-----	89.44	34.60	11.14	36.92	0.00	100	256	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>89.52</td><td>-----</td><td>-----</td><td>80.70</td><td>34.60</td><td>11.14</td><td>36.92</td><td>0.00</td><td>100</td><td>256</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	89.52	-----	-----	80.70	34.60	11.14	36.92	0.00	100	256	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	89.52	-----	-----	80.70	34.60	11.14	36.92	0.00	100	256	AVERAGE																																																																																							







Mode	9																																																																																							
	Harmonic																																																																																							
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal																																																																																							
Peak Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7122.00</td><td>52.08</td><td>68.20</td><td>-16.12</td><td>69.67</td><td>35.70</td><td>12.62</td><td>65.91</td><td>0.00</td><td>-- Peak</td></tr><tr><td>2</td><td>7599.60</td><td>53.17</td><td>74.00</td><td>-20.83</td><td>71.29</td><td>35.00</td><td>13.02</td><td>66.94</td><td>0.00</td><td>100 269 Peak</td></tr><tr><td>3</td><td>7599.60</td><td>47.47</td><td>54.00</td><td>-6.53</td><td>65.59</td><td>35.00</td><td>13.02</td><td>66.94</td><td>0.00</td><td>100 269 Average</td></tr><tr><td>4</td><td>11400.00</td><td>45.39</td><td>74.00</td><td>-28.61</td><td>57.16</td><td>38.22</td><td>16.30</td><td>66.29</td><td>0.00</td><td>-- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7122.00	52.08	68.20	-16.12	69.67	35.70	12.62	65.91	0.00	-- Peak	2	7599.60	53.17	74.00	-20.83	71.29	35.00	13.02	66.94	0.00	100 269 Peak	3	7599.60	47.47	54.00	-6.53	65.59	35.00	13.02	66.94	0.00	100 269 Average	4	11400.00	45.39	74.00	-28.61	57.16	38.22	16.30	66.29	0.00	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	7122.00	52.08	68.20	-16.12	69.67	35.70	12.62	65.91	0.00	-- Peak																																																																														
2	7599.60	53.17	74.00	-20.83	71.29	35.00	13.02	66.94	0.00	100 269 Peak																																																																														
3	7599.60	47.47	54.00	-6.53	65.59	35.00	13.02	66.94	0.00	100 269 Average																																																																														
4	11400.00	45.39	74.00	-28.61	57.16	38.22	16.30	66.29	0.00	-- PEAK																																																																														
Vertical																																																																																								
Peak Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7128.00</td><td>48.49</td><td>68.20</td><td>-19.71</td><td>66.10</td><td>35.70</td><td>12.62</td><td>65.93</td><td>0.00</td><td>-- Peak</td></tr><tr><td>2</td><td>7599.60</td><td>45.54</td><td>74.00</td><td>-28.46</td><td>63.66</td><td>35.00</td><td>13.02</td><td>66.94</td><td>0.00</td><td>-- Peak</td></tr><tr><td>3</td><td>11400.00</td><td>44.97</td><td>74.00</td><td>-29.03</td><td>56.74</td><td>38.22</td><td>16.30</td><td>66.29</td><td>0.00</td><td>-- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7128.00	48.49	68.20	-19.71	66.10	35.70	12.62	65.93	0.00	-- Peak	2	7599.60	45.54	74.00	-28.46	63.66	35.00	13.02	66.94	0.00	-- Peak	3	11400.00	44.97	74.00	-29.03	56.74	38.22	16.30	66.29	0.00	-- PEAK											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	7128.00	48.49	68.20	-19.71	66.10	35.70	12.62	65.93	0.00	-- Peak																																																																														
2	7599.60	45.54	74.00	-28.46	63.66	35.00	13.02	66.94	0.00	-- Peak																																																																														
3	11400.00	44.97	74.00	-29.03	56.74	38.22	16.30	66.29	0.00	-- PEAK																																																																														



Mode	10																																																																																																				
	Band Edge																																																																																																				
	U-NII-1_5.15-5.25_802.11n HT20_CH36_Full RU_5180MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5121.05</td><td>58.47</td><td>74.00</td><td>-15.53</td><td>50.52</td><td>34.06</td><td>10.58</td><td>36.69</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5121.05	58.47	74.00	-15.53	50.52	34.06	10.58	36.69	0.00	100	114	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>107.00</td><td>-----</td><td>-----</td><td>98.77</td><td>34.22</td><td>10.63</td><td>36.62</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5180.00	107.00	-----	-----	98.77	34.22	10.63	36.62	0.00	100	114
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5121.05	58.47	74.00	-15.53	50.52	34.06	10.58	36.69	0.00	100	114	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5180.00	107.00	-----	-----	98.77	34.22	10.63	36.62	0.00	100	114	PEAK																																																																																									
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5149.95</td><td>45.76</td><td>54.00</td><td>-8.24</td><td>37.65</td><td>34.15</td><td>10.61</td><td>36.65</td><td>0.00</td><td>100</td><td>114</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5149.95	45.76	54.00	-8.24	37.65	34.15	10.61	36.65	0.00	100	114	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>98.82</td><td>-----</td><td>-----</td><td>90.55</td><td>34.24</td><td>10.64</td><td>36.61</td><td>0.00</td><td>100</td><td>114</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5180.00	98.82	-----	-----	90.55	34.24	10.64	36.61	0.00	100	114
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5149.95	45.76	54.00	-8.24	37.65	34.15	10.61	36.65	0.00	100	114	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5180.00	98.82	-----	-----	90.55	34.24	10.64	36.61	0.00	100	114	AVERAGE																																																																																									





Mode	10																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11n HT20_CH36_Full RU_5180MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.95</td><td>60.79</td><td>74.00</td><td>-13.21</td><td>52.68</td><td>34.15</td><td>10.61</td><td>36.65</td><td>0.00</td><td>400</td><td>153</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.95	60.79	74.00	-13.21	52.68	34.15	10.61	36.65	0.00	400	153	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>103.07</td><td>-----</td><td>-----</td><td>94.84</td><td>34.22</td><td>10.63</td><td>36.62</td><td>0.00</td><td>400</td><td>153</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	103.07	-----	-----	94.84	34.22	10.63	36.62	0.00	400	153
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.95	60.79	74.00	-13.21	52.68	34.15	10.61	36.65	0.00	400	153	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	103.07	-----	-----	94.84	34.22	10.63	36.62	0.00	400	153	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.95</td><td>40.73</td><td>54.00</td><td>-13.27</td><td>32.62</td><td>34.15</td><td>10.61</td><td>36.65</td><td>0.00</td><td>400</td><td>153</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.95	40.73	54.00	-13.27	32.62	34.15	10.61	36.65	0.00	400	153	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>94.44</td><td>-----</td><td>-----</td><td>86.14</td><td>34.25</td><td>10.65</td><td>36.60</td><td>0.00</td><td>400</td><td>153</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	94.44	-----	-----	86.14	34.25	10.65	36.60	0.00	400	153
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.95	40.73	54.00	-13.27	32.62	34.15	10.61	36.65	0.00	400	153	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	94.44	-----	-----	86.14	34.25	10.65	36.60	0.00	400	153	AVERAGE																																																																																							





Mode	10																																																																																																																																														
	Harmonic																																																																																																																																														
	U-NII-1_5.15-5.25_802.11n HT20_CH36_Full RU_5180MHz																																																																																																																																														
ANT	1																																																																																																																																														
Pol.	Horizontal					Vertical																																																																																																																																									
Peak Avg																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6483.60</td><td>52.43</td><td>68.20</td><td>-15.77</td><td>70.68</td><td>35.52</td><td>11.98</td><td>65.75</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6907.20</td><td>56.90</td><td>68.20</td><td>-11.30</td><td>74.63</td><td>35.60</td><td>12.36</td><td>65.69</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>10360.00</td><td>45.42</td><td>68.20</td><td>-22.78</td><td>59.28</td><td>37.45</td><td>15.44</td><td>66.75</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6483.60	52.43	68.20	-15.77	70.68	35.52	11.98	65.75	0.00	--	Peak	2	6907.20	56.90	68.20	-11.30	74.63	35.60	12.36	65.69	0.00	--	Peak	3	10360.00	45.42	68.20	-22.78	59.28	37.45	15.44	66.75	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6468.00</td><td>45.88</td><td>68.20</td><td>-22.32</td><td>64.11</td><td>35.53</td><td>11.97</td><td>65.73</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6906.00</td><td>51.65</td><td>68.20</td><td>-16.55</td><td>69.38</td><td>35.60</td><td>12.36</td><td>65.69</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>10360.00</td><td>45.30</td><td>68.20</td><td>-22.90</td><td>59.14</td><td>37.45</td><td>15.45</td><td>66.74</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6468.00	45.88	68.20	-22.32	64.11	35.53	11.97	65.73	0.00	--	Peak	2	6906.00	51.65	68.20	-16.55	69.38	35.60	12.36	65.69	0.00	--	Peak	3	10360.00	45.30	68.20	-22.90	59.14	37.45	15.45	66.74	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	6483.60	52.43	68.20	-15.77	70.68	35.52	11.98	65.75	0.00	--	Peak																																																																																																																																				
2	6907.20	56.90	68.20	-11.30	74.63	35.60	12.36	65.69	0.00	--	Peak																																																																																																																																				
3	10360.00	45.42	68.20	-22.78	59.28	37.45	15.44	66.75	0.00	--	PEAK																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	6468.00	45.88	68.20	-22.32	64.11	35.53	11.97	65.73	0.00	--	Peak																																																																																																																																				
2	6906.00	51.65	68.20	-16.55	69.38	35.60	12.36	65.69	0.00	--	Peak																																																																																																																																				
3	10360.00	45.30	68.20	-22.90	59.14	37.45	15.45	66.74	0.00	--	PEAK																																																																																																																																				



Mode	11																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	U-NII-1_5.15-5.25_802.11n HT20_CH44_Full RU_5220MHz																																																																																																																																																																				
ANT	1																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																														
Peak Avg																																																																																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6532.00</td><td>52.92</td><td>68.20</td><td>-15.28</td><td>71.19</td><td>35.50</td><td>12.03</td><td>65.00</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6960.00</td><td>53.67</td><td>68.20</td><td>-14.53</td><td>71.28</td><td>35.00</td><td>12.41</td><td>65.62</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>10440.00</td><td>45.25</td><td>68.20</td><td>-22.95</td><td>58.92</td><td>37.51</td><td>15.53</td><td>66.71</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6532.00	52.92	68.20	-15.28	71.19	35.50	12.03	65.00	0.00	--	--	Peak	2	6960.00	53.67	68.20	-14.53	71.28	35.00	12.41	65.62	0.00	--	--	Peak	3	10440.00	45.25	68.20	-22.95	58.92	37.51	15.53	66.71	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6532.00</td><td>47.54</td><td>68.20</td><td>-20.66</td><td>65.81</td><td>35.50</td><td>12.03</td><td>65.00</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6960.00</td><td>49.50</td><td>68.20</td><td>-18.70</td><td>67.11</td><td>35.00</td><td>12.41</td><td>65.62</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>10440.00</td><td>44.99</td><td>68.20</td><td>-23.21</td><td>58.68</td><td>37.50</td><td>15.52</td><td>66.71</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6532.00	47.54	68.20	-20.66	65.81	35.50	12.03	65.00	0.00	--	--	Peak	2	6960.00	49.50	68.20	-18.70	67.11	35.00	12.41	65.62	0.00	--	--	Peak	3	10440.00	44.99	68.20	-23.21	58.68	37.50	15.52	66.71	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	6532.00	52.92	68.20	-15.28	71.19	35.50	12.03	65.00	0.00	--	--	Peak																																																																																																																																																									
2	6960.00	53.67	68.20	-14.53	71.28	35.00	12.41	65.62	0.00	--	--	Peak																																																																																																																																																									
3	10440.00	45.25	68.20	-22.95	58.92	37.51	15.53	66.71	0.00	--	--	PEAK																																																																																																																																																									
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	6532.00	47.54	68.20	-20.66	65.81	35.50	12.03	65.00	0.00	--	--	Peak																																																																																																																																																									
2	6960.00	49.50	68.20	-18.70	67.11	35.00	12.41	65.62	0.00	--	--	Peak																																																																																																																																																									
3	10440.00	44.99	68.20	-23.21	58.68	37.50	15.52	66.71	0.00	--	--	PEAK																																																																																																																																																									



Mode	12																																																																																																																																																																														
	Harmonic																																																																																																																																																																														
	U-NII-1_5.15-5.25_802.11n HT20_CH48_Full RU_5240MHz																																																																																																																																																																														
ANT	1																																																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																																																								
Peak Avg																																																																																																																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6556.80	52.96	68.20	-15.24	71.23	35.50	12.05	65.82	0.00	--	--	Peak	2	6986.40	52.79	68.20	-15.41	70.34	35.60	12.44	65.59	0.00	--	--	Peak	3	10480.00	44.87	68.20	-23.33	58.47	37.53	15.56	66.69	0.00	--	--	PEAK	4	15723.60	50.29	74.00	-23.71	55.01	40.25	19.16	64.13	0.00	100	266	Peak	5	15723.60	42.28	54.00	-11.72	47.00	40.25	19.16	64.13	0.00	100	266	Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6547.20	47.47	68.20	-20.73	65.74	35.50	12.04	65.81	0.00	--	--	Peak	2	6986.40	48.19	68.20	-20.01	65.74	35.60	12.44	65.59	0.00	--	--	Peak	3	10480.00	45.23	68.20	-22.97	58.83	37.53	15.56	66.69	0.00	--	--	PEAK					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																				
1	6556.80	52.96	68.20	-15.24	71.23	35.50	12.05	65.82	0.00	--	--	Peak																																																																																																																																																																			
2	6986.40	52.79	68.20	-15.41	70.34	35.60	12.44	65.59	0.00	--	--	Peak																																																																																																																																																																			
3	10480.00	44.87	68.20	-23.33	58.47	37.53	15.56	66.69	0.00	--	--	PEAK																																																																																																																																																																			
4	15723.60	50.29	74.00	-23.71	55.01	40.25	19.16	64.13	0.00	100	266	Peak																																																																																																																																																																			
5	15723.60	42.28	54.00	-11.72	47.00	40.25	19.16	64.13	0.00	100	266	Average																																																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																				
1	6547.20	47.47	68.20	-20.73	65.74	35.50	12.04	65.81	0.00	--	--	Peak																																																																																																																																																																			
2	6986.40	48.19	68.20	-20.01	65.74	35.60	12.44	65.59	0.00	--	--	Peak																																																																																																																																																																			
3	10480.00	45.23	68.20	-22.97	58.83	37.53	15.56	66.69	0.00	--	--	PEAK																																																																																																																																																																			







Mode	13																																																																																														
	Harmonic																																																																																														
	U-NII-2A_5.25-5.35_802.11n HT20_CH52_Full RU_5280MHz																																																																																														
ANT	1																																																																																														
Pol.	Horizontal																																																																																														
Peak Avg																																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6572.40	52.25	68.20	-15.95	70.52	35.50	12.07	65.84	0.00	--	--	Peak	2	7014.00	46.18	68.20	-22.02	63.71	35.61	12.47	65.61	0.00	--	--	Peak	3	10560.00	44.43	68.20	-23.77	57.86	37.59	15.64	66.66	0.00	--	--	PEAK	4	15782.40	50.55	74.00	-23.45	55.17	40.30	19.20	64.12	0.00	100	265	Peak	5	15782.40	42.39	54.00	-11.61	47.01	40.30	19.20	64.12	0.00	100	265
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	6572.40	52.25	68.20	-15.95	70.52	35.50	12.07	65.84	0.00	--	--	Peak																																																																																			
2	7014.00	46.18	68.20	-22.02	63.71	35.61	12.47	65.61	0.00	--	--	Peak																																																																																			
3	10560.00	44.43	68.20	-23.77	57.86	37.59	15.64	66.66	0.00	--	--	PEAK																																																																																			
4	15782.40	50.55	74.00	-23.45	55.17	40.30	19.20	64.12	0.00	100	265	Peak																																																																																			
5	15782.40	42.39	54.00	-11.61	47.01	40.30	19.20	64.12	0.00	100	265	Average																																																																																			
Peak Avg																																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6572.40	45.90	68.20	-22.30	64.17	35.50	12.07	65.84	0.00	--	--	Peak	2	7014.00	44.22	68.20	-23.98	61.75	35.61	12.47	65.61	0.00	--	--	Peak	3	10560.00	44.89	68.20	-23.31	58.33	37.59	15.63	66.66	0.00	--	--	PEAK																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	6572.40	45.90	68.20	-22.30	64.17	35.50	12.07	65.84	0.00	--	--	Peak																																																																																			
2	7014.00	44.22	68.20	-23.98	61.75	35.61	12.47	65.61	0.00	--	--	Peak																																																																																			
3	10560.00	44.89	68.20	-23.31	58.33	37.59	15.63	66.66	0.00	--	--	PEAK																																																																																			







Mode	14																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	U-NII-2A_5.25-5.35_802.11n HT20_CH60_Full RU_5300MHz																																																																																																																																																																				
ANT	1																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																														
Peak Avg																																																																																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6627.60</td><td>53.89</td><td>68.20</td><td>-14.31</td><td>72.14</td><td>35.53</td><td>12.12</td><td>65.90</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7066.80</td><td>57.17</td><td>68.20</td><td>-11.03</td><td>74.72</td><td>35.67</td><td>12.54</td><td>65.76</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>10600.00</td><td>44.55</td><td>74.00</td><td>-29.45</td><td>57.90</td><td>37.62</td><td>15.67</td><td>66.64</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6627.60	53.89	68.20	-14.31	72.14	35.53	12.12	65.90	0.00	--	--	Peak	2	7066.80	57.17	68.20	-11.03	74.72	35.67	12.54	65.76	0.00	--	--	Peak	3	10600.00	44.55	74.00	-29.45	57.90	37.62	15.67	66.64	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6632.40</td><td>46.05</td><td>68.20</td><td>-22.15</td><td>64.30</td><td>35.53</td><td>12.12</td><td>65.90</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7066.80</td><td>53.80</td><td>68.20</td><td>-14.40</td><td>71.35</td><td>35.67</td><td>12.54</td><td>65.76</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>10600.00</td><td>44.92</td><td>68.20</td><td>-23.28</td><td>58.27</td><td>37.62</td><td>15.67</td><td>66.64</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6632.40	46.05	68.20	-22.15	64.30	35.53	12.12	65.90	0.00	--	--	Peak	2	7066.80	53.80	68.20	-14.40	71.35	35.67	12.54	65.76	0.00	--	--	Peak	3	10600.00	44.92	68.20	-23.28	58.27	37.62	15.67	66.64	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	6627.60	53.89	68.20	-14.31	72.14	35.53	12.12	65.90	0.00	--	--	Peak																																																																																																																																																									
2	7066.80	57.17	68.20	-11.03	74.72	35.67	12.54	65.76	0.00	--	--	Peak																																																																																																																																																									
3	10600.00	44.55	74.00	-29.45	57.90	37.62	15.67	66.64	0.00	--	--	PEAK																																																																																																																																																									
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	6632.40	46.05	68.20	-22.15	64.30	35.53	12.12	65.90	0.00	--	--	Peak																																																																																																																																																									
2	7066.80	53.80	68.20	-14.40	71.35	35.67	12.54	65.76	0.00	--	--	Peak																																																																																																																																																									
3	10600.00	44.92	68.20	-23.28	58.27	37.62	15.67	66.64	0.00	--	--	PEAK																																																																																																																																																									



Mode	15																																																																																																														
	Band Edge																																																																																																														
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_Full RU_5320MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.35</td><td>56.04</td><td>74.00</td><td>-17.96</td><td>47.16</td><td>34.50</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>96</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.35	56.04	74.00	-17.96	47.16	34.50	10.75	36.37	0.00	100	96	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>107.14</td><td>-----</td><td>-----</td><td>98.32</td><td>34.50</td><td>10.73</td><td>36.41</td><td>0.00</td><td>100</td><td>96</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	107.14	-----	-----	98.32	34.50	10.73	36.41	0.00	100	96
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5351.35	56.04	74.00	-17.96	47.16	34.50	10.75	36.37	0.00	100	96	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	107.14	-----	-----	98.32	34.50	10.73	36.41	0.00	100	96	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.44</td><td>44.23</td><td>54.00</td><td>-9.77</td><td>35.35</td><td>34.50</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>96</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.44	44.23	54.00	-9.77	35.35	34.50	10.75	36.37	0.00	100	96	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>99.39</td><td>-----</td><td>-----</td><td>90.57</td><td>34.50</td><td>10.73</td><td>36.41</td><td>0.00</td><td>100</td><td>96</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	99.39	-----	-----	90.57	34.50	10.73	36.41	0.00	100	96
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5350.44	44.23	54.00	-9.77	35.35	34.50	10.75	36.37	0.00	100	96	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	99.39	-----	-----	90.57	34.50	10.73	36.41	0.00	100	96	AVERAGE																																																																																																			







Mode	15																																																																																																														
	Band Edge																																																																																																														
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_Full RU_5320MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.95</td><td>53.07</td><td>74.00</td><td>-20.93</td><td>44.18</td><td>34.50</td><td>10.75</td><td>36.36</td><td>0.00</td><td>100</td><td>258</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.95	53.07	74.00	-20.93	44.18	34.50	10.75	36.36	0.00	100	258	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>99.67</td><td>-----</td><td>-----</td><td>90.88</td><td>34.50</td><td>10.72</td><td>36.43</td><td>0.00</td><td>100</td><td>258</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	99.67	-----	-----	90.88	34.50	10.72	36.43	0.00	100	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5358.95	53.07	74.00	-20.93	44.18	34.50	10.75	36.36	0.00	100	258	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	99.67	-----	-----	90.88	34.50	10.72	36.43	0.00	100	258	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.05</td><td>39.49</td><td>54.00</td><td>-14.51</td><td>30.61</td><td>34.50</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>258</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.05	39.49	54.00	-14.51	30.61	34.50	10.75	36.37	0.00	100	258	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>90.92</td><td>-----</td><td>-----</td><td>82.11</td><td>34.50</td><td>10.73</td><td>36.42</td><td>0.00</td><td>100</td><td>258</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	90.92	-----	-----	82.11	34.50	10.73	36.42	0.00	100	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5350.05	39.49	54.00	-14.51	30.61	34.50	10.75	36.37	0.00	100	258	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	90.92	-----	-----	82.11	34.50	10.73	36.42	0.00	100	258	AVERAGE																																																																																																			







Mode	15																																																																													
	Harmonic																																																																													
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_Full RU_5320MHz																																																																													
ANT	1																																																																													
Pol.	Horizontal																																																																													
Peak Avg																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6651.60</td><td>52.77</td><td>68.20</td><td>-15.43</td><td>71.01</td><td>35.55</td><td>12.13</td><td>65.92</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7093.20</td><td>57.65</td><td>68.20</td><td>-10.55</td><td>75.21</td><td>35.69</td><td>12.58</td><td>65.83</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>10640.00</td><td>44.38</td><td>74.00</td><td>-29.62</td><td>57.64</td><td>37.65</td><td>15.71</td><td>66.62</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6651.60	52.77	68.20	-15.43	71.01	35.55	12.13	65.92	0.00	--	Peak	2	7093.20	57.65	68.20	-10.55	75.21	35.69	12.58	65.83	0.00	--	Peak	3	10640.00	44.38	74.00	-29.62	57.64	37.65	15.71	66.62	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	6651.60	52.77	68.20	-15.43	71.01	35.55	12.13	65.92	0.00	--	Peak																																																																			
2	7093.20	57.65	68.20	-10.55	75.21	35.69	12.58	65.83	0.00	--	Peak																																																																			
3	10640.00	44.38	74.00	-29.62	57.64	37.65	15.71	66.62	0.00	--	PEAK																																																																			
Vertical																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6656.40</td><td>47.19</td><td>68.20</td><td>-21.01</td><td>65.41</td><td>35.56</td><td>12.14</td><td>65.92</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7093.20</td><td>52.66</td><td>68.20</td><td>-15.54</td><td>70.22</td><td>35.69</td><td>12.58</td><td>65.83</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>10640.00</td><td>44.22</td><td>74.00</td><td>-29.78</td><td>57.48</td><td>37.65</td><td>15.71</td><td>66.62</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6656.40	47.19	68.20	-21.01	65.41	35.56	12.14	65.92	0.00	--	Peak	2	7093.20	52.66	68.20	-15.54	70.22	35.69	12.58	65.83	0.00	--	Peak	3	10640.00	44.22	74.00	-29.78	57.48	37.65	15.71	66.62	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	6656.40	47.19	68.20	-21.01	65.41	35.56	12.14	65.92	0.00	--	Peak																																																																			
2	7093.20	52.66	68.20	-15.54	70.22	35.69	12.58	65.83	0.00	--	Peak																																																																			
3	10640.00	44.22	74.00	-29.78	57.48	37.65	15.71	66.62	0.00	--	PEAK																																																																			



Mode	16																																																																																																											
	Band Edge																																																																																																											
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																					
Peak																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.01</td><td>52.77</td><td>74.00</td><td>-21.23</td><td>43.59</td><td>34.56</td><td>10.84</td><td>36.22</td><td>0.00</td><td>102</td><td>61 PEAK</td></tr><tr><td>2</td><td>5464.01</td><td>55.38</td><td>68.20</td><td>-12.82</td><td>46.19</td><td>34.56</td><td>10.84</td><td>36.21</td><td>0.00</td><td>102</td><td>61 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.01	52.77	74.00	-21.23	43.59	34.56	10.84	36.22	0.00	102	61 PEAK	2	5464.01	55.38	68.20	-12.82	46.19	34.56	10.84	36.21	0.00	102	61 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>109.38</td><td>-----</td><td>-----</td><td>100.08</td><td>34.59</td><td>10.88</td><td>36.17</td><td>0.00</td><td>102</td><td>61 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.38	-----	-----	100.08	34.59	10.88	36.17	0.00	102
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5456.01	52.77	74.00	-21.23	43.59	34.56	10.84	36.22	0.00	102	61 PEAK																																																																																																	
2	5464.01	55.38	68.20	-12.82	46.19	34.56	10.84	36.21	0.00	102	61 PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5500.00	109.38	-----	-----	100.08	34.59	10.88	36.17	0.00	102	61 PEAK																																																																																																	
Avg																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.85</td><td>43.05</td><td>54.00</td><td>-10.95</td><td>33.87</td><td>34.56</td><td>10.84</td><td>36.22</td><td>0.00</td><td>102</td><td>61 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.85	43.05	54.00	-10.95	33.87	34.56	10.84	36.22	0.00	102	61 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>101.63</td><td>-----</td><td>-----</td><td>92.33</td><td>34.59</td><td>10.88</td><td>36.17</td><td>0.00</td><td>102</td><td>61 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.63	-----	-----	92.33	34.59	10.88	36.17	0.00	102	61 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5459.85	43.05	54.00	-10.95	33.87	34.56	10.84	36.22	0.00	102	61 AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5500.00	101.63	-----	-----	92.33	34.59	10.88	36.17	0.00	102	61 AVERAGE																																																																																																	





Mode	16																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5390.73</td><td>48.47</td><td>74.00</td><td>-25.53</td><td>39.51</td><td>34.50</td><td>10.77</td><td>36.31</td><td>0.00</td><td>369</td><td>173</td><td>PEAK</td></tr><tr><td>2</td><td>5469.29</td><td>49.43</td><td>68.20</td><td>-18.77</td><td>40.21</td><td>34.57</td><td>10.85</td><td>36.20</td><td>0.00</td><td>369</td><td>173</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5390.73	48.47	74.00	-25.53	39.51	34.50	10.77	36.31	0.00	369	173	PEAK	2	5469.29	49.43	68.20	-18.77	40.21	34.57	10.85	36.20	0.00	369	173	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>103.63</td><td>-----</td><td>-----</td><td>94.31</td><td>34.60</td><td>10.88</td><td>36.16</td><td>0.00</td><td>369</td><td>173</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.63	-----	-----	94.31	34.60	10.88	36.16	0.00	369	173	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5390.73	48.47	74.00	-25.53	39.51	34.50	10.77	36.31	0.00	369	173	PEAK																																																																																																					
2	5469.29	49.43	68.20	-18.77	40.21	34.57	10.85	36.20	0.00	369	173	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	103.63	-----	-----	94.31	34.60	10.88	36.16	0.00	369	173	PEAK																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.69</td><td>38.22</td><td>54.00</td><td>-15.78</td><td>29.04</td><td>34.56</td><td>10.84</td><td>36.22</td><td>0.00</td><td>369</td><td>173</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.69	38.22	54.00	-15.78	29.04	34.56	10.84	36.22	0.00	369	173	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>95.35</td><td>-----</td><td>-----</td><td>86.01</td><td>34.60</td><td>10.89</td><td>36.15</td><td>0.00</td><td>369</td><td>173</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	95.35	-----	-----	86.01	34.60	10.89	36.15	0.00	369	173	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.69	38.22	54.00	-15.78	29.04	34.56	10.84	36.22	0.00	369	173	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	95.35	-----	-----	86.01	34.60	10.89	36.15	0.00	369	173	AVERAGE																																																																																																					






Mode	16																																																																																																																																																																																																
	Harmonic																																																																																																																																																																																																
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																																																																																																																
ANT	1																																																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																																																										
Peak Avg																																																																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6868.80</td><td>53.02</td><td>68.20</td><td>-15.18</td><td>70.87</td><td>35.57</td><td>12.32</td><td>65.74</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7333.20</td><td>56.61</td><td>74.00</td><td>-17.39</td><td>74.70</td><td>35.70</td><td>12.72</td><td>66.51</td><td>0.00</td><td>105</td><td>306 Peak</td></tr><tr><td>3</td><td>7333.20</td><td>50.11</td><td>54.00</td><td>-3.89</td><td>68.20</td><td>35.70</td><td>12.72</td><td>66.51</td><td>0.00</td><td>105</td><td>306 Average</td></tr><tr><td>4</td><td>11000.00</td><td>45.33</td><td>74.00</td><td>-28.67</td><td>57.86</td><td>37.90</td><td>16.04</td><td>66.47</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>5</td><td>16504.80</td><td>51.24</td><td>68.20</td><td>-16.96</td><td>54.89</td><td>40.90</td><td>19.68</td><td>64.23</td><td>0.00</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6868.80	53.02	68.20	-15.18	70.87	35.57	12.32	65.74	0.00	--	Peak	2	7333.20	56.61	74.00	-17.39	74.70	35.70	12.72	66.51	0.00	105	306 Peak	3	7333.20	50.11	54.00	-3.89	68.20	35.70	12.72	66.51	0.00	105	306 Average	4	11000.00	45.33	74.00	-28.67	57.86	37.90	16.04	66.47	0.00	--	PEAK	5	16504.80	51.24	68.20	-16.96	54.89	40.90	19.68	64.23	0.00	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6883.20</td><td>50.22</td><td>68.20</td><td>-17.98</td><td>68.03</td><td>35.58</td><td>12.33</td><td>65.72</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7333.20</td><td>53.61</td><td>74.00</td><td>-20.39</td><td>71.70</td><td>35.70</td><td>12.72</td><td>66.51</td><td>0.00</td><td>300</td><td>226 Peak</td></tr><tr><td>3</td><td>7333.20</td><td>47.61</td><td>54.00</td><td>-6.39</td><td>65.70</td><td>35.70</td><td>12.72</td><td>66.51</td><td>0.00</td><td>300</td><td>226 Average</td></tr><tr><td>4</td><td>11000.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>57.98</td><td>37.90</td><td>16.04</td><td>66.47</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>5</td><td>16503.60</td><td>50.61</td><td>68.20</td><td>-17.59</td><td>54.26</td><td>40.90</td><td>19.68</td><td>64.23</td><td>0.00</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6883.20	50.22	68.20	-17.98	68.03	35.58	12.33	65.72	0.00	--	Peak	2	7333.20	53.61	74.00	-20.39	71.70	35.70	12.72	66.51	0.00	300	226 Peak	3	7333.20	47.61	54.00	-6.39	65.70	35.70	12.72	66.51	0.00	300	226 Average	4	11000.00	45.45	74.00	-28.55	57.98	37.90	16.04	66.47	0.00	--	PEAK	5	16503.60	50.61	68.20	-17.59	54.26	40.90	19.68	64.23	0.00	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																							
1	6868.80	53.02	68.20	-15.18	70.87	35.57	12.32	65.74	0.00	--	Peak																																																																																																																																																																																						
2	7333.20	56.61	74.00	-17.39	74.70	35.70	12.72	66.51	0.00	105	306 Peak																																																																																																																																																																																						
3	7333.20	50.11	54.00	-3.89	68.20	35.70	12.72	66.51	0.00	105	306 Average																																																																																																																																																																																						
4	11000.00	45.33	74.00	-28.67	57.86	37.90	16.04	66.47	0.00	--	PEAK																																																																																																																																																																																						
5	16504.80	51.24	68.20	-16.96	54.89	40.90	19.68	64.23	0.00	--	Peak																																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																							
1	6883.20	50.22	68.20	-17.98	68.03	35.58	12.33	65.72	0.00	--	Peak																																																																																																																																																																																						
2	7333.20	53.61	74.00	-20.39	71.70	35.70	12.72	66.51	0.00	300	226 Peak																																																																																																																																																																																						
3	7333.20	47.61	54.00	-6.39	65.70	35.70	12.72	66.51	0.00	300	226 Average																																																																																																																																																																																						
4	11000.00	45.45	74.00	-28.55	57.98	37.90	16.04	66.47	0.00	--	PEAK																																																																																																																																																																																						
5	16503.60	50.61	68.20	-17.59	54.26	40.90	19.68	64.23	0.00	--	Peak																																																																																																																																																																																						






Mode	17																																																																																											
	Harmonic																																																																																											
	U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal																																																																																											
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6968.40</td><td>50.54</td><td>68.20</td><td>-17.66</td><td>68.13</td><td>35.60</td><td>12.42</td><td>65.61</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>57.62</td><td>74.00</td><td>-16.38</td><td>75.91</td><td>35.74</td><td>12.78</td><td>66.81</td><td>0.00</td><td>100</td><td>268 Peak</td></tr><tr><td>3</td><td>7440.00</td><td>52.28</td><td>54.00</td><td>-1.72</td><td>70.57</td><td>35.74</td><td>12.78</td><td>66.81</td><td>0.00</td><td>100</td><td>268 Average</td></tr><tr><td>4</td><td>11160.00</td><td>46.35</td><td>74.00</td><td>-27.65</td><td>58.57</td><td>38.03</td><td>16.15</td><td>66.40</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6968.40	50.54	68.20	-17.66	68.13	35.60	12.42	65.61	0.00	--	Peak	2	7440.00	57.62	74.00	-16.38	75.91	35.74	12.78	66.81	0.00	100	268 Peak	3	7440.00	52.28	54.00	-1.72	70.57	35.74	12.78	66.81	0.00	100	268 Average	4	11160.00	46.35	74.00	-27.65	58.57	38.03	16.15	66.40	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	6968.40	50.54	68.20	-17.66	68.13	35.60	12.42	65.61	0.00	--	Peak																																																																																	
2	7440.00	57.62	74.00	-16.38	75.91	35.74	12.78	66.81	0.00	100	268 Peak																																																																																	
3	7440.00	52.28	54.00	-1.72	70.57	35.74	12.78	66.81	0.00	100	268 Average																																																																																	
4	11160.00	46.35	74.00	-27.65	58.57	38.03	16.15	66.40	0.00	--	PEAK																																																																																	
																																																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6969.60</td><td>45.63</td><td>68.20</td><td>-22.57</td><td>63.22</td><td>35.60</td><td>12.42</td><td>65.61</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11160.00</td><td>44.89</td><td>74.00</td><td>-29.11</td><td>57.11</td><td>38.03</td><td>16.15</td><td>66.40</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6969.60	45.63	68.20	-22.57	63.22	35.60	12.42	65.61	0.00	--	Peak	2	11160.00	44.89	74.00	-29.11	57.11	38.03	16.15	66.40	0.00	--	PEAK																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	6969.60	45.63	68.20	-22.57	63.22	35.60	12.42	65.61	0.00	--	Peak																																																																																	
2	11160.00	44.89	74.00	-29.11	57.11	38.03	16.15	66.40	0.00	--	PEAK																																																																																	





Mode	18																																																																																															
	Band Edge																																																																																															
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5732.88</td><td>63.00</td><td>68.20</td><td>-5.20</td><td>54.53</td><td>34.70</td><td>11.19</td><td>37.42</td><td>0.00</td><td>100</td><td>62 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5732.88	63.00	68.20	-5.20	54.53	34.70	11.19	37.42	0.00	100	62 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>108.06</td><td>-----</td><td>-----</td><td>99.06</td><td>34.60</td><td>11.13</td><td>36.73</td><td>0.00</td><td>100</td><td>62 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	108.06	-----	-----	99.06	34.60	11.13	36.73	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5732.88	63.00	68.20	-5.20	54.53	34.70	11.19	37.42	0.00	100	62 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5700.00	108.06	-----	-----	99.06	34.60	11.13	36.73	0.00	100	62 PEAK																																																																																					
Avg	Blank																																																																																															
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>99.38</td><td>-----</td><td>-----</td><td>90.48</td><td>34.60</td><td>11.13</td><td>36.83</td><td>0.00</td><td>100</td><td>62 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	99.38	-----	-----	90.48	34.60	11.13	36.83	0.00	100	62 AVERAGE																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5700.00	99.38	-----	-----	90.48	34.60	11.13	36.83	0.00	100	62 AVERAGE																																																																																					







Mode	18																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.44</td><td>50.25</td><td>68.20</td><td>-17.95</td><td>41.74</td><td>34.69</td><td>11.18</td><td>37.36</td><td>0.00</td><td>100</td><td>256</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.44	50.25	68.20	-17.95	41.74	34.69	11.18	37.36	0.00	100	256	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>97.11</td><td>-----</td><td>-----</td><td>88.29</td><td>34.60</td><td>11.14</td><td>36.92</td><td>0.00</td><td>100</td><td>256</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.11	-----	-----	88.29	34.60	11.14	36.92	0.00	100	256
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5729.44	50.25	68.20	-17.95	41.74	34.69	11.18	37.36	0.00	100	256	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	97.11	-----	-----	88.29	34.60	11.14	36.92	0.00	100	256	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>88.96</td><td>-----</td><td>-----</td><td>80.20</td><td>34.62</td><td>11.15</td><td>37.01</td><td>0.00</td><td>100</td><td>256</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	88.96	-----	-----	80.20	34.62	11.15	37.01	0.00	100	256	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	88.96	-----	-----	80.20	34.62	11.15	37.01	0.00	100	256	AVERAGE																																																																																							





Mode	18																																																																																											
	Harmonic																																																																																											
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7117.20</td><td>51.77</td><td>68.20</td><td>-16.43</td><td>69.36</td><td>35.70</td><td>12.61</td><td>65.90</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7599.60</td><td>53.47</td><td>74.00</td><td>-20.53</td><td>71.59</td><td>35.00</td><td>13.02</td><td>66.94</td><td>0.00</td><td>100</td><td>270 Peak</td></tr><tr><td>3</td><td>7599.60</td><td>48.87</td><td>54.00</td><td>-5.13</td><td>66.99</td><td>35.00</td><td>13.02</td><td>66.94</td><td>0.00</td><td>100</td><td>270 Average</td></tr><tr><td>4</td><td>11400.00</td><td>45.65</td><td>74.00</td><td>-28.35</td><td>57.42</td><td>38.22</td><td>16.30</td><td>66.29</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7117.20	51.77	68.20	-16.43	69.36	35.70	12.61	65.90	0.00	--	Peak	2	7599.60	53.47	74.00	-20.53	71.59	35.00	13.02	66.94	0.00	100	270 Peak	3	7599.60	48.87	54.00	-5.13	66.99	35.00	13.02	66.94	0.00	100	270 Average	4	11400.00	45.65	74.00	-28.35	57.42	38.22	16.30	66.29	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7117.20	51.77	68.20	-16.43	69.36	35.70	12.61	65.90	0.00	--	Peak																																																																																	
2	7599.60	53.47	74.00	-20.53	71.59	35.00	13.02	66.94	0.00	100	270 Peak																																																																																	
3	7599.60	48.87	54.00	-5.13	66.99	35.00	13.02	66.94	0.00	100	270 Average																																																																																	
4	11400.00	45.65	74.00	-28.35	57.42	38.22	16.30	66.29	0.00	--	PEAK																																																																																	
																																																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7130.40</td><td>47.96</td><td>68.20</td><td>-20.24</td><td>65.57</td><td>35.70</td><td>12.63</td><td>65.94</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11400.00</td><td>45.68</td><td>74.00</td><td>-28.32</td><td>57.45</td><td>38.22</td><td>16.30</td><td>66.29</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7130.40	47.96	68.20	-20.24	65.57	35.70	12.63	65.94	0.00	--	Peak	2	11400.00	45.68	74.00	-28.32	57.45	38.22	16.30	66.29	0.00	--	PEAK																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7130.40	47.96	68.20	-20.24	65.57	35.70	12.63	65.94	0.00	--	Peak																																																																																	
2	11400.00	45.68	74.00	-28.32	57.45	38.22	16.30	66.29	0.00	--	PEAK																																																																																	







Mode	19																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.53</td><td>63.78</td><td>74.00</td><td>-10.22</td><td>55.67</td><td>34.15</td><td>10.61</td><td>36.65</td><td>0.00</td><td>100</td><td>79</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.53	63.78	74.00	-10.22	55.67	34.15	10.61	36.65	0.00	100	79	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>103.77</td><td>-----</td><td>-----</td><td>95.38</td><td>34.31</td><td>10.66</td><td>36.58</td><td>0.00</td><td>100</td><td>79</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	103.77	-----	-----	95.38	34.31	10.66	36.58	0.00	100	79
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.53	63.78	74.00	-10.22	55.67	34.15	10.61	36.65	0.00	100	79	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	103.77	-----	-----	95.38	34.31	10.66	36.58	0.00	100	79	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.98</td><td>50.18</td><td>54.00</td><td>-3.82</td><td>42.07</td><td>34.15</td><td>10.61</td><td>36.65</td><td>0.00</td><td>100</td><td>79</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.98	50.18	54.00	-3.82	42.07	34.15	10.61	36.65	0.00	100	79	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>94.79</td><td>-----</td><td>-----</td><td>86.40</td><td>34.31</td><td>10.66</td><td>36.58</td><td>0.00</td><td>100</td><td>79</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	94.79	-----	-----	86.40	34.31	10.66	36.58	0.00	100	79
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.98	50.18	54.00	-3.82	42.07	34.15	10.61	36.65	0.00	100	79	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	94.79	-----	-----	86.40	34.31	10.66	36.58	0.00	100	79	AVERAGE																																																																																																			



Mode	19																																																				
	Band Edge - R																																																				
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz																																																				
ANT	1																																																				
Pol.	Horizontal						Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5423.96</td><td>50.95</td><td>74.00</td><td>-23.05</td><td>41.90</td><td>34.52</td><td>10.80</td><td>36.27</td><td>0.00</td><td>100</td><td>79 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5423.96	50.95	74.00	-23.05	41.90	34.52	10.80	36.27	0.00	100	79 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5423.96	50.95	74.00	-23.05	41.90	34.52	10.80	36.27	0.00	100	79 PEAK																																										
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.04</td><td>41.40</td><td>54.00</td><td>-12.60</td><td>32.25</td><td>34.55</td><td>10.83</td><td>36.23</td><td>0.00</td><td>100</td><td>79 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.04	41.40	54.00	-12.60	32.25	34.55	10.83	36.23	0.00	100	79 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5452.04	41.40	54.00	-12.60	32.25	34.55	10.83	36.23	0.00	100	79 AVERAGE																																										



		19																																																																																																							
Mode		Band Edge - L																																																																																																							
		U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz																																																																																																							
ANT		1																																																																																																							
Pol.	Vertical												Fundamental																																																																																												
Peak																																																																																																									
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 5147.13	98.58	74.00	-15.42	50.49	34.14	10.61	36.66	0.00	400	154	PEAK		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="4">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr></thead><tbody><tr><td>1 5190.00</td><td>98.72</td><td>-----</td><td>-----</td><td>90.41</td><td>34.26</td><td>10.65</td><td>36.60</td><td>0.00</td><td>400</td><td>154</td><td colspan="2">PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 5190.00	98.72	-----	-----	90.41	34.26	10.65	36.60	0.00	400	154	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 5147.13	98.58	74.00	-15.42	50.49	34.14	10.61	36.66	0.00	400	154	PEAK																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 5190.00	98.72	-----	-----	90.41	34.26	10.65	36.60	0.00	400	154	PEAK																																																																																														
Avg																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="4">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr></thead><tbody><tr><td>1 5149.69</td><td>43.93</td><td>54.00</td><td>-10.07</td><td>35.82</td><td>34.15</td><td>10.61</td><td>36.65</td><td>0.00</td><td>400</td><td>154</td><td colspan="2">AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 5149.69	43.93	54.00	-10.07	35.82	34.15	10.61	36.65	0.00	400	154	AVERAGE		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="4">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr></thead><tbody><tr><td>1 5190.00</td><td>90.39</td><td>-----</td><td>-----</td><td>82.11</td><td>34.25</td><td>10.64</td><td>36.61</td><td>0.00</td><td>400</td><td>154</td><td colspan="2">AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 5190.00	90.39	-----	-----	82.11	34.25	10.64	36.61	0.00	400	154	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 5149.69	43.93	54.00	-10.07	35.82	34.15	10.61	36.65	0.00	400	154	AVERAGE																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 5190.00	90.39	-----	-----	82.11	34.25	10.64	36.61	0.00	400	154	AVERAGE																																																																																														







Mode	19																																																																									
	Band Edge - R																																																																									
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz																																																																									
ANT	1																																																																									
Pol.	Vertical						Fundamental																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5386.97</td><td>48.17</td><td>74.00</td><td>-25.83</td><td>39.22</td><td>34.50</td><td>10.77</td><td>36.32</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>400</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>154</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5386.97	48.17	74.00	-25.83	39.22	34.50	10.77	36.32								0.00	400									154									PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	5386.97	48.17	74.00	-25.83	39.22	34.50	10.77	36.32																																																																		
							0.00	400																																																																		
								154																																																																		
								PEAK																																																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5444.75</td><td>38.06</td><td>54.00</td><td>-15.94</td><td>28.94</td><td>34.54</td><td>10.82</td><td>36.24</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>400</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>154</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5444.75	38.06	54.00	-15.94	28.94	34.54	10.82	36.24								0.00	400									154									AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	5444.75	38.06	54.00	-15.94	28.94	34.54	10.82	36.24																																																																		
							0.00	400																																																																		
								154																																																																		
								AVERAGE																																																																		





Mode	19																																																																																																																																					
	Harmonic																																																																																																																																					
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz																																																																																																																																					
ANT	1																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																															
Peak Avg																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6502.00</td><td>49.08</td><td>68.20</td><td>-19.12</td><td>67.35</td><td>35.50</td><td>12.00</td><td>65.77</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6920.40</td><td>51.40</td><td>68.20</td><td>-16.80</td><td>69.10</td><td>35.60</td><td>12.37</td><td>65.67</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>10380.00</td><td>46.23</td><td>68.20</td><td>-21.97</td><td>60.05</td><td>37.46</td><td>15.46</td><td>66.74</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6502.00	49.08	68.20	-19.12	67.35	35.50	12.00	65.77	0.00	--	Peak	2	6920.40	51.40	68.20	-16.80	69.10	35.60	12.37	65.67	0.00	--	Peak	3	10380.00	46.23	68.20	-21.97	60.05	37.46	15.46	66.74	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6919.20</td><td>49.09</td><td>68.20</td><td>-19.11</td><td>66.79</td><td>35.60</td><td>12.37</td><td>65.67</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10380.00</td><td>45.79</td><td>68.20</td><td>-22.41</td><td>59.58</td><td>37.47</td><td>15.47</td><td>66.73</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6919.20	49.09	68.20	-19.11	66.79	35.60	12.37	65.67	0.00	--	Peak	2	10380.00	45.79	68.20	-22.41	59.58	37.47	15.47	66.73	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	6502.00	49.08	68.20	-19.12	67.35	35.50	12.00	65.77	0.00	--	Peak																																																																																																																											
2	6920.40	51.40	68.20	-16.80	69.10	35.60	12.37	65.67	0.00	--	Peak																																																																																																																											
3	10380.00	46.23	68.20	-21.97	60.05	37.46	15.46	66.74	0.00	--	PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	6919.20	49.09	68.20	-19.11	66.79	35.60	12.37	65.67	0.00	--	Peak																																																																																																																											
2	10380.00	45.79	68.20	-22.41	59.58	37.47	15.47	66.73	0.00	--	PEAK																																																																																																																											







Mode	20																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-1_5.15-5.25_802.11n HT40_CH46_Full_5230MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5122.97</td><td>53.20</td><td>74.00</td><td>-20.80</td><td>45.24</td><td>34.07</td><td>10.58</td><td>36.69</td><td>0.00</td><td>112 91 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5122.97	53.20	74.00	-20.80	45.24	34.07	10.58	36.69	0.00	112 91 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>104.18</td><td>-----</td><td>-----</td><td>95.62</td><td>34.39</td><td>10.69</td><td>36.52</td><td>0.00</td><td>112 91 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	104.18	-----	-----	95.62	34.39	10.69	36.52	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5122.97	53.20	74.00	-20.80	45.24	34.07	10.58	36.69	0.00	112 91 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5230.00	104.18	-----	-----	95.62	34.39	10.69	36.52	0.00	112 91 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.09</td><td>41.60</td><td>54.00</td><td>-12.40</td><td>33.51</td><td>34.14</td><td>10.61</td><td>36.66</td><td>0.00</td><td>112 91 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.09	41.60	54.00	-12.40	33.51	34.14	10.61	36.66	0.00	112 91 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>95.84</td><td>-----</td><td>-----</td><td>87.28</td><td>34.39</td><td>10.69</td><td>36.52</td><td>0.00</td><td>112 91 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	95.84	-----	-----	87.28	34.39	10.69	36.52	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5148.09	41.60	54.00	-12.40	33.51	34.14	10.61	36.66	0.00	112 91 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5230.00	95.84	-----	-----	87.28	34.39	10.69	36.52	0.00	112 91 AVERAGE																																																																																								





Mode	20																																													
	Band Edge - R																																													
	U-NII-1_5.15-5.25_802.11n HT40_CH46_Full_5230MHz																																													
ANT	1																																													
Pol.	Horizontal						Fundamental																																							
Peak							Blank																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5399.92</td><td>50.93</td><td>74.00</td><td>-23.07</td><td>41.95</td><td>34.50</td><td>10.78</td><td>36.30</td><td>0.00</td><td>112</td><td>91 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.92	50.93	74.00	-23.07	41.95
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5399.92	50.93	74.00	-23.07	41.95	34.50	10.78	36.30	0.00	112	91 PEAK																																			
Avg							Blank																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.32</td><td>41.01</td><td>54.00</td><td>-12.99</td><td>32.13</td><td>34.50</td><td>10.75</td><td>36.37</td><td>0.00</td><td>112</td><td>91 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.32	41.01	54.00	-12.99	32.13
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5352.32	41.01	54.00	-12.99	32.13	34.50	10.75	36.37	0.00	112	91 AVERAGE																																			





Mode	20																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11n HT40_CH46_Full_5230MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5142.49</td><td>51.40</td><td>74.00</td><td>-22.60</td><td>43.33</td><td>34.13</td><td>10.60</td><td>36.66</td><td>0.00</td><td>104</td><td>255</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.49	51.40	74.00	-22.60	43.33	34.13	10.60	36.66	0.00	104	255	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>95.17</td><td>-----</td><td>-----</td><td>86.66</td><td>34.37</td><td>10.68</td><td>36.54</td><td>0.00</td><td>104</td><td>255</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	95.17	-----	-----	86.66	34.37	10.68	36.54	0.00	104	255
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5142.49	51.40	74.00	-22.60	43.33	34.13	10.60	36.66	0.00	104	255	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5230.00	95.17	-----	-----	86.66	34.37	10.68	36.54	0.00	104	255	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5136.73</td><td>39.62</td><td>54.00</td><td>-14.38</td><td>31.59</td><td>34.11</td><td>10.59</td><td>36.67</td><td>0.00</td><td>104</td><td>255</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.73	39.62	54.00	-14.38	31.59	34.11	10.59	36.67	0.00	104	255	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>87.45</td><td>-----</td><td>-----</td><td>78.89</td><td>34.39</td><td>10.69</td><td>36.52</td><td>0.00</td><td>104</td><td>255</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	87.45	-----	-----	78.89	34.39	10.69	36.52	0.00	104	255
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5136.73	39.62	54.00	-14.38	31.59	34.11	10.59	36.67	0.00	104	255	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5230.00	87.45	-----	-----	78.89	34.39	10.69	36.52	0.00	104	255	AVERAGE																																																																																							







Mode	20																																																																
	Band Edge - R																																																																
	U-NII-1_5.15-5.25_802.11n HT40_CH46_Full_5230MHz																																																																
ANT	1																																																																
Pol.	Vertical	Fundamental																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5355.28</td><td>49.04</td><td>74.00</td><td>-24.96</td><td>40.15</td><td>34.50</td><td>10.75</td><td>36.36</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>104</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>255</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5355.28	49.04	74.00	-24.96	40.15	34.50	10.75	36.36								0.00	104									255									PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	5355.28	49.04	74.00	-24.96	40.15	34.50	10.75	36.36																																																									
							0.00	104																																																									
								255																																																									
								PEAK																																																									
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5350.42</td><td>38.39</td><td>54.00</td><td>-15.61</td><td>29.51</td><td>34.50</td><td>10.75</td><td>36.37</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>104</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>255</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.42	38.39	54.00	-15.61	29.51	34.50	10.75	36.37								0.00	104									255									AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	5350.42	38.39	54.00	-15.61	29.51	34.50	10.75	36.37																																																									
							0.00	104																																																									
								255																																																									
								AVERAGE																																																									





Mode	20																																																																														
	Harmonic																																																																														
	U-NII-1_5.15-5.25_802.11n HT40_CH46_Full_5230MHz																																																																														
ANT	1																																																																														
Pol.	Horizontal						Vertical																																																																								
Peak Avg																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6549.60</td><td>52.20</td><td>68.20</td><td>-16.00</td><td>70.47</td><td>35.50</td><td>12.05</td><td>65.82</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6973.20</td><td>50.83</td><td>68.20</td><td>-17.37</td><td>68.40</td><td>35.60</td><td>12.43</td><td>65.60</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>10460.00</td><td>46.17</td><td>68.20</td><td>-22.03</td><td>59.85</td><td>37.51</td><td>15.52</td><td>66.71</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6549.60	52.20	68.20	-16.00	70.47	35.50	12.05	65.82	0.00	--	Peak	2	6973.20	50.83	68.20	-17.37	68.40	35.60	12.43	65.60	0.00	--	Peak	3	10460.00	46.17	68.20	-22.03	59.85	37.51	15.52	66.71	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	6549.60	52.20	68.20	-16.00	70.47	35.50	12.05	65.82	0.00	--	Peak																																																																				
2	6973.20	50.83	68.20	-17.37	68.40	35.60	12.43	65.60	0.00	--	Peak																																																																				
3	10460.00	46.17	68.20	-22.03	59.85	37.51	15.52	66.71	0.00	--	PEAK																																																																				
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6973.20</td><td>46.54</td><td>68.20</td><td>-21.66</td><td>64.11</td><td>35.60</td><td>12.43</td><td>65.60</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10460.00</td><td>45.84</td><td>68.20</td><td>-22.36</td><td>59.49</td><td>37.52</td><td>15.53</td><td>66.70</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6973.20	46.54	68.20	-21.66	64.11	35.60	12.43	65.60	0.00	--	Peak	2	10460.00	45.84	68.20	-22.36	59.49	37.52	15.53	66.70	0.00	--	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	6973.20	46.54	68.20	-21.66	64.11	35.60	12.43	65.60	0.00	--	Peak																																																																				
2	10460.00	45.84	68.20	-22.36	59.49	37.52	15.53	66.70	0.00	--	PEAK																																																																				







Mode	21																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_Full_5270MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5095.45</td><td>51.94</td><td>74.00</td><td>-22.06</td><td>44.12</td><td>34.00</td><td>10.55</td><td>36.73</td><td>0.00</td><td>100</td><td>90</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5095.45	51.94	74.00	-22.06	44.12	34.00	10.55	36.73	0.00	100	90	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>104.33</td><td>-----</td><td>-----</td><td>95.66</td><td>34.45</td><td>10.70</td><td>36.48</td><td>0.00</td><td>100</td><td>90</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	104.33	-----	-----	95.66	34.45	10.70	36.48	0.00	100	90
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5095.45	51.94	74.00	-22.06	44.12	34.00	10.55	36.73	0.00	100	90	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5270.00	104.33	-----	-----	95.66	34.45	10.70	36.48	0.00	100	90	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5088.97</td><td>40.94</td><td>54.00</td><td>-13.06</td><td>33.13</td><td>34.01</td><td>10.54</td><td>36.74</td><td>0.00</td><td>100</td><td>90</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5088.97	40.94	54.00	-13.06	33.13	34.01	10.54	36.74	0.00	100	90	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>95.80</td><td>-----</td><td>-----</td><td>87.22</td><td>34.40</td><td>10.69</td><td>36.51</td><td>0.00</td><td>100</td><td>90</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	95.80	-----	-----	87.22	34.40	10.69	36.51	0.00	100	90
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5088.97	40.94	54.00	-13.06	33.13	34.01	10.54	36.74	0.00	100	90	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5270.00	95.80	-----	-----	87.22	34.40	10.69	36.51	0.00	100	90	AVERAGE																																																																																							





Mode	21																																															
	Band Edge - R																																															
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_Full_5270MHz																																															
ANT	1																																															
Pol.	Horizontal						Fundamental																																									
Peak							Blank																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5361.49</td><td>52.42</td><td>74.00</td><td>-21.58</td><td>43.52</td><td>34.50</td><td>10.75</td><td>36.35</td><td>0.00</td><td>100</td><td>90</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5361.49	52.42	74.00	-21.58	43.52	34.50
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1	5361.49	52.42	74.00	-21.58	43.52	34.50	10.75	36.35	0.00	100	90	PEAK																																				
Avg							Blank																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.41</td><td>42.64</td><td>54.00</td><td>-11.36</td><td>33.76</td><td>34.50</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>90</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.41	42.64	54.00	-11.36	33.76	34.50
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1	5351.41	42.64	54.00	-11.36	33.76	34.50	10.75	36.37	0.00	100	90	AVERAGE																																				





Mode	21																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_Full_5270MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5057.11</td><td>51.12</td><td>74.00</td><td>-22.88</td><td>43.36</td><td>34.04</td><td>10.51</td><td>36.79</td><td>0.00</td><td>100</td><td>257</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5057.11	51.12	74.00	-22.88	43.36	34.04	10.51	36.79	0.00	100	257	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>95.82</td><td>-----</td><td>-----</td><td>87.18</td><td>34.43</td><td>10.70</td><td>36.49</td><td>0.00</td><td>100</td><td>257</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	95.82	-----	-----	87.18	34.43	10.70	36.49	0.00	100	257
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5057.11	51.12	74.00	-22.88	43.36	34.04	10.51	36.79	0.00	100	257	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5270.00	95.82	-----	-----	87.18	34.43	10.70	36.49	0.00	100	257	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5055.76</td><td>39.47</td><td>54.00</td><td>-14.53</td><td>31.71</td><td>34.04</td><td>10.51</td><td>36.79</td><td>0.00</td><td>100</td><td>257</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5055.76	39.47	54.00	-14.53	31.71	34.04	10.51	36.79	0.00	100	257	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>86.87</td><td>-----</td><td>-----</td><td>78.21</td><td>34.44</td><td>10.70</td><td>36.48</td><td>0.00</td><td>100</td><td>257</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	86.87	-----	-----	78.21	34.44	10.70	36.48	0.00	100	257
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5055.76	39.47	54.00	-14.53	31.71	34.04	10.51	36.79	0.00	100	257	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5270.00	86.87	-----	-----	78.21	34.44	10.70	36.48	0.00	100	257	AVERAGE																																																																																							







Mode	21																																															
	Band Edge - R																																															
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_Full_5270MHz																																															
ANT	1																																															
Pol.	Vertical						Fundamental																																									
Peak							Blank																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5426.85</td><td>49.86</td><td>74.00</td><td>-24.14</td><td>40.79</td><td>34.53</td><td>10.80</td><td>36.26</td><td>0.00</td><td>100</td><td>257 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5426.85	49.86	74.00	-24.14	40.79
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1	5426.85	49.86	74.00	-24.14	40.79	34.53	10.80	36.26	0.00	100	257 PEAK																																					
Avg							Blank																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.85</td><td>38.73</td><td>54.00</td><td>-15.27</td><td>29.85</td><td>34.50</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>257 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.85	38.73	54.00	-15.27	29.85
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1	5350.85	38.73	54.00	-15.27	29.85	34.50	10.75	36.37	0.00	100	257 AVERAGE																																					



Mode	21																																																																																																																																																										
	Harmonic																																																																																																																																																										
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_Full_5270MHz																																																																																																																																																										
ANT	1																																																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																																																									
Peak Avg																																																																																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>6584.40</td><td>52.33</td><td>68.20</td><td>-15.87</td><td>70.60</td><td>35.50</td><td>12.00</td><td>65.85</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7027.20</td><td>58.37</td><td>68.20</td><td>-9.83</td><td>75.90</td><td>35.63</td><td>12.49</td><td>65.65</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>10540.00</td><td>44.52</td><td>68.20</td><td>-23.68</td><td>58.02</td><td>37.57</td><td>15.60</td><td>66.67</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	6584.40	52.33	68.20	-15.87	70.60	35.50	12.00	65.85	0.00	--	--	Peak	2	7027.20	58.37	68.20	-9.83	75.90	35.63	12.49	65.65	0.00	--	--	Peak	3	10540.00	44.52	68.20	-23.68	58.02	37.57	15.60	66.67	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>6601.20</td><td>47.32</td><td>68.20</td><td>-20.88</td><td>65.59</td><td>35.50</td><td>12.10</td><td>65.87</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7027.20</td><td>54.66</td><td>68.20</td><td>-13.54</td><td>72.19</td><td>35.63</td><td>12.49</td><td>65.65</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>10540.00</td><td>44.71</td><td>68.20</td><td>-23.49</td><td>58.17</td><td>37.58</td><td>15.62</td><td>66.66</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	6601.20	47.32	68.20	-20.88	65.59	35.50	12.10	65.87	0.00	--	--	Peak	2	7027.20	54.66	68.20	-13.54	72.19	35.63	12.49	65.65	0.00	--	--	Peak	3	10540.00	44.71	68.20	-23.49	58.17	37.58	15.62	66.66	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	6584.40	52.33	68.20	-15.87	70.60	35.50	12.00	65.85	0.00	--	--	Peak																																																																																																																																															
2	7027.20	58.37	68.20	-9.83	75.90	35.63	12.49	65.65	0.00	--	--	Peak																																																																																																																																															
3	10540.00	44.52	68.20	-23.68	58.02	37.57	15.60	66.67	0.00	--	--	PEAK																																																																																																																																															
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	6601.20	47.32	68.20	-20.88	65.59	35.50	12.10	65.87	0.00	--	--	Peak																																																																																																																																															
2	7027.20	54.66	68.20	-13.54	72.19	35.63	12.49	65.65	0.00	--	--	Peak																																																																																																																																															
3	10540.00	44.71	68.20	-23.49	58.17	37.58	15.62	66.66	0.00	--	--	PEAK																																																																																																																																															



Mode	22																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5135.29</td><td>51.99</td><td>74.00</td><td>-22.01</td><td>43.96</td><td>34.11</td><td>10.59</td><td>36.67</td><td>0.00</td><td>100</td><td>98</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5135.29	51.99	74.00	-22.01	43.96	34.11	10.59	36.67	0.00	100	98	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>103.80</td><td>-----</td><td>-----</td><td>95.01</td><td>34.50</td><td>10.72</td><td>36.43</td><td>0.00</td><td>100</td><td>98</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	103.80	-----	-----	95.01	34.50	10.72	36.43	0.00	100	98
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5135.29	51.99	74.00	-22.01	43.96	34.11	10.59	36.67	0.00	100	98	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	103.80	-----	-----	95.01	34.50	10.72	36.43	0.00	100	98	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5112.25</td><td>40.99</td><td>54.00</td><td>-13.01</td><td>33.09</td><td>34.04</td><td>10.57</td><td>36.71</td><td>0.00</td><td>100</td><td>98</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5112.25	40.99	54.00	-13.01	33.09	34.04	10.57	36.71	0.00	100	98	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>95.26</td><td>-----</td><td>-----</td><td>86.51</td><td>34.49</td><td>10.71</td><td>36.45</td><td>0.00</td><td>100</td><td>98</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	95.26	-----	-----	86.51	34.49	10.71	36.45	0.00	100	98
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5112.25	40.99	54.00	-13.01	33.09	34.04	10.57	36.71	0.00	100	98	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	95.26	-----	-----	86.51	34.49	10.71	36.45	0.00	100	98	AVERAGE																																																																																																			



Mode	22																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																						
ANT	1																																																						
Pol.	Horizontal										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5369.35</td><td>56.85</td><td>74.00</td><td>-17.15</td><td>47.93</td><td>34.50</td><td>10.76</td><td>36.34</td><td>0.00</td><td>100</td><td>98</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5369.35	56.85	74.00	-17.15	47.93	34.50	10.76	36.34	0.00	100	98	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5369.35	56.85	74.00	-17.15	47.93	34.50	10.76	36.34	0.00	100	98	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.45</td><td>46.14</td><td>54.00</td><td>-7.86</td><td>37.26</td><td>34.50</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>98</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.45	46.14	54.00	-7.86	37.26	34.50	10.75	36.37	0.00	100	98	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.45	46.14	54.00	-7.86	37.26	34.50	10.75	36.37	0.00	100	98	AVERAGE																																											





Mode	22																																																						
	Band Edge - L																																																						
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.25</td><td>50.41</td><td>74.00</td><td>-23.59</td><td>42.34</td><td>34.13</td><td>10.60</td><td>36.66</td><td>0.00</td><td>100</td><td>258</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.25	50.41	74.00	-23.59	42.34	34.13	10.60	36.66	0.00	100	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5144.25	50.41	74.00	-23.59	42.34	34.13	10.60	36.66	0.00	100	258	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>95.42</td><td>-----</td><td>-----</td><td>86.60</td><td>34.50</td><td>10.73</td><td>36.41</td><td>0.00</td><td>100</td><td>258</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	95.42	-----	-----	86.60	34.50	10.73	36.41	0.00	100	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5310.00	95.42	-----	-----	86.60	34.50	10.73	36.41	0.00	100	258	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5114.49</td><td>39.26</td><td>54.00</td><td>-14.74</td><td>31.35</td><td>34.04</td><td>10.57</td><td>36.70</td><td>0.00</td><td>100</td><td>258</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5114.49	39.26	54.00	-14.74	31.35	34.04	10.57	36.70	0.00	100	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5114.49	39.26	54.00	-14.74	31.35	34.04	10.57	36.70	0.00	100	258	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>86.75</td><td>-----</td><td>-----</td><td>77.96</td><td>34.50</td><td>10.72</td><td>36.43</td><td>0.00</td><td>100</td><td>258</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	86.75	-----	-----	77.96	34.50	10.72	36.43	0.00	100	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5310.00	86.75	-----	-----	77.96	34.50	10.72	36.43	0.00	100	258	AVERAGE																																											







Mode	22																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.55</td><td>54.47</td><td>74.00</td><td>-19.53</td><td>45.58</td><td>34.50</td><td>10.75</td><td>36.36</td><td>0.00</td><td>100</td><td>258</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.55	54.47	74.00	-19.53	45.58	34.50	10.75	36.36	0.00	100	258	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5355.55	54.47	74.00	-19.53	45.58	34.50	10.75	36.36	0.00	100	258	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.15</td><td>40.61</td><td>54.00</td><td>-13.39</td><td>31.73</td><td>34.50</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>258</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.15	40.61	54.00	-13.39	31.73	34.50	10.75	36.37	0.00	100	258	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.15	40.61	54.00	-13.39	31.73	34.50	10.75	36.37	0.00	100	258	AVERAGE																																											




Mode	22																																																																																																																																															
	Harmonic																																																																																																																																															
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																																																																																																															
ANT	1																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																									
Peak Avg																																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6649.20</td><td>51.89</td><td>68.20</td><td>-16.31</td><td>70.13</td><td>35.55</td><td>12.13</td><td>65.92</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7078.80</td><td>54.25</td><td>68.20</td><td>-13.95</td><td>71.80</td><td>35.68</td><td>12.56</td><td>65.79</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>10620.00</td><td>43.79</td><td>74.00</td><td>-30.21</td><td>57.10</td><td>37.63</td><td>15.69</td><td>66.63</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6649.20	51.89	68.20	-16.31	70.13	35.55	12.13	65.92	0.00	--	Peak	2	7078.80	54.25	68.20	-13.95	71.80	35.68	12.56	65.79	0.00	--	Peak	3	10620.00	43.79	74.00	-30.21	57.10	37.63	15.69	66.63	0.00	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6628.00</td><td>45.81</td><td>68.20</td><td>-22.39</td><td>64.06</td><td>35.53</td><td>12.12</td><td>65.90</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7080.00</td><td>51.32</td><td>68.20</td><td>-16.88</td><td>68.88</td><td>35.68</td><td>12.56</td><td>65.80</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>10620.00</td><td>44.68</td><td>74.00</td><td>-29.32</td><td>57.99</td><td>37.63</td><td>15.69</td><td>66.63</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6628.00	45.81	68.20	-22.39	64.06	35.53	12.12	65.90	0.00	--	Peak	2	7080.00	51.32	68.20	-16.88	68.88	35.68	12.56	65.80	0.00	--	Peak	3	10620.00	44.68	74.00	-29.32	57.99	37.63	15.69	66.63	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	6649.20	51.89	68.20	-16.31	70.13	35.55	12.13	65.92	0.00	--	Peak																																																																																																																																					
2	7078.80	54.25	68.20	-13.95	71.80	35.68	12.56	65.79	0.00	--	Peak																																																																																																																																					
3	10620.00	43.79	74.00	-30.21	57.10	37.63	15.69	66.63	0.00	--	PEAK																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	6628.00	45.81	68.20	-22.39	64.06	35.53	12.12	65.90	0.00	--	Peak																																																																																																																																					
2	7080.00	51.32	68.20	-16.88	68.88	35.68	12.56	65.80	0.00	--	Peak																																																																																																																																					
3	10620.00	44.68	74.00	-29.32	57.99	37.63	15.69	66.63	0.00	--	PEAK																																																																																																																																					







Mode	23																																																																																																											
	Band Edge - L																																																																																																											
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																					
Peak																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5460.00</td><td>57.71</td><td>74.00</td><td>-16.29</td><td>48.52</td><td>34.56</td><td>10.84</td><td>36.21</td><td>0.00</td><td>100</td><td>62 PEAK</td></tr><tr><td>2</td><td>5469.77</td><td>65.65</td><td>68.20</td><td>-2.55</td><td>56.43</td><td>34.57</td><td>10.85</td><td>36.20</td><td>0.00</td><td>100</td><td>62 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	57.71	74.00	-16.29	48.52	34.56	10.84	36.21	0.00	100	62 PEAK	2	5469.77	65.65	68.20	-2.55	56.43	34.57	10.85	36.20	0.00	100	62 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>106.60</td><td>-----</td><td>-----</td><td>97.30</td><td>34.59</td><td>10.88</td><td>36.17</td><td>0.00</td><td>100</td><td>62 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	106.60	-----	-----	97.30	34.59	10.88	36.17	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5460.00	57.71	74.00	-16.29	48.52	34.56	10.84	36.21	0.00	100	62 PEAK																																																																																																	
2	5469.77	65.65	68.20	-2.55	56.43	34.57	10.85	36.20	0.00	100	62 PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5510.00	106.60	-----	-----	97.30	34.59	10.88	36.17	0.00	100	62 PEAK																																																																																																	
Avg																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5460.00</td><td>47.87</td><td>54.00</td><td>-6.13</td><td>38.68</td><td>34.56</td><td>10.84</td><td>36.21</td><td>0.00</td><td>100</td><td>62 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	47.87	54.00	-6.13	38.68	34.56	10.84	36.21	0.00	100	62 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>97.56</td><td>-----</td><td>-----</td><td>88.26</td><td>34.59</td><td>10.88</td><td>36.17</td><td>0.00</td><td>100</td><td>62 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	97.56	-----	-----	88.26	34.59	10.88	36.17	0.00	100	62 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5460.00	47.87	54.00	-6.13	38.68	34.56	10.84	36.21	0.00	100	62 AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5510.00	97.56	-----	-----	88.26	34.59	10.88	36.17	0.00	100	62 AVERAGE																																																																																																	




Mode	23																																																				
	Band Edge - R																																																				
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																				
ANT	1																																																				
Pol.	Horizontal						Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5760.48</td><td>50.74</td><td>68.20</td><td>-17.46</td><td>42.58</td><td>34.78</td><td>11.23</td><td>37.85</td><td>0.00</td><td>100</td><td>62 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5760.48	50.74	68.20	-17.46	42.58	34.78	11.23	37.85	0.00	100	62 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5760.48	50.74	68.20	-17.46	42.58	34.78	11.23	37.85	0.00	100	62 PEAK																																										





		23																																																																	
Mode		Band Edge - L																																																																	
		U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																																	
ANT		1																																																																	
Pol.		Vertical					Fundamental																																																												
Peak																																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5369.13</td><td>49.05</td><td>74.00</td><td>-24.95</td><td>40.13</td><td>34.50</td><td>10.76</td><td>36.34</td><td>0.00</td><td>366</td><td>163</td><td>PEAK</td></tr><tr><td>2</td><td>5465.13</td><td>46.92</td><td>68.20</td><td>-21.28</td><td>37.71</td><td>34.57</td><td>10.85</td><td>36.21</td><td>0.00</td><td>366</td><td>163</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5369.13	49.05	74.00	-24.95	40.13	34.50	10.76	36.34	0.00	366	163	PEAK	2	5465.13	46.92	68.20	-21.28	37.71	34.57	10.85	36.21	0.00	366	163
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5369.13	49.05	74.00	-24.95	40.13	34.50	10.76	36.34	0.00	366	163	PEAK																																																							
2	5465.13	46.92	68.20	-21.28	37.71	34.57	10.85	36.21	0.00	366	163	PEAK																																																							
Avg																																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5372.17</td><td>38.43</td><td>54.00</td><td>-15.57</td><td>29.51</td><td>34.50</td><td>10.76</td><td>36.34</td><td>0.00</td><td>366</td><td>163</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5372.17	38.43	54.00	-15.57	29.51	34.50	10.76	36.34	0.00	366	163	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5372.17	38.43	54.00	-15.57	29.51	34.50	10.76	36.34	0.00	366	163	AVERAGE																																																							
																																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>99.18</td><td>-----</td><td>-----</td><td>89.78</td><td>34.60</td><td>10.92</td><td>36.12</td><td>0.00</td><td>366</td><td>163</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	99.18	-----	-----	89.78	34.60	10.92	36.12	0.00	366	163	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5510.00	99.18	-----	-----	89.78	34.60	10.92	36.12	0.00	366	163	PEAK																																																							
																																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>90.82</td><td>-----</td><td>-----</td><td>81.44</td><td>34.60</td><td>10.91</td><td>36.13</td><td>0.00</td><td>366</td><td>163</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	90.82	-----	-----	81.44	34.60	10.91	36.13	0.00	366	163	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5510.00	90.82	-----	-----	81.44	34.60	10.91	36.13	0.00	366	163	AVERAGE																																																							







Mode	23																																																				
	Band Edge - R																																																				
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																				
ANT	1																																																				
Pol.	Vertical						Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5732.00</td><td>48.21</td><td>68.20</td><td>-19.99</td><td>39.72</td><td>34.70</td><td>11.19</td><td>37.40</td><td>0.00</td><td>366</td><td>163 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5732.00	48.21	68.20	-19.99	39.72	34.70	11.19	37.40	0.00	366	163 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5732.00	48.21	68.20	-19.99	39.72	34.70	11.19	37.40	0.00	366	163 PEAK																																										




Mode	23																																																																																																																																																																																																																																																																
	Harmonic																																																																																																																																																																																																																																																																
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																																																																																																																																																																																																																																
ANT	1																																																																																																																																																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																															
Peak Avg																																																																																																																																																																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="4" rowspan="4">Peak</th></tr><tr><td>1</td><td>6883.20</td><td>50.39</td><td>68.20</td><td>-17.81</td><td>68.20</td><td>35.58</td><td>12.33</td><td>65.72</td><td>0.00</td><td>--</td><td>--</td><td colspan="8">Peak</td></tr><tr><td>2</td><td>7346.40</td><td>54.48</td><td>74.00</td><td>-19.52</td><td>72.61</td><td>35.70</td><td>12.72</td><td>66.55</td><td>0.00</td><td>119</td><td>353</td><td colspan="8">Peak</td></tr><tr><td>3</td><td>7346.40</td><td>49.54</td><td>54.00</td><td>-4.46</td><td>67.67</td><td>35.70</td><td>12.72</td><td>66.55</td><td>0.00</td><td>119</td><td>353</td><td colspan="8">Average</td></tr><tr><td>4</td><td>11020.00</td><td>45.16</td><td>74.00</td><td>-28.84</td><td>57.64</td><td>37.92</td><td>16.06</td><td>66.46</td><td>0.00</td><td>--</td><td>--</td><td colspan="8">PEAK</td></tr></table>			Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg	Peak				1	6883.20	50.39	68.20	-17.81	68.20	35.58	12.33	65.72	0.00	--	--	Peak								2	7346.40	54.48	74.00	-19.52	72.61	35.70	12.72	66.55	0.00	119	353	Peak								3	7346.40	49.54	54.00	-4.46	67.67	35.70	12.72	66.55	0.00	119	353	Average								4	11020.00	45.16	74.00	-28.84	57.64	37.92	16.06	66.46	0.00	--	--	PEAK								<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="4" rowspan="4"></th></tr><tr><td>1</td><td>6895.20</td><td>47.47</td><td>68.20</td><td>-20.73</td><td>65.22</td><td>35.60</td><td>12.35</td><td>65.70</td><td>0.00</td><td>--</td><td>--</td><td colspan="8">Peak</td></tr><tr><td>2</td><td>7346.40</td><td>47.20</td><td>74.00</td><td>-26.80</td><td>65.33</td><td>35.70</td><td>12.72</td><td>66.55</td><td>0.00</td><td>--</td><td>--</td><td colspan="8">Peak</td></tr><tr><td>3</td><td>11020.00</td><td>44.63</td><td>74.00</td><td>-29.37</td><td>57.11</td><td>37.92</td><td>16.06</td><td>66.46</td><td>0.00</td><td>--</td><td>--</td><td colspan="8">PEAK</td></tr></table>			Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg					1	6895.20	47.47	68.20	-20.73	65.22	35.60	12.35	65.70	0.00	--	--	Peak								2	7346.40	47.20	74.00	-26.80	65.33	35.70	12.72	66.55	0.00	--	--	Peak								3	11020.00	44.63	74.00	-29.37	57.11	37.92	16.06	66.46	0.00	--	--	PEAK						
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg	Peak																																																																																																																																																																																																																																																	
1	6883.20	50.39	68.20	-17.81	68.20	35.58	12.33	65.72	0.00	--	--	Peak																																																																																																																																																																																																																																																					
2	7346.40	54.48	74.00	-19.52	72.61	35.70	12.72	66.55	0.00	119	353	Peak																																																																																																																																																																																																																																																					
3	7346.40	49.54	54.00	-4.46	67.67	35.70	12.72	66.55	0.00	119	353	Average																																																																																																																																																																																																																																																					
4	11020.00	45.16	74.00	-28.84	57.64	37.92	16.06	66.46	0.00	--	--	PEAK																																																																																																																																																																																																																																																					
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																		
1	6895.20	47.47	68.20	-20.73	65.22	35.60	12.35	65.70	0.00	--	--	Peak																																																																																																																																																																																																																																																					
2	7346.40	47.20	74.00	-26.80	65.33	35.70	12.72	66.55	0.00	--	--	Peak																																																																																																																																																																																																																																																					
3	11020.00	44.63	74.00	-29.37	57.11	37.92	16.06	66.46	0.00	--	--	PEAK																																																																																																																																																																																																																																																					



		24																																																									
Mode		Band Edge - L																																																									
		U-NII-2C_5.47-5.725_802.11n HT40_CH110_Full_5550MHz																																																									
ANT		1																																																									
Pol.		Horizontal																																																									
Peak																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5458.71	53.26	74.00	-20.74	44.08	34.56	10.84	36.22	0.00	106	93 PEAK	2	5466.91	50.97	68.20	-17.23	41.76	34.57	10.85	36.21	0.00	106
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5458.71	53.26	74.00	-20.74	44.08	34.56	10.84	36.22	0.00	106	93 PEAK																																																
2	5466.91	50.97	68.20	-17.23	41.76	34.57	10.85	36.21	0.00	106	93 PEAK																																																
Fundamental																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5550.00	106.14	-----	-----	96.68	34.60	10.95	36.09	0.00	106	93 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5550.00	106.14	-----	-----	96.68	34.60	10.95	36.09	0.00	106	93 PEAK																																																
Avg																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5458.71	42.10	54.00	-11.90	32.92	34.56	10.84	36.22	0.00	106	93 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5458.71	42.10	54.00	-11.90	32.92	34.56	10.84	36.22	0.00	106	93 AVERAGE																																																
Avg																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5550.00	97.78	-----	-----	88.29	34.60	10.96	36.07	0.00	106	93 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5550.00	97.78	-----	-----	88.29	34.60	10.96	36.07	0.00	106	93 AVERAGE																																																



Mode	24																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_Full_5550MHz																																					
ANT	1																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5734.58</td><td>50.13</td><td>68.20</td><td>-18.07</td><td>41.68</td><td>34.70</td><td>11.19</td><td>37.44</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5734.58	50.13	68.20	-18.07	41.68	34.70	11.19	37.44	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5734.58	50.13	68.20	-18.07	41.68	34.70	11.19	37.44																														